

Exh - 7

Fresh Water Laboratory Analysis

WILSON OIL COMPANY

Wilson Well #5

Sec. 23 - 21 - 34

<u>Year</u>	<u>Specific Gravity</u>	<u>Chlorides PPM</u>	<u>Total Solids PPM</u>
1958	1.0015	92	500
1968	1.000	35	317
	Wilson Well #17 - Santa Rosa	Sec. 23 - 21 - 34	
1967	1.000	300	680
1967*	1.000	250	637

* Composite Fresh & Santa Rosa

Fresh Water Laboratory Analysis

WILSON OIL COMPANY

Merchant Well #1 (North)

Sec. 30 - 21 - 35

<u>Year</u>	<u>Specific Gravity</u>	<u>Chlorides PPM</u>	<u>Total Solids PPM</u>
1956		93.	
1958	1.0014	52	614
1967	1.000	150	428

MAILED 100 MISS ON

APPLI 1981 No. 7

3859

Fresh Water Laboratory Analysis

WILSON OIL COMPANY

Company Water Wells #1 & 2

Sec. 7 - 21 - 35

<u>Year</u>	<u>Specific Gravity</u>	<u>Chlorides PPM</u>	<u>Total Solids PPM</u>
1956	1.000	24.8	626.4
1958	1.0015	23.0	654.0
1967	1.000	100.0	473.
1968	1.000	40.0	370.

Fresh Water Laboratory Analysis

WILSON OIL COMPANY

Pan American #1. Wtr. Well

Sec. 24 - 21 - 34

<u>Year</u>	<u>Specific Gravity</u>	<u>Chlorides PPM</u>	<u>Total Solids PPM</u>
1950	1.000	89	551
1951	1.000	85	507
1952	1.000	82	543