

Case No.

5337

Large Exhibits

#



# Induction Electrolog

FILE NO. FM-5006	COMPANY <u>KEESEE &amp; THOMAS</u>	
	WELL <u>CHACRON JICARILLA APACHE 'D' #1</u>	
	FIELD <u>WILDCAT</u>	
	COUNTY <u>SANDOVAL</u>	STATE <u>NEW MEXICO</u>
	LOCATION: <u>875' FNL &amp; 1140' FEL</u>	
SEC <u>23</u>	TWP <u>23N</u>	RGE <u>3W</u>
		Other Services  GR/N

Permanent Datum <u>G.L.</u>	Elev. <u>7374</u>	Elevations: KB <u>7386</u>
Log Measured from <u>K.B.</u>	<u>12.0</u> Ft. Above Permanent Datum	DF <u>7385</u>
Drilling Measured from <u>K.B.</u>		GL <u>7374</u>

Date	<u>6-4-74</u>				
Run No.	<u>ONE</u>				
Depth—Driller	<u>7683</u>				
Depth—Logger	<u>7680</u>				
Bottom Logged Interval	<u>7675</u>				
Top Logged Interval	<u>314</u>				
Casing—Driller	<u>9 5/8 @ 308</u>	@	@	@	@
Casing—Logger	<u>314</u>				
Bit Size	<u>7 7/8</u>				
Type Fluid in Hole	<u>CHEM. GEL.</u>				
Density and Viscosity	<u>9.7</u>	<u>78</u>			
pH and Fluid Loss	<u>11.0</u>	<u>4.1</u> cc	cc	cc	cc
Source of Sample	<u>FLOWLINE</u>				
Rm @ Meas. Temp.	<u>4.5 @ 72 °F</u>	@ °F	@ °F	@ °F	@ °F
Rmf @ Meas. Temp.	<u>3.1 @ 71 °F</u>	@ °F	@ °F	@ °F	@ °F
Rmc @ Meas. Temp.	<u>5.3 @ 71 °F</u>	@ °F	@ °F	@ °F	@ °F
Source of Rmf and Rmc	<u>MEASURED</u>				
Rm @ BHT	<u>1.85 @ 175 °F</u>	@ °F	@ °F	@ °F	@ °F
Time Since Circ.	<u>8 HR.</u>				
Max. Rec. Temp. Deg. F.	<u>175</u> °F	°F	°F	°F	°F
Equip. No. and Location	<u>6103   FARM.</u>				
Recorded By	<u>LONG</u>				
Witnessed By	<u>THOMAS</u>				

EOL D. HERE

