




DEPCO, Inc.


DIAGRAMMATIC SKETCH OF DUAL COMPLETION

DHY STATE NO. 1

SEC. 23 T. 19 S., R. 28 E.

EDDY CO., NEW MEXICO

BEFORE EXAMINER NUTTER
OIL COMPANY EXAMINATION
Applicant EDDY CO. NO. 4
CMT. NO. 5646



- Qn., Gr. bg., SA
- WOLFCAMP
- STRAWN
- MORROW
- CISCO
- DRILLING WELL

BEFORE EXAMINER NUTTER
OIL CONSERVATION COMMISSION
Applicant EXHIBIT NO. 1
CASE NO. 5648

DEPCO, Inc.

EXHIBIT 1
APPLICATION FOR DUAL COMPLETION
DHY STATE NO. 1
SEC. 23 T. 19 S., R. 28 E.
NORTH WINCHESTER AREA
EDDY COUNTY, NEW MEXICO

Scale: 1"=2000'

Date: 1-28-76

File No:

Schlumberger

SIMULTANEOUS
COMPENSATED NEUTRON-
FORMATION DENSITY

COUNTY EDDY
FIELD WILDCAT
LOCATION STATE D.H.Y. #1
WELL STATE D.H.Y. #1
COMPANY DEPCO INCORPORATED

COMPANY DEPCO INCORPORATED*Exhibit No. 3*WELL STATE D.H.Y. #1FIELD WILDCATCOUNTY EDDY STATE NEW MEXICO

LOCATION 1980' FNL & 1980' FWL
API SERIAL NO 23 SEC 19-S TWP 28-E RANGE

Other Services:

DLL, HDT

Permanent Datum: G.L.; Elev.: 3382
Log Measured From K.B., 19 Ft. Above Perm. Datum
Drilling Measured From K.B.

Elev.: K.B. 3402
D.F. 3382
G.L. 3382

Date	12-24-75	BEFORE EXAMINER NUTTER OIL CONSERVATION COMMISSION Applicant <u>Exhibit No. 3</u> Case No. <u>5646</u> @				
Run No.	ONE					
Depth-Driller	11535					
Depth-Logger	11553					
Btm. Log Interval	11552					
Top Log Interval	0					
Casing-Driller	8 5/8@2800					
Casing-Logger	2804					
Bit Size	7 7/8					
Type Fluid in Hole	SUPER X					
Dens.	9.9	39				
pH	8	4.6 ml	ml	ml	ml	ml
Source of Sample	CIRCULATED					
Rm @ Meas. Temp.	.051 @80	F	@	°F	@	°F
Rmf @ Meas. Temp.	.049 @80	F	@	°F	@	°F
Rmc @ Meas. Temp.	.076 @80	F	@	°F	@	°F
Source: Rmf	M	C				
Rm @ BHT	@	F	@	°F	@	°F
TIME	Circulation Stopped	0830				
	Logger on Bottom	1330				
Max. Rec. Temp.		°F		°F		°F
Equip.	Location	7627 HOBBS				
Recorded By	REED					
Witnessed By Mr.	RAGSDALE					

FOR HERE