

#14	DTW	DTP	PT	DATE	Time
	19.30	18.35	0.95	4-9-85	
	19.45	18.50	0.95	4-18-85	1:19pm
	19.66	18.67	.99	4-25-85	1:40pm

BEFORE EXAMINER STOGNER
Oil Conservation Division
~~ROB WELT~~ Exhibit No. 3
Case No. 8599

ILLEGIBLE

#23	DTG	DTP	PT	Date	Time
	18.20	16.17	2.03	4-9-85	
	18.69	16.44	2.25	4-18-85	1:35pm
	19.01	16.65	2.36	4-25-85	1:50pm

ILLEGIBLE

JUL 11 11 55 AM '85

#22	DTW	DTP	PT	DATE	Time
	20.44	19.73	1.01	4-9-85	
	20.75	19.73	1.02	4-18-85	1:42pm
	21.61	19.92	1.69	4-25-85	1:55pm

ILLEGIBLE

#20 DTP DIAP PT DATE Time

26.71	20.02	6.69	4-9-85	
29.22	20.44	8.78	4-18-85	1:45 pm
29.85	20.70	9.15	4-25-85	2:00 pm

ILLEGIBLE

#29	DTW	DTP	PT	DATE	Time
	19.60	17.98	1.63	4-9-85	
	20.00	18.32	1.68	4-18-85	1:54pm
	20.42	18.56	1.86	4-25-85	2:05pm

ILLEGIBLE