## ATTACHMENT TO FORM C - 108 PENROC OIL CORPORATION STATE "AF" NO. 1

PENROC OIL CORPORATION STATE "AF" NO. 1 SECTION 8 - T18S - R35E UNIT LETTER M 510' FSL & 660' FWL TD 11791' DEVONIAN

13 3/8" 48# set @ 385' with 400 sxs circulated 9 5/8" 36, 40# set @ 3970' with 2176 sxs circulated 7" 23,29, and 32# set @ 11791' with 1700 sxs TOC 230' TS

Perforations;

8707 - 8782

11513 - 11573 currently producing

MID VACUUM DEVONIAN

PENROC OIL CORPORATION STATE "AF" NO.3 SECTION 8 - T18S - R35E UNIT LETTER L 1980' FSL & 990' FWL TD 11956' DEVONIAN

13 3/8" 48# set @ 360' with 400 sxs circulated 9 5/8' 36, 40# set @ 3876' with 2300 sxs circulated 5 1/2" 17# set @ 10387' with 2440 sxs Toc 1780' TS TD 11956 PBTD 10387'

8714 - 8770 SQZD WITH 150 sxs Perforations; 9883 - 9927 TA'D

ARCO OIL and GAS COMPANY LEA 403 STATE NO. 4 SECTION 17 - T18S - R35E UNIT LETTER D 510' FNL & 510' FWL TD 11896' DEVONIAN

13 3/8" 48# set @ 380' with 475 sxs circulated 9 5/8" 36, 40# set @ 4000' with 1700 sxs TOC 800' TS 7" 23,26,29, 32# set @ 11896 with 1050 sxs TOC 6400' TS

Perforations; 11652 - 11720 CIBP set @ 9550 + 25 sxs emt

8807 - 8882 VACUUM ABO REEF

currently producing

ARCO OTL and GAS COMPANY
LEA 403 STATE NO. 5
SECTION 17 - T18S - R35E UNIT LETTER F
1980' FNL & 1980' FWL
TD 11823' DEVONIAN

13 3/8" 48# set @ 382' with 400 sxs circulated 9 5/8" 36, 40# set @ 4013' with 1800 sxs circulated 5 1/2" 17, 20# set @ 11823' with 1867 sxs TOC 4300' TS

Perforations; 11770 - 11807 CIBP @ 11680' + 2 sxs cmt

CMT RETAINER @ 7800' 50 sxs

ABOVE & 50 sxs BELOW

5 1/2" cut & pulled @ 4220' SET 75 sxs ACROSS 5 1/2" STUB

AND 9 5/8" csg shoe

SET 10 sxs @ surface

P&A'D 3/26/75

ARCO OIL and GAS COMPANY LEA 403 STATE NO. 6 SECTION 17 - T18S - R35E UNIT LETTER B 660' FNL & 1980' FEL TD 11776' DEVONIAN

13 3/8" 48# set @ 402' with 450 sxs circulated 9 5/8" 36, 40# set @ 4000' with 1850 sxs TOC 965' TS 7 5/8" liner set @ 3849 - 10425 with 1060 sxs circulated 5" 18# liner set @ 10318 - 11776 with 142 sxs circulated

Perforations; 11642 - 11745 SQZD with 250 sxs

Spot 40 sx plug across top of 5" liner @ 10400 - 10140

Perf. 9016 - 9083 SQZD with 150 sxs

Perf. 7813 - 7837 SQZD with 125 sxs

Spot 100' plug @ 7637 - 7737

Spot 100' plug @ 3820 - 3920

Spot 100' plug @ 1800 - 1900

Spot 10 sxs plug @ surface

P&A 8/3/81

ENERGY RESERVES GROUP, INC. TP STATE NO. 2 SECTION 8 - T18S - R35E unit letter J 1980' FSL & 1980' FEL TD 5066' SAN ANDRES

ENERGY RESERVES GROUP, INC. TP STATE 2 - Y SECTION 8 - T18S - R35E UNIT LETTER J 1980' FSL & 1880' FEL TD 9156' ABO

BLEDSOE PETRO CORPORATION
TP STATE NO. 1
SECTION 8 - T18S - R35E UNIT LETTER I
1980' FSL & 660' FEL
TD 9200' ABO

BISHOP CANYON URANIUM CORPORATION
HOOKIN BULL NO. 1
SECTION 17 - T18S - R35E UNIT LETTER D
660'FNL'& 660'FWL
TD 4530' SAN ANDRES

ARCO OIL and GAS COMPANY LEA 4011 STATE NO. 1 SECTION 8 - T18S - R35E UNIT LEITER N 330' FSL & 1650' FWL TD 12000' DEVONIAN

13 3/8" 48#set @ 415' with 400 sxs circulated 9 5/8" 36# set @ 4000' with 2700 sxs circulated 7" 26# set @ 12000' with 2600 sxs TOC 2650' TS

Perforations; 8758 - 8785 SQZD with 100 sxs 8834 - 8856 SQZD with 100 sxs [11506 - 11586 Currently producing MID VACUUM DEVONIAN

11506 - 528

552 - 586