

LEONARD
 C. C. C. C.
 Ken McLee 17
 9682 + 9683

ROBERT N. ENFIELD
 NE, NW, Sec. 11, T8S, R33E
 Chaveroo Field
 Chaves County, New Mexico
 330' FNL & 1980' FWL
 Well Name: C. H. Hale No. 1

~~EXHIBIT 5~~

Well plugged & abandoned 4-15-75

WELL SCHEMATIC	CASING	Size	Weight	Grade	Thread	Depth
			8-5/8"	N/A	N/A	N/A
	CASING	4-1/2"	N/A	N/A	N/A	4,365'
	TUBING					
	TUBING					
	DESCRIPTION OF EQUIPMENT					DEPTH
	10 sxs plug at surface					
	8-5/8" csg cemented to surface w/225 sxs					411'
	100' plug at 457'					
	NOTE: Well filled w/mud from stub of 4 1/2" csg to surface.					
	100' plug at 987'					
	Stub of 4 1/2" casing					987'
	CIBP w/3 sxs on top of plug.					4,200'
	San Andres perms: 4242-4348'					
	PBD					4,353'
	4 1/2" casing cemented w/350 sxs					4,365'
	TD					4,365'
	Prepared By				Date	
	G. Bunas				2-8-89	

NO. OF COPIES RECEIVED		
DISTRIBUTION		
SANTA FE		
FILE		
U.S.G.S.		
LAND OFFICE		
OPERATOR		

NEW MEXICO OIL CONSERVATION COMMISSION

Form C-103
Supersedes Old
C-102 and C-103
Effective 1-1-65

5a. Indicate Type of Lease
State Fee
5. State Oil & Gas Lease No.

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO RESEARCH OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

OIL WELL GAS WELL OTHER

7. Unit Agreement Name

8. Farm or Lease Name
C. H. HALE

9. Well No.
1

10. Field and Pool, or Wildcat
Chavaroo

11. Elevation (Show whether DF, RT, CR, etc.)
4384 DF

12. County
Chaves

Name of Operator
ROBERT N. ENFIELD

Address of Operator
P. O. BOX 2431, SANTA FE, NEW MEXICO 87501

Location of Well
UNIT LETTER C 330 FEET FROM THE North LINE AND 1980 FEET FROM West THE LINE, SECTION 11 TOWNSHIP 8S RANGE 33E NMPM.

Check Appropriate Box To Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

SUBSEQUENT REPORT OF:

PERFORM REMEDIAL WORK PLUG AND ABANDON REMEDIAL WORK ALTERING CASING

TEMPORARILY ABANDON CHANGE PLANS COMMENCE DRILLING OPNS. PLUG AND ABANDONMENT

PULL OR ALTER CASING OTHER CASING TEST AND CEMENT JOBS

OTHER

7. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

1. Cast iron bridge plug set at 4,200'. 3 sx. cement set on top of plug
2. Cut and pulled 4-1/2" at 987'.
3. 100' cement plug at stub of 4-1/2" at 987'
4. Mud from stub of 4-1/2' to surface
5. 100' cement plug at surface pipe shoe 457'
6. 10 sx. plug at surface
7. Surface marker
8. Pad, pit and roads filled and ripped.

Work finished as of 4/15/75

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED Robert N. Enfield TITLE OPERATOR DATE 5/6/75

APPROVED BY John W. Runyon TITLE Geologist DATE 5/11/75

JACK L. MCCLELLAN
 NW, NW, Sec. 12, T8S, R33E
 CHAVEROO FIELD
 CHAVES COUNTY, NEW MEXICO
 330' FNL & 330' FWL

Well Name: Klepfer State No. 1
 Well plugged & abandoned 2-27-69

WELL SCHEMATIC	CASING	Size	Weight	Grade	Thread	Depth	
			8-5/8"	20	N/A	N/A	402'
	CASING	4-1/2"	9.5	N/A	N/A	4,408'	
	TUBING						
	TUBING						
	DESCRIPTION OF EQUIPMENT						DEPTH
	10 sxs plug @ surface						
	8-5/8" csg cemented to surface w/210 sxs						402'
	25 sxs plug @ 402'						
	NOTE: Heavy mud was placed between all plugs.						
	25 sxs plug @ 1950'						
	25 sxs plug @ 2350'						
	25 sxs plug @ 2500'						
	Stub of 4 1/2" casing						2,500'
	San Andres perms: 4292', 4294', 4300', 4303', 4308',						
	4314', 4316', 4319', 4324', 4373', 4378', 4382', 4384'						
	& 4390'						
	25 sx plug @ 4382'						
	PBTD						4,393'
	4 1/2" casing cemented w/225 sxs						4,408'
	TD						4,410'
	Prepared By					Date	
	G. Bunas					2-8-89	

1. Name of well WELL 23152		2. Well number 08-100	
3. Name of operator JAMES E. McCLELLAN		4. Name of contractor KLEPPER SERVICE	
5. Address Box 500, Roswell, New Mexico, 88201		6. State NM	
7. Direction of flow North		8. Direction of flow 330	
9. Direction of flow 8-S		10. Direction of flow 33-E	
11. Direction of flow 1961 G. L.		12. Other GRAVES	

Check appropriate box to indicate Nature of Notice, Report or Other Data
 NOTICE OF INTENTION FOR SUBSEQUENT REPORT ON

<input type="checkbox"/> Proposed well	<input type="checkbox"/> Existing well	<input type="checkbox"/> Proposed well	<input type="checkbox"/> Existing well
<input type="checkbox"/> Proposed well	<input type="checkbox"/> Existing well	<input type="checkbox"/> Proposed well	<input type="checkbox"/> Existing well
<input type="checkbox"/> Proposed well	<input type="checkbox"/> Existing well	<input type="checkbox"/> Proposed well	<input type="checkbox"/> Existing well

13. Describe in brief the completed operations, including pertinent details, and give pertinent data, including estimated date of completion of operations.

THIS WELL WAS PLUGGED AND ABANDONED FEBRUARY 27, 1969, AS FOLLOWS:

- 25' SACK PLUG AT 4382' (T. D.)
- 25' SACK PLUG AT 2500' (STUB OF 4 1/2" CASING)
- 25' SACK PLUG AT 2350' (BASE OF SALT)
- 25' SACK PLUG AT 1950' (TOP OF SALT)
- 25' SACK PLUG AT 402' (8-5/8" CASING)
- 10' SACK PLUG AT SURFACE.

HEAVY MUD WAS PLACED BETWEEN ALL PLUGS, THE LOCATION CLEANED AND A MARKED SET.

I certify that the information above is true and correct to the best of my knowledge and belief.

James E. McClellan TITLE SECRETARY DATE 2/27/69

John W. ... TITLE CONTACT DATE OCT 28 1969

ILLEGIBLE

HOBBS OFFICE U.C.C. E.O.C.C.

NEW MEXICO CONSERVATION DEPARTMENT
WELL COMPLETION OR RECOMPLETION REPORT AND LOG

1. Well Name: **OG 1063**

2. Well Type: OIL WELL GAS WELL STEAM OTHER

3. Well Status: Drilling Completion Repair Other

4. Well Location: **KLEPPER STATE**

5. Well No.: **1**

6. Operator: **JACK B. McCLELLAN**

7. Address: **P.O. Box 848, ROSWELL, NEW MEXICO 88201 UNDESIGNATED**

8. Field and Pool: **CHAVERO**

9. Direction: **D** Located **330** FEET FROM THE **NORTH** LINE AND **330** FEET FROM **WEST** LINE OF **12** TOWNSHIP **8-S** RANGE **33-E** COUNTY

10. County: **CHAVES**

11. Date Started: **2/22/67** 12. Date T.D. Reached: **3/3/67** 13. Date Compl. (Ready to Prod.): **4346 GL 4355 DF** 14. Elevations (DF, RKB, RT, CR, etc.): **4347**

15. Type of Completion: **4410** 16. Plug Bomb T.D.: **4393** 17. If Multiple Compl., How Many: **0 - 4410** 18. Intervals Drilled By: **0 - 4410**

19. Producing Intervals, of this completion - Top, Bottom, Meter: **4292-4326, 4373-4390 SLAUGHTER ZONE, SAN ANDRES** 20. Was Drilling Done: **YES**

21. Type of Cement and Other Logs Run: **GAMMA RAY-NEUTRON (IN CASING)** 22. Was Well Cased: **NO**

23. CASING RECORD (Report all strings set in well)

CASING SIZE	WEIGHT LB./FT.	DEPTH SET	HOLE SIZE	CEMENTING RECORD	AMOUNT FILLING
8-7/8	20 LB.	402	12-3/4"	210 SX (CIRC)	0
4-7/8	9 1/2 LB.	4408	7-7/8"	225 SX	0

24. LINER RECORD:

SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN

25. TUBING RECORD:

SIZE	DEPTH SET	PACKING DEPT.
2-3/8"	4348'	NONE

26. Production Rates (Interval, also well number): **1 GALLON PER FOOT 4292, 94, 4300, 03, 08, 14, 16, 19, 24, 73, 78, 82, 84 AND 90'**

27. ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC:

DEPTH INTERVAL	AMOUNT AND KIND MATERIAL
4373-4390	1500 ACID & 3000 ACID
4292-4326	3000 ACID
4292-4326	30,000 LBE OIL, 30,000

28. PRODUCTION

29. Date of Test: **4/02/67** Production Method: **PUMPING** Well Status: **PRODUCING**

Date of Test	Hours Tested	Casing Size	Flowing For Test Period	Oil - BBL	Gas - MCF	Water - Bbl	Gas - Oil Ratio
4/02/67	24	2" OPEP		84	TSTM	40	

Flowing For Test Period	Casing Pressure	Calculated 24-Hour Flow	Oil - BBL	Gas - MCF	Water - BBL	Oil Gravity - API (Temp)
0	150		84	TSTM	40	26

30. Name of Manufacturer: **DEVILDRUM SURVEY**

I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief.

ILLEGIBLE

FORMATION RECORD (Attach additional sheets if necessary)

Well No.	From	To	Formation	From	To	Thickness in Feet	Remarks
1942	1942		RED SAND AND SHALE				
2508	441		SALT AND ANHYDRITE				
2508	3563	1180	RED SAND, RED SHALE AND ANHYDRITE				
2563	1010	1047	ANHYDRITE AND DOLOMITE				

ILLEGIBLE

GLENN PETROLEUM CORP.
 NW, NE, Sec. 11, T8S, R33E
 Chaveroo Field
 Chaves County, New Mexico

2310' FEL & 330' FNL
 Well Name : C. H. Hale No. 1

Well was plugged & abandoned 5-15-71

WELL SCHEMATIC	CASING	Size	Weight	Grade	Thread	Depth	
			8-5/8"	N/A	N/A	N/A	404'
	CASING	4-1/2"	N/A	N/A	N/A	4,400'	
	TUBING						
	TUBING						
	DESCRIPTION OF EQUIPMENT						DEPTH
	10 sxs plug at surface						
	20 sx plug @ 375'						
	8-5/8" casing cemented to surface w/225 sx						404'
	20 sxs plug 500-550'						
	4 1/2" casing stub						525'
	CIBP w/2 sxs on top						3,620'
	San Andres perms: 4261-4354'						
	4 1/2" casing cemented w/450 sxs						4,400'
	TD						4,400'
	Prepared By					Date	
	G. Bunas					2-8-89	

COPIES RECEIVED	
DISTRIBUTION	
T A F E	
E	
C.S.	
D OFFICE	
R A T C R	

NEW MEXICO OIL CONSERVATION COMMISSION

Form C-103
 Supersees Old
 C-102 and C-103
 Effective 1-1-65

SUNDRY NOTICES AND REPORTS ON WELLS
DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT -" (FORM C-101) FOR SUCH PROPOSALS.

<input type="checkbox"/> OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER-	5a. Indicate Type of Lease State <input type="checkbox"/> Fee <input checked="" type="checkbox"/>
Name of Operator <u>Glenn Petroleum Corp.</u>	5. State Oil & Gas Lease No.
Address of Operator <u>2906 Maple Ave., Dallas, Texas 75201</u>	7. Unit Agreement Name <u>none</u>
Location of Well UNIT LETTER <u>B³</u> <u>2310</u> FEET FROM THE <u>East</u> LINE AND <u>330</u> FEET FROM <u>North</u> LINE, SECTION <u>11</u> TOWNSHIP <u>8S</u> RANGE <u>33E</u> N.M.P.M.	8. Farm or Lease Name <u>C.H. Hale</u>
	9. Well No. <u>1</u>
	10. Field and Pool, or Wildcat <u>Chaveroo San And.</u>
15. Elevation (Show whether DF, RT, GR, etc.) <u>4361 Gr.</u>	12. County <u>Chaves</u>

Check Appropriate Box To Indicate Nature of Notice, Report or Other Data

<p>NOTICE OF INTENTION TO:</p> <p>FORM REMEDIAL WORK <input type="checkbox"/></p> <p>TEMPORARILY ABANDON <input type="checkbox"/></p> <p>OR ALTER CASING <input type="checkbox"/></p> <p>OTHER <input type="checkbox"/></p> <p>PLUG AND ABANDON <input type="checkbox"/></p> <p>CHANGE PLANS <input type="checkbox"/></p>	<p>SUBSEQUENT REPORT OF:</p> <p>REMEDIAL WORK <input type="checkbox"/></p> <p>COMMENCE DRILLING OPNS. <input type="checkbox"/></p> <p>CASING TEST AND CEMENT JOB <input type="checkbox"/></p> <p>OTHER <input type="checkbox"/></p> <p>ALTERING CASING <input type="checkbox"/></p> <p>PLUG AND ABANDONMENT <input checked="" type="checkbox"/></p>
--	--

Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1703.

5-15-71: Set cast iron wire line bridge plug at 3620'. Put 2 sack cement cap on CIBP with dump bailer. Cut off 4 1/2" casing at 525'. Pull casing. Set 20 sack cement plug 550'-500'. Set 20 sack plug at 375". Set 10 sack plug at surface. Welded on cap on surface and set up 4" pipe monument marker. Removed surface equipment.

5-19-71: Covered all pits.

hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED BY [Signature] TITLE President DATE 8-14-71

APPROVED BY [Signature] TITLE COMMISSIONER DISTRICT DATE 10-13 1971

CONDITIONS OF APPROVAL, IF ANY: