

III. WELL DATA

- A. 1) Ranger Well No. 6
660' FSL, 1978' FWL
Section 23, T-12-S, R-34-E
- 2) Surface Csg.
13-3/8" 27.3 & 48#/ft @ 358'
Cmt'd w/375 sx, Cmt circ.
Hole size 17-1/2"
- Intermediate Csg.
8-5/8" OD, 24 & 32#/ft @ 4226'
Cmt'd w/691 sx, Cmt circ.
Hole size 11"
- Production Csg.
5-1/2" OD, 14, 15.5, 17 & 20#/ft @ 10,369'
Cmt'd w/560 sx, TOC @ 500' (Temp. Survey)
- 3) Tubing (Proposed)
2-3/8" OD, 4.7#/ft @ + 10,200'
Plastic (Salta) Lined
- 4) Packer
Baker Model D @ ± 10,050' w/ Model G Seal Assembly
Externally and internally plastic coated.
- B. 1) Injection Formation
Ranger Lake Penn
- 2) Injection Interval
± 10,228' - 10,346'
- 3) Well Purpose
Originally Penn Producer
- 4) Perforations
9940' - 9960' (22 holes) Bough "C"
Squeezed 1/77 w/25 sx
- 5) Producing Zones
Bough C + 9950'
Mississippian ± 11,500'

RE10, Ranger

BEFORE EXAMINER STOGNER OIL CONSERVATION DIVISION <i>Phillips</i> EXHIBIT NO. <u>2</u> CASE NO. <u>8279</u>
--