

BENSON-MONTIN-GREER DRILLING CORP.
EXHIBITS IN CASES 8715, 8714 & 8695
BEFORE THE OIL CONSERVATION DIVISION
OF THE NEW MEXICO DEPARTMENT OF
ENERGY AND MINERALS
WEST PUERTO CHIQUITO POOL
RIO ARRIBA COUNTY, NEW MEXICO
SEPTEMBER 25, 1985

INDEX

BENSON-MONTIN-GREER DRILLING CORP.
EXHIBITS IN CASES 8715, 8714 & 8695
BEFORE THE OIL CONSERVATION DIVISION
OF THE NEW MEXICO DEPARTMENT OF
ENERGY AND MINERALS
WEST PUERTO CHIQUITO POOL
RIO ARriba COUNTY, NEW MEXICO
SEPTEMBER 25, 1985

CASE NO. 8715

PART I ORIENTATION

SECTION A: ORIENTATION PLAT

SECTION B: CROSS-SECTION

PART II RESERVOIR GEOMETRY

SECTION C: FRACTURE BLOCK RESERVOIRS OF WEST PUERTO
CHIQUITO AND GAVILAN DO NOT REQUIRE UNIFORM
SPACING FOR EFFICIENT RESERVOIR RECOVERY

1. SKETCH OF FRACTURE BLOCK GEOMETRY (BLUE)
2. SKETCH OF CIRCULAR 72 ACRE RESERVOIRS
DRAINED BY INTERNAL WELL AND HIGH CAPACITY
FRACTURE SYSTEM (YELLOW)
3. CALCULATIONS FOR RESERVOIRS SHOWN UNDER
C-2
4. SKETCH SHOWING TIGHT FRACTURE BLOCK
DRAINED BY HIGH CAPACITY FRACTURE SYSTEM

PART III REVIEW OF PRINCIPLES OF COMPENSATING DRAINAGE FOR
UNIFORMLY SPACED WELLS LOCATED OFF-CENTER OF PRORATION
UNIT

- SECTION D: 1. SKETCH OF OFF-CENTERED WELLS UNIFORMLY
SPACED ON SQUARE PRORATION UNITS
2. TRANSPARENT OVERLAY WITH WELLS ON
RECTANGULAR SPACING UNITS SHOWING THAT
AREAS ALLOCATED TO WELLS CAN BE SQUARES

PART IV BASIC ISSUE OF CROSS-BOUNDARY MIGRATION WHERE THERE IS A
DIFFERENCE IN SIZE OF PRORATION UNITS (WIDE SPACED AREA IS
UNITIZED)

- SECTION E: 1. EXAMPLE: 40 ACRES/WELL VS. 80 ACRES/WELL

INDEX
EXHIBITS IN CASES 8715, 8714 & 8695
PAGE 2

PART V

WELL PATTERNS AT BOUNDARY BETWEEN AREAS OF DIFFERENT SIZE PRORATION UNITS (320 ACRES VS. 640 ACRES)

SECTION F: 1. ARBITRARY SELECTION OF 3700' DRAINAGE RADIUS FOR COMPARISON OF WELL PATTERNS: SKETCH SHOWING DRAINAGE INFLUENCE PATTERN ON 640 ACRE SPACING

SECTION G: 1. EXTENSION OF 320 ACRE DIAGONAL PATTERN INTO 640 ACRE SPACED AREA REQUIRES MINIMUM OF ONE ROW OF SECTIONS IN 640 ACRE SPACED AREA BE DRILLED TO 320 ACRE DENSITY TO PROTECT FROM DRAINAGE: SKETCH

SECTION H: DIRECT EQUIDISTANT OFFSET WELLS ACROSS BOUNDARY MAY PROTECT FROM DRAINAGE WITH FEWER WELLS THAN THAT POSSIBLE WITH DIAGONAL OFFSETS

1. SKETCH OF EQUIDISTANT DIRECT OFFSETS FOR WELLS OF PRIMARY INFLUENCE (COLORED BLUE & GRAY)
2. SAME SKETCH AS H-1 SHOWING PATTERN FOR WELL OF SECONDARY INFLUENCE (COLORED YELLOW & RED)

SECTION I: ONE WELL ON 640 ACRE PRORATION UNIT LOCATED 2310' OR MORE FROM GAVILAN POOL BOUNDARY ENTITLED TO FULL PRORATION UNIT ALLOWABLE

1. SKETCH: COMPARISON OF DRAINAGE PATTERNS TWO WELLS WITH 1/2 PRORATION UNIT ALLOWABLE EACH AND ONE WELL WITH FULL PRORATION ALLOWABLE

SECTION J: CASE NO. 8714: UNORTHODOX LOCATION: SW/4 SEC. 31, TOWNSHIP 26 NORTH, RANGE 1 WEST

1. PLAT SHOWING WELL LOCATION & OFFSET WELL ACROSS POOL BOUNDARY (PINK)
2. TOPOGRAPHIC MAP OF SAME AREA (GREEN)

SECTION K: CASE NO. 8695: UNORTHODOX LOCATION: NW/4 SEC. 6, TOWNSHIP 25 NORTH, RANGE 1 WEST

1. PLAT SHOWING WELL LOCATION & OFFSET WELL ACROSS POOL BOUNDARY (GOLD)

INDEX
EXHIBITS IN CASES 8715, 8714 & 8695
PAGE 3

PART VI

SUMMARY OF CASES 8715, 8714 & 8695

- SECTION I: 1. CASE NO. 8715 SUMMARY (BLUE)
2. CASE NO. 8714 SUMMARY (PINK)
3. CASE NO. 8695 SUMMARY (GOLD)