


TLSTPROD.
8-5-87

TWIN LAKES (SAN ANDRES) WATERFLOOD UNIT
TABLE OF OFFSET WELLS
C-108 VI

TLSAU #	LEASE/WELL NO.	UNIT LETTER	TD (PBD)	TYPE & DATE DRILLED	HOLE SIZE	CASING SIZE	WT	CASING DEPTH	CMT SX	TOC ON CSG	PROD PERFS	REMARKS
SECTION 26 T8S R28E												
7	O'BRIEN F #7	P	2760 (2750)	OIL 8-18-80	12 1/2" 7 7/8"	8 5/8" 4 1/2"	23# 9.5#	114' 2750'	75 SX 125 SX	SURFACE 2036' (C)	2571-2594.5'	
SECTION 25 T8S R28E												
8	O'BRIEN F #1	M	2563	OIL 5-22-78	11" 7 7/8"	8 5/8" 4 1/2"	24# 9.5#	120' 2536'	150 SX 150 SX	SURFACE 1667' (C)	2536-2563'	OPEN HOLE
10	O'BRIEN F #2	N	2714 (2698)	OIL 7-18-79	12 1/2" 7 7/8"	8 5/8" 5 1/2"	20# 14#	120' 2713'	75 SX 175 SX	SURFACE 1381' (C)	2565-2599'	
NOT IN UNIT	O'BRIEN F #8	C	7670 (2684)	OIL 4-22-81	20 1/2" 17 1/2" 10 3/4" 7 7/8"	20" COND 12 3/4" 8 5/8" 5 1/2"	NA 35# 20# 15.5&17#	40' 409' 3000' 2901-6374'	1 YD 475 SX 890 SX 1150 SX	SURFACE SURFACE SURFACE 2901' (C)	2633.5-2646.5	TEMPORARILY ABANDONED PREP TO P&A
1	O'BRIEN F #9	F	2691 (2670)	OIL 1-23-84	12 1/4" 7 7/8"	8 5/8" 4 1/2"	24# 9.5#	127' 2691'	120 SX 200 SX	SURFACE 1532' (C)	2590-2620'	
12	HARLOW FEE 25 #2	P	2750 (2728)	OIL 8-13-79	11" 7 7/8"	8 5/8" 5 1/2"	20# 14&15#	127' 2749'	70 SX 125 SX	SURFACE 1798' (C)	2613-2633'	
3	HARLOW FEE 25 #4	J	2830 (2697)	OIL 12-19-79	11" 7 7/8"	8 5/8" 5 1/2"	20# 14#	121' 2830'	75 SX 125 SX	SURFACE 1878' (C)	2580-2614'	
NOT IN UNIT	HARLOW FEE 25 #5	H	2753 (2720)	OIL 5-19-80	11" 7 7/8"	8 5/8" 5 1/2"	20# 14#	148' 2753'	60 SX 125 SX	SURFACE 1801' (C)	2632-2648'	
NOT IN UNIT	SANDCO #2	G	2700	OIL 3-6-84	11" 7 7/8"	8 5/8" 4 1/2"	23# 11.6#	125' 2700'	6 YDS 200 SX	SURFACE 1159' (C)	2574-2591'	PROPOSED CROSSLINE INJECTOR
NOT IN UNIT	SANDCO #3	A	2780 (2753)	OIL 5-10-84	11" 7 7/8"	8 5/8" 4 1/2"	23# 11.6#	124' 2753'	6 YDS 175 SX	SURFACE 1739' (C)	2623-2651'	RE-ENTRY OF O'BRIEN FEE 25 #6



TLSTPROD.
8-6-87

TWIN LAKES (SAN ANDRES) WATERFLOOD UNIT
TABLE OF OFFSET WELLS

C-108 VI

TLSAU #	LEASE/WELL NO.	UNIT LETTER	ID (PBTD)	TYPE & DATE DRILLED	HOLE SIZE	CASING SIZE	WT	CASING DEPTH	CMT SX	TOC ON CSG	PROD PERFS	REMARKS
SECTION 30 T8S R29E												
✓	NOT IN UNIT	D	2790 (2765)	OIL 6-13-79	11" 7 7/8"	8 5/8" 5 1/2"	20# 14#	128' 2789'	70 SX 125 SX	SURFACE 1838' (C)	2636-2680'	
✓	NOT IN UNIT	E	2793 (2765)	OIL 1-4-80	11" 7 7/8"	8 5/8" 5 1/2"	20# 14#	121' 2789'	75 SX 125 SX	SURFACE 1837' (C)	2624-2645'	PROPOSED CROSSLINE INJECTOR
✓	NOT IN UNIT	C	2802 (2776)	OIL 7-29-80	11" 7 7/8"	8 5/8" 5 1/2"	23# 14#&15.5#&17#	130' 2802'	75 SX 125 SX	SURFACE 1850' (C)	2666-2682'	
✓	NOT IN UNIT	F	2800 (2754)	OIL 1-13-81	11" 7 7/8"	8 5/8" 5 1/2"	20# 14#&15#	125' 2800'	4 YDS 125 SX	SURFACE 1848' (C)	2639-2679'	
✓	NOT IN UNIT	G	2830 (2801)	OIL 5-4-81	11" 7 7/8"	8 5/8" 5 1/2"	20# 14#	126.5' 2830'	4 YDS 125 SX	SURFACE 1878' (C)	2688-2716'	
✓	14 O'BRIEN J #1	N	2875 (2870)	OIL 12-15-79	12 1/2" 7 1/2"	8 5/8" 4 1/2"	20# 9.5#	120' 2875'	75 SX 225 SX	SURFACE 1571' (C)	2647-2698'	
✓	5 O'BRIEN K #2	L	2760 (2745)	OIL 7-10-79	12 1/2" 7 7/8"	8 5/8" 5 1/2"	28# 14#	115' 2760'	75 SX 225 SX	SURFACE 1046' (C)	2625-2660'	
SECTION 35 T8S R28E												
✓	44 O'BRIEN F #5	P	2703 (2689)	OIL 6-30-80	12 1/2" 7 1/2"	8 5/8" 4 1/2"	20# 9.5#	126' 2698'	75 SX 125 SX	SURFACE 1979' (C)	2568.5-2588	
✓	24 O'BRIEN F #6	H	2750 (2730)	OIL 7-23-80	12 1/2" 7 1/2"	8 5/8" 4 1/2"	20# 9.5#	121' 2746'	75 SX 125 SX	SURFACE 1398' (C)	2539-2573'	

TLSTPROD.
8-6-87

TWIN LAKES (SAN ANDRES) WATERFLOOD UNIT

TABLE OF OFFSET WELLS

C-108 VI

TLSAU #	LEASE/WELL NO.	UNIT LETTER	TD (PBSD)	TYPE & DATE DRILLED	HOLE SIZE	CASING SIZE	WT	CASING DEPTH	CMT SX	TOC ON CSG	PROD PERFS	REMARKS
SECTION 36 T8S R28E												
J 16	STATE CH COMM. #3	D	2593 (2591)	OIL 2-22-78	7 7/8"	8 5/8" 4 1/2"	24# 9.5#	42' 2593'	20 SX 200 SX	SURFACE 1241' (C)	2540-2583'	
J 26	CITGO STATE #1	F	2614 (2611)	OIL 10-23-67	6 3/4"	8 5/8" 4 1/2"	20# 9.5#	320' 2614'	125 SX 100 SX	SURFACE 1658' (C)	2564-2608'	
J 36	CITGO STATE #2	J	2645 (2643)	OIL 5-7-75	7 7/8"	8 5/8" 4 1/2"	24# 11.6#	93' 2645'	50 SX 200 SX	SURFACE 1302' (C)	2586-2638'	
J 47	CITGO STATE #3	P	2730 (2707)	OIL 9-1-67	7 7/8"	8 5/8" 4 1/2"	28# 9.5#	955' 1600-2727'	200 SX 200 SX	SURFACE 1568' (C)	2623-2660'	RE-ENTRY
J 37	CITGO STATE #6	J	2751 (2744)	OIL 9-4-81	12 1/4" 7 7/8"	8 5/8" 4 1/2"	20# 9.5#	210' 2751'	100 SX 200 SX	SURFACE 1399' (C)	2603-2687'	
J 28	CITGO STATE #7	G	2738	OIL 6-21-82	9 7/8" 7 7/8"	8 5/8" 4 1/2"	24# 10.5#	130' 2738'	75 SX 200 SX	SURFACE 1386' (C)	2611-2647.5'	
J 45	CITGO A STATE #2	N	7818 (2800)	OIL 3-23-67	17 1/2" 12 1/4" 7 7/8"	13 3/8" 9 5/8" 5 1/2"	48# 36# 15.5#	665' 3415' 1001'	800 SX 2455 SX 100 SX	SURFACE 770' (TS) 645' (C)	2580-2618'	OPEN HOLE FROM 3415' TO TD BP SET IN 9 5/8" @ 2800'
J 18	CITGO A STATE #6	B	2700 (2688)	OIL 1-10-79	12 1/2" 7 7/8"	8 5/8" 4 1/2"	28# 9.5#	128' 2700'	75 SX 200 SX	SURFACE 1365' (C)	2589-2632'	
J 29	CITGO A STATE #8	H	2730 (2729)	OIL 6-19-79	12 1/2" 7 7/8"	8 5/8" 4 1/2"	28# 9.5#	80' 2730'	75 SX 225 SX	SURFACE 1427' (C)	2623-2664'	

TLSTPROD.
8-6-87

TWIN LAKES (SAN ANDRES) WATERFLOOD UNIT

TABLE OF OFFSET WELLS

C-108 VI

TLSAU #	LEASE/WELL NO.	UNIT LETTER	TD (PBD)	TYPE & DATE DRILLED	HOLE SIZE	CASING SIZE	WT	CASING DEPTH	CMT SX	TOC ON CSG	PROD PERFS	REMARKS
SECTION 31 T8S R29E												
✓ 20	O'BRIEN I #1	D	2770 (2745)	OIL 6-30-79	12 1/2" 7 7/8"	8 5/8" 4 1/2"	28# 9.5#	117' 2770'	75 SX 225 SX	SURFACE 1467' (C)	2645.5-2683.5'	
✓ 39	O'BRIEN I #3	L	2870 (2855)	OIL 3-24-80	12 1/2" 7 7/8"	8 5/8" 4 1/2"	20# 9.5#	120' 2870'	75 SX 125 SX	SURFACE 2075' (C)	2656-2702.5'	
✓ 31	O'BRIEN I #5	F	2918 (2880)	OIL 7-3-80	12 1/2" 7 7/8"	8 5/8" 4 1/2"	20# 9.5#	122' 2918'	75 SX 125 SX	SURFACE 2194' (C)	2684-2725'	
✓ 49	O'BRIEN I #8	N	2898 (2885)	OIL 10-13-80	12 1/2" 7 7/8"	8 5/8" 4 1/2"	20# 9.5#	80' 2898'	75 SX 175 SX	SURFACE 1810' (C)	2714-2731'	
✓ 41	O'BRIEN J #2	J	2930 (2910)	OIL 10-9-80	12 1/2" 7 7/8"	8 5/8" 4 1/2"	20# 9.5#	80' 2930'	75 SX 175 SX	SURFACE 1844' (C)	2717.5-2795'	
✓ 51	O'BRIEN J #6	P	2950 (2935)	OIL 12-8-80	12 1/2" 7 7/8"	8 5/8" 4 1/2"	20# 9.5#	126' 2945'	75 SX 175 SX	SURFACE 1864' (C)	2783-2811.5'	
✓ 33	O'BRIEN J #7	H	2907 (2892)	OIL 12-11-80	12 1/2" 7 7/8"	8 5/8" 4 1/2"	20# 9.5#	128' 2900'	75 SX 175 SX	SURFACE 1821' (C)	2747.5-2778'	
✓ 22	O'BRIEN J #8	B	2961 (2950)	OIL 3-23-80	12 1/2" 7 7/8"	8 5/8" 4 1/2"	20# 9.5#	135' 2960'	75 SX 200 SX	SURFACE 1609' (C)	2708.5-2731.5'	
SECTION 32 T8S R29E												
NOT IN UNIT	O'BRIEN N #4	N	2958 (2904)	OIL 6-9-81	12 1/4" 7 7/8"	8 5/8" 4 1/2"	20# 9.5#	126' 2958'	75 SX 200 SX	SURFACE 1606' (C)	2834-2875'	TEMP ABANDONED PREP TO P & A
SECTION 2 T8S R28E												
NOT IN UNIT	O'BRIEN B #1	B	2615 (2612)	OIL 9-26-67	12 1/4" 7 7/8"	8 5/8" 4 1/2"	20# 9.5#	327' 2615'	150 SX 150 SX	SURFACE 1746' (C)	2584-2598'	PLUGGED & ABANDONED ON 5-15-71
✓ 53	O'BRIEN B #2	A	2679 (2584)	OIL 2-19-68	11 1/2" 6 3/4"	8 5/8" 4 1/2"	24# 9.5#	431' 2675'	185 SX 800 SX	SURFACE 1355' (C)	2542-2566'	
NOT IN UNIT	O'BRIEN B #3	I	7350 (7138)	DH 9-29-69	17 1/2" 12 1/4"	11 3/4" 8 5/8"	42# 24#	380' 2758'	350 SX 750 SX	SURFACE 359' (C)	2580-2610' 7114-7120'	NEVER PROD FROM SAN ANDRES - TA DEVONIAN GAS WELL

TLSTPROD.
8-6-87

TWIN LAKES (SAN ANDRES) WATERFLOOD UNIT

TABLE OF OFFSET WELLS

C-108 VI

TLSAU #	LEASE/WELL NO.	UNIT LETTER	TD (PBD)	TYPE & DATE DRILLED	HOLE SIZE	CASING SIZE	WT	CASING DEPTH	CMT SX	TOC ON CSG	PROD PERFS	REMARKS
SECTION 1 T9S R28E												
NOT IN UNIT	O'BRIEN C #1	M	7245 (7223)	DH 5-28-63	15" 10 5/8" 7 7/8"	11 3/4" 8 5/8" 5 1/2"	42# 24# & 32# 13.5# & 14#	685' 3450' 7245'	310 SX 2000 SX 1025 SX	SURFACE 60' (TS) 3805' (TS)	7180-7205'	DEVONIAN PRODUCER NEVER PROD FROM SAN ANDRES
NOT IN UNIT	O'BRIEN C #4	L	7235 (6695)	OIL 10-28-74	11" 7 7/8"	8 5/8" 5 1/2"	28# 14# & 15.5#	1980' 7235'	870 SX 700 SX	SURFACE 3198'	6694-6700'	T.A. BOUGH C WELL SAN ANDRES PERFS SQUEEZED OFF
P&A	O'BRIEN C #4 (1200')	C	1200	OIL 2-15-74	12 1/4" 7 7/8"	8 5/8" O.H.	24#	40'	CIRC	SURFACE	NONE	PLUGGED & ABANDONED ON 1-31-74
56	O'BRIEN C #5	B	2657 (2654)	OIL 9-16-67	12 1/4" 7 7/8"	8 5/8" 4 1/2"	20# 9.5#	467' 2657'	300 SX 150 SX	SURFACE 1788' (C)	2622-2646'	
65	O'BRIEN C #7	F	2630 (2629)	OIL 4-20-74	12 1/4" 7 7/8"	8 5/8" 4 1/2" 5 1/2"	20# 9.5# 15.5#	40' 2630'	CIRC 200 SX	SURFACE 1471' (C)	2504.5-2604'	
75	O'BRIEN E #2	J	2638	OIL 6-11-78	11" 7 7/8"	8 5/8" 4 1/2"	24# 9.5#	40' 2583'	5 YDS 250 SX	SURFACE 1189' (C)	NONE	OPEN HOLE FROM 2583' TO TD
85	O'BRIEN E #3	O	2802 (2781)	OIL 4-6-80	12 1/2" 7 7/8"	8 5/8" 4 1/2"	20# 9.5#	112' 2802'	75 SX 125 SX	SURFACE 2005' (C)	2591.5-2624.5'	
67	O'BRIEN E #6	D	2740 (2739)	OIL 10-1-81	12 1/4" 7 7/8"	8 5/8" 4 1/2"	20# 9.5#	130' 2739'	85 SX 200 SX	SURFACE 1388' (C)	2625-2648.5'	
84	O'BRIEN E #8	N	2731'	OIL 4-8-82	12 1/4" 7 7/8"	8 5/8" 4 1/2"	24# 9.5#	130' 2731'	105 SX 200 SX	SURFACE 1379' (C)	2579.5-2607.5'	
64	O'BRIEN E #9	E	2680 (2638)	OIL 1-20-84	12 1/4" 7 7/8"	8 5/8" 4 1/2"	24# 11.6#	170' 2617'	120 SX 200 SX	SURFACE 1328' (C)	2551.5-2568.5	

TLSTPROD.
3-6-87

TWIN LAKES (SAN ANDRES) WATERFLOOD UNIT

TABLE OF OFFSET WELLS

C-108 VI

WELL NO.	LEASE	UNIT LETTER	TD (PBD)	TYPE & DATE DRILLED	HOLE SIZE	CASING SIZE	WT	CASING DEPTH	CMT SX	TOC ON CSG	PROD PERFS	REMARKS
SECTION 6 T9S R29E												
60	O'BRIEN L #2	B	2950 (2935)	OIL 12-18-80	12 1/2" 7 7/8"	8 5/8" 4 1/2"	20# 9.5#	135' 2950'	75 SX 175 SX	SURFACE 1863' (C)	2734-2824'	
72	O'BRIEN L #5	H	2925 (2921)	OIL 6-8-81	12 1/2" 7 7/8"	8 5/8" 4 1/2"	20# 9.5#	128' 2921'	75 SX 200 SX	SURFACE 1573' (C)	2729.5-2756'	
69	O'BRIEN L #8	F	2850 (2844)	OIL 7-1-81	12 1/4" 7 7/8"	8 5/8" 4 1/2"	20# 9.5#	130' 2844'	75 SX 200 SX	SURFACE 1498' (C)	2689-2779'	
87	O'BRIEN L #11	N	2774 (2762)	OIL 8-22-81	12 1/4" 7 7/8"	8 5/8" 4 1/2"	20# 9.5#	134' 2774'	75 SX 200 SX	SURFACE 1422' (C)	2655.5-2679'	
58	O'BRIEN L #12	D	2823	OIL 9-16-81	12 1/4" 7 7/8"	8 5/8" 4 1/2"	20# 9.5#	133' 2823'	75 SX 200 SX	SURFACE 1471' (C)	2665-2743'	
77	O'BRIEN L #13	L	2826	OIL 10-23-81	12 1/4" 7 7/8"	8 5/8" 4 1/2"	20# 9.5#	130' 2826'	75 SX 200 SX	SURFACE 2700' (C)	2648-2684'	
71	O'BRIEN L #14	M	2800	OIL 5-15-82	9 7/8" 7 7/8"	8 5/8" 4 1/2"	24# 10.5	134' 2800'	75 SX 200 SX	SURFACE 2048' (C)	2637.5-2669'	TA. PREP TO PLUG
80	O'BRIEN L #15	B	2900	OIL 1-24-85	12 1/4" 7 7/8"	8 5/8" 5 1/2"	24# 15.5#	162' 2900'	100 SX 810 SX	SURFACE SURFACE	2725-2814'	
79	O'BRIEN FF #1	G	2925	OIL 1-2-85	12 1/4" 7 7/8"	8 5/8" 5 1/2"	24# 15.5#	154' 2925'	80 SX 700 SX	SURFACE SURFACE	2715-2807'	
89	O'BRIEN FF #5	J	2878 (2854)	OIL 6-23-81	12 1/2" 7 7/8"	8 5/8" 4 1/2"	20.5# 9.5#	134' 2878'	75 SX 200 SX	SURFACE 1526' (C)	2696-2775'	
P&A	NABOB #1A	M	2794	DH 4-25-68	13"	10 3/4"	32#	350'	200 SX	SURFACE	NONE	PLUGGED & ABANDONED ON 4-25-68
SECTION 5 T9S R29E												
62	O'BRIEN L #6	D	2954 (2930)	OIL 6-2-81	12 1/2" 7 7/8"	8 5/8" 4 1/2"	20# 9.5#	130' 2930'	75 SX 200 SX	SURFACE 1602' (C)	2780.5-2823'	
82	O'BRIEN FF #3	L	2910 (2811)	OIL 7-21-81	12 1/4" 7 7/8"	8 5/8" 4 1/2"	20# 9.5#	125' 2898'	125 SX 200 SX	SURFACE 2000' (C)	2757.5-2799.5	

TLSTPROD.
8-6-87

TWIN LAKES (SAN ANDRES) WATERFLOOD UNIT

TABLE OF OFFSET WELLS

C-108 VI

TLSAU #	LEASE/WELL NO.	UNIT LETTER	TD (PBD)	TYPE & DATE DRILLED	HOLE SIZE	CASING SIZE	WT	CASING DEPTH	CMT SX	TOC ON CSG	PROD PERFS	REMARKS
SECTION 12 T9S R28E												
✓	NOT IN UNIT	O'BRIEN D #1 (SWD)	D	7615 (2650)	DH 1-28-76	17' 12 1/4"	13 3/8" 8 5/8"	48# 24#	30' 1969'	50 SX 750 SX	NONE	PLUGGED & ABANDONED ON 3-20-86
✓	92	O'BRIEN D #3	A	2740 (2725)	OIL 1-12-82	12 1/4" 7 7/8"	8 5/8" 4 1/2"	24# 9.5#	123' 2740'	75 SX 200 SX	2619.5-2644' (C)	
✓	99	O'BRIEN D #4	H	2710 (2690)	OIL 1-1-82	12 1/4" 7 7/8"	8 5/8" 4 1/2"	20# 9.5#	127' 2710'	75 SX 200 SX	2577-2621' (C)	
✓	98	O'BRIEN D #5	G	2732	OIL 9-8-82	9 7/8" 7 7/8"	8 5/8" 4 1/2"	20# 9.5#	130' 2741'	75 SX 200 SX	2589-2610.5' (C)	
✓	110	O'BRIEN DB #1	I	2750	OIL 6-13-82	9 7/8" 7 7/8"	8 5/8" 4 1/2"	23# 10.5#	118' 2750'	75 SX 200 SX	2630.5-2666.5 (C)	
✓	115	O'BRIEN DB #2	P	2800 (2778)	OIL 7-3-82	9 7/8" 7 7/8"	8 5/8" 4 1/2"	24# 10.5#	130' 2800'	75 SX 200 SX	2685-2711' (C)	
SECTION 7 T9S R29E												
✓	102	MOONSHINE 7 #1	F	2785 (2778)	OIL 3-26-81	10 3/4" 7 7/8"	8 5/8" 4 1/2"	24# 10.5	320' 2785'	200 SX 800 SX	2653-2672' (C)	
✓	94	MOONSHINE 7 #5	B	2840 (2810)	OIL 10-26-81	12 1/4" 7 7/8"	8 5/8" 4 1/2"	24# 10.5	328' 2840'	150 SX 500 SX	2699-2717'	
✓	106	MOONSHINE 7 #7	L	2700	OIL 3-8-82	12 1/4" 7 7/8"	8 5/8" 4 1/2"	20# 11#	166' 2700'	150 SX 900 SX	2599-2639.5' (C)	
✓	112	MOONSHINE 7 #8	N	2800	OIL 3-5-82	12 1/4" 7 7/8"	8 5/8" 4 1/2"	20# 11#	166' 2800'	125 SX 900 SX	2675-2704' (C)	
✓	108	MOONSHINE 7 #9	J	2775	OIL 3-17-82	12 1/4" 7 7/8"	8 5/8" 4 1/2"	20# 11#	167' 2775'	125 SX 900 SX	2683.5-2713' (C)	
✓	101	MOONSHINE 7 #10	D	2780	OIL 4-1-82	12 1/4" 7 7/8"	8 5/8" 4 1/2"	24# 10.5	182' 2780'	150 SX 900 SX	2645.5-2657' (C)	
✓	114	MOONSHINE 7 #14	P	2880 (2782)	OIL 9-2-82	12 1/4" 7 7/8"	8 5/8" 4 1/2"	24# 10.5	180' 2867'	125 SX 1000 SX	2739-2771' (C)	

TLSTPROD.
3-6-87

TWIN LAKES (SAN ANDRES) WATERFLOOD UNIT

TABLE OF OFFSET WELLS

C-108 VI

WELLSAU #	LEASE/WELL NO.	UNIT LETTER	ID (PBT)	TYPE & DATE DRILLED	HOLE SIZE	CASING SIZE	WT	CASING DEPTH	CMT SX	TOC ON CSG	PROD PERFS	REMARKS
SECTION 8 T9S R29E												
✓ 96	O'BRIEN GG #1	D	2860 (2856)	OIL 9-14-81	12 1/4" 7 7/8"	8 5/8" 4 1/2"	20# 9.5#	130' 2860'	75 SX 200 SX	SURFACE 1508' (C)	2730-2775'	
SECTION 13 T9S R28E												
✓ NOT IN UNIT	MOBIL WOOLERY #1	A	2800 (2775)	DH 12-7-82	12 1/4" 7 7/8"	8 5/8" 5 1/2"	20# 14#	310' 2800'	210 SX 900 SX	SURFACE 1125' (TS)	NONE	PLUGGED & ABANDONED ON 8-6-83
✓ NOT IN UNIT	MOBIL WOOLERY #4	A	2746 (2738)	DH 6-26-83	12 1/4" 7 7/8"	8 5/8" 5 1/2"	24# 14#	300' 2746'	250 SX 750 SX	SURFACE SURFACE	NONE	PLUGGED & ABANDONED ON 8-5-83
SECTION 18 T9S R29E												
✓ 117	MOONSHINE 18 #1	C	2780 (2770)	OIL 5-26-82	12 1/4" 7 7/8"	8 5/8" 4 1/2"	24# 10.5	168' 2870'	150 SX 900 SX	SURFACE 1637' (C)	2731.5-2747'	
✓ 120	MOONSHINE 18 #3	G	2880 (2841)	OIL 10-3-82	12 1/4" 7 7/8"	8 5/8" 4 1/2"	24# 10.5	145' 2861'	125 SX 800 SX	SURFACE 1075' (C)	2752-2773'	