

Submit One Copy To Appropriate District  
Office  
District I  
1625 N. French Dr., Hobbs, NM 88240  
District II  
811 S. First St., Artesia, NM 88210  
District III  
1000 Rio Brazos Rd., Aztec, NM 87410  
District IV  
1220 S. St. Francis Dr., Santa Fe, NM  
87505

State of New Mexico  
Energy, Minerals and Natural Resources

Form C-103  
Revised November 3, 2011

OIL CONSERVATION DIVISION  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

WELL API NO. <b>30-015-26341</b>
5. Indicate Type of Lease STATE <input type="checkbox"/> FEE <input checked="" type="checkbox"/>
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name <b>Pardue -C- 8808 JV-P</b>
8. Well Number <b>1-D</b>
9. OGRID Number <b>260297</b>
10. Pool name or Wildcat <b>SWD; Delaware 96100</b>

SUNDRY NOTICES AND REPORTS ON WELLS  
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A  
DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH  
PROPOSALS.)

1. Type of Well: ☐ Oil Well ☐ Gas Well ☒ Other **SWD**

2. Name of Operator  
**BTA Oil Producers, LLC**

3. Address of Operator  
**104 S. Pecos Street, Midland, TX 79701**

4. Well Location

Unit Letter **N**: **176** feet from the **SOUTH** line and **1550** feet from the **WEST** line

Section **11** Township **23S** Range **28E** NMPM \_\_\_\_\_ County **Eddy**

11. Elevation (Show whether DR, RKB, RT, GR, etc.)

**2,996' - GR**

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐  
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐  
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐  
COMMENCE DRILLING OPNS. ☐ P AND A ☐  
CASING/CEMENT JOB ☐

OTHER: ☐

☒ Location is ready for OCD inspection after P&A

- ☒ All pits have been remediated in compliance with OCD rules and the terms of the Operator's pit permit and closure plan.  
☒ Rat hole and cellar have been filled and leveled. Cathodic protection holes have been properly abandoned.  
☐ A steel marker at least 4" in diameter and at least 4' above ground level has been set in concrete. It shows the

**OPERATOR NAME, LEASE NAME, WELL NUMBER, API NUMBER, QUARTER/QUARTER LOCATION OR  
UNIT LETTER, SECTION, TOWNSHIP, AND RANGE. ALL INFORMATION HAS BEEN WELDED OR  
PERMANENTLY STAMPED ON THE MARKER'S SURFACE.**

- ☒ The location has been leveled as nearly as possible to original ground contour and has been cleared of all junk, trash, flow lines and other production equipment.  
☒ Anchors, dead men, tie downs and risers have been cut off at least two feet below ground level.  
☒ If this is a one-well lease or last remaining well on lease, the battery and pit location(s) have been remediated in compliance with OCD rules and the terms of the Operator's pit permit and closure plan. All flow lines, production equipment and junk have been removed from lease and well location.  
☒ All metal bolts and other materials have been removed. Portable bases have been removed. (Poured onsite concrete bases do not have to be removed.)  
☒ All other environmental concerns have been addressed as per OCD rules.  
☒ Pipelines and flow lines have been abandoned in accordance with 19.15.35.10 NMAC. All fluids have been removed from non-retrieved flow lines and pipelines.  
☐ If this is a one-well lease or last remaining well on lease: all electrical service poles and lines have been removed from lease and well location, except for utility's distribution infrastructure.

When all work has been completed, return this form to the appropriate District office to schedule an inspection.

SIGNATURE Bob Hall TITLE Environmental Manager DATE 5/4/2020

TYPE OR PRINT NAME Bob Hall E-MAIL: bhall@btaoil.com PHONE: (432) 682-3753  
For State Use Only

APPROVED BY: Gilbert Cordero TITLE Staff Mgr DATE 5/7/2020  
Conditions of Approval (if any):

## Griswold, Jim, EMNRD

---

**From:** Griswold, Jim, EMNRD  
**Sent:** Wednesday, October 20, 2010 8:43 AM  
**To:** 'bgrimes@btaoil.com'  
**Cc:** 'mark@laenvironmental.com'; VonGonten, Glenn, EMNRD; Bonham, Sherry, EMNRD; Macquesten, Gail, EMNRD  
**Subject:** BTA Pardue "C" 8808 JV-P Well #1 facility cleanup

Ben,

I have reviewed the requests to plug groundwater monitoring wells MW-12, -13, and -14 along with removing the well monument on the plugged SWD well as part of the soil reclamation efforts at the facility. Both these requests are approved under the condition that those efforts be completed as described. A properly completed and signed C-103 sundry notice should be filed both with myself and the District II office in Artesia for the disposal well once work has been completed. Please keep a copy of this email for your files as no written approval will be sent. Thank you.

Depending upon the time when a groundwater restoration program can be provided to the OCD for review and approval, the upcoming hearing on November 18 can be rescheduled. Please contact Gail Macquesten, Glenn VonGonten, or myself in that regard.

Jim Griswold  
Senior Hydrologist  
*Environmental Bureau*  
*ENMRD/Oil Conservation Division*  
1220 South St. Francis Drive  
Santa Fe, New Mexico 87505  
direct: 505.476.3465  
email: [jim.griswold@state.nm.us](mailto:jim.griswold@state.nm.us)

## Griswold, Jim, EMNRD

---

**From:** Mark Larson [Mark@laenvironmental.com]  
**Sent:** Wednesday, October 20, 2010 8:19 AM  
**To:** Griswold, Jim, EMNRD  
**Cc:** VonGonten, Glenn, EMNRD; Bonham, Sherry, EMNRD; Ben Grimes; Stuart Beal; Stuart Beal  
**Subject:** Re: Exemption Request, BTA Oil Producers LLC, Pardue "C" 8808 JV-P Well #1, Eddy County, New Mexico  
**Attachments:** BTA Exemption Request, October 20, 2010.pdf; image001.jpg

Dear Mr. Griswold,

The attached letter is submitted to the New Mexico Oil Conservation Division (OCD) to request an exemption from rule 19.15.4.202B(2) NMAC to remove the above-ground steel marker on the plugged Pardue "C" 8808 JV-P Well #1. The above ground marker will be replaced with a below-ground steel marker that will be welded onto the well casing after it is cut off a sufficient depth below ground as to not interfere with a bentonite and polyethylene liner that will be installed at approximately 5 feet below ground surface. The below ground steel marker will be inscribed with the operator name, well number, API number, well location (section line footages, unit letter, section, township and range) and plugging date. Please contact Mr. Ben Grimes with BTA Oil Producers LLC at (432) 682-3753 or myself if you have questions.

Sincerely,

Mark J. Larson  
Sr. Project Manager / President  
507 N. Marienfeld St., Ste. 200  
Midland, Texas 79701  
(432) 687-0901 (office)  
(432) 687-0456 (fax)  
(432) 556-8656 (cell)  
[mark@laenvironmental.com](mailto:mark@laenvironmental.com)



---

I am using the Free version of SPAMfighter.  
SPAMfighter has removed 5507 of my spam emails to date.

Do you have a slow PC? Try free scan!



CARLTON BEAL, JR.  
BARRY BEAL  
SPENCER BEAL  
KELLY BEAL  
BARRY BEAL, JR.  
STUART BEAL  
ROBERT DAVENPORT, JR.

**BTA OIL PRODUCERS, LLC**

104 SOUTH PECOS  
MIDLAND, TEXAS 79701  
432-682-3753  
FAX 432-683-0311

**GULF COAST DISTRICT**  
FOUR GREENSPPOINT PLAZA  
16945 NORTHCHASE DRIVE, STE. 1600  
HOUSTON, TEXAS 77060  
PH. 281-872-5022 FAX 281-872-5054

**ROCKY MOUNTAIN DISTRICT**  
600 17TH STREET, STE. 2230 SOUTH  
DENVER, CO 80202  
PH. 303-534-4404 FAX 303-534-4661

October 20, 2010

VIA EMAIL: Jim.Griswold@state.nm.us

Mr. Jim Griswold  
New Mexico Oil Conservation Division - Environmental  
1220 S. St. Francis Drive  
Santa Fe, New Mexico 88505

**Re: Case No. 14413 - Exemption to Remove Plugged Well Monument**  
**BTA Oil Producers LLC, Pardue "C" 8808 JV-P Well #1, API No. 30-015-26341**  
**Latitude 32° 18' 46.77896 North, Longitude 104° 03' 41.94813 West**  
**Unit N (SE/4, SW/4), Section 11, Township 23 South, Range 28 East NMPM**  
**Eddy County, New Mexico**

Dear Mr. Griswold,

This exemption request is submitted to the New Mexico Oil Conservation Division (OCD) to allow BTA Oil Producers LLC (BTA) to remove the plugged well monument on the Pardue "C" 8808 JV-P Well #1, with API #30-015-26341, and cut off the surface casing at a depth sufficient to place the well below the bentonite and polyethylene liner to be installed at approximately 5 feet below ground surface. A steel plate inscribed with the well information (i.e., well name, well owner, API number, footage from section line(s), unit letter, section number, township, range and plugging date) will be welded to the top of the well casing. Your approval of this request is appreciated. Please contact me if you have questions.

Sincerely,

BTA Oil Producers LLC

Ben Grimes  
Operations Manager  
BGrimes@btaoil.com

Cc: Sherry Bonham – OCD District 2  
Mark Larson – Larson & Associates, Inc.