

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENTFORM APPROVED  
OMB NO. 1004-0137  
Expires: January 31, 2018**SUNDRY NOTICES AND REPORTS ON WELLS**  
**Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.**5. Lease Serial No.  
NMNM05039A

6. If Indian, Allottee or Tribe Name

**SUBMIT IN TRIPLICATE - Other instructions on page 2**7. If Unit or CA/Agreement, Name and/or No.  
891000303X

1. Type of Well

☐ Oil Well ☒ Gas Well ☐ Other8. Well Name and No.  
POKER LAKE UNIT 21 BD 124H

2. Name of Operator

XTO PERMIAN OPERATING LLC

Contact: CHERYL ROWELL

E-Mail: Cheryl\_rowell@xtoenergy.com

9. API Well No.

30-015-45515-00-X1

3a. Address

6401 HOLIDAY HILL ROAD BLDG 5  
MIDLAND, TX 79707

3b. Phone No. (include area code)

Ph: 432.218-3754

10. Field and Pool or Exploratory Area  
PURPLE SAGE-WOLFCAMP (GAS)

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

Sec 21 T25S R30E SESW 395FSL 1749FWL  
32.109467 N Lat, 103.889160 W Lon

11. County or Parish, State

EDDY COUNTY, NM

## 12. CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Hydraulic Fracturing	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	Drilling Operations
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operation: Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleat horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleat in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has determined that the site is ready for final inspection.

XTO PERMIAN OPERATING LLC respectfully submits drilling operations of the referenced well.

Spud well 02/29/20

Drill 17.5 in. TD 02/29/20 at 1102 ft.

03/01/20 Run 13.375 in., J55, 68 lb, casing and set at 1102 ft.

Cement casing with 2110 xs, 507 bbls, 1.35 yld, Class C cmt

Circ 265 bbls cmt to surface. WOC.

03/02/20

Test 13.375 csg 1500 psi, 30 mins (good).

OCD Accepted for Record 6/11/2020 - JAG

14. I hereby certify that the foregoing is true and correct.

Electronic Submission #515973 verified by the BLM Well Information System

For XTO PERMIAN OPERATING LLC, sent to the Carlsbad

Committed to AFMSS for processing by PRISCILLA PEREZ on 05/21/2020 (20PP2904SE)

Name (Printed/Typed) CHERYL ROWELL

Title REGULATORY COORDINATOR

Signature (Electronic Submission)

Date 05/19/2020

**THIS SPACE FOR FEDERAL OR STATE OFFICE USE**

Approved By

ACCEPTED

JONATHON SHEPARD  
Title PETROLEUM ENGINEER

Date 06/10/2020

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office Carlsbad

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

**\*\* BLM REVISED \*\* BLM REVISED \*\* BLM REVISED \*\* BLM REVISED \*\* BLM REVISED \*\***

## **Additional data for EC transaction #515973 that would not fit on the form**

### **32. Additional remarks, continued**

03/02/20

Drill 12.25 in. TD 03/10/20 at 10030 ft.

3/10/20 to 3/12/20

Run 9.625 in., HCL-80, 40lb, BTC, casing set at 10022 ft. DV tool set at 4006 ft.

Cement casing with 1210 sxs, 789 bbls, 3.66 yld, CPT Trident, followed by 1545 sxs, 586 bbls, 2.13 yld, Nine Lite lead cmt and 550 sxs, 116 bbls, 1.18 yld, 25/75 POZ Class C tail cmt. Bump plug, Open DV tool, Pump 1130 sxs, 384 bbls, 1.91 yld, 35/65 POZ C lead cmt and 470 sxs, 111 bbls, 1.33 yld, Class C tail cmt. Circ. 178 bbls cmt to surface. RD, Skid rig.

04/24/20

Skid rig, RU.

04/25/20

Test 9.625 casing to 4025 psi, 30 mins (good).

Drill 8.75 in. hole to 11910 ft.

Drill 8.5 in. hole, TD 05/10/20 at 21835 ft.

KOP = 10707 ft.

05/11/20

Run 5.5 in., CYP-110, 23 lb/ft, TCBC-HT casing set at 21766 ft.

Cement casing with 575 sxs, 186 bbls, 1.82 yld, Scavenger cmt followed by 1045 sxs, 173 bbls, 1.48 yld 35/65 POZ lead cmt and 2480 sxs, 410 bbls, 1.48 yld, 35/65 POZ tail cmt.

Circ 115 bbls cmt to surface.

PBTD = 21764 ft

Rig Release 05/12/20

## Revisions to Operator-Submitted EC Data for Sundry Notice #515973

	Operator Submitted	BLM Revised (AFMSS)
Sundry Type:	DRG SR	DRG SR
Lease:	NMNM05039A	NMNM05039A
Agreement:		891000303X (NMNM71016X)
Operator:	XTO PERMIAN OPERATING LLC 6401 HOLIDAY HILL RD, BLDG 5 MIDLAND, TX 79707 Ph: 432-218-3754	XTO PERMIAN OPERATING LLC 6401 HOLIDAY HILL ROAD BLDG 5 MIDLAND, TX 79707 Ph: 432.683 2277
Admin Contact:	CHERYL ROWELL REGULATORY COORDINATOR E-Mail: Cheryl_rowell@xtoenergy.com  Ph: 432-218-3754	CHERYL ROWELL REGULATORY COORDINATOR E-Mail: Cheryl_rowell@xtoenergy.com  Ph: 432.218-3754
Tech Contact:	CHERYL ROWELL REGULATORY COORDINATOR E-Mail: Cheryl_rowell@xtoenergy.com  Ph: 432-218-3754	CHERYL ROWELL REGULATORY COORDINATOR E-Mail: Cheryl_rowell@xtoenergy.com  Ph: 432.218-3754
Location: State: County:	NM EDDY	NM EDDY
Field/Pool:	PURPLE SAGE; WOLFCAMP	PURPLE SAGE-WOLFCAMP (GAS)
Well/Facility:	POKER LAKE UNIT 21 BD 124H Sec 21 T25S R30E Mer NMP SESW 395FSL 1749FWL 32.109465 N Lat, 103.889157 W Lon	POKER LAKE UNIT 21 BD 124H Sec 21 T25S R30E SESW 395FSL 1749FWL 32.109467 N Lat, 103.889160 W Lon