

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENTFORM APPROVED
OMB NO. 1004-0137
Expires: January 31, 2018**SUNDRY NOTICES AND REPORTS ON WELLS**
*Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.*5. Lease Serial No.
NMNM0545035

6. If Indian, Allottee or Tribe Name

7. If Unit or CA/Agreement, Name and/or No.

SUBMIT IN TRIPLICATE - Other instructions on page 28. Well Name and No.
Multiple--See Attached1. Type of Well
☒ Oil Well ☐ Gas Well ☐ Other2. Name of Operator
OXY USA INCORPORATEDContact: JANA MENDIOLA
E-Mail: janalyn_mendiola@oxy.com9. API Well No.
Multiple--See Attached3a. Address
5 GREENWAY PLAZA SUITE 110
HOUSTON, TX 77046-05213b. Phone No. (include area code)
Ph: 432-685-593610. Field and Pool or Exploratory Area
Multiple--See Attached4. Location of Well (Footage, Sec., T., R., M., or Survey Description)
Multiple--See Attached11. County or Parish, State
EDDY COUNTY, NM**12. CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA**

TYPE OF SUBMISSION	TYPE OF ACTION			
<input checked="" type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Hydraulic Fracturing	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other Drilling Operations
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operation: Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomple horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has determined that the site is ready for final inspection.

OXY USA INC. respectfully requests approval to temporarily suspend drilling operations for 6 months from rig down date of 3/12/2020 due to current economic conditions related to the low price of oil for the wells listed below.

30-015-45716 PURE GOLD MDP1 29-17 FEDERAL COM 171H NMNM054035
30-015-45717 PURE GOLD MDP1 29-17 FEDERAL COM 172H NMNM054035
30-015-45712 PURE GOLD MDP1 29-17 FEDERAL COM 7H NMNM054035

See attached WBD and details.

**Carlsbad Field Office
Operator Copy****ALL PREVIOUS COAS STILL APPLY**

14. I hereby certify that the foregoing is true and correct. Electronic Submission #508614 verified by the BLM Well Information System For OXY USA INCORPORATED, sent to the Carlsbad Committed to AFMSS for processing by PRISCILLA PEREZ on 03/26/2020 (20PP1799SE)	
Name (Printed/Typed) JANA MENDIOLA	Title REGULATORY SPECIALIST
Signature (Electronic Submission)	Date 03/26/2020 gc 8/26/2020

THIS SPACE FOR FEDERAL OR STATE OFFICE USE**Accepted for record - NMOCD**

Approved By NDUNGU KAMAU	Title PETROLEUM ENGINEER	Date 06/09/2020
Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.		Office Carlsbad

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

**** BLM REVISED ** BLM REVISED ** BLM REVISED ** BLM REVISED ** BLM REVISED ****

Additional data for EC transaction #508614 that would not fit on the form

Wells/Facilities, continued

Agreement	Lease	Well/Fac Name, Number	API Number	Location
NMNM0545035	NMNM0545035	PURE GOLD MDP1 29-17 FED COM-172	45717-00-X1	Sec 29 T23S R31E SWSW 690FSL 990FWL 32.270073 N Lat, 103.805153 W Lon
NMNM0545035	NMNM0545035	PURE GOLD MDP1 29-17 FED COM-176	45716-00-X1	Sec 29 T23S R31E SWSW 690FSL 955FWL 32.270073 N Lat, 103.805267 W Lon
NMNM0545035	NMNM0545035	PURE GOLD MDP1 29-17 FED COM-115	45712-00-X1	Sec 29 T23S R31E SWSW 764FSL 415FWL 32.270275 N Lat, 103.807014 W Lon

10. Field and Pool, continued

WOLFCAMP

Revisions to Operator-Submitted EC Data for Sundry Notice #508614

	Operator Submitted	BLM Revised (AFMSS)
Sundry Type:	DRG NOI	DRG NOI
Lease:	NMNM0545035	NMNM0545035
Agreement:		
Operator:	OXY USA INC. P.O. BOX 50250 MIDLAND, TX 79710 Ph: 432-685-5936	OXY USA INCORPORATED 5 GREENWAY PLAZA SUITE 110 HOUSTON, TX 77046-0521 Ph: 713.350.4816
Admin Contact:	JANA MENDIOLA REGULATORY SPECIALIST E-Mail: janalyn_mendiola@oxy.com Ph: 432-685-5936	JANA MENDIOLA REGULATORY SPECIALIST E-Mail: janalyn_mendiola@oxy.com Ph: 432-685-5936
Tech Contact:	JANA MENDIOLA REGULATORY SPECIALIST E-Mail: janalyn_mendiola@oxy.com Ph: 432-685-5936	JANA MENDIOLA REGULATORY SPECIALIST E-Mail: janalyn_mendiola@oxy.com Ph: 432-685-5936
Location:		
State:	NM	NM
County:	EDDY	EDDY
Field/Pool:	WILDCAT; WOLFCAMP	INGLE WELLS WILDCAT-WOLFCAMP WOLFCAMP
Well/Facility:	PURE GOLD MDP1 29-17 FED COM 171H Sec 29 T23S R31E Mer NMP SWSW 690FSL 955FWL 32.270073 N Lat, 103.805268 W Lon	PURE GOLD MDP1 29-17 FED COM 172H Sec 29 T23S R31E SWSW 690FSL 990FWL 32.270073 N Lat, 103.805153 W Lon PURE GOLD MDP1 29-17 FED COM 171H Sec 29 T23S R31E SWSW 690FSL 955FWL 32.270073 N Lat, 103.805267 W Lon PURE GOLD MDP1 29-17 FED COM 7H Sec 29 T23S R31E SWSW 764FSL 415FWL 32.270275 N Lat, 103.807014 W Lon

OXY USA Inc. – Pure Gold MDP1 29-17 Federal Com 171H, 172H, 7H

This is a sundry request for the current 3 well pad that consist of the following wells:

API#	Well Name	Lease Serial #	Surface Section TD (ft)	Surface Section csg set depth (ft)	Formation
3001545716	Pure Gold MDP1 29-17 Federal Com 171H	NMNM0545035	469'	459'	Wolfcamp A
3001545717	Pure Gold MDP1 29-17 Federal Com 172H	NMNM0545035	470'	460'	Wolfcamp X
3001545712	Pure Gold MDP1 29-17 Federal Com 7H	NMNM0545035	470'	460'	3 rd Bone Spring

Oxy respectfully requests approval to temporarily suspend drilling operations for 6 months from the rig down date of 3/12/2020 due to current economic conditions related to the low price of oil.

Well history:


The Pure Gold 171H, 172H, 7H were planned and permitted as a 4 string 12.5k long lateral targeting the formations seen in the table above. These wells were successfully drilled down to the surface section TD's listed in the table above and cased off with 13-5/8" 54.5# J-55 BTC, and cemented to surface per plan.


Current status:

The 13-3/8" J-55 casing has been set and cemented per BLM approved APD. Casing shoes are set at depths depicted in table above. Cement was displaced with 8.33 ppg fresh water, and the shoe track is intact. The wells were capped and have pressure gauges on the caps. Wells are static.

<div style="display: flex; justify-content: space-between; align-items: center;"> <div>Pure Gold 29-17 Fed Com 171H</div> <div>GI = 3,349.2', RIg RKB = 3,374.2'</div> </div>								
DEPTH MD	DEPTH TVD	HOLE SIZE	MUD WEIGHT (ppg)	FLUID TYPE	FLOW RANGE (ppm)	FORMATION TDPS	Wellhead: 13-5/8", 45 10K MWDs	ADDITIONAL INFO
							GROUND LEVEL	
100	100	20"						20" Conductor Pre-installed
		17-1/2"	8.4-9.2	Spud Mud				13-3/8" Surface Casing - 54.5#/ft J55 BTC ID/Drift: 12.615" / 12.459" Conn OD: 14.375" Burst: 2730 psi Collapse: 1130 psi Axial Body: 853 klbs
386	386					Rustler		Cement to Surface
469	469	17-1/2"	8.4-9.2	Spud Mud				TD Criteria: Into Rustler/Above Salt

OXY USA Inc. – Pure Gold MDP1 29-17 Federal Com 171H, 172H, 7H

 Pure Gold 29-17 Fed Com 172H GL = 3,350.8', Rig RKB = 3,375.8'								
DEPTH MD	DEPTH TVD	HOLE SIZE	MUD WEIGHT (ppg)	FLUID TYPE	FLOW RANGE (gpm)	FORMATION TOPS	Wellhead: 13-5/8", 45 10K MNDS	ADDITIONAL INFO
GROUND LEVEL								
								20" Conductor Pre-Installed
100	100	20"						
		17-1/2"	8.4-9.2	Spud Mud				13-3/8" Surface Casing - 54.5#/ft J55 BTC ID/Drift: 12.615" / 12.459" Conn OD: 14.375" Burst: 2730 psi Collapse: 1130 psi Axial Body: 853 klbs
389	389					Rustler		Cement to Surface
470	470	17-1/2"	8.4-9.2	Spud Mud				TD Criteria: Into Rustler/Above Salt

 Pure Gold 29-17 Fed Com 7H GL = 3,350.5', Rig RKB = 3,375.5'								
DEPTH MD	DEPTH TVD	HOLE SIZE	MUD WEIGHT (ppg)	FLUID TYPE	FLOW RANGE (gpm)	FORMATION TOPS	Wellhead: 13-5/8", 45 10K MNDS	ADDITIONAL INFO
GROUND LEVEL								
								20" Conductor Pre-Installed
100	100	20"						
		17-1/2"	8.4-9.2	Spud Mud				13-3/8" Surface Casing - 54.5#/ft J55 BTC ID/Drift: 12.615" / 12.459" Conn OD: 14.375" Burst: 2730 psi Collapse: 1130 psi Axial Body: 853 klbs
387	387					Rustler		Cement to Surface
470	470	17-1/2"	8.4-9.2	Spud Mud				TD Criteria: Into Rustler/Above Salt

Plan forward:

Drilling operations will be temporarily suspended and the wellbores will be left as is. Oxy will plan to return to the wells in approximately 9 months, pending economic conditions. Oxy will request additional shut-in status extension sundries and APD extensions as needed, once future completions plans are finalized.