

OIL CONSERVATION DIVISION

P. O. BOX 2088

SANTA FE, NEW MEXICO 87501

Form C-103
Revised 10-1-78

NO. OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	
FILE	
U.S.G.S.	
LAND OFFICE	
OPERATOR	

5a. Indicate Type of Lease	
State ☐	Fee ☒
5. State Oil & Gas Lease No.	

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR.
USE "APPLICATION FOR PERMIT -" (FORM C-101) FOR SUCH PROPOSALS.)OIL WELL ☐ GAS WELL ☐ OTHER- P&AName of Operator
Yates Petroleum Corporation
Address of Operator
207 South 4th St., Artesia, NM 88210

Location of Well

UNIT LETTER N 660 FEET FROM THE South LINE AND 1980 FEET FROM
THE West LINE, SECTION 32 TOWNSHIP 11N RANGE 27E NMPM.

7. Unit Agreement Name

8. Farm or Lease Name
T-4 Cattle Co.

9. Well No.

2

10. Field and Pool, or Wildcat
Und. Penn

11. Elevation (Show whether DF, RT, GR, etc.)

4330.2' GR

12. County

Quay

Check Appropriate Box To Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐
TEMPORARILY ABANDON ☐
PULL OR ALTER CASING ☐PLUG AND ABANDON ☐
CHANGE PLANS ☐OTHER ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐
COMMENCE DRILLING OPS. ☐
CASING TEST AND CEMENT JOBS ☐ALTERING CASING ☐
PLUG AND ABANDONMENT ☒OTHER ☐

7. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

Plugged well as follows: Geo-Source Wireline set CIBP at 4860' and capped w/30' cement on 5-22-84.

Cut casing at 2400'. Attempted to pull casing unsuccessfully. Obtained verbal approval from Roy Johnson, NMOCD, Santa Fe, 8:00 AM 5-23-84 and then pumped 150 sacks Class "C" 3% CaCl₂ followed with 450 sacks Class "C" 2% CaCl₂ cement down casing and out cut at 2400'. Reached squeeze pressure of 1700 psi. Cut staring flange off 13-3/8" and install dry hole marker.

Well plugged and abandoned 5-23-84.

8. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED Roy JohnsonTITLE Production SupervisorDATE 5-30-84APPROVED BY Roy JohnsonTITLE LAND GAS INSTRUCTORDATE 6-5-84

CONDITIONS OF APPROVAL, IF ANY:

Yates - #2 T-4 Cattle Co.

5-17-84

377' surf - cement circ.

T.D. 7033

Csg to 6956 w/1200sx

TOL 2850

Water Flow @ 2610 - 15,000ppm Cl⁻

San Andres @ 1698

Gl. @ 2133

Abo 3083

Penn 5080

Miss 5675

Propose

cut csg & a pull @ 2400'

CIBP + 5sx 50' above existing perfs

- all other perfs have been squeezed -

- 50sx plug in & out of csg (200' ±)

tag plug -

25sx @ 2133

25sx @ 1698

30sx @ 377 - in & out of csg

10sx & marker @ surf

- double ✓ log betw/ 1698 & 377 For any potential aquifers -

possible all Santa Rosa

