

N.

NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

RECEIVED
SEP 2 1950

WELL RECORD

Oil Cons. Comm.
Artesia Office

AREA 640 ACRES
LOCATE WELL CORRECTLY

S.T. Silverstein

Ulmer #1

Well No. 1 Company or Operator SE 1/4 SW 1/4 Lease 11 T. 12N
 R. 32E N. M. P. M. Wildcat Field, Quay County.

Well is 330 feet south of the North line and 330 feet west of the East line of Sec 11-12N 32E

If State land the oil and gas lease is No. _____ Assignment No. _____

If patented land the owner is Sarah D. Ulmer, Address Hudson, New Mexico

If Government land the permittee is _____, Address _____

The Lessee is _____, Address _____

Drilling commenced Jan. 22 19 50 Drilling was completed June 27 19 50Name of drilling contractor Donnelly Drilling, Address Box 433 Artesia, New Mex.

Elevation above sea level at top of casing _____ feet.

The information given is to be kept confidential until _____ 19 _____

OIL SANDS OR ZONES

No. 1, from _____ to _____ No. 4, from _____ to _____

No. 2, from _____ to _____ No. 5, from _____ to _____

No. 3, from _____ to _____ No. 6, from _____ to _____

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from 330 to 375 feet. 45No. 2, from 1256 to 1270 feet. 14

No. 3, from _____ to _____ feet. _____

No. 4, from _____ to _____ feet. _____

CASING RECORD

SIZE	WEIGHT PER FOOT	THREADS PER INCH	MAKE	AMOUNT	KIND OF SHOE	CUT & FILLED FROM	PERFORATED TO	PURPOSE
10 3/4	40	8	National	850	Reg.			
8 5/8	28	8	National	1561	Reg.			

MUDDING AND CEMENTING RECORD

SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. SACKS OF CEMENT	METHOD USED	MUD GRAVITY	AMOUNT OF MUD USED
12 1/2	10 3/4	850	150	Halliburton		

PLUGS AND ADAPTERS

Heaving plug—Material _____ Length _____ Depth Set _____

Adapters—Material _____ Size _____

RECORD OF SHOOTING OR CHEMICAL TREATMENT

SIZE	SHELL USED	EXPLOSIVE OR CHEMICAL USED	QUANTITY	DATE	DEPTH SHOT OR TREATED	DEPTH CLEANED OUT

Results of shooting or chemical treatment _____

RECORD OF DRILL-STEM AND SPECIAL TESTS

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto.

TOOLS USED

Rotary tools were used from _____ feet to _____ feet, and from _____ feet to _____ feet.

Cable tools were used from _____ feet to _____ feet, and from _____ feet to _____ feet.

PRODUCTION

Put to producing _____, 19 _____

The production of the first 24 hours was _____ barrels of fluid of which _____ % was oil; _____ %

emulsion; _____ % water; and _____ % sediment. Gravity, Be _____

If gas well, cu. ft. per 24 hours _____ Gallons gasoline per 1,000 cu. ft. of gas _____

Rock pressure, lbs. per sq. in. _____

EMPLOYEES

_____, Driller Clyde McKean, Driller_____, Driller W.C. Garner, Driller

FORMATION RECORD ON OTHER SIDE

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

Subscribed and sworn to before me this 30day of August, 19 50

Maxine W. Linnell
 Notary Public

My Commission expires November 22, 1953

Artesia, New Mexico 8-30-'50

Place

Date

Name T.H. DonnellyPosition ContractorRepresenting ST. Silverstein

Company or Operator.

Address Box 433 Artesia, New Mexico

FORMATION RECORD

FROM	TO	THICKNESS IN FEET	FORMATION
0	10	10	Sand
10	330	320	Red Shale
330	375	45	Water Sand
375	385	10	Red Shale
385	440	55	Sand
440	450	10	Blue Shale
450	465	15	Sand
465	510	45	Sand
510	560	50	Anhy.
560	605	35	Sand
605	630	25	Shale
630	640	10	Sand
640	675	35	Sand
675	715	40	Sand
715	745	30	Sand
745	775	30	Sand
775	790	15	Sand
790	795	5	Anhy.
795	800	5	Blue Shale
800	810	10	Sand
810	830	20	Sandy Shale
830	837	7	Anhy.
837	860	23	Sand
860	890	30	Red Shale
890	950	60	Red Shale
950	1140	190	Red Sandy Shale
1140	1149	9	Shale
1149	1155	6	Shale
1155	1165	10	Shale
1165	1175	10	Lime
1175	1185	10	Anhy.
1185	1200	15	Anhy.
1200	1214	14	Anhy.
1214	1219	5	Blue Shale
1219	1230	11	Anhy.
1230	1235	5	Blue Shale
1235	1251	16	Anhy.
1251	1256	5	Anhy.
1256	1270	14	Sand Water
1270	1275	5	Sand
1275	1292	17	Lime
1292	1300	8	Anhy.
1292	1300	8	Anhy.
1300	1305	5	Blue Shale
1305	1318	13	Anhy.
1318	1335	17	Lime
1335	1355	20	Salt
1355	1386	31	Red Shale
1386	1488	102	Salt
1488	1504	16	Lime
1504	1526	22	Sand
1526	1542	16	Sand
1542	1563	21	Lime
1563	1590	27	Salt
1590	1640	50	Salt
1640	1650	10	Anhy.
1650	1660	10	Lime
1660	1678	18	Lime
1678	1700	22	Salt
1700	1712	12	Brown Lime
1712	1728	16	Lime
1728	1746	18	Lime
1746	1752	8	Lime
1752	1764	12	Brown Shale
1764	1767	3	Sand
1767	1772	5	Sand-Salt
1772	1797	15	Salt
1797	1800	3	Sand
1800	1842	42	Sandy Shale
1842	1855	13	Salt
1855	1864	9	Shale
1864	1993	129	Sandy Shale
1993	2020	27	Salt
2020	2035	15	Brown Shale

254 ft. salt.
updated.