		N		•	1 - 4 -
 					
1					
+-					
			X	N	N T

WELL RECORD

NEW MEXICO OIL CONSERVATION COMMISSION
Santa Fe, New Mexico

Mail to Oil Conservation Commission, Santa Pe, New Mexico, er its proper agent not more than twenty days after completion of well. Follow instructions in the Rules and Regulations of the Commission. Indicate questionable data by following it with (?). SUBMIT IN TRIPLICATE. FORM C-110 WILL NOT BE APPROVED UNTIL FORM C-105 IS PROPERLY FILLED OUT.

Sacks dement -

August 28,

LOC	AREA 640 .	ACRES CORRECTLY		UNTIL FO	RM C-105 IS	PROPERLY FILL	ED OUT.				:
	Sam S	Sanders		В	ox 398, A	rtesia, Nev	r Mexico	•			
Sam S	anders		nerator			W NE of s	Add	ress			
R 12E			Wildcat	/	Field,	San M	igu el	***************************************		Cou	nty.
Well is	330 fe	et south of t	he North	line and 15	50 fee	t west of the E	ast line of.	Sec. 32	2, T 10	ON, R.L	2E.
						nment No30					
If patent	ed land the	owner is				, «	Address	··	2		
If Govern	ment land t	he permittee	is				Address				
						,					
Drilling	commenced	August	.27.	195	O Drilli	ng was comple	ted Octo	ber 21,	••••••	19.50	<u>)</u>
Name of	drilling cont	ractorSa	m Sande	rs		,	AddressBo	x 398,	Artes	ia, New	Me
Elevation	above sea le	evel at top o	casing		feet.			-		`	
The infor	mation give	n is to be kep	ot confider	itial until				19			
				OIL	SANDS OR	ZONES					
No. 1, fr	m NCNE		to		N o.	4, from	******	to			
						5, from					
No. 3, fro	om	•	to		No.	6, from	•••••	to			
				1MPORT	ANT WATE	R SANDS					
Include d	ata on rate o	of water inflo	w and ele	vation to wh	ich water ro	se in hole.					
No. 1, fro	m			.to		fe	et			•••••	
No. 2, fro	om			.to		f e	et			************	
No. 3, fro	m			.to		fe	et		····		
No. 4, fro	om			.to		fe	et	····•····			
				CA	SING RECO)R D		•		,	
SIZE	WEIGHT	THREADS	MAKE	AMOUNT	KIND OF	CUT & FILLED		FORATED		PURPOSE	
SILE	PER FOOT	PER INCH	317771		SHOE	FROM	FROM	то	- 1		

MUDDING AND CEMENTING RECORD

SIZE OF HOLE			NO. SACKS OF CEMENT	METHODS USE	D MUD	MUD GRAVITY		AMOUNT OF MUD USED		
							 			
		<u> </u>	•							
				PLUGS AND A	DAPTERS			·		
leaving	plug-Ma	aterial		Lei	ngth	De	pth Set.			
.dapters	- Mater	ial		***************************************	Size	·····		***************************************		
			RECORD OF S	HOOTING OR	CHEMICAL TI	REATMENT				
SIZE	SHEI	LL USED	EXPLOSIVE OR CHEMICAL USED	QUANTIT	Y DATE	DEPTH OR TRE		DEPTH CLEANE	D OUT	
								: 		
			treatment	ı			!			
esults (or shootin		treatment							
	***************			DRILL-STEM						
f dwillci	tem or oth	nor enecial test	s or deviation sur				eet and	attach hereto.		
i uim-si	tem or our	iei speciai vest	S Of deviation but							
	_			TOOLS U			foot	to	foot	
-			feet 650feet							
able to	ols were t	ادِseq irom	ieeteet	L	,265°)III				
		•		PRODUCT	ION				•	
			iours was		male of fluid of	which	0% r	vae oil·	9%	
			ours was; and							
					llons gasoline p					
_		_			TOTIC BUILDING P	,000 04. 15.				
our bie	soure, IUS	, per sy, III	***************	EMPLOYI	rec .				2	
0.3	37115	-1 O: 4				remblev			Driller	
₩. ₩.	yde Hid T. Mart	. •		Driller		a-williant y			Driller	
				ION RECORD				······		
hauste	enioon	offinns that th	FORMAT e information give				f the we	ll and all work o	lone on	
			om available reco		complete and c	OTTOOR TOOLING	, uic W.C		011	
				~		/		<i>A</i>	00	
Subscribe	ed and sw	orn to before	me this30.th.		Artest	New Mex	400 A	October	`_ 	
lay of	Oc	tober		., 1950	Name	11/1./		-U(wv)	<u> </u>	
11.1	2	2		:	PositionOwn	3 r		***************************************		
Vel	- see		Notary I	Public	Representing	Sam Sander	s			
		F1 . 1		ra		Con	npany or	Operator	;	
ly Comi	mission er	cpires	ruary 25, 19	2.±	Address	Bex398 ₃ A	rtesia	New Mexic		

	FORMATION RECORD							
FROM	то	THICKNESS IN FEET		FORMATION				
3650 3 658 3923 41 <i>2</i> 7	3658 3923 4127 4265	8 265 204 138	Granite Wash Granite Wash Granite Wash Granite Wash					
42 65 Tot	al Depth	Affair of the section of the same says						
Plugged a	and abandoned	Octol	er 21, 1950					
	• • • • • • • • • • • • • • • • • • • •			erado adeirotros, en obre o como en obre de co Contra en obre de como en obre				
10-16 & 10			D. Casing, Cemented w					
10-19 - R:	in 1150' of 5		en e	en Communication (Section 2) (1) (1) (1) (1) (1) (1) (1) (1) (1) (1				
10-20 - Po	lled 10" Cas Casing	ing						
				en e				
		200	to the control page of					
	1							

. 25.2

.

.