




HOUSTON OIL & MINERALS CORPORATION



June 10, 1977

Oil Conservation Commission
Box 2088
Santa Fe, New Mexico 87501

Attn: Mr. Carl Ulvog

Re: Laguna del Perro
Federal 14-28
SW SW sec. 28-T6N-R10E
Torrance Co., N.M.

Gentlemen:

Enclosed are two copies of a sundry notice notifying the intention to abandon the above mentioned well.

If there is further information you may require, please do not hesitate to contact this office.

Respectfully yours,

Ronald D. Scott
Division Drilling Engineer

RDS/gs
Enclosures

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEYSUBMIT IN TRIPPLICATE*
(Other instructions on re-
verse side)Form approved.
Budget Bureau No. 42-R1424.

5. LEASE DESIGNATION AND SERIAL NO.

NM 26005

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME

Federal

9. WELL NO.

14-28

10. FIELD AND POOL, OR WILDCAT

Wildcat

11. SEC., T., R., M., OR BLK. AND
SURVEY OR AREA

Sec. 28-T6N-R10E

12. COUNTY OR PARISH 13. STATE

Torrance

N.M.

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.)1. ☐ OIL WELL ☐ GAS WELL ☐ OTHER PLUGGED and ABANDONED

2. NAME OF OPERATOR

Houston Oil & Minerals Corporation

3. ADDRESS OF OPERATOR

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.
See also space 17 below.)

At surface

600' FWL and 660' FSL, Sec. 28-T6N-R10E

14. PERMIT NO.

15. ELEVATIONS (Show whether DF, RT, GR, etc.)

6092' (GL)

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF ☐FRACTURE TREAT ☐SHOOT OR ACIDIZE ☐REPAIR WELL ☐(Other) ☐PULL OR ALTER CASING ☐MULTIPLE COMPLETION ☐ABANDON* ☒CHANGE PLANS ☐

SURSEQUENT REPORT OF:

WATER SHUT-OFF ☐FRACTURE TREATMENT ☐SHOOTING OR ACIDIZING ☐(Other) ☐REPAIRING WELL ☐ALTERING CASING ☐ABANDONMENT* ☐(Note: Report results of multiple completion on Well
Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.) *

Propose to plug and abandon well as follows, due to lack of any perspective zones.

- #1 6650'-6500' (50 sx.)
- #2 4750'-4600' (60 sx.)
- #3 2150'-2000' (60 sx.)
- #4 1450'-1300' (75 sx.)

Perforate 9-5/8" casing at 420' and squeeze with 420 sx. of cement.

- #5 0-10' (15 sx.)

All plugs to be displaced with drilling mud, and a dry hole marker will be installed.

18. I hereby certify that the foregoing is true and correct

SIGNED

Ronald D. Scott

TITLE

Division Drilling EngineerDATE June 10, 1977

(This space for Federal or State office use)

APPROVED BY

CONDITIONS OF APPROVAL, IF ANY:

TITLE

DATE

*See Instructions on Reverse Side

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEYSUBMIT IN TRIPPLICATE*
(Other instructions on re-
verse side).Form approved.
Budget Bureau No. 42-R1424.

LEASE DESIGNATION AND SERIAL NO.

NM 26005

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.)

1.

OIL WELL ☐ GAS WELL ☐ OTHER ☒ PLUGGED and ABANDONED

2. NAME OF OPERATOR

Houston Oil & Minerals Corporation

3. ADDRESS OF OPERATOR

1700 Broadway, Suite 504, Denver, Colorado 80290

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.*
See also space 17 below.)

At surface

600' FWL and 660' FSL, Sec. 28-T6N-R10E

14. PERMIT NO.

15. ELEVATIONS (Show whether DF, RT, GR, etc.)

6092' (GL)

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME

Federal

9. WELL NO.

14-28

10. FIELD AND POOL, OR WILDCAT

Wildcat

11. SEC., T., R., M., OR BLK. AND
SURVEY OR AREA

Sec. 28-T6N-R10E

12. COUNTY OR PARISH 13. STATE

Torrance

N.M.

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF

FRACTURE TREAT

SHOOT OR ACIDIZE

REPAIR WELL

(Other)

PULL OR ALTER CASING

MULTIPLE COMPLETION

ABANDON*

CHANGE PLANS

WATER SHUT-OFF

FRACTURE TREATMENT

SHOOTING OR ACIDIZING

(Other)

SURSEQUENT REPORT OF:

REPAIRING WELL

ALTERING CASING

ABANDONMENT*

(NOTE: Report results of multiple completion on Well
Completion or Recompletion Report and Log form.)17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any
proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones perti-
nent to this work.)*

Propose to plug and abandon well as follows, due to lack of any perspective zones.

#1 6650'-6500' (50 sx.)
#2 4750'-4600' (60 sx.)
#3 2150'-2000' (60 sx.)
#4 1450'-1300' (75 sx.)

Perforate 9-5/8" casing at 420' and squeeze with 420 sx. of cement.

#5 0-10' (15 sx.)

All plugs to be displaced with drilling mud, and a dry hole marker will be installed.

18. I hereby certify that the foregoing is true and correct

SIGNED

Ronald D. Scott

TITLE

Division Drilling Engineer

DATE June 10, 1977

(This space for Federal or State office use)

APPROVED BY

TITLE

DATE

CONDITIONS OF APPROVAL, IF ANY:

*See Instructions on Reverse Side

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEYSUBMIT IN TRIPLICATE*
(Other instructions on re-
verse side)Form approved.
Budget Bureau No. 42-R1424.

5. LEASE DESIGNATION AND SERIAL NO.

NM 26005

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input checked="" type="checkbox"/> PLUGGED and ABANDONED		7. UNIT AGREEMENT NAME
2. NAME OF OPERATOR		8. FARM OR LEASE NAME
Houston Oil & Minerals Corporation		Federal
3. ADDRESS OF OPERATOR		9. WELL NO.
1700 Broadway, Suite 504, Denver, Colorado 80290		14-28
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements. See also space 17 below.) At surface		10. FIELD AND POOL, OR WILDCAT
600' FWL and 660' FSL, Sec. 28-T6N-R10E		Wildcat
14. PERMIT NO.		11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA
15. ELEVATIONS (Show whether DF, RT, GR, etc.)		Sec. 28-T6N-R10E
6092' (GL)		12. COUNTY OR PARISH
		Torrance
		13. STATE
		N.M.

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF ☐PULL OR ALTER CASING ☐FRACTURE TREAT ☐MULTIPLE COMPLETE ☐SHOOT OR ACIDIZE ☐ABANDON* ☒REPAIR WELL ☐CHANGE PLANS ☐(Other) ☐

SURSEQUENT REPORT OF:

WATER SHUT-OFF ☐REPAIRING WELL ☐FRACTURE TREATMENT ☐ALTERING CASING ☐SHOOTING OR ACIDIZING ☐ABANDONMENT* ☐(Other) ☐(NOTE: Report results of multiple completion on Well
Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Propose to plug and abandon well as follows, due to lack of any perspective zones.

#1 6650'-6500' (50 sx.)

#2 4750'-4600' (60 sx.)

#3 2150'-2000' (60 sx.)

#4 1450'-1300' (75 sx.)

Perforate 9-5/8" casing at 420' and squeeze with 420 sx. of cement.

#5 0-10' (15 sx.)

All plugs to be displaced with drilling mud, and a dry hole marker will be installed.

18. I hereby certify that the foregoing is true and correct

SIGNED

Ron Scott
Ronald D. Scott

TITLE

Division Drilling Engineer

DATE June 10, 1977

(This space for Federal or State office use)

APPROVED BY

TITLE

DATE

CONDITIONS OF APPROVAL, IF ANY:

*See Instructions on Reverse Side