

DALTON WELL LOGGING GRANTS, NEW MEXICO


DATE 7-16-82

CLIENT		COUNTY		STATE		OPERATOR	
<u>General - Powell</u>		<u>TORRECE</u>		<u>N. MEX</u>		<u>M. LISTER</u>	
BORE HOLE NO		SECTION		TOWNSHIP		BORE HOLE FLUID	
<u>NO. 1</u>		<u>5</u>		<u>7N</u>		<u>H₂O</u>	
AREA		LOG MEASURED FROM		UNIT NO		DENSITY	
<u>M² 107054</u>		<u>GR. LEVEL</u>		<u>11</u>		<u>220</u>	
GAMA SCALE		DETECTOR		TYPE & SIZE		CHARGEABLE STDY	
<u>230</u>		<u>250</u>		<u>6P. LEVEL</u>		<u>5.0</u>	
LOGGING SPEED		PROBE NO		WATER FACTOR		TIME IN	
<u>229</u>		<u>1</u>		<u>5'8"</u>		<u>11:00</u>	
CALIBRATION SOURCE		SOURCE NO		BIT SIZE		TIME OUT	
<u>229</u>		<u>85'</u>		<u>5'8"</u>		<u>12:00</u>	
SCALE DATA		CPS		K FACTOR		DRIVE TIME	
<u>229</u>		<u>230</u>		<u>5.0</u>		<u>5.0</u>	
TOTAL FOOTAGE LOGGED		LOGGING SPEED		AIR FACTOR		RESISTANCE SCALE	
<u>229</u>		<u>230</u>		<u>5.0</u>		<u>205-5.0</u>	
APPROXIMATE FLUID LEVEL		SCALE DATA		CASING		SELF-POTENTIAL SCALE	
<u>85'</u>		<u>229</u>		<u>5.0</u>		<u>—</u>	
DRILLING COMPANY							
<u>ALFREDO DELL</u>							
SCALE		SCALE		SCALE		SCALE	
<u>230</u>		<u>230</u>		<u>230</u>		<u>230</u>	
LOGGING SPEED T.C.		LOGGING SPEED T.C.		LOGGING SPEED T.C.		LOGGING SPEED T.C.	
<u>230</u>		<u>230</u>		<u>230</u>		<u>230</u>	
FT/MIN		FT/MIN		FT/MIN		FT/MIN	
<u>230</u>		<u>230</u>		<u>230</u>		<u>230</u>	
TO		TO		TO		TO	
<u>230</u>		<u>230</u>		<u>230</u>		<u>230</u>	
FROM		FROM		FROM		FROM	
<u>230</u>		<u>230</u>		<u>230</u>		<u>230</u>	
TOTAL		TOTAL		TOTAL		TOTAL	
<u>230</u>		<u>230</u>		<u>230</u>		<u>230</u>	

REMARKS CONCERNING BORE HOLE


229' - 239'

FORMATION LOG



NEUTRON
200 CPS IN
TC 1 200 CPS
REVERSE

NO: 1



RESISTIVITY
200.5 m

