

FLUID LEVEL

100

150

181

Neutron
increases



Resistance

50 J 15 IN

Single Point

0

10

20

30


40

0

50

100

FLUID LEVEL



DALTON WELL LOGGING GRANTS, NEW MEXICO

DATE 7-29-82

CLIENT		COUNTY		STATE		OPERATOR	
Formwalt Powell		Tarrance		N.Mex		K. Paulson	
BORE HOLE NO.		SECTION		RANGE		BORE HOLE FLUID	
#2		S		ZN		H2O	
AREA		LOG MATERIAL FROM		UNITS		DENSITY	
McIntosh		Ground Level		11		250	
T.D. DRILLED		GAMA SCALE		DEAD TIME		CHANGEABLE STDY	
191		200		0.000250		5hr	
T.D. LOGGED		LOGGING SPEED		WATER FACTOR		TIME IN	
181		3		15		2100	
TOTAL FOOTAGE LOGGED		CALIBRATION SOURCE		PROBE NO.		RESISTANCE SCALE	
108		108		D-9		5000/5in	
APPROXIMATE SCALE		SOURCE		BIT SIZE		SELF-POTENTIAL SCALE	
108		108		5"		2200	
SCALE		SCALE		SCALE		SCALE	
T.C.		LOGGING SPEED T.C.		LOGGING SPEED T.C.		LOGGING SPEED T.C.	
SEC.		FT./MIN.		SEC.		FT./MIN.	
FROM		TO		FROM		TO	
TOTAL		TOTAL		TOTAL		TOTAL	
REMARKS CONCERNING BORE HOLE							

Neutron 181 to 82 total 99'
Wire Line 82 to 0 total 82