

GROSSE HOUTAIGLOE

in Office

edit	54
colls	55
colls	56
edit	57
WELL REC	58
edit	59
colls	60

RECEIVED
JAN 23 1946
RECEIVED

CIA 069

Mail to Oil Conservation Commission, Santa Fe, New Mexico, or its proper agent not more than twenty days after completion of well. Follow instructions in the Rules and Regulations of the Commission. Indicate questionable data by following it with (?). **SUBMIT IN TRIPPLICATE. FORM C-110 WILL NOT BE APPROVED UNTIL FORM C-105 IS PROPERLY FILLED OUT.**

212 San Francisco St., El Paso, Texas

Address

Well No.

1

in SE $\frac{1}{4}$ SE $\frac{1}{4}$

of Sec. 27

T 1 N 005

R. 15E

N. M. P. M.

Wild Cat

Field

Torrence

County.

Well is 4620 feet south of the North line and 660 feet west of the East line of Section 27

If State land the oil and gas lease is No. _____ Assignment No. _____

If patented land the owner is Michael Malda

Address

Corona, New Mexico

If Government land the permittee is.

Address

The Lessee is Dale Resler

Address

El Paso, Texas

Drilling commenced July 23, 1945 Drilling was completed January 7, 1946

Name of drilling contractor S. P. Yates Address 311 Carper Bldg., Artesia, N. M.

Elevation above sea level at top of casing 10122 feet

The information given is to be kept confidential until

OIL SANDS OR ZONES

No. 1, from None to

No. 2, from _____ to _____ No. 5, from _____ to _____

No. 3, from _____ to _____ No. 6, from _____ to _____

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from 585 to 600 feet. 35

No. 2, from 922 to 940 feet 18

No. 3, from 1703 to 1725 feet. 22

No. 4, from 3325 to 3335 feet 10

CASING RECORD

[illegible]

MUDDING AND CEMENTING RECORD

SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. SACKS OF CEMENT	METHOD USED	MUD GRAVITY	AMOUNT OF MUD USED
15 1/2"	13"	665'	Mudded			
12 1/2"	10 3/4"	1675'	50 Sacks	Halliburton		

PLUGS AND ADAPTERS

Heaving plug—Material _____ Length _____ Depth Set _____
 Adapters—Material _____ Size _____

RECORD OF SHOOTING OR CHEMICAL TREATMENT

SIZE	SHELL USED	EXPLOSIVE OR CHEMICAL USED	QUANTITY	DATE	DEPTH SHOT OR TREATED	DEPTH CLEANED OUT

Results of shooting or chemical treatment _____

RECORD OF DRILL-STEM AND SPECIAL TESTS

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto.

TOOLS USED

Rotary tools were used from _____ feet to _____ feet, and from _____ feet to _____ feet
 Cable tools were used from 0 feet to 3350 feet, and from _____ feet to _____ feet

PRODUCTION

Put to producing Dry Hole, 19____
 The production of the first 24 hours was _____ barrels of fluid of which _____ % was oil; _____ % emulsion; _____ % water; and _____ % sediment. Gravity, Be _____
 If gas well, cu. ft. per 24 hours _____ Gallons gasoline per 1,000 cu. ft. of gas _____
 Rock pressure, lbs. per sq. in. _____

EMPLOYEES

C. V. Miller

Driller

J. O. Miller

Driller

E. B. Fulton

Driller

T. D. Bradshaw

Driller

FORMATION RECORD ON OTHER SIDE

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

Subscribed and sworn to before me this 18th

day of January 1946

Delma F. Matthews
 Notary Public

My Commission expires Feb. 25, 1947

Artesia, New Mexico

Place

Jan. 18, 1946

Date

Name

A. P. Yates

Position

Drilling Contractor

Representing

Dale Resler

Company or Operator

Address 212 San Francisco St., El Paso, Texas

FORMATION RECORD

2

FROM	TO	THICKNESS IN FEET	FORMATION
0	45	45	Lime
45	65	20	Caliche, Pink
65	115	50	Caliche, Red Rock
115	175	60	White Sand and Gravel
175	225	50	Coarse Sand
225	260	35	Lime
260	410	150	Sand
410	415	5	Anhy.
415	620	205	Sand
620	635	15	Anhy.
635	650	15	Blue Shale
650	665	15	Brown Sandy Lime
665	695	30	Anhy., Brown
695	700	5	Red Shale
700	720	20	Red Bed
720	730	10	Lime, Brown
730	735	5	Sand
735	750	15	Anhy.
750	785	35	Sand
785	805	20	Conglomerate
805	830	25	Sand
830	860	30	Conglomerate
860	890	30	Anhy.
890	895	5	Anhy. & Red Bed
895	915	20	Red Shale
915	940	25	Lime
940	1000	60	Red Sandy Shale
1000	1065	65	Anhy, Brown
1065	1070	5	Red Shale
1070	1075	5	Anhy.
1075	1090	15	Red Shale
1090	1110	20	Anhy.
1110	1130	20	Red Shale
1130	1150	20	Anhy.
1150	1170	20	Red Shale
1170	1195	25	Red Bed
1195	1270	75	Red Shale
1270	1320	50	Red Shale & anhy.
1320	1415	95	Red Shale
1415	1420	5	Conglomerate
1420	1485	65	Red Shale
1485	1525	40	Anhy.
1525	1540	15	Red Shale
1540	1555	15	Anhy. & Red Shale
1555	1570	15	Anhy.
1570	1600	30	Red Shale
1600	1622	22	Sand, Red
1622	1640	18	Sandy Shale, Red
1640	1665	25	Red Sand
1665	1670	5	Lime
1670	1703	33	Blue Shale
1703	1725	22	Sand
1725	1740	15	Lime
1740	1755	15	Blue Shale
1755	1770	15	Lime
1770	1780	10	Blue Shale

1800	1810	10	Blue Shale
1810	1820	10	Lime
1820	1830	10	Blue Shale
1830	1835	5	Red Shale
1835	1840	5	Blue Shale
1840	1855	15	Lime & Shale
1855	1870	15	Blue Shale
1870	1880	10	Lime & Shale
1880	1885	5	Blue Shale
1885	1910	25	Lime
1910	1915	5	Lime & Red Shale
1915	1985	70	Red Shale
1985	1993	8	Red Rock & Anhy.
1993	2005	12	Red Shale
2005	2007	2	Sand & Red Shale
2007	2060	53	Red Shale
2060	2105	45	Red Rock
2105	2265	160	Sand & Red Shale
2265	2335	70	Granite Wash & Red Rock
2335	3125	600	Granite Wash
3025	3040	15	Anhy.
3040	3225	285	Granite Wash
3325	3326	1	Hole Full Water
3326	3338	12	Granite Wash
3338	3350	12	Granite
3350	T.D.		

RECORD OF DRILLING AND PRODUCTION

If drill stem or other special tools or deviation surveys were made, a full report of same should be filed with this record.

Rotary tools were used from _____ feet to _____ feet and from _____ feet to _____ feet.

Cable tools were used from _____ feet to _____ feet and from _____ feet to _____ feet.

PRODUCTION

Oil or gas produced _____ bbls per day.

The production of the first 24 hours was _____ bbls of _____ and _____.

emulsion _____ and _____.

If gas well, on the first 24 hours _____ bbls of gas.

Flow pressure, lbs per sq. in. _____.

Drill bit _____.

Driller _____ C. V. Miller

Driller _____ T. D. Bridgman

POSITION ON RECORD ON OTHER SIDE

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

Witnessed and sworn to before me this _____ day of _____ 19____.

Name _____

Position _____

Notary Public _____