

Halter J. Nelson
Lee Burns "H" No. 1

P 31 - 6N - 8E
Insurance Co.

T.D. 2852'

Cement plug 2852' to 1614'
w/ 155 sac


Fill casing w/ heavy mud.
Shoot off casing

15 sac cement plug on top of
5 1/2" c-g shut

Cement plug 350' to 250'

25 sac cement

25 ft cement plug @ surface
w/ reg. marker set in the
cement plug



No Gile *al*

COUNTY TORRENCE FIELD Wildcat STATE NM

OPR NEILSON, WALTER J. MAP

1 Burns, Lee "A"

Sec. 3 T-6-N, R-8-E CO-ORD

660' FSL, 660' FEL of Sec.

Spd 11-24-66

Corp 11-25-68

CSG & SX - TUBING	CLASS		EL	
	FORMATION	DATUM	FORMATION	DATUM
8 5/8" at 258' w/175 sx				
5 1/2" at 2858' w/320 sx				
LOGS EL GR RA IND HC A				
	TD 2858'			

TEMPORARILY ABANDONED

Distribution limited and publication prohibited by subscribers' agreement.
Reproduction rights reserved by Williams & Lee Scouting Service, Inc.

CONT. DATE PROP DEPTH 3000' TYPE

F.R. 12-1-66
PD 3000' - Gr. Wash
Drlg. 2660'

12-17-66	
1-3-67	TD 2858'; SDO (Tight)
1-10-67	TD 2858'; SDO (Tight)
1-16-67	TD 2858'; SDO (Tight)
1-23-67	TD 2858'; SDO (Tight)
1-30-67	TD 2858'; SDO (Tight)
2-6-67	TD 2858'; SDO (Tight)
2-13-67	TD 2858'; SDO (Tight)
2-20-67	TD 2858'; SDO (Tight)
2-27-67	TD 2858'; SDO (Tight)
3-13-67	TD 2858'; SDO (Tight)
3-20-67	TD 2858'; SDO (Tight)
11-25-68	TD 2858'; TEMPORARILY ABANDONED
11-28-68	COMPLETION REPORTED