

NO. OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	✓
FILE	
U.S.G.S.	
LAND OFFICE	
OPERATOR	

NEW MEXICO OIL CONSERVATION COMMISSION

Form C-103
Supersedes Old
C-102 and C-103
Effective 1-1-65

5a. Indicate Type of Lease

State ☒ Fee ☐

5. State Oil & Gas Lease No.

L-6143

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT -" (FORM C-101) FOR SUCH PROPOSALS.)

1. OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER- <u>DRY HOLE</u>	7. Unit Agreement Name
2. Name of Operator <u>Amoco Production Company</u>	8. Farm or Lease Name <u>STATE EZ</u>
3. Address of Operator <u>BOX 68, HOBBS, N. M. 88240</u>	9. Well No. <u>1</u>
4. Location of Well UNIT LETTER <u>C</u> <u>660</u> FEET FROM THE <u>NORTH</u> LINE AND <u>1980</u> FEET FROM THE <u>WEST</u> LINE, SECTION <u>22</u> TOWNSHIP <u>25-N</u> RANGE <u>31-E</u> NMPM.	10. Field and Pool, or Wildcat <u>WILDCAT</u>
15. Elevation (Show whether DF, RT, GR, etc.) <u>5750' G.L.</u>	12. County <u>UNION</u>

16. Check Appropriate Box To Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐

TEMPORARILY ABANDON ☐

PULL OR ALTER CASING ☐

OTHER ☐

PLUG AND ABANDON ☒

CHANGE PLANS ☐

REMEDIAL WORK ☐

COMMENCE DRILLING OPNS. ☐

CASING TEST AND CEMENT JOB ☐

OTHER ☐

ALTERING CASING ☐

PLUG AND ABANDONMENT ☐

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

Attempted completion in + evaluated three zones. All Dry.
~~Zone~~ - Perf. 1425-75, 82-90' w/215SPF. Acc. w/150 gal 7 1/2% MEC. Evaluated - Dry.
~~Zone~~ - Perf. 1912-48, 50-60' 2050-63' 215SPF " " 1250 " "
~~Zone~~ - Perf. 2174-78, 82-86, 94-98 2210-14 16-20 29 45-49 54-56 60-64 72-74,
 84-95 w/215SPF. Acc. w/1000 gal 7 1/2% MEC. Evaluated - Dry.
 no further completion possibilities exist. (POSSIBILITY OF LAND OILIER TAKING
 Possess to P+A as follows: (OVER TOP OF HOLE FOR WATER WELL
 Spot Cement plugs as follows + fill intervals with mud.
 260' Plug from 2030' - 2020' (Cover Pys 2050' - 2295')
 100' " " 1980' - 1880' (" " 1912 - 1960)
 140' " " 1830' - 1690' (" " 1725 - 1790)
 15 5x plug @ surface w/ P+A marker.
 Clean + level location.

TD- 2338'
 PAD- 2295'
 4 1/2" CSA 2306' - 560 5x (TCMT100')
 8 7/8" CSA 558' - Circ.

TOPS
 SAN ROSA - 1180
 " AND - 1600
 GROR - 1725
 CIMM - 2150
 TURB - 2180

G. Wash - 2284'
 GRANITE - 2310'

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED

TITLE AREA ENGINEER

DATE DEC 4 1973

0-1 NMCC-57
 ATT. J.C. KAPREIN

APPROVED BY
 C. DIV
 CONDITIONS OF APPROVAL, IF ANY:
 C-503P
 C-RE4

TITLE

DATE 12/6/73