

STATE OF NEW MEXICO  
ENERGY AND MINERALS DEPARTMENT  
OIL CONSERVATION DIVISION

IN THE MATTER OF THE HEARING  
CALLED BY THE OIL CONSERVATION  
DIVISION FOR THE PURPOSE OF  
CONSIDERING:

CASE NO. 7869  
Order No. R-7358

APPLICATION OF AMOCO PRODUCTION COMPANY  
FOR SALT WATER DISPOSAL AND AN UNORTHODOX  
LOCATION, UNION COUNTY, NEW MEXICO.

*See  
Also Order No.  
R-7358-A*

ORDER OF THE DIVISION

BY THE DIVISION:

This cause came on for hearing at 9 a.m. on May 25, 1983, at Santa Fe, New Mexico, before Examiner Richard L. Stamets.

NOW, on this 26th day of September, 1983, the Division Director, having considered the testimony, the record, and the recommendations of the Examiner, and being fully advised in the premises,

FINDS:

(1) That due public notice having been given as required by law, the Division has jurisdiction of this cause and the subject matter thereof.

(2) That the applicant, Amoco Production Company, is the owner and operator of the BDCDGU SE Gas Collection System SWD Well No. 261, to be located 500 feet from the North line and 765.7 feet from the West line of Section 26, Township 19 North, Range 34 East, NMPM, Bravo Dome Carbon Dioxide Gas Unit, Union County, New Mexico.

(3) That the applicant proposes to utilize said well to dispose of produced water into the Glorieta formation, with injection into the perforated interval from approximately 1620 feet to 1680 feet.

(4) That the injection should be accomplished through 2 3/8-inch plastic lined tubing installed in a packer set at approximately 1550 feet; that the casing-tubing annulus should be filled with an inert fluid; and that a pressure gauge or approved leak detection device should be attached to the annulus in order to determine leakage in the casing, tubing, or packer.

(5) That the injection well or system should be equipped with a pressure limiting switch or other acceptable device which will limit the wellhead pressure on the injection well to no more than 330 psi.

(6) That the Director of the Division should be authorized to administratively approve an increase in the injection pressure upon a proper showing by the operator that such higher pressure will not result in migration of the injected waters from the Glorieta formation.

(7) That the operator should notify the supervisor of the Santa Fe district office of the Division of the date and time of the installation of disposal equipment so that the same may be inspected.

(8) That the operator should take all steps necessary to ensure that the injected water enters only the proposed injection interval and is not permitted to escape to other formations or onto the surface.

(9) That approval of the subject application will prevent the drilling of unnecessary wells and otherwise prevent waste and protect correlative rights.

IT IS THEREFORE ORDERED:

(1) That the applicant, Amoco Production Company, is hereby authorized to utilize its BDCDGU SE Gas Collection System SWD Well No. 261 to be located 500 feet from the North line and 765.7 feet from the West line of Section 26, Township 19 North, Range 34 East, NMPM, Bravo Dome Carbon Dioxide Gas Unit, Union County, New Mexico, to dispose of produced water into the Glorieta formation, injection to be accomplished through 2 3/8-inch tubing installed in a packer set at approximately 1550 feet, with injection into the perforated interval from approximately 1620 feet to 1680 feet;

PROVIDED HOWEVER, that the tubing shall be plastic-lined; that the casing-tubing annulus shall be filled with an inert fluid; and that a pressure gauge shall be attached to the annulus or the annulus shall be equipped with an approved leak detection device in order to determine leakage in the casing, tubing, or packer.

(2) That the injection well or system shall be equipped with a pressure limiting switch or other acceptable device which will limit the wellhead pressure on the injection well to no more than 330 psi.

- (3) That the Director of the Division may authorize an increase in injection pressure upon a proper showing by the operator of said well that such higher pressure will not result in migration of the injected fluid from the Glorieta formation.
- (4) That the operator shall notify the supervisor of the Santa Fe district office of the Division of the date and time of the installation of disposal equipment so that the same may be inspected.
- (5) That the operator shall immediately notify the supervisor of the Division's Santa Fe district office of the failure of the tubing, casing, or packer, in said well or the leakage of water from or around said well and shall take such steps as may be timely and necessary to correct such failure or leakage.
- (6) That the applicant shall submit monthly reports of its disposal operations in accordance with Rules 706 and 1120 of the Division Rules and Regulations.
- (7) That jurisdiction of this cause is retained for the entry of such further orders as the Division may deem necessary.

DONE at Santa Fe, New Mexico, on the day and year hereinabove designated.

STATE OF NEW MEXICO  
OIL CONSERVATION DIVISION

  
JOE D. RAMEY  
Director

S E A L

STATE OF NEW MEXICO  
ENERGY AND MINERALS DEPARTMENT  
OIL CONSERVATION DIVISION

CASE NO. 7869  
Order No. R-7358-A

APPLICATION OF AMOCO PRODUCTION  
COMPANY FOR SALT WATER DISPOSAL  
AND AN UNORTHODOX LOCATION, UNION  
COUNTY, NEW MEXICO.

*See Also  
Order No. 7358*

NUNC PRO TUNC ORDER

BY THE DIVISION:


It appearing to the Division that Order No. R-7358 dated September 26, 1983, does not correctly state the intended order of the Division,

IT IS THEREFORE ORDERED:

- (1) That the hearing date is hereby amended to read "June 8, 1983," and the Division Examiner is hereby amended to read "Michael E. Stogner."
- (2) That the corrections set forth in this order be entered nunc pro tunc as of September 26, 1983.

DONE at Santa Fe, New Mexico, on this 5th day of October, 1983.

STATE OF NEW MEXICO  
OIL CONSERVATION DIVISION

  
JOE D. RAMEY  
Director

S E A L

fd/