40. OF COPICS PECCIVED				•						
MOITUBIRTZIO		NEW	MEXICO OIL CORSE	PVATION COM	AISSION	ì	5 6 .4.	••		
SANTA FE			maxico ore conse			•	Form C-101 Revised 14-	65		
FILE	1		API # 30-05		12	í	SA. indicate	e Type of Lease		
U.S.C.S.			HPL "	9.202			STATE			
LAND OFFICE			21-0>	, -				& Cus Losse No.		
OPERATOR			30	* *				o das Conse No.		
							THITT.	mmmm.	CLL	
APPLICATIO	ON FOR PE	RMIT TO	DRILL, DEEPEN.	OR PLUG BAC	CK				///	
	_						7. Unit Agre	rement Home	777	
b. Type of Well PLUG BACK PLUG BACK							BDCDGU			
oit CA3 CO0							8. Farm or Lease Name			
NOTE OF COPETATOR SINGLE X MULTIPLE ZONE X ZONE							BDCD)G U		
Amoco Production Company							9. Well 110.			
Accress of Operator								1834 251 G		
P. O. Box 68, Hobbs, New Mexico 88240								10. Field and Pool, or Wildeat . Und. Tubb		
Lecation of Kell							A TOTAL TUDD			
COUNTED TOOK FEET FROM THE NOT CITY LINE										
1650 Cree	THE Eas	t	Georges, 25	ws. 18-N	_ 34	I-Е				
//////////////////////////////////////	111111	MELL			7777	(12. County	minin	77	
	77.77	7777801					Union		////	
	11/1/1/16	W. C. F.	TITTITI	THITTHE	1111	iiiilli	iiiiii	iillimm	177	
		7777875				///////			///:	
//////////////////////////////////////	411111	MANN.		9. Proposes Depth	, 10	A. fermution		20. notary or	://	
evalicas (Snow mustuci ni	KI SIE I	1314 155	Tillilli	<u>2900'</u>		Tubb	<u> </u>	Rotary		
4660'	,	Rlank	et on File		actet			. Date Work will start		
		Diank	ec on the	N/A			4th Q	luarter-1983		
. •		P	ROPOSED CASING AND	CEMENT PROGR	MA					
SIZE OF HOLE	SIZE OF		WEIGHT PER FOOT				: 			
12-1/4"		5/8"	22 20 "					EST. TOP		
8-3/4"	7"		15,#-20,#	700		Circ.		Surface		
			19.#-20.#	2900*		<u>Tieback</u>	to 9-5/	8" Surface		
:	١.		l		Į		l	•		
Despess to deill						•				
Propose to drill	and equ	ııp well	I in the Tubb f	ormation. A	After	reachin	g TD log	s will be rur	1	
and evaluated.	Perforat	e and s	stimulate as ne	cessary in a	attemp	pting co	mmercial	production.		
						•	•			
	0-700 01-TD	Native	Spud Mud	l.		_		•		
, ,	0 -10	NCL-Sal	t Water Gel-St	arcn		APPROV	MI VAL			
BOP program atta	ched			·		PERLIT	7 50 17	FOR 96 DAY		
Gas is not dedicated						UNLES	5	DAY	′ S	
							S. HELL	CJ FLE - & X	_	
			······································					CHIVAY		
0+2-NMOCD, SF; 1	-HOU R.	E. Oade	n Rm 21.150: 1	-SUSP: 1-P.19	· 1_/	Amorada:	1 Amousi	~~~		
T-CILLES SELVICE	:; i-cono	CO: 1-U	.U2 in Action:	l-Excelsior:	1-5	in Tex	1-Aller 1	yas;		
1-Jim Russell, C	Clayton;	1-F. J.	Nash, HOU Rm	4.206	, 1 30	ant ICA.	, 1-6//	11 5		
	-		•				•	~		
A NOVE SPACE DESCRIBE PRI L LONE, GIVE BLOWOUT PREVENTE	DEGSED PRO	GRAM: IF P	ROPOSAL IS TO DEEPEY OR	PLUG CACK, GIVE D	ATA ON P	PAESCHT PROD	UCTIVE ZONE 4	AND PROPOSES		
rear certify that the intermetted	n above ta	e and a := 1	lete to the best of my kn)>UC•	
+1.t. 11 \	\					÷			_	
	Juna-		Tille_Assistant	Administrat	ive D	lnalvė+-	. 10 1	4 ⁻ 0.2		
The spect for s	iaie Use)					THULLY S CD	. 1U-1	4-03		
•	•		P .							
PROVED BY	21620	-5-	T.T. 6		معنوع ما در ۱۰ اینان در در		1.	0/12/83		
HOITIONS OF APPHOVAL, IF	AHY:	U	E				TE	1 (((1 ->		
-•	-									

NEW MEXICO OIL CONSERVATION COMMISSION WELL LOCATION AND ACREAGE DEDICATION PLAT

WELL LOCATION AND ACREAGE DEDICATION PLAT Effective 1-1-50 All distances must be from the outer boundaries of the Section Well No. Sperator 1834251G AMOCO Ranae County Township Section Unit Lette: UNION 25 T18N R34E G Actual Footage Location of Weli: 1650 EAST NORTH 1650 feet from the teet from the line and Dedicated Acreage: Producing Formation Ground Level Elev. 4660 Und. Tubb Tubb 160 1. Outline the acreage dedicated to the subject well by colored pencil or hachure marks on the plat below. 2. If more than one lease is dedicated to the well, outline each and identify the ownership thereof (both as to working interest and royalty). 3. If more than one lease of different ownership is dedicated to the well, have the interests of all owners been consolidated by communitization, unitization, force-pooling. etc? If answer is "yes," type of consolidation __ Yes If answer is "no," list the owners and tract descriptions which have actually been consolidated. (Use reverse side of this form if necessary.). No allowable will be assigned to the well until all interests have been consolidated (by communitization, unitization, forced-pooling, or otherwise) or until a non-standard unit. eliminating such interests, has been approved by the Commission. CERTIFICATION I hereby certify that the information contained herein is true and complete to the Name <u>Admin. Analyst</u> Position 1650 AMOCO PRODUCTION COMPANY 10-14-83 Date I hereby certify that the well location shown on this plat was plotted from field under my supervision, and that the same is true and correct to the best of my knowledge and belief. 5, 1983 and/or Land Surveyor. N.M.L.S. NO. 5103

1500

Certificate No.

STANDARD 2000 PS1 W.P. BOP STACK

- Blow-out preventers may be manually operated.
- All equipment must be in good condition, 2,000 psi W.P. (4,000 psi test) minimum.
- Bell nipple above blow-out preventer shall be same size as casing being drilled through.
- 4. Kelly cock to be installed on kelly.
- Full opening safety valve 2,000 psi w.p. (4,000 psi test) minimum must be available on rig floor at all times with proper connection or subs to fit any tool joint in string.
- Spool or cross may be eliminated if connections are available in the lower part of the blow-out preventer body.
- Double or space saver type preventers may be used in lieu of two single preventers.
- 8. BOP rams to be installed as follows:*

Top preventer - Drill pipe or casing rams Bottom preventer - Blind rams

*Amoco District Superintendent may reverse location of rams.

- Extensions and hand wheels to be installed and braced at all times.
- 10. Manifold valves may be gate or plug metal to metal seal 2" minimum.

::-

