		CONSERV	A.T. O.L			
DISTRIBUTION		P.o.n	OX 2088	VISION	•	
1111 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	s,	ANTA FE. NO	W MEXICO I		•	Form 5-103 Revised 10-1-
U.L.O.I. 1	4			1101	C	
1 += 0 0/ PICE			•		Stare	e el Lessa
Greator I I		•			3. 21010 Cl. 6 .	F K
SUND.	214					and the set in the
20112 100 001 001 1010 1100 100 100 100 100 1	RY HOTICES AL	O REPORTS O	N WELLS		1111111	THUR INT
•"		to have for both a cars		f = 1 = f 3 ( = v c ( = .		HHHHHH
	CO2	2 .			Bravo Dome (	anton Diauta
						Carbon Dioxid
Amoco Production Con	npany				Bravo Dome (	arbon Dioxide
					Gas Unit	
P.O. Box 68, Hobbs,	NM 88240					· · ·
Veir LettenF	1980	N	•		<u>1836_16</u>	ărbon"Dioxide
•		on the North	LINC AND		Gas Unit 64	arbon Uloxide O-Acre Area
West Line. seet	16	18	N	265	AUTUU	
mmmmmm	the second se		•		{{}}}}}	HHHHH
	15. Eirv	ation (Shew whethe		.)	11. County	<u> 111111111111111111111111111111111111</u>
	111/10	4397	GL	*		
NOTICE OF IN	Appropriate Bo: VTENTION TO:	x To Indicate !	Nature of Not	ice, Report or	Union Other Data	amille
	TENTION TO:		1	SUESEOU	ENT REPORT OF:	
DAM ALWEDIAL WORR	PLU					•
0			PEMEDIAL WORK		ALTER	Ine casing
ON ALTER CASING	C 114	HEE PLANS	CASING TEST AN	LINC 0743.	. PLUG A	-> ADDALLENT X
<b>4</b> 69			OTHER_			
						<u> </u>
with SEE RULE 1103.	erations (Clearly sta	ite all pertinent det	alls and an a			
· · · · ·			the period	inent dates, inclu	ding estimated date of s	tarting any proposes
bridge plug and	nit 4-15-85.	Pull out o	of hole with	tubin- r		-
Moved in service u bridge plug and se Spotted 25 sx class	t at 2229'.	Displaced o	asing with	ν ταυτηφ. μ 85 BBi ≈ 104	un in hole wit	h cast iron
from <b>9/</b> 9'-624! 300	s in cement o	n top of cas	t iron bric	ae plug s	not Fo	# gel per BBL
at 630'. Cut off no further report.	Wellhead and	noe. Wait o	n cement.	Ran in with	tubing and tak	S H Cement
no further report.	and and	moved out s	ervice unit	4-17-85.	Turned over to	rancher
	·					andner,
			-			
_	<b>-</b>	•	• •			
•		·	·	• .		-
	•					
	····	•				•
		· •.	•		··	-
CD.SE 1-1 P Barnott	- UOU D- 21 1					
CD,SF 1-J.R.Barnett 1-Amerada Hess 1- sion 1-Tex 1 Exe	Americas 1	.J.IL.J.I -Cition Source	wash HOU RM	.4.206 1-1	F,C 1-WF,H	1-Susp
sior 1-Tex 1-Exx	micrigas I	-cicles Serv	nce 1-Co	no <b>co 1-</b> CO2	2 in Action 1	-Sun
Thy Contain March			• · ·			• •
	are is leve and com	virte to the boos of	me snowledge un	I belief.		
KALD The	Lan		n e e e e		·· · ·	•
		Ndr	nin. Analys	F - 1 SGA		•
= Hanny III	K W//us	7A				00 0-

## NEW MEXICO OIL CONSERVATION COMMISSION SANTA FE, NEW MEXICO

## AFFIDAVIT OF RESPONSIBILITY CONVERSION TO WATER-WELL

STATE OF <u>New Mexico</u>) ss. County of Union )

L. R. Smith \_\_\_\_\_, being first duly sworn according to law, upon his oath deposes and says:

1. That he is <u>District Manager</u> of <u>Amoco Production Company</u> (Title) (Operator) whose address is <u>P.O. Box 68, Hobbs, NM</u> 88240

2. That <u>Amoco Production Company</u> is the operator of a well drilled on land (Operator)

belonging to the State of New Mexico and leased by Roderick F. Rock, whose address is (Landowner) Nara Visa, NM 88430, said well being drillod to test for held

and/on capton distribution, such well being drilled to test for hydrocarbons
and/or carbon dioxide gas and described as the property wall in the total
and/or carbon dioxide gas and described as the BDCDGU Well No. 1836 161F
being located 1980 Teet from the west line and 1080 foot from the
line of Section 16, Township 18 N, Range 36 E NMPM,
ITTHE OF SECTION 16, TOWNSNIP 18 NRange 36 F NMPM
Union County, New Mexico.
oundy; new nexteo.

3. That said well was drilled to a total depth of \_\_\_\_\_2907 feet, and that casing has been set and cemented as follows:

Surface casing - 9-5/8" set at 722 ft and cement circulated to surface Production casing - 7" 20# set at 2907 ft and cemented and tied back to surface casing at 665 ft.

4. That operator and landowner have made an agreement whereby operator (is) (ixxxxxxx) to back fill pits, level location, and clear it of all junk. The agreement further provides that operator is to plug said well back to a plugged-back total depth of <u>630</u> feet and transfer well to landowner for his use as a waterwell. Operator will leave casing in the well as follows:

Same as number 3 above

5. That when operator has complied with the provisions of Paragraph 4 above it will so notify the Oil Conservation Commission of the State of New Mexico on Commission Form C-103, together with a signed statement from the landowner that the provisions of Paragraph 4 above have been complied with to his satisfaction.

	Amoco Production Company (Operator)	
	By Z.R. Amut	_
Subscribed and	sworn to before me this <u>23rd</u> day of <u>April</u> , A.D. 1985.	
	My Commission Expires 3/7/87 County of Lea	
STATE OF New	Mexico) SS.	

County of (man)

<u>Roderick F. Rock</u>, being first duly sworn according to law, upon his oath deposes and says that when the provisions of Paragraphs 4 and 5 above have been complied with, he will accept the above-described well for his use as a water-well, and that he will assume all responsibility for the well, the location, and the coversion of the well to a water-well.

(XXXXXXXXXXX)

Subscribed and sworn to before me this 19 day of Apul, A.D. 1985.

Notary Public i in and for the County of Uni

April 18, 1985 May 23, 1985

NMOCD P.O. Box 2088 Santa Fe, NM 87501

Attn: Roy Johnson

Dear Sir:

In reference to BDCDGU Well Number 1836 161F, please be advised that Amoco Production Company has complied to my satisfaction with the provisions of Paragraphs 4 and 5 of the Affidavit of Responsibility-Conversion to Water-Well Statement. I now assume all responsibility for the well, the location, and the conversion of the well to a water well.

Sincerely,

R. F. Rock, JR.