STATE OF NEW MEXICO
ENERGY AND MINERALS DEPARTMENT

NO. OF COPIES RECEIVED		
DISTRIBUTION		
SANTA FE		
FILE	V	
U.S.G.S.		
LAND OFFICE		
OPERATOR		

OIL CONSERVATION DIVISION

P. O. BOX 2088
SANTA FE, NEW MEXICO 87501

Form C-101
Revised 10-1-78

API # 30-059-20077

5A. Indicate Type of Lease: STATE ☐ FEE ☒
5. State Oil & Gas Lease No.

APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK

1a. Type of Work
b. Type of Well: DRILL ☒ DEEPEN ☐ PLUG BACK ☐
OIL WELL ☐ GAS WELL ☒ CO2 OTHER SINGLE ZONE ☒ MULTIPLE ZONE ☐

7. Unit Agreement Name: Bravo Dome Carbon Dioxide Gas Unit
8. Farm or Lease Name: Bravo Dome Carbon Dioxide Gas Unit

2. Name of Operator: Amoco Production Company
9. Well No.: 2035 331F

3. Address of Operator: P.O. Box 68 Hobbs, New Mexico 88240
10. Field and Pool, or Wildcat: Bravo Dome Carbon Dioxide Gas Unit 640-Acre Area

4. Location of Well: UNIT LETTER F LOCATED 1650 FEET FROM THE North LINE
AND 1650 FEET FROM THE West LINE OF SEC. 33 TWP. 20N RGE. 35E NMPM

12. County: Union

19. Proposed Depth	19A. Formation	20. Rotary or C.T.
2900'	Tubb	Rotary

21. Elevations (Show whether DF, RT, etc.)	21A. Kind & Status Plug. Bond	21B. Drilling Contractor	22. Approx. Date Work will start
4638' GL	Blanket-on-file	N/A	ASAP

23.

PROPOSED CASING AND CEMENT PROGRAM

SIZE OF HOLE	SIZE OF CASING	WEIGHT PER FOOT	SETTING DEPTH	SACKS OF CEMENT	EST. TOP
12-1/4"	9-5/8"	32.30#	700'	Circulate	surface
8-3/4"	7"	20.0#	2900'	Tieback to 9-5/8"	surface

Propose to drill and equip well in the Tubb formation. After reaching TD logs will be run and evaluated. Perforate and stimulate as necessary in attempting commercial production.

APPROVAL VALID FOR 180 DAYS
PERMIT EXPIRES 4-27-86
UNLESS DRILLING UNDERWAY

Mud Program:
0 - 700' Native Spud Mud
700 - TD KCL Salt Water Gel-Starch

BOP Diagram attached.

0+5-NMOCD,SF 1-J. R. Barnettt, HOU Rm. 21.156 1-F. J. Nash, HOU Rm. 4.206 1-WF, C 1-WF, 1-Susp, 1-CMH 1-Amerada 1-Amerigas 1-Cities Service 1-Conoco 1-CO2 in Action 1-Sun 1-Excelsior 1-Tex 1-Exxon

IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: IF PROPOSAL IS TO DEEPEN OR PLUG BACK, GIVE DATA ON PRESENT PRODUCTIVE ZONE AND PROPOSED NEW PRODUCTIVE ZONE. GIVE BLOWOUT PREVENTER PROGRAM, IF ANY.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

Signed Charles M. Herring (This space for State Use) Title Administrative Analyst (SG) Date 10/28/85

APPROVED BY Roy E. Johnson TITLE DISTRICT SUPERVISOR DATE 10/29/85

CONDITIONS OF APPROVAL, IF ANY:

NEW MEXICO OIL CONSERVATION COMMISSION

WELL LOCATION AND ACREAGE DEDICATION PLAT

Form C-102
Supersedes C-128
Effective 1-1-65

All distances must be from the outer boundaries of the Section

Operator	Lease	Well No.
AMOCO PRODUCTION COMPANY	B.D.C.D.G.U.	2035 331F

Unit Letter	Section	Township	Range	County
F	33	T20N	R35E	UNION

Actual Footage Location of Well:
1650 feet from the NORTH line and 1650 feet from the WEST line

Ground Level Elev.	Producing Formation	Pool	Dedicated Acreage:
4638	Tubb	Bravo Dome 640 Acre Area	640 Acres

1. Outline the acreage dedicated to the subject well by colored pencil or hachure marks on the plat below.

2. If more than one lease is dedicated to the well, outline each and identify the ownership thereof (both as to working interest and royalty).

3. If more than one lease of different ownership is dedicated to the well, have the interests of all owners been consolidated by communitization, unitization, force-pooling, etc?

[X] Yes [ ] No If answer is "yes" type of consolidation Agreement or forced pooling

If answer is "no" list the owners and tract descriptions which have actually been consolidated. (Use reverse side of this form if necessary.) _____

No allowable will be assigned to the well until all interests have been consolidated (by communitization, unitization, forced-pooling, or otherwise) or until a non-standard unit, eliminating such interests, has been approved by the Commission.



CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief.

Name: Barbara M. Herring
Position: Administrative Analyst(SG)
Company: Amoco Production Company
Date: 10/28/85

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my knowledge and belief.

Date Surveyed: Aug 19 1985
Registered Professional Engineer and/or Land Surveyor: Dan Stubblefield
N.M.L.S. NO. 5103
Certificate No.

STANDARD 2000 PSI W.P. BOP STACK

1. Blow-out preventers may be manually operated.
2. All equipment must be in good condition, 2,000 psi W.P. (4,000 psi test) minimum.
3. Bell nipple above blow-out preventer shall be same size as casing being drilled through.
4. Kelly cock to be installed on kelly.
5. Full opening safety valve 2,000 psi w.p. (4,000 psi test) minimum must be available on rig floor at all times with proper connection or subs to fit any tool joint in string.
6. Spool or cross may be eliminated if connections are available in the lower part of the blow-out preventer body.
7. Double or space saver type preventers may be used in lieu of two single preventers.
8. BOP rams to be installed as follows:*

   Top preventer - Drill pipe or casing rams
   Bottom preventer - Blind rams

   *Amoco District Superintendent may reverse location of rams.
9. Extensions and hand wheels to be installed and braced at all times.
10. Manifold valves may be gate or plug metal to metal seal 2" minimum.



2000 PSI, SERIES 600



2000 PSI W.P.