



AREA 640 ACRES
LOCATE WELL CORRECTLY

MAIN OFFICE OGC
1955 JUN 14 10:00

NEW MEXICO OIL CONSERVATION COMMISSION
Santa Fe, New Mexico

WELL RECORD

Mail to District Office, Oil Conservation Commission, to which Form C-101 was sent not later than twenty days after completion of well. Follow instructions in Rules and Regulations of the Commission. Submit in QUINTUPLICATE. If State Land submit 6 Copies

Oil Exploration, Inc. Irwin
(Company or Operator) (Lease)

Well No. 1, in NW 1/4 of NW 1/4, of Sec. 29, T. 21-N, R. 36-E, NMPM.
Wildcat Pool, Union County.

Well is 660 feet from North line and 660 feet from West line
of Section 29. If State Land the Oil and Gas Lease No. is

Drilling Commenced October 7, 1955. Drilling was Completed January 3, 1956

Name of Drilling Contractor Hap Edwards and son (Edwards & Son Drilling Company)

Address Box 727, Stinnett, Texas

Elevation above sea level at Top of Tubing Head 4517 G.L. The information given is to be kept confidential until further notice, XXXX

OIL SANDS OR ZONES

No. 1, from None to No. 4, from to
No. 2, from to No. 5, from to
No. 3, from to No. 6, from to

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from 100 to 140 feet. Small amount
No. 2, from 710 to 730 feet. Small amount
No. 3, from to feet.
No. 4, from to feet.

CASING RECORD

SIZE	WEIGHT PER FOOT	NEW OR USED	AMOUNT	KIND OF SEAM	CUT AND PULLED FROM	PERFORATIONS	PURPOSE
16"	65#	used	437	Guide			Surface casing
13-3/8"	48#	new & used	744	Guide			Water shut-off

MUDDING AND CEMENTING RECORD

SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. BAGS OF CEMENT	METHOD USED	MUD GRAVITY	AMOUNT OF MUD USED
18"	16	437	250	Halliburton		
15"	13-3/8	744	200	Halliburton		

RECORD OF PRODUCTION AND STIMULATION

(Record the Process used, No. of Qts. or Gals. used, interval treated or shot.)

None - hole crooked and abandoned

Result of Production Stimulation

Depth Cleaned Out

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto

Rotary tools were used from _____ feet to _____ feet, and from _____ feet to _____ feet.
Cable tools were used from 0 feet to 1010 (T.D.) feet, and from _____ feet to _____ feet.

Put to Producing....., 19.....

OIL WELL: The production during the first 24 hours was.....barrels of liquid of which.....% was
was oil;% was emulsion;% water; and.....% was sediment. A.P.I.
Gravity.....

GAS WELL: The production during the first 24 hours was.....M.C.F. plus.....barrels of liquid Hydrocarbon. Shut in Pressure.....lbs.

Length of Time Shut in.....

Southeastern New Mexico

T. Anhy.....	T. Devonian.....	T. Ojo Alamo.....
T. Salt.....	T. Silurian.....	T. Kirtland-Fruitland.....
B. Salt.....	T. Montoya.....	T. Farmington.....
T. Yates.....	T. Simpson.....	T. Pictured Cliffs.....
T. 7 Rivers.....	T. McKee.....	T. Menefee.....
T. Queen.....	T. Ellenburger.....	T. Point Lookout.....
T. Grayburg.....	T. Gr. Wash.....	T. Mancos.....
T. San Andres.....	T. Granite.....	T. Dakota.....
T. Glorieta.....	T.	T. Morrison.....
T. Drinkard.....	T.	T. Penn.....
T. Tubbs.....	T.	T.
T. Abo.....	T.	T.
T. Penn.....	T.	T.
T. Miss.....	T.	T.

Northwestern New Mexico

From	To	Thickness in Feet	Formation	From	To	Thickness in Feet	Formation
0	80	80	Sand and gravel				
80	180	100	Sand and shale				
180	205	25	Shale				
205	240	35	Sand				
240	400	160	Shale w/ sand stringers				
400	1010	610	Red bed w/ stringers of sand, limestone and anhydrite				

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

a complete and correct record of the well and all work done on it so far

Ray J. Shaw June 20, 1956
(Date)

Company or Operator..... Oil Exploration, Inc......

Name..... Roy T. Short

Address 1909 First National Building

Position or Title... Exploration Manager