Santa Fe, New Mexico

NOTICE OF INTENTION TO DRILL

Notice must be given to the Oil Conservation Commission or its proper agent and approval obtained before drilling begins. If changes in the proposed plan are considered advisable, a copy of this notice showing such changes will be returned to the sender. Submit this notice in triplicate. One copy will be returned following approval. See additional instructions in Rules and Regulations of the Commission.

			Wichita Fa	ills, Texas	MOTOMEON.	
		0.15157001037	Place			Date
OIL CONSEI Santa Fe, Ne		OMMISSION,				
Gentlemen:						
	are hereby	notified that it is ou	ır intention to comm	nence the drilling	of a well to be kr	nown as
	A, R, D	illard	Sta	te Well	No1	in
	Compa	ny or Operator		Lease	Tind on	a
f Sec.	, Т	2) , R)) .	N. M., P. M.,		Field, United	County
	N	The well is.	330 feet*(#	(S.) of the	/ line and	2)10 fee
			of the Yest 1			
		(Give l directions.)	location from section	n or other legal	subdivision lines.	Cross out wrong
		If state land	d the oil and gas lea	se is No.	90 Assignment	No. 2
		If notented	land the owner is	50 15 1101		
			and the owner is:			
			ent land the permit			
_	Address The lessee is A. R. Dillard - Wichita Falls, Texas					
			515 First Nat			
	840 ACRES	***	to drill well with dri			
LOCATE WE	LL CORRECT	Wilson Giant				
Commission i	is as follows	: 5,000.00 with	formance with Rule	posit Compar	y of Maryland	. Baltimore
Ve propose t	is as follows to use the fol	: 5,000.00 with	h Fidelity & Design and to land or one of the New or	posit Compar	ndicated: Landed or	Baltimore Sacks
ommission i	s as follows to use the fol	: 5,000,00 with	n Fidelity & Design and to land or one or Second Hand	posit Comparement them as in	y of Maryland	. Baltimore
ommission i	is as follows to use the fol	: 5,000.00 with lowing strings of cas Weight Per Foot	New or Second Hand	posit Comparement them as in Depth	ndicated: Landed or	Baltimore Sacks
ommission i	s as follows to use the fol	: 5,000.00 with	n Fidelity & Design and to land or one or Second Hand	posit Comparement them as in	ndicated: Landed or	Baltimore Sacks
Ve propose t	s as follows to use the fol	: 5,000.00 with lowing strings of cas Weight Per Foot	New or Second Hand	posit Comparement them as in Depth	ndicated: Landed or	Baltimore Sacks
Commission i	s as follows to use the fol	: 5,000.00 with lowing strings of cas Weight Per Foot	New or Second Hand	posit Comparement them as in Depth	ndicated: Landed or	Baltimore Sacks
We propose t Size of Hole	sis as follows to use the follows Size of Casing	Weight Per Foot 32.75 23 J 55	New or Second Hand	Depth 500	ndicated: Landed or Cemented	Sacks Cement
We propose t Size of Hole	Size of Casing 10 3/4 7	Weight Per Foot 32.75 23 J 55 an become advisable	New or Second Hand	Depth 500 5,000	ndicated: Landed or Cemented or landing casing.	Sacks Cement
Ve propose t Size of Hole f changes in he first proc	Size of Casing 10 3/4 7 the above pluctive oil or formation:	weight Per Foot 32.75 23 J 55 lan become advisable r gas sand should on	New or Second Hand New Hew We will notify you cour at a depth of	Depth 500 5,000	ndicated: Landed or Cemented or landing casing.	Sacks Cement
Ve propose t Size of Hole f changes in he first proc	Size of Casing 10 3/4 7 the above pluctive oil or formation:	Weight Per Foot 32.75 23 J 55 an become advisable	New or Second Hand New Hew We will notify you cour at a depth of	Depth 500 5,000	ndicated: Landed or Cemented or landing casing.	Sacks Cement
Ve propose t Size of Hole f changes in he first proc	Size of Casing 10 3/4 7 the above pluctive oil or formation:	Weight Per Foot 32.75 23 J 55 lan become advisable r gas sand should on	New or Second Hand New Hew We will notify you cour at a depth of	Depth 500 5,000	ndicated: Landed or Cemented or landing casing.	Sacks Cement
Size of Hole Size of Hole Additional in	Size of Casing 10 3/4 7 the above pluctive oil or formation:	Weight Per Foot 32.75 23 J 55 lan become advisable r gas sand should on	New or Second Hand New New New New New New New Ne	Depth 500 5,000	ndicated: Landed or Cemented or landing casing.	Sacks Cement
Size of Hole f changes in he first productional in	Size of Casing 10 3/4 7 the above pluctive oil or formation:	Weight Per Foot 32.75 23 J 55 lan become advisable r gas sand should on	New or Second Hand New New New New New New New Ne	Depth 500 5,000 before cementing about 5,00	Landed or Cemented or landing casing.	Sacks Cement
Size of Hole f changes in he first productional in	Size of Casing 10 3/4 7 the above pluctive oil of formation:	Weight Per Foot 32.75 23 J 55 lan become advisable r gas sand should on	New or Second Hand New New New New New New New Ne	Depth 500 5,000 before cementing about 5.00	Landed or Cemented or landing casing.	Sacks Cement
Size of Hole f changes in he first productional in	Size of Casing 10 3/4 7 the above pluctive oil of formation:	Weight Per Foot 32.75 23 J 55 lan become advisable r gas sand should on	New or Second Hand New New New New New New New Ne	Depth 500 5,000 before cementing about 5.00	Landed or Cemented or landing casing. O feet.	Sacks Cement
Size of Hole f changes in the first productional in approved	Size of Casing 10 3/4 7 the above pluctive oil of formation:	Weight Per Foot 32.75 23 J 55 lan become advisable r gas sand should on	New or Second Hand New Hew We will notify you cour at a depth of	Depth 500 5,000 before cementing about 5,00	Landed or Cemented or landing casing. O feet.	Sacks Cement
Size of Hole Size of Hole f changes in the first proceed	Size of Casing 10 3/4 7 The above pluctive oil or formation: NOV 3 0 as follows:	Weight Per Foot 32.75 23 J 55 lan become advisable r gas sand should on	New or Second Hand New Hew Hew Hew Some and to land or of the second Hand New Hew By Position	Depth 500 5,000 before cementing about 5,00	Landed or Cemented or landing casing. feet.	Sacks Cement
Size of Hole Size of Hole f changes in the first productional in approved	Size of Casing 10 3/4 7 The above pluctive oil or formation: NOV 3 0 as follows:	Weight Per Foot 32.75 23 J 55 Ian become advisable r gas sand should of	New or Second Hand New Hew Hew Hew Sincere By Position Send of	Depth 500 5,000 before cementing about 5.00 ely yours, A. R. Dil Compare communications recommunications recommunication	Landed or Cemented or landing casing. O feet. lard apany or Operator cegarding well to	Sacks Cement
Size of Hole Size of Hole If changes in the first procease Additional in except a	Size of Casing 10 3/4 7 The above pluctive oil or formation: NOV 3 0 as follows:	Weight Per Foot 32.75 23 J 55 Ian become advisable r gas sand should of	New or Second Hand New Hew Hew Hew Some and to land or of the second Hand New Hew By Position	Depth 500 5,000 before cementing about 5.00 ely yours, A. R. Dil Compare communications recommunications recommunication	Landed or Cemented or landing casing. O feet. lard apany or Operator cegarding well to	Sacks Cement We estimate tha

ILLEGIBLE

Sec	Township	No	of Range No

NE NE NW Correct