


Form No. 100-100

Budget Form No. 10-1000, 6  
Approved expires 10-31-60.



UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

Land Office \_\_\_\_\_  
Lease No. \_\_\_\_\_  
Date \_\_\_\_\_

NOTICES AND REPORTS ON WELLS

- NOTICE OF \_\_\_\_\_
- NOTICE OF \_\_\_\_\_
- NOTICE OF \_\_\_\_\_
- NOTICE OF \_\_\_\_\_
- NOTICE OF \_\_\_\_\_
- NOTICE OF \_\_\_\_\_
- NOTICE OF \_\_\_\_\_

REQUIREMENT FOR THE WATER SHUT OFF	
INTERMITTENT STOPPING OF PUMPING OR ALLOWING	
WATER ONLY TO BE USED FOR FILLING LAKES	
SHUTTING OFF PUMPING OR DRILLING OPERATIONS	
INTERMITTENT STOPPING OF PUMPING	
SUPPLEMENTARY WATER SHUT OFF	X

1969

Well No. \_\_\_\_\_

Location \_\_\_\_\_ Date \_\_\_\_\_

The above \_\_\_\_\_

UNITED STATES DEPARTMENT OF THE INTERIOR


Bar \_\_\_\_\_  
Bar \_\_\_\_\_  
Bar \_\_\_\_\_

ILLEGIBLE

Company \_\_\_\_\_  
Address \_\_\_\_\_

Geological Survey, Department of the Interior, Washington, D.C.

*D.B. Gilman*



(SUBMIT IN TRIPLICATE)

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

Land Office \_\_\_\_\_  
Lease No. \_\_\_\_\_  
Unit \_\_\_\_\_

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE OR OTHER DATA)

November 30, 1952

Well No. 1 Federal is located 2,950 ft. from  $\left\{ \begin{smallmatrix} N \\ S \end{smallmatrix} \right\}$  line and 2,974 ft. from  $\left\{ \begin{smallmatrix} E \\ W \end{smallmatrix} \right\}$  line of sec. 29

NE 29 (4 sec. and 4 sec. No.) 26N (Town) 33E (Range) (Meridian)  
Wildcat (Name) Union (County or Subdivision) New Mexico (State or Territory)

The elevation of the derrick floor above sea level is 5,474 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudlogging jobs, cementing points, and all other important proposed work)

Will run cement plug from 2,610' to 2,660' - Top Granite Wash. Will run cement plug from 240' to 290' - Bottom of Surface Casing. Will cement cellar with marker

Verbal approval by Mr. Trawick

ILLEGIBLE

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Drilled for Western Oil and Gas Company by North American Drilling Co.

Address Box 469

Cushing, Oklahoma

By D.B. Gilman

Title Vice President

(SUBMIT IN TRIPLICATE)

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

Land Office \_\_\_\_\_

Lease No. YM021009

Unit \_\_\_\_\_

## SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	<input checked="" type="checkbox"/>	SUBSEQUENT REPORT OF WATER SHUT-OFF.....	
NOTICE OF INTENTION TO CHANGE PLANS.....		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....		SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....		SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....		SUBSEQUENT REPORT OF ABANDONMENT.....	
NOTICE OF INTENTION TO PULL OR ALTER CASING.....		SUPPLEMENTARY WELL HISTORY.....	
NOTICE OF INTENTION TO ABANDON WELL.....			

CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

ILLEGIBLE

October 16, 1952

Well No. 1 is located 2,950' ft. from N line and 2,974' ft. from W line of sec. 291/4 - Sec. 29

(1/4 Sec. and Sec. No.)

26N

(Twp.)

33E

(Range)

(Meridian)

Union County

(Field)

Union County,

(County or Subdivision)

New Mexico

(State or Territory)

The elevation of the derrick floor above sea level is unknown ft.

## DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

1. Formations to Be Encountered: Dakota SS. Surface  
Blaine Anhy. 2,000'  
Granite Wash: 2,500'  
Miss. Lime 4,300'  
Arbuckle Lime 4,500'
2. 250' - 8-5/8" Surface Cag., H-40, Rng-2; Sals. - Cement to be Circulated.  
3-1/2' Oilstring; J-35; Rng-2; Sals. - Sufficient to test Oil or Gas Sands  
Encountered - Same for Cement.  
Water Base Mud Surface to Total Depth of Sufficient Nature to Drill and  
Test Formations with Minimum amount of Damage to Formations.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company WESTERN OIL & GAS COMPANYAddress P. O. Box 3925Oklahoma City 6, OklahomaBy G.J. ForresterTitle Partner