<u> </u>			TAN (	DEFICE	Santa Fe	New Mexico	
			1954 000	COCU TON DEC	Jana re, 1	ICW MICKICS	COMMISSION
	3	F	007	PM 2.	a da ser da s		्रात्रा देखम् ज्या <del>भ</del> र्षताका भू
			•	- · · 05	WELL I	RECORD	
					•		terio terio de la construcción de Construcción de la construcción de l
							tich Form C-101 was sent ctions in Rules and Regula
				nission. Submit in $\zeta$			aions in Aules and Aegula
	AREA 640 AC TE WELL CO				-		
Gruem	mer Ind	dustries			R,	L. Black	ς
H Z Well No 1	G~~~~	He in NW	<sup>1</sup> / <sub>4</sub> of NE	.14. of Sec	т	29N	, r <u>.29E</u> , nm
			•				Co
				-			n
							eptember 11, 195
	-	1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -					
		• —	•				is to be kept confidential
			, 19		. •		is to be kept connected
		i nagini		2 Gas Sand			
	פרד	2					to
							to
No. 3, from		to		No. 6,	from		to
No. 1, from		285	elevation to which		SANDS	feet3Be	ailers / hour
No. 1, from No. 2, from No. 3, from	-	285 1660 1695	elevation to which to toto	water rose in hole. 290 1695	SANDS	.feet. 3.B& .feet. 1.B& .feet. 2.B&	ailers / hour
No. 1, from No. 2, from No. 3, from	-	285 1660 1695	elevation to which to toto to	water rose in hole. 290 1695 1710	SANDS	.feet. 3.Bs .feet. 1.Bs .feet. 2.Bs	ailers / hour ailer / hour ailers / hour
No. 1, from No. 2, from No. 3, from	-	285 1660 1695 -	elevation to which to	water rose in hole. 290 1695 1710 -	SANDS	.feet. 3.B& .feet. 1.B& .feet. 2.B&	ailers / hour ailer / hour ailers / hour
No. 1, from No. 2, from No. 3, from No. 4, from SIZE 811	WEIG PER F 2.87	285 1660 1695 - - - - - - - - - - - - - - - - - - -	elevation to which to	water rose in hole. 290 1695 1710 - CASING RECOR KIND OF SHOE Texas	SANDS B CUT AND	_feet3B& _feet1_B& _feet2_B& _feet	ailers / hour ailer / hour ailers / hour
No. 1, from No. 2, from No. 3, from No. 4, from	WEIG PER F 287 17-2	285 1660 1695 - - - - - - - - - - - - - - - - - - -	elevation to which to	water rose in hole. 290 1695 1710 - CASING RECOR KIND OF SHOE Texas Texas Texas	SANDS B CUT AND	.feet. 3.Ba .feet. 1.Ba .feet. 2.Ba .feet	ailers / hour ailer / hour ailers / hour
No. 1, from No. 2, from No. 3, from No. 4, from SIZE 811 711	WEIG PER F 2.87	285 1660 1695 - - - - - - - - - - - - - - - - - - -	elevation to which to	water rose in hole. 290 1695 1710 - CASING RECOR KIND OF SHOE Texas	SANDS B CUT AND	.feet. 3.Ba .feet. 1.Ba .feet. 2.Ba .feet	ailers / hour ailer / hour ailers / hour
No. 1, from No. 2, from No. 3, from No. 4, from SIZE 811 711	WEIG PER F 287 17-2	285 1660 1695 - - - - - - - - - - - - - - - - - - -	elevation to which to	water rose in hole. 290 1695 1710 - CASING RECOR KIND OF SHOE Texas Texas Texas	SANDS D CUT AND PULLED FROM	.feet. 3.Ba .feet. 1.Ba .feet. 2.Ba .feet	ailers / hour ailer / hour ailers / hour
No. 1, from No. 2, from No. 3, from No. 4, from SIZE 811 711	WEIG PER F 287 17-2	285 1660 1695 - - - - - - - - - - - - - - - - - - -	elevation to which to	water rose in hole. 290 1695 1710 - CASING RECOR KIND OF SHOE Texas Texas Texas	SANDS ED CUT AND PULLED FROM NG RECOBD	.feet. 3.Ba .feet. 1.Ba .feet. 2.Ba .feet	ailers / hour ailer / hour ailers / hour
No. 1, from No. 2, from No. 3, from No. 4, from SIZE 811 711 511 511 511 511	weig per f 2.87 17-2 1 <sup>1</sup> /7 Size of casing	285 1660 1695 	elevation to which to	water rose in hole. 290 1695 1710 - CASING RECOR KIND OF SHOE Texas Texas Texas Texas AND CEMENTIN METHOD USED	SANDS D CUT AND PULLED FROM NG RECORD	feet. 3. Ba feet. 1. Ba feet. 2. Ba feet. feet. feet. PERFORATION NONE	AMOUNT OF MUD USED
No. 1, from No. 2, from No. 3, from No. 4, from SIZE 811 711 511 511 511 511 511 511 511 511 5	WEIG PER F 287 17-2 147 SIZE OF CASING 8 II 7 II	285 1660 1695 - WHERE SET 955 2217	elevation to which to	water rose in hole. 290 1695 1710 CASING RECOR KIND OF SHOE Texas Texas Texas Texas AND CEMENTIN METHOD USED Displaceme " Pl	SANDS CUT AND PULLED FROM NG RECORD Ont Plug ug	Arrow Service	AMOUNT OF MUD USED NONE NONE
No. 1, from No. 2, from No. 3, from No. 4, from SIZE 811 711 511 511 511 511 511 511 511	WEIG PER F 287 17-2 147 SIZE OF CASING 8 II 7 II	285 1660 1695 - WHERE SET 955	elevation to which to	water rose in hole. 290 1695 1710 CASING RECOR KIND OF SHOE Texas Texas Texas Texas AND CEMENTIN METHOD USED D1splaceme	SANDS CUT AND PULLED FROM NG RECORD Ont Plug ug	feet. 3. Ba feet. 1 Ba feet. 2 Ba feet. feet. perforation None	AMOUNT OF MUD USED
No. 1, from No. 2, from No. 3, from No. 4, from SIZE 811 711 511 511 511 511 511 511 511 511 5	WEIG PER F 287 17-2 147 SIZE OF CASING 8 II 7 II	285 1660 1695 - WHERE SET 955 2217	elevation to which to	water rose in hole. 290 1695 1710  CASING RECOR KIND OF SHOE Texas Texas Texas Texas AND CEMENTIN METHOD USED D1splaceme " P1 Squeeze	SANDS CUT AND PULLED FROM NG RECOBD	feet. 3Ba feet. 1. Ba feet. 2Ba feet. feet. perforation None None None None	AMOUNT OF MUD USED NONE NONE
No. 1, from No. 2, from No. 3, from No. 4, from SIZE 811 711 511 511 511 511 511 511 511 511 5	WEIG PER F 287 17-2 147 SIZE OF CASING 8 II 7 II	285 1660 1695 - HT NEW 0 000T USE 7 2217 2205-2557 2557 2217	elevation to which to	water rose in hole. 290 1695 1710 CASING RECOR KIND OF SHOE Texas Texas Texas Texas Second METHOD USED Displaceme " Pl Squeeze PRODUCTION AN	SANDS CUT AND PULLED FROM NG RECOBD Ont Plug .ug	Automatical Action Acti	Anders / hour Ailers / hour Ailers / hour Ailers / hour Ailers / hour Anders PURPOSE Liner AMOUNT OF MUD USED None None None
No. 1, from No. 2, from No. 3, from No. 4, from SIZE 811 711 511 511 511 511 511 511 511 511 5	weig per f 2.87 17-2/ 147 size of сазіло 8 !! 7 !! 5 !!	285 1660 1695 - RT NEW O 000T USET	elevation to which to	water rose in hole. 290 1695 1710 	SANDS D CUT AND PULLED FROM NG RECORD O O CUT AND PULLED FROM O ND STIMULA' . used, interval	feet. 3. Ba feet. 1 Ba feet. 2 Ba feet. 2 Ba feet. 3 PERFORATION NONE NONE NONE NONE NONE	AMOUNT OF MUD USED NONE NONE
No. 1, from No. 2, from No. 3, from No. 4, from SIZE 8" 7" 5" SIZE OF HOLE 10" 8" 7" 7" Perfo	weig PERF 2.87 17-24 147 SIZE OF CASING 8 <sup>11</sup> 7 <sup>11</sup> 5 <sup>11</sup> 5 <sup>11</sup> 1	285 1660 1695 - HT NEW O OOT USEL USE USE USE USE 2205-2557 (Record the S 11	elevation to which to	water rose in hole. 290 1695 1710  CASING RECOR KIND OF SHOE Texas Texas Texas Texas Texas Displaceme "Pl Squeeze PRODUCTION AN o. of Qts. or Gals. 50 Shot	SANDS CUT AND PULLED FROM NG RECORD Ont Plug Ug ND STIMULA used, interval S	feet. 3. Ba feet. 1. Ba feet. 2. Ba feet. 2. Ba feet. 3 PERFORATION NONE NONE NONE NONE NONE	AMOUNT OF MUD USED NONE NONE
No. 1, from No. 2, from No. 3, from No. 4, from SIZE 8" 7" 5" SIZE OF HOLE 10" 8" 7" 7" Perfo	weig PERF 2.87 17-24 147 SIZE OF CASING 8 <sup>11</sup> 7 <sup>11</sup> 5 <sup>11</sup> 5 <sup>11</sup> 1	285 1660 1695 - HT NEW O OOT USEL USE USE USE USE V# USE VBE VBE VBE VBE VBE VBE VBE VB	elevation to which to	water rose in hole. 290 1695 1710 	SANDS CUT AND PULLED FROM NG RECORD Ont Plug Ug ND STIMULA used, interval S	feet. 3. Ba feet. 1. Ba feet. 2. Ba feet. 2. Ba feet. 3 PERFORATION NONE NONE NONE NONE NONE	AMOUNT OF MUD USED NONE NONE
No. 1, from No. 2, from No. 3, from No. 4, from SIZE 8" 7" 5" SIZE OF HOLE 10" 8" 7" 7" Perfo	weig PERF 2.87 17-24 147 SIZE OF CASING 8 <sup>11</sup> 7 <sup>11</sup> 5 <sup>11</sup> 5 <sup>11</sup> 1	285 1660 1695 - HT NEW O OOT USEL USE USE USE USE V# USE VBE VBE VBE VBE VBE VBE VBE VB	elevation to which to	water rose in hole. 290 1695 1710  CASING RECOR KIND OF SHOE Texas Texas Texas Texas Texas Displaceme "Pl Squeeze PRODUCTION AN o. of Qts. or Gals. 50 Shot	SANDS CUT AND PULLED FROM NG RECORD Ont Plug Ug ND STIMULA used, interval S	feet. 3. Ba feet. 1. Ba feet. 2. Ba feet. 2. Ba feet. 3 PERFORATION NONE NONE NONE NONE NONE	AMOUNT OF MUD USED NONE NONE
No. 1, from No. 2, from No. 3, from No. 4, from SIZE 8" 7" 5" SIZE OF HOLE 10" 8" 7" 7" Perfo	weig PERF 2.87 17-24 147 SIZE OF CASING 8 <sup>11</sup> 7 <sup>11</sup> 5 <sup>11</sup> 5 <sup>11</sup> 1	285 1660 1695 - HT NEW O OOT USEL USE USE USE USE V# USE VBE VBE VBE VBE VBE VBE VBE VB	elevation to which to	water rose in hole. 290 1695 1710  CASING RECOR KIND OF SHOE Texas Texas Texas Texas Texas Displaceme "Pl Squeeze PRODUCTION AN o. of Qts. or Gals. 50 Shot	SANDS CUT AND PULLED FROM NG RECORD Ont Plug Ug ND STIMULA used, interval S	feet. 3. Ba feet. 1. Ba feet. 2. Ba feet. 2. Ba feet. 3 PERFORATION NONE NONE NONE NONE NONE	AMOUNT OF MUD USED NONE NONE
No. 1, from No. 2, from No. 3, from No. 4, from SIZE 8" 7" 5" SIZE OF HOLE 10" 8" 7" 7" Perfo Perfo	weig per f 287 17-2 <sup>1</sup> 1 <sup>1</sup> / <sub>7</sub> size of casing 8 <sup>11</sup> 7 <sup>11</sup> 5 <sup>11</sup> ration ration	285 1660 1695 - HT NEW O USE USE USE V# USE V# USE VERE SET 955 2217 2205-2557 (Record the S 11 S 25	elevation to which to	water rose in hole. 290 1695 1710  CASING RECOR KIND OF SHOE TEXAS TEXAS TEXAS TEXAS TEXAS DISPLACEMENTIN METHOD USED D1SPLACEME " Pl Squeeze PRODUCTION AN c. of Qts. or Gals. 50 Shot	SANDS CUT AND PULLED FROM NG RECORD Ont Plug Ug ND STIMULA used, interval S	feet. 3. Ba feet. 1. Ba feet. 2. Ba feet. 2. Ba feet. 3. Ba feet.	AMOUNT OF MUD USED NONE NONE
No. 1, from No. 2, from No. 3, from No. 4, from SIZE 8" 7" 5" SIZE OF HOLE 10" 8" 7" 7" Perfo Perfo	weig per f 287 17-2 <sup>1</sup> 1 <sup>1</sup> / <sub>7</sub> size of casing 8 <sup>11</sup> 7 <sup>11</sup> 5 <sup>11</sup> ration ration	285 1660 1695 - - - - - - - - - - - - -	elevation to which to	water rose in hole. 290 1695 1710  CASING RECOR KIND OF SHOE Texas Texas Texas Texas Texas SHOE Displaceme "Pl Squeeze PRODUCTION AN o. of Qts. or Gals. 50 Shot 2550-26	SANDS D CUT AND PULLED FROM NG RECOBD O MG RECOBD O MG RECOBD O S S S S S S S S S S S S S	feet. 3. Ba feet. 1. Ba feet. 2. Ba feet. 2. Ba feet. 3. Ba feet.	AMOUNT OF MUD USED NONE NONE
No. 1, from No. 2, from No. 3, from No. 4, from SIZE 8" 7" 5" SIZE OF HOLE 10" 8" 7" 7" Perfo Perfo	weig per f 287 17-2 <sup>1</sup> 1 <sup>1</sup> / <sub>7</sub> size of casing 8 <sup>11</sup> 7 <sup>11</sup> 5 <sup>11</sup> ration ration	285 1660 1695 - - - - - - - - - - - - -	elevation to which to	water rose in hole. 290 1695 1710  CASING RECOR KIND OF SHOE TEXAS TEXAS TEXAS TEXAS TEXAS DISPLACEMENTIN METHOD USED D1SPLACEME " Pl Squeeze PRODUCTION AN c. of Qts. or Gals. 50 Shot	SANDS D CUT AND PULLED FROM NG RECOBD O MG RECOBD O MG RECOBD O S S S S S S S S S S S S S	feet. 3. Ba feet. 1. Ba feet. 2. Ba feet. 2. Ba feet. 3. Ba feet.	Amount of Mone None None

2 3 2