NEW MEXICO OIL CONSERVATION COMMISSION

MISCELLANEOUS REPORTS ON WELLS

Submit this report in triplicate to the Oil Conservation Commission District Office within ten days after the work specified is completed. It should be signed and filed as a report on beginning drilling operations, results of shooting well, results of test of casing shut off, result of plugging of well, and other important operations, even though the work was witnessed by an agent of the Commission. See additional instructions in the Rules and Regulations of the Commission.

		nature of repor	way chocoming son	ow.	
REPORT ON BEGINNING I	DRILLING		REPORT ON	REPAIRING WELL	
REPORT ON RESULT OF S CHEMICAL TREATME				PULLING OR OTHERWISE G CASING	
REPORT ON RESULT OF T	TEST OF CASING		REPORT ON	DEEPENING WELL	x
REPORT ON RESULT OF F	PLUGGING OF WEL	L			
	June	23, 1952		Santa Fe. New Mex	i c o
			Date	Place	
'ollowing is a report on the v	work done and the res	sults obtained u	nder the heading n	oted above at the	
		ompany -D		Well No	in the
	y or Operator	33	Lease T. 30N	, R 29E , 1	N. M. P. M
				, , , , , , , , , , , , , , , , , , , ,	
					_
he dates of this work were a	as follows:	1321 - Wa	ly23,1452		
iuuu oi 10 1/2" 32	# casing for g	ood water		ted 2000' of 8 5/8" 2	Seated
for good water she cementing truck; of 357' cemented and (will send perforal ft./24 hrs. of CO	ut-off; cement drilled to TD of l on bottom; 5 tion data later 2 gas; shut-in j	ed 5 1/2" 1 of 2698' int 1/2" string); Shell Oil pressure v	shut-off; sea 7# casing at to granite; r g on bottom Co. tested vas 155 p.s.	ated 2000' of 8 5/8" 2 2600' w/150 sax and ecovered 2243' of 5 1 bullet perforated by 1 well which made 480 i built up to 209 p. eld and market facilit	HOWCO /2" leavi Lane-Wel ,000 cus.i.; we
for good water she cementing truck; of 357' cemented and (will send perforated). Alvin (witnessed by Alvin Alvin (PPROVED:	ut-off; cement drilled to TD of l on bottom; 5 tion data later 2 gas; shut-in in pending fur n. Coe - Nelson Name	ed 5 1/2" 1 of 2698' int 1/2" string); Shell Oil pressure v ther develo	shut-off; sea 7# casing at to granite; re g on bottom the Co. tested vas 155 p.s. company	2600' w/150 sax and ecovered 2243' of 5 1 bullet perforated by 1 well which made 480 i built up to 209 p. eld and market facility. Drilling Foreman Title affirm that the information g	HOWCO /2" leaving Lane-Well ,000 cus.i.; well ties.