

District I  
1625 N. French Dr., Hobbs, NM 88240  
District II  
1301 W. Grand Avenue, Artesia, NM 88210  
District III  
1000 Rio Brazos Road, Aztec, NM 87410  
District IV  
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico  
Energy Minerals and Natural Resources

Form C-101  
Revised March 17, 1999

Oil Conservation Division  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

Submit to appropriate District Office  
State Lease - 6 Copies  
Fee Lease - 5 Copies

☐ AMENDED REPORT

**"TIGHT HOLE"**

**APPLICATION FOR PERMIT TO DRILL, RE-ENTER, DEEPEN, PLUGBACK, OR ADD A ZONE**

<sup>1</sup> Operator Name and Address TWINING DRILLING CORPORATION 332 WHITE OAK DRIVE NE ALBUQUERQUE, NM 87122-1411		<sup>2</sup> OGRID Number 164187
		<sup>3</sup> API Number 30 - 061-20023
<sup>3</sup> Property Code 21119	<sup>5</sup> Property Name NFT	<sup>6</sup> Well No. 1

**<sup>7</sup> Surface Location**

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
M	33	5N	1E		990'	SOUTH	990'	WEST	VALENCIA

**<sup>8</sup> Proposed Bottom Hole Location If Different From Surface**

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
<sup>9</sup> Proposed Pool 1					<sup>10</sup> Proposed Pool 2				

<sup>11</sup> Work Type Code E	<sup>12</sup> Well Type Code G	<sup>13</sup> Cable/Rotary R	<sup>14</sup> Lease Type Code P	<sup>15</sup> Ground Level Elevation 5192
<sup>16</sup> Multiple NO	<sup>17</sup> Proposed Depth 9100'	<sup>18</sup> Formation SANTA FE GROUP	<sup>19</sup> Contractor UNITED DRILLING INC.	<sup>20</sup> Spud Date 9-5-01

**<sup>21</sup> Proposed Casing and Cement Program**

Hole Size	Casing Size	Casing weight/foot	Setting Depth	Sacks of Cement	Estimated TOC
12 1/4"	9 5/8"	36	1000'	500	SURFACE
9" - 9 1/4"	5 1/2"	17	9100'	925	5000'

22 Describe the proposed program. If this application is to DEEPEN or PLUG BACK, give the data on the present productive zone and proposed new productive zone. Describe the blowout prevention program, if any. Use additional sheets if necessary.

A ROTARY RIG WILL RE-ENTER, DRILL A 9 1/4" HOLE THRU EXISTING CEMENT PLUGS TO A TOTAL DEPTH OF 9100'. A HYDRILL TYPE GK 3000 ANNULAR BAG BOP WILL BE INSTALLED AND A 2M DOUBLE GATE AND ROTATING HEAD FOR BLOWOUT PREVENTION. DRILL STEM TESTS AND OPEN HOLE LOGGING SERVICES WILL BE EMPLOYED AS REQUIRED.

<sup>23</sup> I hereby certify that the information given above is true and complete to the best of my knowledge and belief. Signature: <i>Nathan Twining</i> Printed name: NATHAN A. TWINING Title: PRESIDENT Date: 9-4-01 Phone: 505-856-2238		OIL CONSERVATION DIVISION Approved by: <i>[Signature]</i> Title: DISTRICT SUPERVISOR Approval Date: 9/6/01 Expiration Date: 9/6/02 Conditions of Approval: Attached <input type="checkbox"/>	
--	--	--	--