



DCP Midstream
370 17th Street, Suite 2500
Denver, CO 80202
303-595-3331
303-605-2226 FAX

March 5, 2013

Mr. Leonard Lowe
Environmental Engineer
New Mexico Oil Conservation Division
1220 S. St. Francis Dr.
Santa Fe, NM 87505

**RE: 4th Quarter 2012 Groundwater Results
DCP Midstream, LP RR Ext. Pipeline Release (AP #55)
Unit C, Section 19, Township 20 South, Range 37 East
Lea County, New Mexico**

Dear Mr. Lowe:

DCP Midstream, LP (DCP) is pleased to submit for your review, one copy of the 4th Quarter 2012 Groundwater Results for the DCP RR Ext. Pipeline Release located in Lea County, New Mexico (Unit C, Section 19, Township 20 South, Range 37 East).

If you have any questions regarding the report, please call at 303-605-1718 or e-mail me swwethers@dcpmidstream.com.

Sincerely

DCP Midstream, LP

A handwritten signature in black ink, appearing to read "Stephen Weathers", followed by a long horizontal line.

Stephen Weathers, PG
Principal Environmental Specialist

cc: Geoffrey Leking, Hobbs District (Copy on CD)
Environmental Files

Fourth Quarter 2012 Groundwater Monitoring and Activities Summary Report

RR Extension Pipeline Release Lea County, New Mexico AP #55

Prepared for:



370 17th St., Suite 2500
Denver, CO 80202

Prepared by:



6899 Pecos Street, Unit C
Denver, Colorado 80221

February 18, 2013

2013 FEB 18 10:15 AM
2013 FEB 18 10:15 AM

Table of Contents

1. Introduction	1
2. Site Location and Background.....	1
3. Groundwater Monitoring.....	2
3.1 Groundwater and LNAPL Elevation Monitoring.....	2
3.2 Groundwater Quality Monitoring	3
3.3 Data Quality Assurance / Quality Control	3
4. Remediation Activities	4
5. Conclusions	4
6. Recommendations	5

Tables

1	Fourth Quarter 2012 Summary of Groundwater Elevation Data
2	Fourth Quarter 2012 Summary of BTEX and Chloride Concentrations in Groundwater

Figures

1	Site Location
2	Site Map
3	Fourth Quarter 2012 Groundwater Elevation Contour Map – December 4, 2012
4	Fourth Quarter 2012 Analytical Results Map

Appendices

A	Laboratory Analytical Results
B	Historical Analytical Results

1. Introduction

This report summarizes the remediation and groundwater monitoring activities conducted during the fourth quarter 2012, at the RR-Extension pipeline release (Site) in Lea County, New Mexico (Figure 1). Tasman Geosciences, LLC (Tasman) conducted these activities on behalf of DCP Midstream, LP (DCP). The field activities were conducted with the purpose of monitoring groundwater flow and quality conditions and assessing the presence of light non-aqueous phase liquid (LNAPL) hydrocarbons in the Site subsurface. Current Site conditions were evaluated from field data and analytical laboratory results collected during the reporting period.

2. Site Location and Background

The Site is located in Unit C of Section 19, Township 20 South, Range 37 East (approximate coordinates 32.562339 degrees north and 103.291739 degrees west). It is approximately 4.25 miles south of the intersection of US Highway 322 and County Road 41. The area is sparsely populated and land use is primarily associated with livestock grazing and oil and gas extraction and conveyance.

Based on information included in historical Site investigation reports, a natural gas condensate release of approximately 30 barrels (bbl) was reported on December 13, 2006 (Assigned Site Reference #130040). Subsequent to preliminary investigation and characterization activities, an excavation was conducted at the Site (November 10, 2008 to December 7, 2008) whereby approximately 11,356 cubic yards of impacted material were removed. The excavation extended to approximately 20-feet below ground surface over a surface area of approximately 14,800 square feet. Backfill material was placed into the excavation and surface restoration was completed by January 12, 2009. These activities are described within the document *Closure Report – RR Extension Release Site* dated February 2009 prepared by Environmental Plus, Inc.

LNAPL has been identified immediately above the water table, which is at a depth of approximately 30-feet below the ground surface. LNAPL continues to be observed at monitoring well locations to the south and east of the original release and excavation limits.

Investigation activities conducted at the Site include installation of groundwater monitoring wells and excavation during the time periods listed below:

- MW-1 through MW-5: Installed March 2008.
- MW-6 through MW-8: Installed June 2008.
- Excavation and Backfill: Initiated – November 10, 2008; Completed – January 12, 2009.
- MW-9 through MW-12: Installed June 2010.
- MW-13 through MW-16: Installed January 2011.

Ongoing monitoring and sampling of the Site wells listed above has been conducted on an approximate quarterly basis following installation. The historical monitoring data indicate the presence of LNAPL and

dissolved-phase impacts in the area of the original release. Progressive installation of monitoring wells has delineated the area in which these impacts are observed.

Boring logs for the Site monitoring wells indicate that the subsurface geology is typical of unconsolidated fine-grained sand, silt, and clay sediments. This general characteristic has been utilized in evaluating the historic and current LNAPL behavior.

3. Groundwater Monitoring

This section describes the groundwater field and laboratory activities performed during the fourth quarter 2012 monitoring event. Monitoring activities included Site-wide groundwater gauging, LNAPL measurements, and groundwater sampling. Figure 2 illustrates the groundwater monitoring network utilized to perform these activities at the Site.

3.1 Groundwater and LNAPL Elevation Monitoring

Groundwater and LNAPL levels were measured in order to evaluate hydraulic characteristics and provide information regarding seasonal fluctuations in groundwater elevations at the Site. During the fourth quarter 2012, groundwater levels were measured at sixteen Site monitoring well locations.

Groundwater levels were measured on the north side of the well casing to the nearest 0.01-foot using an oil-water interface probe (IP). Groundwater level data were later converted to elevation (feet above mean sea level [AMSL]). Measured groundwater levels and calculated groundwater elevation data are presented in Table 1 and a fourth quarter 2012 groundwater elevation contour map is illustrated on Figure 3. LNAPL levels, where detected by the IP, are also presented in Table 1.

Groundwater elevations ranged from 3,504.34 feet AMSL at monitoring well MW-4 to 3,505.05 feet AMSL at monitoring well MW-13. As illustrated on Figure 3, groundwater flow at the Site generally trends to the southeast with a gradient of approximately 0.0013 foot per foot between monitoring wells MW-8 and MW-11.

Groundwater elevations from the highest and lowest measured wells were not used in calculating hydraulic gradient due to the presence of LNAPL and corrections required. The selected elevations were directly measured and are representative of the general observed gradient and flow direction.

LNAPL was detected at the following locations, with measured thickness indicated in parenthesis:

- MW-3 (0.90-ft)
- MW-4 (0.98-ft)
- MW-5 (1.13-ft)
- MW-9 (0.93-ft)
- MW-10 (0.26-ft)

3.2 Groundwater Quality Monitoring

Subsequent to recording groundwater level measurements at each monitoring well, groundwater samples were collected for each of the eleven monitoring wells that did not contain measurable LNAPL.

During sampling, a minimum of three well casing volumes of groundwater were purged from each monitoring well prior to collecting groundwater samples. Groundwater samples were collected using dedicated polyethylene bailers, placed in clean laboratory supplied containers for the selected analytical methods, packed in an ice-filled cooler and maintained at approximately four (4) degrees Celsius ($^{\circ}\text{C}$) for transportation to the laboratory. Groundwater samples were then shipped under chain-of-custody procedures to Accutest Laboratories (Accutest) in Wheat Ridge, Colorado, for analysis.

Water quality samples were submitted for analysis of benzene, toluene, ethylbenzene, and xylene (BTEX) by United States Environmental Protection Agency (USEPA) Method 8260B and chloride by USEPA Method 300.

Detections/observations which exceed the applicable remediation standard are summarized below:

- Benzene was the only constituent detected at concentrations in excess of the New Mexico Water Quality Control Commission (NMWQCC) Standard of 0.01 milligrams per liter (mg/L) at two monitoring locations:
 - **MW-1:** 0.0194 mg/L.
 - **MW-2:** 1.26 mg/L.
- LNAPL was detected at five locations as indicated in Section 3.1 above.

Figure 4 displays analytical results from the fourth quarter 2012 event as well as the third quarter 2012 analytical results. Table 2 presents fourth quarter 2012 monitoring data along with data collected during the previous 4 quarters. Laboratory analytical reports for the event are included as Appendix A and historical analytical results up to the December 2012 event are contained in Appendix B.

Chloride was detected in all eleven (11) of the sampled wells with concentrations ranging from 313 mg/L in MW-15 to 544mg/L in MW-14. Chloride values in all of the wells exceeded the NMWQCC suggested guideline of 250 mg/L.

Water quality parameters were collected during the fourth quarter 2012 monitoring event and were used to confirm groundwater stabilization prior to sample collection. Monitoring wells did not require collection of more than three (3) purge volumes to achieve parameter stabilization. As such, the analytical data are considered to be representative of Site conditions in that a minimum 3 purge volumes were evacuated from all sampled monitoring wells during the fourth quarter 2012 event.

3.3 Data Quality Assurance / Quality Control

The data were reviewed for compliance with the analytical method and the associated quality assurance/quality control (QA/QC) procedures. All samples were analyzed using the correct analytical

methods and within the correct holding times. Chain of custody forms were in order and properly executed and indicate that samples were received at the proper temperature with no headspace. All data were reported using the correct method number and reporting units. A trip blank, matrix spike or matrix spike duplicate (MS/MSD) and field duplicate sample from MW-1 were collected during the sampling event. The trip blank was fully in control, having no detection of targets.

The duplicate sample collected at MW-1 was in compliance with QA/QC standards. MW-1 and duplicate sample returned results for benzene of 0.0194 mg/L and 0.0092 mg/L respectively.

The overall QA/QC assessment of the data, based on the data review, indicate that both field precision and overall data precision and accuracy are acceptable.

4. Remediation Activities

An assessment of previously performed LNAPL bail down and recovery test conducted at the Site was ongoing during the reporting period.

A passive LNAPL collection bailer is installed at monitoring well MW-4. During the fourth quarter 2012 monitoring event, approximately 0.3 gallons of LNAPL were recovered from the bailer. The recovered LNAPL was collected during elevation monitoring and temporarily disposed of in a 55-gallon purge drum located within secondary containment at the Hobbs Booster Station site. The LNAPL collection bailer was subsequently replaced at the level of the product/water interface.

5. Conclusions

Comparison of the fourth quarter 2012 monitoring data and historic information provides the following general observations:

The groundwater elevation surface beneath the Site has remained stable with minor seasonal and annual fluctuations since monitoring was initiated in 2008. There was no significant deviation from this trend during the fourth quarter 2012.

Dissolved phase BTEX concentrations continue to fluctuate at MW-1 and MW-2 and remain above NMWQCC standards. However, in comparison with the previous fourth quarter analytical data for 2011, benzene concentrations have decreased in both wells. LNAPL persists in monitoring wells MW-3, MW-4, MW-5, MW-9 and MW-10. The observed LNAPL and dissolved phase detections (current and historic) indicate that the contaminant mass has continued migrating towards the southeast in the direction of the groundwater gradient. Dissolved-phase impacts precede LNAPL observations over a relatively short period of time with minor lateral dispersion. This indicates that the dissolved phase BTEX plume has not extended well in advance of the LNAPL, possibly due to attenuation, low permeability aquifer material, low hydraulic gradient, and/or a combination of these factors.

6. Recommendations

Based on evaluation of the fourth quarter 2012 and historical Site observations and monitoring results, recommendations for future activities include:

- Continue quarterly groundwater monitoring and sampling at the monitoring locations illustrated on Figure 2.
- Continue to monitor and recover LNAPL from the passive collection bailer installed at MW-4.

Tables

TABLE 1
FOURTH QUARTER 2012
SUMMARY OF GROUNDWATER ELEVATION DATA
RR-EXTENSION PIPELINE RELEASE
LEA COUNTY, NEW MEXICO

Location	Date	Depth to Groundwater (1) (feet)	Depth to Product (1) (feet)	Free Phase Hydrocarbon Thickness (feet)	Total Depth (2) (feet)	TOC Elevation (feet amsl)	Groundwater Elevation* (feet amsl)	Change in Groundwater Elevation Since Previous Event (3) (feet)
MW-1	12/8/2011	29.61			39.05	3534.57	3504.96	-0.15
MW-1	3/10/2012	29.55			39.05	3534.57	3505.02	0.06
MW-1	6/5/2012	29.61			39.05	3534.57	3504.96	-0.06
MW-1	9/9/2012	29.75			39.05	3534.57	3504.82	-0.14
MW-1	12/4/2012	29.75			39.05	3534.57	3504.82	0.00
MW-2	12/8/2011	30.35			39.81	3535.18	3504.83	-0.12
MW-2	3/10/2012	30.30			39.81	3535.18	3504.88	0.05
MW-2	6/5/2012	30.38			39.81	3535.18	3504.80	-0.08
MW-2	9/9/2012	30.51			39.81	3535.18	3504.67	-0.13
MW-2	12/4/2012	30.50			39.81	3535.18	3504.68	0.01
MW-3*	12/8/2011	31.85	31.41	0.44		3536.57	3505.05	-0.11
MW-3*	3/10/2012	32.00	31.43	0.57		3536.57	3505.00	-0.05
MW-3*	6/5/2012	32.00	31.47	0.53		3536.57	3504.97	-0.03
MW-3*	9/9/2012	32.33	31.50	0.83		3536.57	3504.86	-0.11
MW-3*	12/4/2012	32.40	31.50	0.90		3536.57	3504.85	-0.02
MW-4*	12/8/2011	31.02	30.35	0.67		3535.20	3504.68	-0.07
MW-4*	3/10/2012	31.20	30.42	0.78		3535.20	3504.59	-0.10
MW-4*	6/5/2012	31.24	30.58	0.66		3535.20	3504.46	-0.13
MW-4*	9/9/2012	31.74	30.70	1.04		3535.20	3504.24	-0.21
MW-4*	12/4/2012	31.60	30.62	0.98		3535.20	3504.34	0.09
MW-5*	12/8/2011	31.99	31.00	0.99		3535.92	3504.67	-0.11
MW-5*	3/10/2012	31.92	31.02	0.90		3535.92	3504.68	0.01
MW-5*	6/5/2012	31.92	31.12	0.80		3535.92	3504.60	0.01
MW-5*	9/9/2012	32.30	31.17	1.13		3535.92	3504.47	0.01
MW-5*	12/4/2012	32.31	31.18	1.13		3535.92	3504.46	0.01
MW-6	12/8/2011	31.55			40.35	3536.16	3504.61	-0.07
MW-6	3/10/2012	31.56			40.35	3536.16	3504.60	-0.01
MW-6	6/5/2012	31.66			40.35	3536.16	3504.50	-0.10
MW-6	9/9/2012	31.78			40.35	3536.16	3504.38	-0.12
MW-6	12/4/2012	31.81			40.35	3536.16	3504.35	-0.03
MW-7	12/8/2011	32.41			40.25	3537.09	3504.68	-0.19
MW-7	3/10/2012	32.30			40.25	3537.09	3504.79	0.11
MW-7	6/5/2012	32.39			40.25	3537.09	3504.70	-0.09
MW-7	9/9/2012	32.53			40.25	3537.09	3504.56	-0.14
MW-7	12/4/2012	32.52			40.25	3537.09	3504.57	0.01
MW-8	12/8/2011	31.26			39.42	3536.41	3505.15	-0.07
MW-8	3/10/2012	31.25			39.42	3536.41	3505.16	0.01
MW-8	6/5/2012	31.31			39.42	3536.41	3505.10	-0.06
MW-8	9/9/2012	31.45			39.42	3536.41	3504.96	-0.14
MW-8	12/4/2012	31.45			39.42	3536.41	3504.96	0.00
MW-9*	12/8/2011	29.91	28.91	1.00		3534.20	3505.04	-0.35
MW-9*	3/10/2012	29.81	28.90	0.91		3534.20	3505.07	0.03
MW-9*	6/5/2012	29.88	29.00	0.88		3534.20	3504.98	-0.09
MW-9*	9/9/2012	30.10	29.09	1.01		3534.20	3504.86	-0.12
MW-9*	12/4/2012	30.03	29.10	0.93		3534.20	3504.87	0.01

TABLE 1
FOURTH QUARTER 2012
SUMMARY OF GROUNDWATER ELEVATION DATA
RR-EXTENSION PIPELINE RELEASE
LEA COUNTY, NEW MEXICO

Location	Date	Depth to Groundwater (1) (feet)	Depth to Product (1) (feet)	Free Phase Hydrocarbon Thickness (feet)	Total Depth (2) (feet)	TOC Elevation (feet amsl)	Groundwater Elevation* (feet amsl)	Change in Groundwater Elevation Since Previous Event (3) (feet)
MW-10*	12/8/2011	29.72	29.31	0.41		3534.21	3504.80	-0.12
MW-10*	3/10/2012	29.52	29.31	0.21		3534.21	3504.85	0.05
MW-10*	6/5/2012	29.66	29.40	0.26		3534.21	3504.75	-0.10
MW-10*	9/9/2012	29.88	29.51	0.37		3534.21	3504.61	-0.14
MW-10*	12/4/2012	29.80	29.54	0.26		3534.21	3504.61	0.00
MW-11	12/8/2011	31.50			39.69	3536.19	3504.69	0.05
MW-11	3/10/2012	31.47			39.69	3536.19	3504.72	0.03
MW-11	6/5/2012	31.56			39.69	3536.19	3504.63	-0.09
MW-11	9/9/2012	31.71			39.69	3536.19	3504.48	-0.15
MW-11	12/4/2012	31.73			39.69	3536.19	3504.46	-0.02
MW-12	12/8/2011	29.77			38.56	3534.47	3504.70	-0.10
MW-12	3/10/2012	29.74			38.56	3534.47	3504.73	0.03
MW-12	6/5/2012	29.83			38.56	3534.47	3504.64	-0.09
MW-12	9/9/2012	29.97			38.56	3534.47	3504.50	-0.14
MW-12	12/4/2012	30.00			38.56	3534.47	3504.47	-0.03
MW-13	12/8/2011	30.84			39.31	3536.08	3505.24	-0.09
MW-13	3/10/2012	30.81			39.31	3536.08	3505.27	0.03
MW-13	6/5/2012	30.89			39.31	3536.08	3505.19	-0.08
MW-13	9/9/2012	31.03			39.31	3536.08	3505.05	-0.14
MW-13	12/4/2012	31.03			39.31	3536.08	3505.05	0.00
MW-14	12/8/2011	30.00			42.05	3534.96	3504.96	-0.10
MW-14	3/10/2012	29.95			42.05	3534.96	3505.01	0.05
MW-14	6/5/2012	30.09			42.05	3534.96	3504.87	-0.14
MW-14	9/9/2012	30.17			42.05	3534.96	3504.79	-0.08
MW-14	12/4/2012	30.18			42.05	3534.96	3504.78	-0.01
MW-15	12/8/2011	30.19			36.55	3534.90	3504.71	-0.09
MW-15	3/10/2012	30.16			36.55	3534.90	3504.74	0.03
MW-15	6/5/2012	30.26			36.55	3534.90	3504.64	-0.10
MW-15	9/9/2012	30.40			36.55	3534.90	3504.50	-0.14
MW-15	12/4/2012	30.40			36.55	3534.90	3504.50	0.00
MW-16	12/8/2011	29.04			42.91	3533.68	3504.64	-0.11
MW-16	3/10/2012	29.00			42.91	3533.68	3504.68	0.04
MW-16	6/5/2012	29.17			42.91	3533.68	3504.51	-0.17
MW-16	9/9/2012	29.25			42.91	3533.68	3504.43	-0.08
MW-16	12/4/2012	29.29			42.91	3533.68	3504.39	-0.04
Average change in groundwater elevation since the previous monitoring event								0.00

Notes:

1- Depths measured from the north edge of the well casing.

2- Total depths were collected and recorded during the fourth quarter 2012 monitoring event (with the exception of wells that contained LNAPL).

3- Changes in groundwater elevation calculated by subtracting the measurement collected during the previous monitoring event from the measurement collected during the most recent monitoring event.

Data presented for well locations includes previous four sampling events, when available. Historic groundwater elevation data for these locations may be found in Appendix B.

Sample locations are shown on Figure 2 and a groundwater elevation contour map is shown on Figure 3.

amsl - feet above mean sea level.

TOC - top of casing

NM - not measured

* For wells that contained LNAPL, groundwater elevation was corrected for product thickness using the following calculation:

Groundwater elevation = (TOC Elevation - Measured Depth to Water) + (LNAPL Thickness in Well * LNAPL Density)

LNAPL density was assumed to be approximately 0.75 grams per cubic centimeter

TABLE 2
FOURTH QUARTER 2012
SUMMARY OF BTEX AND CHLORIDE CONCENTRATIONS IN GROUNDWATER
RR-EXTENSION PIPELINE RELEASE
LEA COUNTY, NEW MEXICO

Location Identification	Sample Date	Benzene (mg/l)	Toluene (mg/l)	Ethylbenzene (mg/l)	Total Xylenes (mg/l)	Chlorides* (mg/l)	Comments
New Mexico Water Quality Control Commission Groundwater Standards (mg/L)		0.01	0.75	0.75	0.62	250	
MW-1	12/8/2011	0.076	0.002	0.0227	0.0024	462	Duplicate sample collected
MW-1	3/10/2012	0.029	<0.002	0.0072	<0.004	497	Duplicate sample collected
MW-1	6/5/2012	0.069	0.0014	0.0112	<0.003	470	Duplicate sample collected
MW-1	9/9/2012	0.0216	<0.002	0.0029	<0.003	465	Duplicate sample collected
MW-1	12/4/2012	0.0194	<0.002	0.0024	<0.003	445	Duplicate sample collected
MW-2	12/8/2011	1.5	0.0436	0.33	0.0254	392	
MW-2	3/10/2012	1.04	<0.04	0.134	<0.08	444	
MW-2	6/5/2012	1.25	0.106	0.158	0.0885	346	
MW-2	9/9/2012	1.53	0.203	0.138	0.14	393	
MW-2	12/4/2012	1.26	0.115	0.0854	0.116	385	
MW-3	12/8/2011	LNAPL	LNAPL	LNAPL	LNAPL	LNAPL	
MW-3	3/10/2012	LNAPL	LNAPL	LNAPL	LNAPL	LNAPL	
MW-3	6/5/2012	LNAPL	LNAPL	LNAPL	LNAPL	LNAPL	
MW-3	9/9/2012	LNAPL	LNAPL	LNAPL	LNAPL	LNAPL	
MW-3	12/4/2012	LNAPL	LNAPL	LNAPL	LNAPL	LNAPL	
MW-4	12/8/2011	LNAPL	LNAPL	LNAPL	LNAPL	LNAPL	
MW-4	3/10/2012	LNAPL	LNAPL	LNAPL	LNAPL	LNAPL	
MW-4	6/5/2012	LNAPL	LNAPL	LNAPL	LNAPL	LNAPL	
MW-4	9/9/2012	LNAPL	LNAPL	LNAPL	LNAPL	LNAPL	
MW-4	12/4/2012	LNAPL	LNAPL	LNAPL	LNAPL	LNAPL	
MW-5	12/8/2011	LNAPL	LNAPL	LNAPL	LNAPL	LNAPL	
MW-5	3/10/2012	LNAPL	LNAPL	LNAPL	LNAPL	LNAPL	
MW-5	6/5/2012	LNAPL	LNAPL	LNAPL	LNAPL	LNAPL	
MW-5	9/9/2012	LNAPL	LNAPL	LNAPL	LNAPL	LNAPL	
MW-5	12/4/2012	LNAPL	LNAPL	LNAPL	LNAPL	LNAPL	
MW-6	12/8/2011	<0.0005	<0.001	<0.001	<0.001	372	
MW-6	3/10/2012	<0.001	<0.002	<0.002	<0.004	406	
MW-6	6/5/2012	<0.001	<0.002	<0.002	<0.003	381	
MW-6	9/9/2012	<0.001	<0.002	<0.002	<0.003	377	
MW-6	12/4/2012	<0.001	<0.002	<0.002	<0.003	358	
MW-7	12/8/2011	<0.0005	<0.001	<0.001	<0.001	376	
MW-7	3/10/2012	<0.001	<0.002	<0.002	<0.004	392	
MW-7	6/5/2012	<0.001	<0.002	<0.002	<0.003	381	
MW-7	9/9/2012	<0.001	<0.002	<0.002	<0.003	362	
MW-7	12/4/2012	<0.001	<0.002	<0.002	<0.003	334	
MW-8	12/8/2011	<0.0005	<0.001	<0.001	<0.001	521	
MW-8	3/10/2012	<0.001	<0.002	<0.002	<0.004	528	
MW-8	6/5/2012	<0.001	<0.002	<0.002	<0.003	527	
MW-8	9/9/2012	<0.001	<0.002	<0.002	<0.003	509	
MW-8	12/4/2012	<0.001	<0.002	<0.002	<0.003	500	
MW-9	12/8/2011	LNAPL	LNAPL	LNAPL	LNAPL	LNAPL	
MW-9	3/10/2012	LNAPL	LNAPL	LNAPL	LNAPL	LNAPL	
MW-9	6/5/2012	LNAPL	LNAPL	LNAPL	LNAPL	LNAPL	
MW-9	9/9/2012	LNAPL	LNAPL	LNAPL	LNAPL	LNAPL	
MW-9	12/4/2012	LNAPL	LNAPL	LNAPL	LNAPL	LNAPL	

TABLE 2
FOURTH QUARTER 2012
SUMMARY OF BTEX AND CHLORIDE CONCENTRATIONS IN GROUNDWATER
RR-EXTENSION PIPELINE RELEASE
LEA COUNTY, NEW MEXICO

Location Identification	Sample Date	Benzene (mg/l)	Toluene (mg/l)	Ethylbenzene (mg/l)	Total Xylenes (mg/l)	Chlorides* (mg/l)	Comments
New Mexico Water Quality Control Commission Groundwater Standards (mg/L)		0.01	0.75	0.75	0.62	250	
MW-10	12/8/2011	LNAPL	LNAPL	LNAPL	LNAPL	LNAPL	
MW-10	3/10/2012	LNAPL	LNAPL	LNAPL	LNAPL	LNAPL	
MW-10	6/5/2012	LNAPL	LNAPL	LNAPL	LNAPL	LNAPL	
MW-10	9/9/2012	LNAPL	LNAPL	LNAPL	LNAPL	LNAPL	
MW-10	12/4/2012	LNAPL	LNAPL	LNAPL	LNAPL	LNAPL	
MW-11	12/8/2011	<0.0005	<0.001	<0.001	<0.001	399	
MW-11	3/10/2012	<0.001	<0.002	<0.002	<0.004	403	
MW-11	6/5/2012	<0.001	<0.002	<0.002	<0.003	417	
MW-11	9/9/2012	<0.001	<0.002	<0.002	<0.003	399	
MW-11	12/4/2012	<0.001	<0.002	<0.002	<0.003	382	
MW-12	12/8/2011	<0.0005	<0.001	<0.001	<0.001	493	
MW-12	3/10/2012	<0.001	<0.002	<0.002	<0.004	513	
MW-12	6/5/2012	<0.001	<0.002	<0.002	<0.003	507	
MW-12	9/9/2012	<0.001	<0.002	<0.002	<0.003	487	
MW-12	12/4/2012	<0.001	<0.002	<0.002	<0.003	469	
MW-13	12/8/2011	<0.0005	<0.001	<0.001	<0.001	328	
MW-13	3/10/2012	<0.001	<0.002	<0.002	<0.004	331	
MW-13	6/5/2012	<0.001	<0.002	<0.002	<0.003	335	
MW-13	9/9/2012	<0.001	<0.002	<0.002	<0.003	321	
MW-13	12/4/2012	<0.001	<0.002	<0.002	<0.003	317	
MW-14	12/8/2011	<0.0005	<0.001	<0.001	<0.001	521	
MW-14	3/10/2012	<0.001	<0.002	<0.002	<0.004	528	
MW-14	6/5/2012	<0.001	<0.002	<0.002	<0.003	513	
MW-14	9/9/2012	<0.001	<0.002	<0.002	<0.003	536	
MW-14	12/4/2012	<0.001	<0.002	<0.002	<0.003	544	
MW-15	12/8/2011	<0.0005	<0.001	<0.001	<0.001	288	
MW-15	3/10/2012	<0.001	<0.002	<0.002	<0.004	308	
MW-15	6/5/2012	<0.001	<0.002	<0.002	<0.003	276	
MW-15	9/9/2012	<0.001	<0.002	<0.002	<0.003	318	
MW-15	12/4/2012	<0.001	<0.002	<0.002	<0.003	313	
MW-16	12/8/2011	<0.0005	<0.001	<0.001	<0.001	313	
MW-16	3/10/2012	<0.001	<0.002	<0.002	<0.004	322	
MW-16	6/5/2012	<0.001	<0.002	<0.002	<0.003	334	
MW-16	9/9/2012	<0.001	<0.002	<0.002	<0.003	334	
MW-16	12/4/2012	<0.001	<0.002	<0.002	<0.003	339	

Notes:

- 1.) The environmental cleanup standards for water that are applicable to this Site are the New Mexico Water Quality Control Commission (NMWQCC) Groundwater Standards.
- 2.) Data presented for all well locations includes previous four sampling events, when available. Historic groundwater analytical results for these locations may be found in Appendix B.

Bold red values indicate an exceedance of the NMWQCC groundwater standards for the Site.

Sample locations are shown on Figure 2 and analytical results are illustrated on Figure 4.

* Chlorides are subject to the National Secondary Drinking Water Regulations (NSDWR) secondary maximum contaminant levels (SMCLs) and not an enforceably regulated constituent. The 250 mg/L standard is established only as a guideline to assist public water systems in managing their drinking water for aesthetic considerations, such as taste, color, and odor.

LNAPL = Light Non-Aqueous Phase Liquid

NM = Not measured.

mg/L = milligrams per liter.


Figures



<div>DESIGNED BY: C. Wasko</div> <div>DRAWN BY: J. Clonts</div> <div>SHEET CHK'D BY:</div> <div>CROSS CHK'D BY:</div> <div>APPROVED BY:</div> <div>APPROVED BY:</div>	<div>TASMAN GEOSCIENCES</div> <div>Tasman Geosciences, LLC 6899 Pecos Street - Unit C Denver, CO 80221 303 487 1228</div>	<div>RR - EXTENSION PIPELINE RELEASE</div>	<div>SITE LOCATION</div>	<div>FIGURE 1</div>
-----------------------------------------------------------------------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------	--------------------------	-------------------------



DESIGNED BY: C. Wasko
DRAWN BY: J. Clonts
SHEET CHKD BY: _____
CROSS CHKD BY: _____
APPROVED BY: _____
APPROVED BY: _____



TASMAN
GEOSCIENCES

Tasman Geosciences, LLC
6899 Pecos Street - Unit C
Denver, CO 80221
303 487 1228

RR - EXTENSION PIPELINE RELEASE

SITE MAP



DESIGNED BY: C. Wasko
DRAWN BY: J. Clonts
SHEET CHK'D BY:
CROSS CHK'D BY:
APPROVED BY:
APPROVED BY:

TASMAN
GEOSCIENCES

Tasman Geosciences, LLC
6899 Pecos Street - Unit C
Denver, CO 80221
303 487 1228

RR - EXTENSION PIPELINE RELEASE
*Fourth Quarter 2012 Groundwater Monitoring
Summary Report*


**GROUNDWATER ELEVATION
CONTOUR MAP
(DECEMBER 4, 2012)**

Legend

- Monitoring Well
- (0.02) Measured LNAPL Thickness

Notes:
All aqueous analytical results are presented in milligrams per liter (mg/L)
LNAPL - Light Non-Aqueous Phase Liquid

0 50 100 Feet



DESIGNED BY: C. Wasko
DRAWN BY: J. Clontis
SHEET CHK'D BY:
CROSS CHK'D BY:
APPROVED BY:
APPROVED BY:

TASMAN
GEOSCIENCES

Tasman Geosciences, LLC
6899 Pecos Street - Unit C
Denver, CO 80221
303 487 1228

RR - EXTENSION PIPELINE RELEASE
Fourth Quarter 2012 Groundwater Monitoring
Summary Report

ANALYTICAL RESULTS
MAP

Appendix A
Laboratory Analytical Reports



12/13/12

Technical Report for

DCP Midstream, LP

TASMCOA:DCP RR EXT

Accutest Job Number: D41668

Sampling Date: 12/04/12

Report to:

Tasman Geosciencec LLC
5715 Reed Street
Arvada, CO 80002
swweathers@dcpmidstream.com; jimdawe@tasman-geo.com;
cwasko@tasman-geo.com
ATTN: Jim Dawe

Total number of pages in report: 48



Test results contained within this data package meet the requirements of the National Environmental Laboratory Accreditation Conference and/or state specific certification programs as applicable.


Brad Madadian
Laboratory Director

Client Service contact: Shea Greiner 303-425-6021

Certifications: CO, ID, NE, NM, ND (R-027) (PW), UT (NELAP CO00049), TX (T104704511-12-1)

This report shall not be reproduced, except in its entirety, without the written approval of Accutest Laboratories.
Test results relate only to samples analyzed.

Table of Contents

-1-

Section 1: Sample Summary	3
Section 2: Case Narrative/Conformance Summary	5
Section 3: Summary of Hits	6
Section 4: Sample Results	8
4.1: D41668-1: MW-1	9
4.2: D41668-2: MW-2	11
4.3: D41668-3: MW-6	13
4.4: D41668-4: MW-7	15
4.5: D41668-5: MW-8	17
4.6: D41668-6: MW-11	19
4.7: D41668-7: MW-12	21
4.8: D41668-8: MW-13	23
4.9: D41668-9: MW-14	25
4.10: D41668-10: MW-15	27
4.11: D41668-11: MW-16	29
4.12: D41668-12: DUP	31
4.13: D41668-13: TRIP BLANK	33
Section 5: Misc. Forms	34
5.1: Chain of Custody	35
Section 6: GC/MS Volatiles - QC Data Summaries	38
6.1: Method Blank Summary	39
6.2: Blank Spike Summary	41
6.3: Matrix Spike/Matrix Spike Duplicate Summary	43
Section 7: General Chemistry - QC Data Summaries	45
7.1: Method Blank and Spike Results Summary	46
7.2: Matrix Spike Results Summary	47
7.3: Matrix Spike Duplicate Results Summary	48

Sample Summary

DCP Midstream, LP

Job No: D41668

TASMCOA:DCP RR EXT

Sample Number	Collected Date	Time By	Received	Matrix Code	Type	Client Sample ID
D41668-1	12/04/12	10:55 CW	12/08/12	AQ	Ground Water	MW-1
D41668-2	12/04/12	11:10 CW	12/08/12	AQ	Ground Water	MW-2
D41668-3	12/04/12	09:45 CW	12/08/12	AQ	Ground Water	MW-6
D41668-4	12/04/12	09:55 CW	12/08/12	AQ	Ground Water	MW-7
D41668-5	12/04/12	10:30 CW	12/08/12	AQ	Ground Water	MW-8
D41668-6	12/04/12	09:15 CW	12/08/12	AQ	Ground Water	MW-11
D41668-7	12/04/12	09:00 CW	12/08/12	AQ	Ground Water	MW-12
D41668-8	12/04/12	10:45 CW	12/08/12	AQ	Ground Water	MW-13
D41668-8D	12/04/12	10:45 CW	12/08/12	AQ	Water Dup/MSD	MW-13
D41668-8M	12/04/12	10:45 CW	12/08/12	AQ	Water Matrix Spike	MW-13
D41668-9	12/04/12	09:25 CW	12/08/12	AQ	Ground Water	MW-14
D41668-10	12/04/12	08:45 CW	12/08/12	AQ	Ground Water	MW-15
D41668-11	12/04/12	08:30 CW	12/08/12	AQ	Ground Water	MW-16



Sample Summary
(continued)

DCP Midstream, LP

Job No: D41668

TASMCOA:DCP RR EXT

Sample Number	Collected Date	Time By	Received	Matrix Code	Type	Client Sample ID
D41668-12	12/04/12	00:00	CW	12/08/12	AQ Ground Water	DUP
D41668-13	12/04/12	00:00	CW	12/08/12	AQ Trip Blank Water	TRIP BLANK



CASE NARRATIVE / CONFORMANCE SUMMARY

Client: DCP Midstream, LP

Job No D41668

Site: TASMCOA:DCP RR EXT

Report Date 12/13/2012 11:26:34 A

On 12/08/2012, 12 sample(s), 1 Trip Blank(s), and 0 Field Blank(s) were received at Accutest Mountain States (AMS) at a temperature of 1.1 °C. The samples were intact and properly preserved, unless noted below. An AMS Job Number of D41668 was assigned to the project. The lab sample ID, client sample ID, and date of sample collection are detailed in the report's Results Summary.

Specified quality control criteria were achieved for this job except as noted below. For more information, please refer to the analytical results and QC summary pages.

Volatiles by GCMS By Method SW846 8260B

Matrix AQ

Batch ID: V7V926

- All samples were analyzed within the recommended method holding time.
- All method blanks for this batch meet method specific criteria.
- Sample(s) D41668-8MS, D41668-8MSD were used as the QC samples indicated.

Matrix AQ

Batch ID: V7V928

- All samples were analyzed within the recommended method holding time.
- All method blanks for this batch meet method specific criteria.
- Sample(s) D41671-7MS, D41671-7MSD were used as the QC samples indicated.
- D41671-7MSD: The pH of the sample aliquot for VOA analysis was >2 at time of analysis.
- D41671-7MS: The pH of the sample aliquot for VOA analysis was >2 at time of analysis.

Wet Chemistry By Method EPA 300.0/SW846 9056

Matrix AQ

Batch ID: GP8858

- All samples were prepared within the recommended method holding time.
- All samples were analyzed within the recommended method holding time.
- All method blanks for this batch meet method specific criteria.
- Sample(s) D41668-4MS, D41668-4MSD were used as the QC samples for the Chloride analysis.

AMS certifies that data reported for samples received, listed on the associated custody chain or analytical task order, were produced to specifications meeting AMS's Quality System precision, accuracy and completeness objectives except as noted.

Estimated non-standard method measurement uncertainty data is available on request, based on quality control bias and implicit for standard methods. Acceptable uncertainty requires tested parameter quality control data to meet method criteria.

AMS is not responsible for data quality assumptions if partial reports are used and recommends that this report be used in its entirety. This report is authorized by AMS indicated via signature on the report cover.

Summary of Hits

Job Number: D41668
Account: DCP Midstream, LP
Project: TASMCOA:DCP RR EXT
Collected: 12/04/12



Lab Sample ID	Client Sample ID	Result/ Qual	RL	MDL	Units	Method
D41668-1	MW-1					
Benzene		0.0194	0.0010	0.00027	mg/l	SW846 8260B
Ethylbenzene		0.0024	0.0020	0.00033	mg/l	SW846 8260B
Chloride		445	10		mg/l	EPA 300.0/SW846 9056
D41668-2	MW-2					
Benzene		1.26	0.010	0.0027	mg/l	SW846 8260B
Toluene		0.115	0.020	0.010	mg/l	SW846 8260B
Ethylbenzene		0.0854	0.020	0.0033	mg/l	SW846 8260B
Xylene (total)		0.116	0.030	0.020	mg/l	SW846 8260B
Chloride		385	10		mg/l	EPA 300.0/SW846 9056
D41668-3	MW-6					
Chloride		358	10		mg/l	EPA 300.0/SW846 9056
D41668-4	MW-7					
Chloride		334	10		mg/l	EPA 300.0/SW846 9056
D41668-5	MW-8					
Chloride		500	10		mg/l	EPA 300.0/SW846 9056
D41668-6	MW-11					
Chloride		382	10		mg/l	EPA 300.0/SW846 9056
D41668-7	MW-12					
Chloride		469	10		mg/l	EPA 300.0/SW846 9056
D41668-8	MW-13					
Chloride		317	10		mg/l	EPA 300.0/SW846 9056
D41668-9	MW-14					
Chloride		544	13		mg/l	EPA 300.0/SW846 9056
D41668-10	MW-15					
Chloride		313	10		mg/l	EPA 300.0/SW846 9056

Summary of Hits

Page 2 of 2

Job Number: D41668
Account: DCP Midstream, LP
Project: TASMCOA:DCP RR EXT
Collected: 12/04/12



Lab Sample ID	Client Sample ID	Result/ Qual	RL	MDL	Units	Method
Analyte						

D41668-11 MW-16

Chloride	339	10		mg/l	EPA 300.0/SW846 9056
----------	-----	----	--	------	----------------------

D41668-12 DUP

Benzene	0.0092	0.0010	0.00027	mg/l	SW846 8260B
Ethylbenzene	0.0012 J	0.0020	0.00033	mg/l	SW846 8260B
Chloride	444	10		mg/l	EPA 300.0/SW846 9056

D41668-13 TRIP BLANK

No hits reported in this sample.

Sample Results

Report of Analysis

Report of Analysis

Client Sample ID:	MW-1	Date Sampled:	12/04/12
Lab Sample ID:	D41668-1	Date Received:	12/08/12
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Method:	SW846 8260B		
Project:	TASMSOA:DCP RR EXT		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	7V17095.D	1	12/11/12	JL	n/a	n/a	V7V928
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

Purgeable Aromatics

CAS No.	Compound	Result	RL	MDL	Units	Q
71-43-2	Benzene	0.0194	0.0010	0.00027	mg/l	
108-88-3	Toluene	ND	0.0020	0.0010	mg/l	
100-41-4	Ethylbenzene	0.0024	0.0020	0.00033	mg/l	
1330-20-7	Xylene (total)	ND	0.0030	0.0020	mg/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
17060-07-0	1,2-Dichloroethane-D4	90%		62-130%
2037-26-5	Toluene-D8	97%		70-130%
460-00-4	4-Bromofluorobenzene	92%		69-130%

ND = Not detected MDL - Method Detection Limit
 RL = Reporting Limit
 E = Indicates value exceeds calibration range

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	MW-1	Date Sampled:	12/04/12
Lab Sample ID:	D41668-1	Date Received:	12/08/12
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Project:	TASMCOA:DCP RR EXT		

General Chemistry

Analyte	Result	RL	Units	DF	Analyzed	By	Method
Chloride	445	10	mg/l	20	12/10/12 11:36	AW	EPA 300.0/SW846 9056

RL = Reporting Limit

Report of Analysis

Client Sample ID:	MW-2	Date Sampled:	12/04/12
Lab Sample ID:	D41668-2	Date Received:	12/08/12
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Method:	SW846 8260B		
Project:	TASMSOA:DCP RR EXT		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	7V17096.D	10	12/11/12	JL	n/a	n/a	V7V928
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

Purgeable Aromatics

CAS No.	Compound	Result	RL	MDL	Units	Q
71-43-2	Benzene	1.26	0.010	0.0027	mg/l	
108-88-3	Toluene	0.115	0.020	0.010	mg/l	
100-41-4	Ethylbenzene	0.0854	0.020	0.0033	mg/l	
1330-20-7	Xylene (total)	0.116	0.030	0.020	mg/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
17060-07-0	1,2-Dichloroethane-D4	91%		62-130%
2037-26-5	Toluene-D8	97%		70-130%
460-00-4	4-Bromofluorobenzene	92%		69-130%

ND = Not detected MDL - Method Detection Limit
 RL = Reporting Limit
 E = Indicates value exceeds calibration range

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	MW-2	Date Sampled:	12/04/12
Lab Sample ID:	D41668-2	Date Received:	12/08/12
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Project:	TASMCOA:DCP RR EXT		

General Chemistry

Analyte	Result	RL	Units	DF	Analyzed	By	Method
Chloride	385	10	mg/l	20	12/10/12 11:49	AW	EPA 300.0/SW846 9056

RL = Reporting Limit

Report of Analysis

Client Sample ID:	MW-6	Date Sampled:	12/04/12
Lab Sample ID:	D41668-3	Date Received:	12/08/12
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Method:	SW846 8260B		
Project:	TASMCOA:DCP RR EXT		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	7V17053.D	1	12/10/12	JL	n/a	n/a	V7V926
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

Purgeable Aromatics

CAS No.	Compound	Result	RL	MDL	Units	Q
71-43-2	Benzene	ND	0.0010	0.00027	mg/l	
108-88-3	Toluene	ND	0.0020	0.0010	mg/l	
100-41-4	Ethylbenzene	ND	0.0020	0.00033	mg/l	
1330-20-7	Xylene (total)	ND	0.0030	0.0020	mg/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
17060-07-0	1,2-Dichloroethane-D4	92%		62-130%
2037-26-5	Toluene-D8	98%		70-130%
460-00-4	4-Bromofluorobenzene	91%		69-130%

ND = Not detected MDL - Method Detection Limit
 RL = Reporting Limit
 E = Indicates value exceeds calibration range

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	MW-6	Date Sampled:	12/04/12
Lab Sample ID:	D41668-3	Date Received:	12/08/12
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Project:	TASMCOA:DCP RR EXT		

General Chemistry

Analyte	Result	RL	Units	DF	Analyzed	By	Method
Chloride	358	10	mg/l	20	12/10/12 12:02	AW	EPA 300.0/SW846 9056

RL = Reporting Limit

Report of Analysis

Client Sample ID:	MW-7	Date Sampled:	12/04/12
Lab Sample ID:	D41668-4	Date Received:	12/08/12
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Method:	SW846 8260B		
Project:	TASMCOA:DCP RR EXT		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	7V17054.D	1	12/10/12	JL	n/a	n/a	V7V926
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

Purgeable Aromatics

CAS No.	Compound	Result	RL	MDL	Units	Q
71-43-2	Benzene	ND	0.0010	0.00027	mg/l	
108-88-3	Toluene	ND	0.0020	0.0010	mg/l	
100-41-4	Ethylbenzene	ND	0.0020	0.00033	mg/l	
1330-20-7	Xylene (total)	ND	0.0030	0.0020	mg/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
17060-07-0	1,2-Dichloroethane-D4	94%		62-130%
2037-26-5	Toluene-D8	99%		70-130%
460-00-4	4-Bromofluorobenzene	92%		69-130%

ND = Not detected MDL - Method Detection Limit
 RL = Reporting Limit
 E = Indicates value exceeds calibration range

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	MW-7	Date Sampled:	12/04/12
Lab Sample ID:	D41668-4	Date Received:	12/08/12
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Project:	TASMCOA:DCP RR EXT		

General Chemistry

Analyte	Result	RL	Units	DF	Analyzed	By	Method
Chloride	334	10	mg/l	20	12/10/12 12:14	AW	EPA 300.0/SW846 9056

RL = Reporting Limit

Report of Analysis

Client Sample ID:	MW-8	Date Sampled:	12/04/12
Lab Sample ID:	D41668-5	Date Received:	12/08/12
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Method:	SW846 8260B		
Project:	TASMCOA:DCP RR EXT		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	7V17055.D	1	12/10/12	JL	n/a	n/a	V7V926
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

Purgeable Aromatics

CAS No.	Compound	Result	RL	MDL	Units	Q
71-43-2	Benzene	ND	0.0010	0.00027	mg/l	
108-88-3	Toluene	ND	0.0020	0.0010	mg/l	
100-41-4	Ethylbenzene	ND	0.0020	0.00033	mg/l	
1330-20-7	Xylene (total)	ND	0.0030	0.0020	mg/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
17060-07-0	1,2-Dichloroethane-D4	95%		62-130%
2037-26-5	Toluene-D8	97%		70-130%
460-00-4	4-Bromofluorobenzene	92%		69-130%

ND = Not detected MDL - Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	MW-8	Date Sampled:	12/04/12
Lab Sample ID:	D41668-5	Date Received:	12/08/12
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Project:	TASMCOA:DCP RR EXT		

General Chemistry

Analyte	Result	RL	Units	DF	Analyzed	By	Method
Chloride	500	10	mg/l	20	12/10/12 12:27	AW	EPA 300.0/SW846 9056

RL = Reporting Limit

Report of Analysis

Client Sample ID:	MW-11	Date Sampled:	12/04/12
Lab Sample ID:	D41668-6	Date Received:	12/08/12
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Method:	SW846 8260B		
Project:	TASMCOA:DCP RR EXT		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	7V17056.D	1	12/10/12	JL	n/a	n/a	V7V926
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

Purgeable Aromatics

CAS No.	Compound	Result	RL	MDL	Units	Q
71-43-2	Benzene	ND	0.0010	0.00027	mg/l	
108-88-3	Toluene	ND	0.0020	0.0010	mg/l	
100-41-4	Ethylbenzene	ND	0.0020	0.00033	mg/l	
1330-20-7	Xylene (total)	ND	0.0030	0.0020	mg/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
17060-07-0	1,2-Dichloroethane-D4	93%		62-130%
2037-26-5	Toluene-D8	99%		70-130%
460-00-4	4-Bromofluorobenzene	92%		69-130%

ND = Not detected MDL - Method Detection Limit
 RL = Reporting Limit
 E = Indicates value exceeds calibration range

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	MW-11	Date Sampled:	12/04/12
Lab Sample ID:	D41668-6	Date Received:	12/08/12
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Project:	TASMCOA:DCP RR EXT		

General Chemistry

Analyte	Result	RL	Units	DF	Analyzed	By	Method
Chloride	382	10	mg/l	20	12/10/12 12:40	AW	EPA 300.0/SW846 9056

RL = Reporting Limit

Report of Analysis

Client Sample ID:	MW-12	Date Sampled:	12/04/12
Lab Sample ID:	D41668-7	Date Received:	12/08/12
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Method:	SW846 8260B		
Project:	TASMCOA:DCP RR EXT		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	7V17057.D	1	12/10/12	JL	n/a	n/a	V7V926
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

Purgeable Aromatics

CAS No.	Compound	Result	RL	MDL	Units	Q
71-43-2	Benzene	ND	0.0010	0.00027	mg/l	
108-88-3	Toluene	ND	0.0020	0.0010	mg/l	
100-41-4	Ethylbenzene	ND	0.0020	0.00033	mg/l	
1330-20-7	Xylene (total)	ND	0.0030	0.0020	mg/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
17060-07-0	1,2-Dichloroethane-D4	92%		62-130%
2037-26-5	Toluene-D8	98%		70-130%
460-00-4	4-Bromofluorobenzene	91%		69-130%

ND = Not detected MDL - Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	MW-12	Date Sampled:	12/04/12
Lab Sample ID:	D41668-7	Date Received:	12/08/12
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Project:	TASMCOA:DCP RR EXT		

General Chemistry

Analyte	Result	RL	Units	DF	Analyzed	By	Method
Chloride	469	10	mg/l	20	12/10/12 13:19	AW	EPA 300.0/SW846 9056

RL = Reporting Limit

Report of Analysis

Client Sample ID:	MW-13	Date Sampled:	12/04/12
Lab Sample ID:	D41668-8	Date Received:	12/08/12
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Method:	SW846 8260B		
Project:	TASMCOA:DCP RR EXT		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	7V17058.D	1	12/10/12	JL	n/a	n/a	V7V926
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

Purgeable Aromatics

CAS No.	Compound	Result	RL	MDL	Units	Q
71-43-2	Benzene	ND	0.0010	0.00027	mg/l	
108-88-3	Toluene	ND	0.0020	0.0010	mg/l	
100-41-4	Ethylbenzene	ND	0.0020	0.00033	mg/l	
1330-20-7	Xylene (total)	ND	0.0030	0.0020	mg/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
17060-07-0	1,2-Dichloroethane-D4	93%		62-130%
2037-26-5	Toluene-D8	97%		70-130%
460-00-4	4-Bromofluorobenzene	91%		69-130%

ND = Not detected MDL - Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	MW-13	Date Sampled:	12/04/12
Lab Sample ID:	D41668-8	Date Received:	12/08/12
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Project:	TASMCOA:DCP RR EXT		

General Chemistry

Analyte	Result	RL	Units	DF	Analyzed	By	Method
Chloride	317	10	mg/l	20	12/10/12 13:58	AW	EPA 300.0/SW846 9056

RL = Reporting Limit

Report of Analysis

Client Sample ID:	MW-14	Date Sampled:	12/04/12
Lab Sample ID:	D41668-9	Date Received:	12/08/12
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Method:	SW846 8260B		
Project:	TASMCOA:DCP RR EXT		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	7V17061.D	1	12/10/12	JL	n/a	n/a	V7V926
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

Purgeable Aromatics

CAS No.	Compound	Result	RL	MDL	Units	Q
71-43-2	Benzene	ND	0.0010	0.00027	mg/l	
108-88-3	Toluene	ND	0.0020	0.0010	mg/l	
100-41-4	Ethylbenzene	ND	0.0020	0.00033	mg/l	
1330-20-7	Xylene (total)	ND	0.0030	0.0020	mg/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
17060-07-0	1,2-Dichloroethane-D4	92%		62-130%
2037-26-5	Toluene-D8	98%		70-130%
460-00-4	4-Bromofluorobenzene	92%		69-130%

ND = Not detected MDL - Method Detection Limit
 RL = Reporting Limit
 E = Indicates value exceeds calibration range

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	MW-14	Date Sampled:	12/04/12
Lab Sample ID:	D41668-9	Date Received:	12/08/12
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Project:	TASMCOA:DCP RR EXT		

General Chemistry

Analyte	Result	RL	Units	DF	Analyzed	By	Method
Chloride	544	13	mg/l	25	12/10/12 14:11	AW	EPA 300.0/SW846 9056

RL = Reporting Limit

Report of Analysis

Client Sample ID:	MW-15	Date Sampled:	12/04/12
Lab Sample ID:	D41668-10	Date Received:	12/08/12
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Method:	SW846 8260B		
Project:	TASMCOA:DCP RR EXT		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	7V17062.D	1	12/10/12	JL	n/a	n/a	V7V926
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

Purgeable Aromatics

CAS No.	Compound	Result	RL	MDL	Units	Q
71-43-2	Benzene	ND	0.0010	0.00027	mg/l	
108-88-3	Toluene	ND	0.0020	0.0010	mg/l	
100-41-4	Ethylbenzene	ND	0.0020	0.00033	mg/l	
1330-20-7	Xylene (total)	ND	0.0030	0.0020	mg/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
17060-07-0	1,2-Dichloroethane-D4	94%		62-130%
2037-26-5	Toluene-D8	98%		70-130%
460-00-4	4-Bromofluorobenzene	91%		69-130%

ND = Not detected MDL - Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	MW-15	Date Sampled:	12/04/12
Lab Sample ID:	D41668-10	Date Received:	12/08/12
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Project:	TASMCOA:DCP RR EXT		

General Chemistry

Analyte	Result	RL	Units	DF	Analyzed	By	Method
Chloride	313	10	mg/l	20	12/10/12 14:24	AW	EPA 300.0/SW846 9056

RL = Reporting Limit

Report of Analysis

Client Sample ID:	MW-16	Date Sampled:	12/04/12
Lab Sample ID:	D41668-11	Date Received:	12/08/12
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Method:	SW846 8260B		
Project:	TASMCOA:DCP RR EXT		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	7V17063.D	1	12/10/12	JL	n/a	n/a	V7V926
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

Purgeable Aromatics

CAS No.	Compound	Result	RL	MDL	Units	Q
71-43-2	Benzene	ND	0.0010	0.00027	mg/l	
108-88-3	Toluene	ND	0.0020	0.0010	mg/l	
100-41-4	Ethylbenzene	ND	0.0020	0.00033	mg/l	
1330-20-7	Xylene (total)	ND	0.0030	0.0020	mg/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
17060-07-0	1,2-Dichloroethane-D4	93%		62-130%
2037-26-5	Toluene-D8	98%		70-130%
460-00-4	4-Bromofluorobenzene	93%		69-130%

ND = Not detected MDL - Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	MW-16	Date Sampled:	12/04/12
Lab Sample ID:	D41668-11	Date Received:	12/08/12
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Project:	TASMCOA:DCP RR EXT		

General Chemistry

Analyte	Result	RL	Units	DF	Analyzed	By	Method
Chloride	339	10	mg/l	20	12/10/12 14:37	AW	EPA 300.0/SW846 9056

RL = Reporting Limit

Report of Analysis

Client Sample ID:	DUP	Date Sampled:	12/04/12
Lab Sample ID:	D41668-12	Date Received:	12/08/12
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Method:	SW846 8260B		
Project:	TASMCOA:DCP RR EXT		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	7V17097.D	1	12/11/12	JL	n/a	n/a	V7V928
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

Purgeable Aromatics

CAS No.	Compound	Result	RL	MDL	Units	Q
71-43-2	Benzene	0.0092	0.0010	0.00027	mg/l	
108-88-3	Toluene	ND	0.0020	0.0010	mg/l	
100-41-4	Ethylbenzene	0.0012	0.0020	0.00033	mg/l	J
1330-20-7	Xylene (total)	ND	0.0030	0.0020	mg/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
17060-07-0	1,2-Dichloroethane-D4	92%		62-130%
2037-26-5	Toluene-D8	99%		70-130%
460-00-4	4-Bromofluorobenzene	93%		69-130%

ND = Not detected MDL - Method Detection Limit
 RL = Reporting Limit
 E = Indicates value exceeds calibration range

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	DUP	Date Sampled:	12/04/12
Lab Sample ID:	D41668-12	Date Received:	12/08/12
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Project:	TASMCOA:DCP RR EXT		

General Chemistry

Analyte	Result	RL	Units	DF	Analyzed	By	Method
Chloride	444	10	mg/l	20	12/10/12 14:49	AW	EPA 300.0/SW846 9056

RL = Reporting Limit

4.12
4

Report of Analysis

Client Sample ID:	TRIP BLANK	Date Sampled:	12/04/12
Lab Sample ID:	D41668-13	Date Received:	12/08/12
Matrix:	AQ - Trip Blank Water	Percent Solids:	n/a
Method:	SW846 8260B		
Project:	TASMSOA:DCP RR EXT		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	7V17064.D	1	12/10/12	JL	n/a	n/a	V7V926
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

Purgeable Aromatics

CAS No.	Compound	Result	RL	MDL	Units	Q
71-43-2	Benzene	ND	0.0010	0.00027	mg/l	
108-88-3	Toluene	ND	0.0020	0.0010	mg/l	
100-41-4	Ethylbenzene	ND	0.0020	0.00033	mg/l	
1330-20-7	Xylene (total)	ND	0.0030	0.0020	mg/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
17060-07-0	1,2-Dichloroethane-D4	92%		62-130%
2037-26-5	Toluene-D8	97%		70-130%
460-00-4	4-Bromofluorobenzene	93%		69-130%

ND = Not detected MDL - Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

Misc. Forms

5

Custody Documents and Other Forms

Includes the following where applicable:

- Chain of Custody



CHAIN OF CUSTODY

PAGE 1 OF 2

4036 Youngfield Street, Wheat Ridge, CO 80033
TEL: 303-425-6021 FAX: 303-425-6854
www.accutest.com

FED-EX Tracking #		Bottle Order Control #	
Accutest Quote #		Accutest Job # D41668	
Client / Reporting Information		Project Information	
Company Name DCP Midstream		Project Name: DCP RR EXT	
Street Address Tasman Geosciences		Billing Information (if different from Report to)	
5690 Webster Street		Company Name DCP Midstream	
City Arvada CO 80002		Street Address PO Box 4870	
Project Contact STEVEN WEATHERS		City Portland OR 97208-4870	
Christine Wasko cwasko@tasman-geo.com		Attention: Steve Weathers	
Phone # 720-409-8791		Client Purchase Order # RC - GN00 Project - 390761103	
Sample(s) Name(s) Christine Wasko		Project Manager Jim Dawe	
MEQ/ID/Vial #		Date	
Field ID / Point of Collection		Time	
MW-1		12/4/12 1055	
MW-2		1116	
MW-6		945	
MW-7		955	
MW-8		1030	
MW-11		915	
MW-12		900	
MW-13		1045	
MW-14		925	
MW-15		845	
MW-16		930	
MS/MSD MW-13		1045	
Turnaround Time (Business days)		Data Deliverable Information	
<input type="checkbox"/> Std. 15 Business Days		<input type="checkbox"/> Commercial "A" (Level 1)	
<input type="checkbox"/> Std. 10 Business Days		<input type="checkbox"/> Commercial "B" (Level 2)	
<input type="checkbox"/> 5 Day RUSH		<input checked="" type="checkbox"/> COMMEN	
<input type="checkbox"/> 3 Day Emergency		<input type="checkbox"/> COMMEN+	
<input type="checkbox"/> 2 Day Emergency		<input type="checkbox"/> COMMEN+	
<input type="checkbox"/> 1 Day Emergency		<input type="checkbox"/> COMMEN+	
<input checked="" type="checkbox"/> STD 5 business days per contract		<input type="checkbox"/> COMMEN+	
Emergency & Rush T/A data available VIA Lablink		<input type="checkbox"/> COMMEN+	
Approved By (Accutest PM): / Date:		State Forms Required	
		<input type="checkbox"/> Send Forms to State	
		<input type="checkbox"/> Report by Fax	
		<input checked="" type="checkbox"/> Report by PDF	
		<input type="checkbox"/> EDD Format	
		Commercial "A" = Results Only	
		Commercial "B" = Results + QC Summary	
		Commercial BN = Results/QC/Narrative (+ = chromatograms)	
		Email results to Steve Weathers	
		cc results to	
		cwasko@tasman-geo.com	
Relinquished by Sampler:		Date Time:	
1 12/4/12 1720		Received By:	
3		2	
Relinquished by:		Date Time:	
5		Received By:	
		4	
Custody Seal #		Intact	
1		Not Intact	
Preserved where applicable		On Ice	
Cooler Temp. 1-1°C			

D41668: Chain of Custody

Page 1 of 3

Accutest Laboratories Sample Receipt Summary

Accutest Job Number: D41668

Client: DCP MIDSTREAM

Immediate Client Services Action Required: No

Date / Time Received: 12/8/2012 10:05:00 AM

No. Coolers: 1

Client Service Action Required at Login: No

Project: DCP RR EXT

Airbill #'s: fx

Cooler Security

Y or N

Y or N

- | | | | | | |
|---------------------------|-------------------------------------|--------------------------|-----------------------|-------------------------------------|--------------------------|
| 1. Custody Seals Present: | <input checked="" type="checkbox"/> | <input type="checkbox"/> | 3. COC Present: | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| 2. Custody Seals Intact: | <input checked="" type="checkbox"/> | <input type="checkbox"/> | 4. Smpl Dates/Time OK | <input checked="" type="checkbox"/> | <input type="checkbox"/> |

Cooler Temperature

Y or N

- | | | |
|------------------------------|-------------------------------------|--------------------------|
| 1. Temp criteria achieved: | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| 2. Cooler temp verification: | Infrared gun | |
| 3. Cooler media: | Ice (bag) | |

Quality Control Preservation

Y or N

N/A

- | | | | |
|---------------------------------|-------------------------------------|--------------------------|-------------------------------------|
| 1. Trip Blank present / cooler: | <input type="checkbox"/> | <input type="checkbox"/> | |
| 2. Trip Blank listed on COC: | <input type="checkbox"/> | <input type="checkbox"/> | |
| 3. Samples preserved properly: | <input checked="" type="checkbox"/> | <input type="checkbox"/> | |
| 4. VOCs headspace free: | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> |

Sample Integrity - Documentation

Y or N

- | | | |
|----------------------------------------|-------------------------------------|--------------------------|
| 1. Sample labels present on bottles: | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| 2. Container labeling complete: | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| 3. Sample container label / COC agree: | <input checked="" type="checkbox"/> | <input type="checkbox"/> |

Sample Integrity - Condition

Y or N

- | | | |
|----------------------------------|-------------------------------------|--------------------------|
| 1. Sample recvd within HT: | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| 2. All containers accounted for: | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| 3. Condition of sample: | Intact | |

Sample Integrity - Instructions

Y or N N/A

- | | | | |
|-------------------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|
| 1. Analysis requested is clear: | <input checked="" type="checkbox"/> | <input type="checkbox"/> | |
| 2. Bottles received for unspecified tests | <input type="checkbox"/> | <input checked="" type="checkbox"/> | |
| 3. Sufficient volume rec'd for analysis: | <input checked="" type="checkbox"/> | <input type="checkbox"/> | |
| 4. Compositing instructions clear: | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| 5. Filtering instructions clear: | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> |

Comments

Accutest Laboratories
V: (303) 425-6021

4036 Youngfield Street
F: (303) 425-6854

Wheat Ridge, CO
www.accutest.com

GC/MS Volatiles

QC Data Summaries

Includes the following where applicable:

- Method Blank Summaries
- Blank Spike Summaries
- Matrix Spike and Duplicate Summaries

Method Blank Summary

Page 1 of 1

Job Number: D41668
Account: DCPMCOA DCP Midstream, LP
Project: TASMCOA:DCP RR EXT

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
V7V926-MB	7V17051.D	1	12/10/12	JL	n/a	n/a	V7V926

The QC reported here applies to the following samples:

Method: SW846 8260B

D41668-3, D41668-4, D41668-5, D41668-6, D41668-7, D41668-8, D41668-9, D41668-10, D41668-11, D41668-13

CAS No.	Compound	Result	RL	MDL	Units	Q
71-43-2	Benzene	ND	1.0	0.27	ug/l	
100-41-4	Ethylbenzene	ND	2.0	0.33	ug/l	
108-88-3	Toluene	ND	2.0	1.0	ug/l	
1330-20-7	Xylene (total)	ND	3.0	2.0	ug/l	

CAS No.	Surrogate Recoveries	Limits
17060-07-0	1,2-Dichloroethane-D4	93% 62-130%
2037-26-5	Toluene-D8	97% 70-130%
460-00-4	4-Bromofluorobenzene	91% 69-130%

Method Blank Summary

Page 1 of 1

Job Number: D41668
Account: DCPMCOA DCP Midstream, LP
Project: TASMCOA:DCP RR EXT

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
V7V928-MB	7V17093.D	1	12/11/12	JL	n/a	n/a	V7V928

The QC reported here applies to the following samples:

Method: SW846 8260B

D41668-1, D41668-2, D41668-12

CAS No.	Compound	Result	RL	MDL	Units	Q
71-43-2	Benzene	ND	1.0	0.27	ug/l	
100-41-4	Ethylbenzene	ND	2.0	0.33	ug/l	
108-88-3	Toluene	ND	2.0	1.0	ug/l	
1330-20-7	Xylene (total)	ND	3.0	2.0	ug/l	

CAS No.	Surrogate Recoveries	Limits
17060-07-0	1,2-Dichloroethane-D4	92% 62-130%
2037-26-5	Toluene-D8	96% 70-130%
460-00-4	4-Bromofluorobenzene	91% 69-130%

Blank Spike Summary

Page 1 of 1

Job Number: D41668
Account: DCPMCOA DCP Midstream, LP
Project: TASMCOA:DCP RR EXT

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
V7V926-BS	7V17052.D	1	12/10/12	JL	n/a	n/a	V7V926

The QC reported here applies to the following samples:

Method: SW846 8260B

D41668-3, D41668-4, D41668-5, D41668-6, D41668-7, D41668-8, D41668-9, D41668-10, D41668-11, D41668-13

CAS No.	Compound	Spike ug/l	BSP ug/l	BSP %	Limits
71-43-2	Benzene	50	47.3	95	70-130
100-41-4	Ethylbenzene	50	49.1	98	70-130
108-88-3	Toluene	50	49.8	100	70-130
1330-20-7	Xylene (total)	150	152	101	70-130

CAS No.	Surrogate Recoveries	BSP	Limits
17060-07-0	1,2-Dichloroethane-D4	93%	62-130%
2037-26-5	Toluene-D8	97%	70-130%
460-00-4	4-Bromofluorobenzene	96%	69-130%

* = Outside of Control Limits.

Blank Spike Summary

Page 1 of 1

Job Number: D41668

Account: DCPMCOA DCP Midstream, LP

Project: TASMCOA:DCP RR EXT

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
V7V928-BS	7V17094.D	1	12/11/12	JL	n/a	n/a	V7V928

The QC reported here applies to the following samples:

Method: SW846 8260B

D41668-1, D41668-2, D41668-12

CAS No.	Compound	Spike ug/l	BSP ug/l	BSP %	Limits
71-43-2	Benzene	50	46.7	93	70-130
100-41-4	Ethylbenzene	50	48.9	98	70-130
108-88-3	Toluene	50	49.5	99	70-130
1330-20-7	Xylene (total)	150	152	101	70-130

CAS No.	Surrogate Recoveries	BSP	Limits
17060-07-0	1,2-Dichloroethane-D4	92%	62-130%
2037-26-5	Toluene-D8	97%	70-130%
460-00-4	4-Bromofluorobenzene	95%	69-130%

* = Outside of Control Limits.

Matrix Spike/Matrix Spike Duplicate Summary

Page 1 of 1

Job Number: D41668
Account: DCPMCOA DCP Midstream, LP
Project: TASMCOA:DCP RR EXT

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
D41668-8MS	7V17059.D	1	12/10/12	JL	n/a	n/a	V7V926
D41668-8MSD	7V17060.D	1	12/10/12	JL	n/a	n/a	V7V926
D41668-8	7V17058.D	1	12/10/12	JL	n/a	n/a	V7V926

The QC reported here applies to the following samples:

Method: SW846 8260B

D41668-3, D41668-4, D41668-5, D41668-6, D41668-7, D41668-8, D41668-9, D41668-10, D41668-11, D41668-13

CAS No.	Compound	D41668-8 ug/l	Spike Q ug/l	MS ug/l	MS %	MSD ug/l	MSD %	RPD	Limits Rec/RPD
71-43-2	Benzene	ND	50	45.6	91	46.4	93	2	62-130/30
100-41-4	Ethylbenzene	ND	50	48.1	96	48.2	96	0	63-130/30
108-88-3	Toluene	ND	50	48.8	98	48.8	98	0	60-130/30
1330-20-7	Xylene (total)	ND	150	149	99	149	99	0	67-130/30

CAS No.	Surrogate Recoveries	MS	MSD	D41668-8	Limits
17060-07-0	1,2-Dichloroethane-D4	96%	93%	93%	62-130%
2037-26-5	Toluene-D8	99%	98%	97%	70-130%
460-00-4	4-Bromofluorobenzene	97%	95%	91%	69-130%

* = Outside of Control Limits.

Matrix Spike/Matrix Spike Duplicate Summary

Page 1 of 1

Job Number: D41668
Account: DCPMCOA DCP Midstream, LP
Project: TASMCOA:DCP RR EXT

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
D41671-7MS ^a	7V17102.D	1	12/11/12	JL	n/a	n/a	V7V928
D41671-7MSD ^a	7V17103.D	1	12/11/12	JL	n/a	n/a	V7V928
D41671-7 ^a	7V17101.D	1	12/11/12	JL	n/a	n/a	V7V928

The QC reported here applies to the following samples:

Method: SW846 8260B

D41668-1, D41668-2, D41668-12

CAS No.	Compound	D41671-7 ug/l	Spike Q ug/l	MS ug/l	MS %	MSD ug/l	MSD %	RPD	Limits Rec/RPD
71-43-2	Benzene	ND	50	45.5	91	45.3	91	0	62-130/30
100-41-4	Ethylbenzene	ND	50	47.4	95	47.5	95	0	63-130/30
108-88-3	Toluene	ND	50	47.7	95	48.2	96	1	60-130/30
1330-20-7	Xylene (total)	ND	150	147	98	149	99	1	67-130/30

CAS No.	Surrogate Recoveries	MS	MSD	D41671-7	Limits
17060-07-0	1,2-Dichloroethane-D4	92%	92%	91%	62-130%
2037-26-5	Toluene-D8	97%	97%	97%	70-130%
460-00-4	4-Bromofluorobenzene	96%	96%	92%	69-130%

(a) The pH of the sample aliquot for VOA analysis was > 2 at time of analysis.

* = Outside of Control Limits.

General Chemistry

QC Data Summaries

Includes the following where applicable:

- Method Blank and Blank Spike Summaries
- Duplicate Summaries
- Matrix Spike Summaries

METHOD BLANK AND SPIKE RESULTS SUMMARY
GENERAL CHEMISTRY

Login Number: D41668
Account: DCPMCOA - DCP Midstream, LP
Project: TASMCOA:DCP RR EXT

Analyte	Batch ID	RL	MB Result	Units	Spike Amount	BSP Result	BSP %Recov	QC Limits
Chloride	GP8858/GN18019	0.50	0.0	mg/l	20	19.4	97.0	90-110%

Associated Samples:
Batch GP8858: D41668-1, D41668-2, D41668-3, D41668-4, D41668-5, D41668-6, D41668-7, D41668-8, D41668-9, D41668-10, D41668-11, D41668-12
(*) Outside of QC limits

MATRIX SPIKE RESULTS SUMMARY
GENERAL CHEMISTRY

Login Number: D41668
Account: DCPMCDN - DCP Midstream, LP
Project: TASMCOA:DCP RR EXT

Analyte	Batch ID	QC Sample	Units	Original Result	Spike Amount	MS Result	%Rec	QC Limits
Chloride	GP8858/GN18019	D41668-4	mg/l	334	200	523	94.5	80-120%

Associated Samples:

Batch GP8858: D41668-1, D41668-2, D41668-3, D41668-4, D41668-5, D41668-6, D41668-7, D41668-8, D41668-9, D41668-10, D41668-11, D41668-12

(*) Outside of QC limits

(N) Matrix Spike Rec. outside of QC limits

MATRIX SPIKE DUPLICATE RESULTS SUMMARY
GENERAL CHEMISTRY

Login Number: D41668
Account: DCPMCDN - DCP Midstream, LP
Project: TASMCOA:DCP RR EXT

Analyte	Batch ID	QC Sample	Units	Original Result	Spike Amount	MSD Result	RPD	QC Limit
Chloride	GP8858/GN18019	D41668-4	mg/l	334	200	527	0.8	20%

Associated Samples:
Batch GP8858: D41668-1, D41668-2, D41668-3, D41668-4, D41668-5, D41668-6, D41668-7, D41668-8, D41668-9, D41668-10, D41668-11, D41668-12
(*) Outside of QC limits
(N) Matrix Spike Rec. outside of QC limits

Appendix B
Historical Analytical Results

APPENDIX B
HISTORICAL DATA
SUMMARY OF BTEX AND CHLORIDE CONCENTRATIONS IN GROUNDWATER
RR-EXTENSION PIPELINE RELEASE
LEA COUNTY, NEW MEXICO

Location Identification	Sample Date	Benzene (mg/l)	Toluene (mg/l)	Ethylbenzene (mg/l)	Total Xylenes (mg/l)	Chlorides* (mg/l)	Comments
New Mexico Water Quality Control Commission Groundwater Standards (mg/L)		0.01	0.75	0.75	0.62	250	
MW-1	3/1/2008	1.4	0.0395	0.948	0.128		
MW-1	3/19/2008	1.4	0.948	0.0395	0.128		
MW-1	6/1/2008	2.75	0.054	2.17	0.232		
MW-1	9/1/2008	1.1	0.0375	0.845	0.131	507	
MW-1	12/1/2008	0.869	0.0385	0.581	0.0709	447	
MW-1	12/3/2008	0.869	0.581	0.0385	0.0709		
MW-1	3/1/2009	0.288	0.0149	0.107	0.0395	432	
MW-1	3/11/2009	0.288	0.107	0.0149	0.0395		
MW-1	5/1/2009	1.38	0.0705	0.175	0.065	462	
MW-1	5/19/2009	1.38	0.175	0.0705	0.065		
MW-1	9/1/2009	0.267	0.024	0.0332	0.0078	422	
MW-1	9/23/2009	0.267	0.0332	0.024	0.0078		
MW-1	12/1/2009	0.819	0.088	0.0267	0.012	363	
MW-1	12/20/2009	0.819	0.0267	0.088	0.012		
MW-1	3/1/2010	0.726	0.0879	0.107	0.0278	800	
MW-1	3/22/2010	0.726	0.107	0.0879	0.0278		
MW-1	6/1/2010	0.339	0.0539	0.0329	0.0079	510	
MW-1	6/17/2010	0.34	0.033	0.054	-		
MW-1	9/1/2010	1.99	0.0951	0.084	0.0219	442	
MW-1	9/28/2010	1.99	0.0837	0.0951	-		
MW-1	12/1/2010	0.708	0.0796	0.0099	0.0047	448	
MW-1	12/9/2010	0.708	0.0099	0.0796	-		
MW-1	3/30/2011	0.0241	<0.001	0.0136	0.0055	457	
MW-1	3/30/2011	0.0241	<0.0050	0.0136	0.0055		
MW-1	6/22/2011	0.0735	<0.01	0.0293	<0.02	467	
MW-1	6/22/2011	0.0735	<0.0050	0.0293	<0.010		
MW-1	9/17/2011	0.144	0.038	0.0069	0.0087	472	Duplicate sample collected
MW-1	12/8/2011	0.076	0.002	0.0227	0.0024	462	Duplicate sample collected
MW-1	3/10/2012	0.029	<0.002	0.0072	<0.004	497	Duplicate sample collected
MW-1	6/5/2012	0.069	0.0014	0.0112	<0.003	470	Duplicate sample collected
MW-1	9/9/2012	0.0216	<0.002	0.0029	<0.003	465	Duplicate sample collected
MW-1	12/4/2012	0.0194	<0.002	0.0024	<0.003	445	Duplicate sample collected

**APPENDIX B
HISTORICAL DATA
SUMMARY OF BTEX AND CHLORIDE CONCENTRATIONS IN GROUNDWATER
RR-EXTENSION PIPELINE RELEASE
LEA COUNTY, NEW MEXICO**

Location Identification	Sample Date	Benzene (mg/l)	Toluene (mg/l)	Ethylbenzene (mg/l)	Total Xylenes (mg/l)	Chlorides* (mg/l)	Comments
New Mexico Water Quality Control Commission Groundwater Standards (mg/L)		0.01	0.75	0.75	0.62	250	
MW-2	3/1/2008	8.98	0.135	6.58	0.765		
MW-2	3/19/2008	8.98	6.58	0.135	0.765		
MW-2	6/1/2008	24.3	0.319	18.5	2.58		
MW-2	9/1/2008	21.7	0.443	9.79	4.25	109	
MW-2	12/1/2008	Not Sampled: Remediation Activities					
MW-2	3/1/2009	23.7	0.538	2.34	1.25	114	
MW-2	3/11/2009	23.7	2.34	0.583	1.25		
MW-2	5/1/2009	32.7	0.791	1.31	1.69	109	
MW-2	5/19/2009	32.7	1.31	0.791	1.69		
MW-2	9/1/2009	29.3	0.491	0.771	0.371	139	
MW-2	9/23/2009	29.3	0.771	0.491	0.371		
MW-2	12/1/2009	28.5	0.57	0.347	0.177	199	
MW-2	12/20/2009	28.5	0.347	0.57	0.177		
MW-2	3/1/2010	23.8	0.529	0.71	<1.2	700	
MW-2	3/22/2010	23.8	0.71	0.529	<0.33		
MW-2	6/1/2010	22.9	0.485	0.39	0.128	233	
MW-2	6/17/2010	22.9	0.39	0.49	-		
MW-2	9/1/2010	17	0.329	0.257	<0.8	263	
MW-2	9/28/2010	17.00	0.257	0.329	-		
MW-2	12/1/2010	16.9	0.458	0.399	0.0926	278	
MW-2	12/9/2010	16.9	0.399	0.458	-		
MW-2	3/30/2011	16.6	0.165	0.403	0.116	320	
MW-2	3/30/2011	16.6	0.165	0.403	0.116		
MW-2	6/22/2011	9.21	0.0231	0.377	<0.4	370	
MW-2	6/22/2011	9.21	0.231	0.377	<0.20		
MW-2	9/17/2011	4.07	0.415	0.329	0.203	375	
MW-2	12/8/2011	1.5	0.0436	0.33	0.0254	392	
MW-2	3/10/2012	1.04	<0.04	0.134	<0.08	444	
MW-2	6/5/2012	1.25	0.106	0.158	0.0885	346	
MW-2	9/9/2012	1.53	0.203	0.138	0.14	393	
MW-2	12/4/2012	1.26	0.115	0.0854	0.116	385	

APPENDIX B
HISTORICAL DATA
SUMMARY OF BTEX AND CHLORIDE CONCENTRATIONS IN GROUNDWATER
RR-EXTENSION PIPELINE RELEASE
LEA COUNTY, NEW MEXICO

Location Identification	Sample Date	Benzene (mg/l)	Toluene (mg/l)	Ethylbenzene (mg/l)	Total Xylenes (mg/l)	Chlorides* (mg/l)	Comments
New Mexico Water Quality Control Commission Groundwater Standards (mg/L)		0.01	0.75	0.75	0.62	250	
MW-3	3/1/2008	0.759	0.0355	0.849	0.0786		
MW-3	3/19/2008	0.759	0.849	0.0355	0.0786		
MW-3	6/1/2008	6.18	0.287	9.46	1.23		
MW-3	9/1/2008	2.45	0.145	3.62	1.14	363	
MW-3	12/1/2008	0.761	0.0492	0.938	0.158	301	
MW-3	3/1/2009	4.03	0.18	2.83	0.61	273	
MW-3	12/3/2008	0.761	0.938	0.0492	0.158		
MW-3	3/11/2009	4.03	2.83	0.18	0.61		
MW-3	5/1/2009	14.7	0.808	12.6	1.64	313	
MW-3	5/19/2009	14.7	12.6	0.808	1.64		
MW-3	9/1/2009	5.5	0.271	1.09	<0.006	363	
MW-3	9/23/2009	5.5	1.09	0.271	<0.17		
MW-3	12/1/2009	13.1	1.2	9.08	2.87	398	
MW-3	12/20/2009	13.1	9.08	1.2	2.87		
MW-3	3/1/2010	8.43	1.01	9.14	2.71	440	
MW-3	3/22/2010	8.43	9.14	1.01	2.71		
MW-3	6/1/2010	LNAPL	LNAPL	LNAPL	LNAPL	LNAPL	
MW-3	9/1/2010	LNAPL	LNAPL	LNAPL	LNAPL	LNAPL	
MW-3	12/1/2010	LNAPL	LNAPL	LNAPL	LNAPL	LNAPL	
MW-3	3/30/2011	LNAPL	LNAPL	LNAPL	LNAPL	LNAPL	
MW-3	6/22/2011	LNAPL	LNAPL	LNAPL	LNAPL	LNAPL	
MW-3	9/17/2011	LNAPL	LNAPL	LNAPL	LNAPL	LNAPL	
MW-3	12/8/2011	LNAPL	LNAPL	LNAPL	LNAPL	LNAPL	
MW-3	3/10/2012	LNAPL	LNAPL	LNAPL	LNAPL	LNAPL	
MW-3	6/5/2012	LNAPL	LNAPL	LNAPL	LNAPL	LNAPL	
MW-3	9/9/2012	LNAPL	LNAPL	LNAPL	LNAPL	LNAPL	
MW-3	12/4/2012	LNAPL	LNAPL	LNAPL	LNAPL	LNAPL	
MW-4	3/1/2008	0.0102	<0.002	0.0093	0.0023		
MW-4	3/19/2008	0.0102	0.0093	<0.00045	0.0023		
MW-4	6/1/2008	0.0439	0.0068	0.0256	0.0147		
MW-4	9/1/2008	0.514	0.0203	0.443	0.125	318	
MW-4	12/1/2008	1.32	0.0812	1.35	0.239	281	
MW-4	12/3/2008	1.32	1.35	0.0812	0.239		
MW-4	3/1/2009	3.61	0.164	3.4	0.831	229	
MW-4	3/11/2009	3.61	3.4	0.164	0.831		
MW-4	5/1/2009	4.7	0.428	2.94	1.03	226	
MW-4	5/19/2009	4.7	2.94	0.428	1.03		
MW-4	9/1/2009	LNAPL	LNAPL	LNAPL	LNAPL	LNAPL	
MW-4	12/1/2009	LNAPL	LNAPL	LNAPL	LNAPL	LNAPL	
MW-4	3/1/2010	LNAPL	LNAPL	LNAPL	LNAPL	LNAPL	
MW-4	6/1/2010	LNAPL	LNAPL	LNAPL	LNAPL	LNAPL	
MW-4	9/1/2010	LNAPL	LNAPL	LNAPL	LNAPL	LNAPL	
MW-4	12/1/2010	LNAPL	LNAPL	LNAPL	LNAPL	LNAPL	
MW-4	3/30/2011	LNAPL	LNAPL	LNAPL	LNAPL	LNAPL	
MW-4	6/22/2011	LNAPL	LNAPL	LNAPL	LNAPL	LNAPL	
MW-4	9/17/2011	LNAPL	LNAPL	LNAPL	LNAPL	LNAPL	
MW-4	12/8/2011	LNAPL	LNAPL	LNAPL	LNAPL	LNAPL	
MW-4	3/10/2012	LNAPL	LNAPL	LNAPL	LNAPL	LNAPL	
MW-4	6/5/2012	LNAPL	LNAPL	LNAPL	LNAPL	LNAPL	
MW-4	9/9/2012	LNAPL	LNAPL	LNAPL	LNAPL	LNAPL	
MW-4	12/4/2012	LNAPL	LNAPL	LNAPL	LNAPL	LNAPL	

APPENDIX B
HISTORICAL DATA
SUMMARY OF BTEX AND CHLORIDE CONCENTRATIONS IN GROUNDWATER
RR-EXTENSION PIPELINE RELEASE
LEA COUNTY, NEW MEXICO

Location Identification	Sample Date	Benzene (mg/l)	Toluene (mg/l)	Ethylbenzene (mg/l)	Total Xylenes (mg/l)	Chlorides* (mg/l)	Comments
New Mexico Water Quality Control Commission Groundwater Standards (mg/L)		0.01	0.75	0.75	0.62	250	
MW-5	3/1/2008	0.0019	<0.002	0.0012	<0.006		
MW-5	3/19/2008	0.0019	0.0012	<0.00045	<0.0014		
MW-5	6/1/2008	0.0037	<0.002	0.0037	<0.006		
MW-5	9/1/2008	0.0038	<0.002	0.0037	<0.006	373	
MW-5	12/1/2008	0.0031	<0.002	0.004	<0.006	318	
MW-5	12/3/2008	0.0031	0.0041	<0.00045	<0.0014		
MW-5	3/1/2009	0.0067	<0.002	0.0074	<0.006	288	
MW-5	3/11/2009	0.0067	0.0074	<0.00045	<0.0014		
MW-5	5/1/2009	0.0064	<0.002	0.0089	<0.006	363	
MW-5	5/19/2009	0.0064	0.0089	0.0025	0.0045		
MW-5	9/1/2009	0.0082	0.00066	0.0132	<0.006	358	
MW-5	9/23/2009	0.0082	0.0132	0.00066	<0.0017		
MW-5	12/1/2009	0.0096	0.0013	0.0155	0.0021	313	
MW-5	12/20/2009	0.0096	0.0155	0.0013	0.0021		
MW-5	3/1/2010	LNAPL	LNAPL	LNAPL	LNAPL	LNAPL	
MW-5	6/1/2010	LNAPL	LNAPL	LNAPL	LNAPL	LNAPL	
MW-5	9/1/2010	LNAPL	LNAPL	LNAPL	LNAPL	LNAPL	
MW-5	12/1/2010	LNAPL	LNAPL	LNAPL	LNAPL	LNAPL	
MW-5	3/30/2011	LNAPL	LNAPL	LNAPL	LNAPL	LNAPL	
MW-5	6/22/2011	LNAPL	LNAPL	LNAPL	LNAPL	LNAPL	
MW-5	9/17/2011	LNAPL	LNAPL	LNAPL	LNAPL	LNAPL	
MW-5	12/8/2011	LNAPL	LNAPL	LNAPL	LNAPL	LNAPL	
MW-5	3/10/2012	LNAPL	LNAPL	LNAPL	LNAPL	LNAPL	
MW-5	6/5/2012	LNAPL	LNAPL	LNAPL	LNAPL	LNAPL	
MW-5	9/9/2012	LNAPL	LNAPL	LNAPL	LNAPL	LNAPL	
MW-5	12/4/2012	LNAPL	LNAPL	LNAPL	LNAPL	LNAPL	

APPENDIX B
HISTORICAL DATA
SUMMARY OF BTEX AND CHLORIDE CONCENTRATIONS IN GROUNDWATER
RR-EXTENSION PIPELINE RELEASE
LEA COUNTY, NEW MEXICO

Location Identification	Sample Date	Benzene (mg/l)	Toluene (mg/l)	Ethylbenzene (mg/l)	Total Xylenes (mg/l)	Chlorides* (mg/l)	Comments
New Mexico Water Quality Control Commission Groundwater Standards (mg/L)		0.01	0.75	0.75	0.62	250	
MW-6	6/1/2008	<0.002	<0.002	<0.002	<0.006		
MW-6	9/1/2008	<0.002	<0.002	<0.002	<0.006	363	
MW-6	12/1/2008	<0.002	<0.002	<0.002	<0.006	325	
MW-6	12/3/2008	<0.00046	<0.00048	<0.00045	<0.0014		
MW-6	3/1/2009	<0.002	<0.002	<0.002	<0.006	298	
MW-6	3/11/2009	<0.00046	<0.00048	<0.00045	<0.0014		
MW-6	5/1/2009	<0.002	<0.002	<0.002	<0.006	308	
MW-6	5/19/2009	<0.00046	<0.00048	<0.00045	<0.0014		
MW-6	9/1/2009	<0.002	<0.002	<0.002	<0.006	296	
MW-6	9/23/2009	<0.00050	<0.00043	<0.00055	<0.0017		
MW-6	12/1/2009	<0.002	<0.002	<0.002	<0.006	393	
MW-6	12/20/2009	<0.00050	<0.00043	<0.00055	<0.0017		
MW-6	3/1/2010	<0.002	<0.002	<0.002	<0.006	700	
MW-6	3/22/2010	<0.00050	<0.00043	<0.00055	<0.0017		
MW-6	6/1/2010	<0.001	<0.002	<0.002	<0.002	402	
MW-6	6/17/2010	<0.30	<1.0	<0.30	-		
MW-6	9/1/2010	<0.001	<0.002	<0.002	<0.004	337	
MW-6	9/28/2010	<0.00030	<0.0010	<0.00030	-		
MW-6	12/1/2010	<0.001	<0.002	<0.002	<0.004	359	
MW-6	12/9/2010	<0.00030	<0.0010	<0.00030	-		
MW-6	3/29/2011	<0.00030	<0.0010	<0.00030	0.00084		
MW-6	3/30/2011	<0.001	<0.002	<0.002	<0.002	386	
MW-6	6/22/2011	<0.001	<0.002	<0.002	<0.004	376	
MW-6	6/22/2011	<0.00025	<0.0010	<0.00050	<0.0020		
MW-6	9/17/2011	<0.001	<0.002	<0.002	<0.004	383	
MW-6	12/8/2011	<0.0005	<0.001	<0.001	<0.001	372	
MW-6	3/10/2012	<0.001	<0.002	<0.002	<0.004	406	
MW-6	6/5/2012	<0.001	<0.002	<0.002	<0.003	381	
MW-6	9/9/2012	<0.001	<0.002	<0.002	<0.003	377	
MW-6	12/4/2012	<0.001	<0.002	<0.002	<0.003	358	

APPENDIX B
HISTORICAL DATA
SUMMARY OF BTEX AND CHLORIDE CONCENTRATIONS IN GROUNDWATER
RR-EXTENSION PIPELINE RELEASE
LEA COUNTY, NEW MEXICO

Location Identification	Sample Date	Benzene (mg/l)	Toluene (mg/l)	Ethylbenzene (mg/l)	Total Xylenes (mg/l)	Chlorides* (mg/l)	Comments
New Mexico Water Quality Control Commission Groundwater Standards (mg/L)		0.01	0.75	0.75	0.62	250	
MW-7	6/1/2008	<0.002	<0.002	<0.002	<0.006		
MW-7	9/1/2008	<0.002	<0.002	<0.002	<0.006	378	
MW-7	12/1/2008	<0.002	<0.002	<0.002	<0.006	348	
MW-7	12/3/2008	<0.00046	<0.00048	<0.00045	<0.0014		
MW-7	3/1/2009	<0.002	<0.002	<0.002	<0.006	283	
MW-7	3/11/2009	<0.00046	<0.00048	<0.00045	<0.0014		
MW-7	5/1/2009	<0.002	<0.002	<0.002	<0.006	298	
MW-7	5/19/2009	<0.00046	<0.00048	<0.00045	<0.0014		
MW-7	9/1/2009	<0.002	<0.002	<0.002	<0.006	273	
MW-7	9/23/2009	<0.00050	<0.00043	<0.00055	<0.0017		
MW-7	12/1/2009	<0.002	<0.002	<0.002	<0.006	328	
MW-7	3/1/2010	<0.00050	<0.00043	<0.00055	<0.0017		
MW-7	3-2010	<0.002	<0.002	<0.002	<0.006	750	
MW-7	3/22/2010	<0.00050	<0.00043	<0.00055	<0.0017		
MW-7	6/1/2010	0.0005	<0.002	<0.002	<0.006	385	
MW-7	6/17/2010	0.0005	<1.0	<0.30	-		
MW-7	9/1/2010	0.00042	<0.002	<0.002	<0.004	326	
MW-7	9/28/2010	0.00042	<0.0010	<0.00030	-		
MW-7	12/1/2010	<0.002	<0.002	<0.002	<0.006	345	
MW-7	12/9/2010	<0.00030	<0.0010	<0.00030	-		
MW-7	3/29/2011	<0.00030	<0.0010	<0.00030	<0.00060		
MW-7	3/30/2011	<0.001	<0.002	<0.002	<0.002	382	
MW-7	6/22/2011	<0.001	<0.002	<0.002	<0.004	390	
MW-7	6/22/2011	<0.00025	<0.0010	<0.00050	<0.0020		
MW-7	9/17/2011	<0.001	<0.002	<0.002	<0.004	374	
MW-7	12/8/2011	<0.0005	<0.001	<0.001	<0.001	376	
MW-7	3/10/2012	<0.001	<0.002	<0.002	<0.004	392	
MW-7	6/5/2012	<0.001	<0.002	<0.002	<0.003	381	
MW-7	9/9/2012	<0.001	<0.002	<0.002	<0.003	362	
MW-7	12/4/2012	<0.001	<0.002	<0.002	<0.003	334	

APPENDIX B
HISTORICAL DATA
SUMMARY OF BTEX AND CHLORIDE CONCENTRATIONS IN GROUNDWATER
RR-EXTENSION PIPELINE RELEASE
LEA COUNTY, NEW MEXICO

Location Identification	Sample Date	Benzene (mg/l)	Toluene (mg/l)	Ethylbenzene (mg/l)	Total Xylenes (mg/l)	Chlorides* (mg/l)	Comments
New Mexico Water Quality Control Commission Groundwater Standards (mg/L)		0.01	0.75	0.75	0.62	250	
MW-8	12/3/2008	0.0233	0.0107	<0.00045	<0.0014		
MW-8	6/1/2008	0.0384	0.00049	0.0255	0.0016		
MW-8	9/1/2008	0.0301	<0.002	0.0161	0.002	512	
MW-8	12/1/2008	0.00233	<0.002	0.011	<0.006	393	
MW-8	3/1/2009	0.0218	<0.002	0.0066	<0.006	472	
MW-8	3/11/2009	0.0218	0.0066	<0.00045	<0.0014		
MW-8	5/1/2009	0.0098	<0.002	0.0049	<0.006	450	
MW-8	5/19/2009	0.0098	0.0049	<0.00045	<0.0014		
MW-8	9/1/2009	<0.002	<0.002	<0.002	<0.006	477	
MW-8	9/23/2009	<0.00050	<0.00043	<0.00055	<0.0017		
MW-8	12/1/2009	<0.002	<0.002	<0.002	<0.006	472	
MW-8	12/20/2009	<0.00050	<0.00043	<0.00055	<0.0017		
MW-8	3/1/2010	<0.002	<0.002	<0.002	<0.006	800	
MW-8	3/22/2010	<0.00050	<0.00043	<0.00055	<0.0017		
MW-8	6/1/2010	<0.001	<0.002	<0.002	<0.002	553	
MW-8	6/17/2010	<0.30	<1.0	<0.30	-		
MW-8	9/1/2010	<0.001	<0.002	<0.002	<0.004	486	
MW-8	9/28/2010	<0.00030	<0.0010	<0.00030	-		
MW-8	12/1/2010	<0.001	<0.002	<0.002	<0.004	533	
MW-8	12/9/2010	<0.00030	<0.0010	<0.00030	-		
MW-8	3/30/2011	<0.001	<0.002	<0.002	<0.002	529	
MW-8	3/30/2011	<0.00030	<0.0010	<0.00030	<0.00060		
MW-8	6/22/2011	<0.001	<0.002	<0.002	<0.004	524	
MW-8	6/22/2011	<0.00025	<0.0010	<0.00050	<0.0020		
MW-8	9/17/2011	<0.001	<0.002	<0.002	<0.004	507	
MW-8	12/8/2011	<0.0005	<0.001	<0.001	<0.001	521	
MW-8	3/10/2012	<0.001	<0.002	<0.002	<0.004	528	
MW-8	6/5/2012	<0.001	<0.002	<0.002	<0.003	527	
MW-8	9/9/2012	<0.001	<0.002	<0.002	<0.003	509	
MW-8	12/4/2012	<0.001	<0.002	<0.002	<0.003	500	
MW-9	6/1/2010	LNAPL	LNAPL	LNAPL	LNAPL	532**	
MW-9	9/1/2010	LNAPL	LNAPL	LNAPL	LNAPL	LNAPL	
MW-9	12/1/2010	LNAPL	LNAPL	LNAPL	LNAPL	LNAPL	
MW-9	3/30/2011	LNAPL	LNAPL	LNAPL	LNAPL	LNAPL	
MW-9	6/22/2011	LNAPL	LNAPL	LNAPL	LNAPL	LNAPL	
MW-9	9/17/2011	LNAPL	LNAPL	LNAPL	LNAPL	LNAPL	
MW-9	12/8/2011	LNAPL	LNAPL	LNAPL	LNAPL	LNAPL	
MW-9	3/10/2012	LNAPL	LNAPL	LNAPL	LNAPL	LNAPL	
MW-9	6/5/2012	LNAPL	LNAPL	LNAPL	LNAPL	LNAPL	
MW-9	9/9/2012	LNAPL	LNAPL	LNAPL	LNAPL	LNAPL	
MW-9	12/4/2012	LNAPL	LNAPL	LNAPL	LNAPL	LNAPL	

APPENDIX B
HISTORICAL DATA
SUMMARY OF BTEX AND CHLORIDE CONCENTRATIONS IN GROUNDWATER
RR-EXTENSION PIPELINE RELEASE
LEA COUNTY, NEW MEXICO

Location Identification	Sample Date	Benzene (mg/l)	Toluene (mg/l)	Ethylbenzene (mg/l)	Total Xylenes (mg/l)	Chlorides* (mg/l)	Comments
New Mexico Water Quality Control Commission Groundwater Standards (mg/L)		0.01	0.75	0.75	0.62	250	
MW-10	6/1/2010	LNAPL	LNAPL	LNAPL	LNAPL	656**	
MW-10	9/1/2010	LNAPL	LNAPL	LNAPL	LNAPL	LNAPL	
MW-10	12/1/2010	LNAPL	LNAPL	LNAPL	LNAPL	LNAPL	
MW-10	3/30/2011	LNAPL	LNAPL	LNAPL	LNAPL	LNAPL	
MW-10	6/22/2011	LNAPL	LNAPL	LNAPL	LNAPL	LNAPL	
MW-10	9/17/2011	LNAPL	LNAPL	LNAPL	LNAPL	LNAPL	
MW-10	12/8/2011	LNAPL	LNAPL	LNAPL	LNAPL	LNAPL	
MW-10	3/10/2012	LNAPL	LNAPL	LNAPL	LNAPL	LNAPL	
MW-10	6/5/2012	LNAPL	LNAPL	LNAPL	LNAPL	LNAPL	
MW-10	9/9/2012	LNAPL	LNAPL	LNAPL	LNAPL	LNAPL	
MW-10	12/4/2012	LNAPL	LNAPL	LNAPL	LNAPL	LNAPL	
MW-11	6/1/2010	<0.001	<0.002	<0.002	<0.004	407	
MW-11	9/1/2010	<0.001	<0.002	<0.002	<0.004	365	
MW-11	9/28/2010	<0.00030	<0.0010	<0.00030	-		
MW-11	12/9/2010	<0.00030	<0.0010	<0.00030	-		
MW-11	12/1/2010	<0.001	<0.002	<0.002	<0.004	383	
MW-11	3/29/2011	<0.00030	<0.0010	<0.00030	<0.00060		
MW-11	3/30/2011	<0.001	<0.002	<0.002	<0.002	406	
MW-11	6/22/2011	<0.001	<0.002	<0.002	<0.004	405	
MW-11	6/22/2011	<0.00025	<0.0010	<0.00050	<0.0020		
MW-11	9/17/2011	<0.001	<0.002	<0.002	<0.004	390	
MW-11	12/8/2011	<0.0005	<0.001	<0.001	<0.001	399	
MW-11	3/10/2012	<0.001	<0.002	<0.002	<0.004	403	
MW-11	6/5/2012	<0.001	<0.002	<0.002	<0.003	417	
MW-11	9/9/2012	<0.001	<0.002	<0.002	<0.003	399	
MW-11	12/4/2012	<0.001	<0.002	<0.002	<0.003	382	
MW-12	6/1/2010	<0.001	<0.002	<0.002	<0.004	514	
MW-12	9/1/2010	<0.001	<0.002	<0.002	<0.004	464	
MW-12	9/28/2010	<0.00030	<0.0010	<0.00030	-		
MW-12	12/9/2010	<0.00030	<0.0010	<0.00030	-		
MW-12	12/1/2010	<0.001	<0.002	<0.002	<0.004	501	
MW-12	3/29/2011	<0.00030	<0.0010	<0.00030	<0.00060		
MW-12	3/30/2011	<0.001	<0.002	<0.002	<0.002	498	
MW-12	6/22/2011	<0.00025	<0.0010	<0.00050	<0.0020		
MW-12	6/22/2011	<0.001	<0.002	<0.002	<0.004	497	
MW-12	9/17/2011	<0.001	<0.002	<0.002	<0.004	493	
MW-12	12/8/2011	<0.0005	<0.001	<0.001	<0.001	493	
MW-12	3/10/2012	<0.001	<0.002	<0.002	<0.004	513	
MW-12	6/5/2012	<0.001	<0.002	<0.002	<0.003	507	
MW-12	9/9/2012	<0.001	<0.002	<0.002	<0.003	487	
MW-12	12/4/2012	<0.001	<0.002	<0.002	<0.003	469	

APPENDIX B
HISTORICAL DATA
SUMMARY OF BTEX AND CHLORIDE CONCENTRATIONS IN GROUNDWATER
RR-EXTENSION PIPELINE RELEASE
LEA COUNTY, NEW MEXICO

Location Identification	Sample Date	Benzene (mg/l)	Toluene (mg/l)	Ethylbenzene (mg/l)	Total Xylenes (mg/l)	Chlorides* (mg/l)	Comments
New Mexico Water Quality Control Commission Groundwater Standards (mg/L)		0.01	0.75	0.75	0.62	250	
MW-13	3/30/2011	<0.001	<0.002	<0.002	<0.002	326	
MW-13	3/30/2011	<0.00030	<0.0010	<0.00030	<0.00060		
MW-13	6/22/2011	<0.00025	<0.0010	<0.00050	<0.0020		
MW-13	6/22/2011	<0.001	<0.002	<0.002	<0.004	340	
MW-13	9/17/2011	<0.001	<0.002	<0.002	<0.004	317	
MW-13	12/8/2011	<0.0005	<0.001	<0.001	<0.001	328	
MW-13	3/10/2012	<0.001	<0.002	<0.002	<0.004	331	
MW-13	6/5/2012	<0.001	<0.002	<0.002	<0.003	335	
MW-13	9/9/2012	<0.001	<0.002	<0.002	<0.003	321	
MW-13	12/4/2012	<0.001	<0.002	<0.002	<0.003	317	
MW-14	3/29/2011	<0.00030	<0.0010	<0.00030	<0.00060		
MW-14	6/22/2011	<0.00025	<0.0010	<0.00050	<0.0020		
MW-14	3/30/2011	<0.001	<0.002	<0.002	<0.002	520	
MW-14	6/22/2011	<0.001	<0.002	<0.002	<0.004	494	
MW-14	9/17/2011	<0.001	<0.002	<0.002	<0.004	478	
MW-14	12/8/2011	<0.0005	<0.001	<0.001	<0.001	521	
MW-14	3/10/2012	<0.001	<0.002	<0.002	<0.004	528	
MW-14	6/5/2012	<0.001	<0.002	<0.002	<0.003	513	
MW-14	9/9/2012	<0.001	<0.002	<0.002	<0.003	536	
MW-14	12/4/2012	<0.001	<0.002	<0.002	<0.003	544	
MW-15	3/29/2011	<0.00030	<0.0010	<0.00030	<0.00060		
MW-15	6/22/2011	<0.00025	<0.0010	<0.00050	<0.0020		
MW-15	3/30/2011	<0.001	<0.002	<0.002	<0.002	303	
MW-15	6/22/2011	<0.001	<0.002	<0.002	<0.004	297	
MW-15	9/17/2011	<0.001	<0.002	<0.002	<0.004	294	
MW-15	12/8/2011	<0.0005	<0.001	<0.001	<0.001	288	
MW-15	3/10/2012	<0.001	<0.002	<0.002	<0.004	308	
MW-15	6/5/2012	<0.001	<0.002	<0.002	<0.003	276	
MW-15	9/9/2012	<0.001	<0.002	<0.002	<0.003	318	
MW-15	12/4/2012	<0.001	<0.002	<0.002	<0.003	313	
MW-16	3/29/2011	<0.00030	<0.0010	<0.00030	<0.00060		
MW-16	6/22/2011	<0.00025	<0.0010	<0.00050	<0.0020		
MW-16	3/30/2011	<0.001	<0.002	<0.002	<0.002	295	
MW-16	6/22/2011	<0.001	<0.002	<0.002	<0.004	292	
MW-16	9/17/2011	<0.001	<0.002	<0.002	<0.004	295	
MW-16	12/8/2011	<0.0005	<0.001	<0.001	<0.001	313	
MW-16	3/10/2012	<0.001	<0.002	<0.002	<0.004	322	
MW-16	6/5/2012	<0.001	<0.002	<0.002	<0.003	334	
MW-16	9/9/2012	<0.001	<0.002	<0.002	<0.003	334	
MW-16	12/4/2012	<0.001	<0.002	<0.002	<0.003	339	

**APPENDIX B
HISTORICAL DATA
SUMMARY OF BTEX AND CHLORIDE CONCENTRATIONS IN GROUNDWATER
RR-EXTENSION PIPELINE RELEASE
LEA COUNTY, NEW MEXICO**

Location Identification	Sample Date	Benzene (mg/l)	Toluene (mg/l)	Ethylbenzene (mg/l)	Total Xylenes (mg/l)	Chlorides* (mg/l)	Comments
New Mexico Water Quality Control Commission Groundwater Standards (mg/L)		0.01	0.75	0.75	0.62	250	
PW-9	6/17/2010	17.00	29.8	2.4	-		
PW-10	6/17/2010	9.3	15.2	2.6	-		
PW-11	6/17/2010	<0.30	<1.0	<0.30	-		
PW-12	6/17/2010	<0.30	<1.0	<0.30	-		

Notes:

- 1.) The environmental cleanup standards for water that are applicable to this Site are the New Mexico Water Quality Control Commission (NMWQCC) Groundwater Standards.
- 2.) Data presented for all well locations includes previous four sampling events, when available. Historic groundwater analytical results for these locations may be found in

Bold red values indicate an exceedance of the NMWQCC groundwater standards for the Site.

Sample locations are shown on Figure 2 and analytical results are illustrated on Figure 4.

* Chlorides are subject to the National Secondary Drinking Water Regulations (NSDWR) secondary maximum contaminant levels (SMCLs) and not an enforceably regulated

** Chloride sample was collected with LNAPL in well.

LNAPL = Light Non-Aqueous Phase Liquid

NM = Not measured.

mg/L = milligrams per liter.