

3R - 090

**2012 QTRLY GW
MONITOR
REPORT**

JUNE 2013



2012 QUARTERLY GROUNDWATER MONITORING REPORT

**CONOCOPHILLIPS NELL HALL No. 1
SAN JUAN COUNTY, NEW MEXICO
API# 30-045-09619
NMOCD# 3R-090**

Prepared For:

CONOCOPHILLIPS COMPANY

Risk Management and Remediation

315 Johnstone Avenue

Bartlesville, OK, 74004

JUNE 2013

REF. NO. 074941 (4)

This report is printed on recycled paper.

TABLE OF CONTENTS

	<u>Page</u>
1.0 INTRODUCTION	1
1.1 BACKGROUND	1
2.0 GROUNDWATER MONITORING METHODOLOGY AND ANALYTICAL RESULTS	3
2.1 GROUNDWATER MONITORING METHODOLOGY	3
2.2 GROUNDWATER MONITORING ANALYTICAL RESULTS.....	4
3.0 CONCLUSIONS AND RECOMMENDATIONS	7
4.0 REFERENCES.....	8

LIST OF FIGURES
(Following Text)

FIGURE 1	SITE VICINITY MAP
FIGURE 2	SITE PLAN
FIGURE 3	GEOLOGICAL CROSS SECTION
FIGURE 4	MARCH 2012 GROUNDWATER POTENTIOMETRIC SURFACE MAP
FIGURE 5	JUNE 2012 GROUNDWATER POTENTIOMETRIC SURFACE MAP
FIGURE 6	SEPTEMBER 2012 GROUNDWATER POTENTIOMETRIC SURFACE MAP
FIGURE 7	DECEMBER 2012 GROUNDWATER POTENTIOMETRIC SURFACE MAP
FIGURE 8	MW-5 HYDROGRAPH (MARCH 2004 – DECEMBER 2012)
FIGURE 9	MW-6 HYDROGRAPH (MARCH 2004 – DECEMBER 2012)
FIGURE 10	GRAPH OF BENZENE CONCENTRATIONS AND GROUNDWATER ELEVATIONS IN MW-6
FIGURE 11	MARCH 2012 BENZENE CONCENTRATION MAP
FIGURE 12	JUNE 2012 BENZENE CONCENTRATION MAP
FIGURE 13	SEPTEMBER 2012 BENZENE CONCENTRATION MAP
FIGURE 14	DECEMBER 2012 BENZENE CONCENTRATION MAP
FIGURE 15	PROPOSED MONITOR WELL LOCATION MAP

LIST OF TABLES
(Following Text)

TABLE 1	SITE HISTORY TIMELINE
TABLE 2	MONITOR WELL SPECIFICATIONS AND GROUNDWATER ELEVATIONS (MARCH 2004 – DECEMBER 2012)
TABLE 3	GROUNDWATER ANALYTICAL RESULTS SUMMARY (MARCH 2004 – DECEMBER 2012)

LIST OF APPENDICES

APPENDIX A	2012 QUARTERLY GROUNDWATER SAMPLING FIELD FORMS
APPENDIX B	2012 QUARTERLY GROUNDWATER LABORATORY ANALYTICAL REPORTS

1.0 INTRODUCTION

This report presents the results of quarterly groundwater monitoring events conducted by Conestoga-Rovers & Associates (CRA) on March 7, 2012, June 4, 2012, September 20, 2012, and December 28, 2012 at the ConocoPhillips Company (ConocoPhillips), Nell Hall No. 1 remediation site (Site), located on private land in Section 07, Township 30N, Range 11W of San Juan County, New Mexico, approximately 2 miles west of the city of Aztec. Geographical coordinates for the Site are 36.821659° North, 108.037319° West. The Site consists of a natural gas well and associated equipment. The location and Site layout are presented as **Figures 1 and 2**, respectively.

1.1 BACKGROUND

The history of the Site is presented in **Table 1** and is summarized in the following paragraphs.

Environmental investigation at the Site began when closure of an unlined dehydrator discharge pit was attempted in the early 1990's. Soil impacts were discovered during earthmoving activities and groundwater Monitor Wells MW-1, MW-2, and MW-3 were subsequently installed to determine if hydrocarbons had impacted groundwater beneath the Site. An ongoing drought caused the water table to fall below the screened intervals of MW-1, MW-2, and MW-3. On February 17 and 18, 2004, Souder Miller and Associates (SMA) installed Monitor Wells MW-4, MW-5, and MW-6 at sufficient depths to intersect the water table and to account for the effects of further seasonal or drought-based water table fluctuations (Souder Miller and Associates, 2004). Boring log data from MW-4 and MW-6 were used to create a geologic cross-section for the Site (**Figure 3**).

Tetra Tech, Inc. (Tetra Tech) began quarterly sampling of Monitor Wells MW-4, MW-5, and MW-6 in 2004, and then adjusted the sampling schedule to a semi-annual basis in 2005, and then annually beginning in 2006. Semi-annual sampling was resumed in 2007 due to seasonal groundwater fluctuations.

It should be noted that the March 2004 groundwater sample was collected immediately following installation of MW-6 in February 2004, in which soil samples collected at 25 and 30 feet below ground surface each resulted in an exceedence of the 50 milligram per kilogram (mg/kg) regulatory limit for BTEX, and soil samples collected at 25, 30, and 35 feet bgs were found to contain total petroleum hydrocarbons (TPH) at levels greater than the 100 mg/kg regulatory limit (SMA, 2004).

On June 15, 2011, Site consulting responsibilities were transferred from Tetra Tech to CRA of Albuquerque, NM.

2.0 GROUNDWATER MONITORING METHODOLOGY AND ANALYTICAL RESULTS

2.1 GROUNDWATER MONITORING METHODOLOGY

Groundwater Elevation Measurements

Depth to groundwater was gauged at Monitor Wells MW-1, MW-2, MW-3, MW-4, MW-5, and MW-6 using an oil/water interface probe prior to sampling. Groundwater elevations were recorded in a hard bound field book and on CRA well sampling field information forms (**Appendix A**) and are presented in **Table 2**.

Groundwater potentiometric surface maps detailing groundwater elevations, groundwater flow direction, and gradient, using data collected during the 2012 quarterly sampling events are presented as **Figures 4, 5, 6** and **7**, respectively.

Hydrographs illustrating groundwater level fluctuations since March 2004 in Monitor Wells MW-5 and MW-6 are presented as **Figure 8** and **Figure 9**, respectively. These data indicate that groundwater elevations are consistently lowest during the late winter and early spring months. Historically, the groundwater flow direction and gradient vary from season to season. These fluctuations are believed to be the result of changes in irrigation rates and/or baseflow conditions in the Animas River, which, at its closest point, lies approximately 0.6 mile to the south/southeast of the Site (**Figure 1**). Additionally, there is an irrigation ditch to the east of the site which may also influence groundwater gradient. Annual variation in groundwater elevation fluctuates approximately 18 feet over the course of a year. Groundwater flow direction at the site also varies in direction from south to southeast.

Groundwater Sampling

Groundwater samples were collected from Monitor Wells MW-4, MW-5 and MW-6 during the 2012 sampling events. Approximately three well volumes were purged from each monitor well with a dedicated, polyethylene, 1.5-inch, disposable bailer prior to sampling or monitor wells were bailed dry and sampled following recharge. Purge water generated during the event was disposed of in the on-site produced water tank (**Figure 2**). Groundwater samples were placed in laboratory prepared bottles, packed on ice, and shipped under chain-of-custody documentation to Pace Analytical Services Inc. of Lenexa, KS.

The samples were analyzed for the presence of benzene, toluene, ethylbenzene and xylenes (BTEX) by Environmental Protection Agency (EPA) Method 8260 and for dissolved iron by EPA Method 6010.

2.2 GROUNDWATER MONITORING ANALYTICAL RESULTS

The New Mexico Water Quality Control Commission (NMWQCC) mandates that groundwater quality in New Mexico be protected, and has issued groundwater quality standards in Title 20, Chapter 6, Part 2, Section 3103 of the New Mexico Administrative Code (20.6.2.3103 NMAC). Groundwater quality standards have been set for the protection of human health, domestic water supply, and irrigation use. Exceedences of NMWQCC groundwater quality standards in Site monitor wells are discussed below.

March 2012

Benzene

- The NMWQCC domestic water supply groundwater quality standard for benzene is 0.01 milligrams per liter (mg/L). The groundwater sample collected in March 2012 from Monitor Well MW-6 exceeded this standard with a concentration of 0.0477 mg/L.

Dissolved Iron

- The groundwater quality standard for dissolved iron is 1.0 mg/L. The groundwater sample collected in March 2012 from Monitor Well MW-6 was found to contain dissolved iron at a concentration of 22.50 mg/L.

June 2012

Benzene

- The NMWQCC domestic water supply groundwater quality standard for benzene is 0.01 milligrams per liter (mg/L). The groundwater sample collected in June 2012 from Monitor Well MW-6 exceeded this standard with a concentration of 0.649 mg/L.

Dissolved Iron

- The groundwater quality standard for dissolved iron is 1.0 mg/L. The groundwater samples collected in June 2012 from Monitor Wells MW-4 and MW-6 contained dissolved iron at concentrations of 1.17 mg/L and 19.20 mg/L, respectively.

September 2012

Benzene

- The NMWQCC domestic water supply groundwater quality standard for benzene is 0.01 milligrams per liter (mg/L). The groundwater sample collected in September 2012 from Monitor Well MW-6 exceeded this standard with a concentration of 0.266 mg/L.

Dissolved Iron

- The groundwater quality standard for dissolved iron is 1.0 mg/L. The groundwater sample collected in September 2012 from Monitor Well MW-6 contained dissolved iron at a concentration of 9.53 mg/L.

December 2012

Benzene

- The NMWQCC domestic water supply groundwater quality standard for benzene is 0.01 milligrams per liter (mg/L). The groundwater sample collected in December 2012 from Monitor Well MW-6 exceeded this standard with a concentration of 0.319 mg/L.

Dissolved Iron

- The groundwater quality standard for dissolved iron is 1.0 mg/L. The groundwater sample collected in December 2012 from Monitor Well MW-6 contained dissolved iron at a concentration of 8.06 mg/L.

Benzene concentrations in MW-6 have fluctuated regularly since monitoring began in March 2004. An inverse correlation between water levels and benzene concentrations was observed in the past. A graph detailing this relationship is presented as **Figure 10**.

Benzene concentration maps for 2012 quarterly sampling events are presented as **Figures 11, 12, 13 and 14**, respectively.

A summary of historical laboratory analytical results is presented as **Table 3**. Groundwater laboratory analytical reports can be found in **Appendix B**.

3.0 CONCLUSIONS AND RECOMMENDATIONS

Based on the detection of BTEX and dissolved iron in MW-6 during 2012 quarterly sampling events, CRA recommends continued groundwater quality monitoring for BTEX and dissolved iron in order to move toward remediation Site closure with NMOCD. Remediation Site closure will be requested when all groundwater quality parameters are below NMWQCC groundwater quality standards, are stable, or are representative of background conditions at the Site.


All Site monitor wells will be gauged quarterly. Monitor Wells MW-4, MW-5, and MW-6 will be sampled when possible due to the fluctuating groundwater levels at the Site.

In addition to future groundwater sampling at the site, CRA recommends the installation of additional monitor wells to further delineate groundwater impacts associated with Monitor Well MW-6. A total of three additional monitor wells are being recommended with location of the wells to the west, south, and southeast of MW-6. Proposed boring locations for additional monitor well installation are presented on **Figure 15**.

4.0 REFERENCES

Souder Miller and Associates (2004). *Nell Hall Monitor Well Installation Report*. Prepared for ConocoPhillips Company Report Dated May 7. 64 pp.

FIGURES



SOURCE: USGS 7.5 MINUTE QUADS
"FLORA VISTA AND AZTEC, NEW MEXICO"





Figure 1
SITE VICINITY MAP
NELL HALL NO. 1 NATURAL GAS WELL SITE
SECTION 07, T30N-R11W, SAN JUAN COUNTY, NEW MEXICO
ConocoPhillips Company



ConocoPhillips high resolution aerial imagery 2008.

LEGEND




-  Monitor Well Location
-  Wellhead
-  Sparge Point Location

Figure 2

SITE PLAN
 NELL HALL NO. 1 NATURAL GAS WELL SITE
 SECTION 07, T30N-R11W, SAN JUAN COUNTY, NEW MEXICO
ConocoPhillips Company






Figure 3
 GEOLOGIC CROSS SECTION
 NELL HALL NO. 1 NATURAL GAS WELL SITE
 SECTION 07, T30N-R11W, SAN JUAN COUNTY, NEW MEXICO
ConocoPhillips Company






Figure 4

MARCH 2012 GROUNDWATER POTENTIOMETRIC SURFACE MAP
 NELL HALL NO. 1 NATURAL GAS WELL SITE
 SECTION 07, T30N-R11W, SAN JUAN COUNTY, NEW MEXICO
ConocoPhillips Company






Figure 5

JUNE 2012 GROUNDWATER POTENTIOMETRIC SURFACE MAP
 NELL HALL NO. 1 NATURAL GAS WELL SITE
 SECTION 07, T30N-R11W, SAN JUAN COUNTY, NEW MEXICO
ConocoPhillips Company






Figure 6

SEPTEMBER 2012 GROUNDWATER POTENTIOMETRIC SURFACE MAP
 NELL HALL NO. 1 NATURAL GAS WELL SITE
 SECTION 07, T30N-R11W, SAN JUAN COUNTY, NEW MEXICO
ConocoPhillips Company





Figure 8
MW-5 Hydrograph (March 2004 - December 2012)
ConocoPhillips Company Nell Hall No. 1 Site




Figure 9
MW-6 Hydrograph (March 2004 - December 2012)
ConocoPhillips Company Nell Hall No. 1 Site





Figure 10
Graph of Benzene Concentrations and Groundwater Elevations in MW-6
ConocoPhillips Company Nell Hall No. 1 Site






Figure 11

MARCH 2012 BENZENE CONCENTRATION MAP
 NELL HALL NO. 1 NATURAL GAS WELL SITE
 SECTION 07, T30N-R11W, SAN JUAN COUNTY, NEW MEXICO
ConocoPhillips Company






Figure 12

JUNE 2012 BENZENE CONCENTRATION MAP
 NELL HALL NO. 1 NATURAL GAS WELL SITE
 SECTION 07, T30N-R11W, SAN JUAN COUNTY, NEW MEXICO
ConocoPhillips Company






Figure 13

SEPTEMBER 2012 BENZENE CONCENTRATION MAP
 NELL HALL NO. 1 NATURAL GAS WELL SITE
 SECTION 07, T30N-R11W, SAN JUAN COUNTY, NEW MEXICO
ConocoPhillips Company







Figure 14

DECEMBER 2012 BENZENE CONCENTRATION MAP
 NELL HALL NO. 1 NATURAL GAS WELL SITE
 SECTION 07, T30N-R11W, SAN JUAN COUNTY, NEW MEXICO
ConocoPhillips Company





ConocoPhillips high resolution aerial imagery 2008.

Figure 15

PROPOSED MONITOR WELL LOCATION MAP
NELL HALL NO. 1 NATURAL GAS WELL SITE
SECTION 07, T30N-R11W, SAN JUAN COUNTY, NEW MEXICO
ConocoPhillips Company



TABLES

TABLE 1

**SITE HISTORY TIMELINE
CONOCO PHILLIPS COMPANY
NELL HALL NO. 1
SAN JUAN COUNTY**

<i>Date/Time Period</i>	<i>Event/Action</i>	<i>Description/Comments</i>
February 20, 1961	Well Spudded	Southwest Production Company spudded the Nell Hall No. 1 natural gas production well.
September 1, 1963	Operator Change	Beta Development Company acquired the Nell Hall No. 1 site from Southwest Production Company.
September 15, 1988	Operator Change	Mesa Operating Limited Partnership acquired the Nell Hall No. 1 site from Beta Development Company.
July 1, 1991	Operator Change	Conoco Inc. acquired the Nell Hall No. 1 from Mesa Operating Limited Partnership.
May 3, 1994	Pit Remediation	Conoco stopped flow to the dehydrator, sampled the soil in the unlined dehydrator pit and encountered hydrocarbon-impacted soil.
August 31 through September 1, 1994	Pit Remediation	Conoco removed the dehydrator and Flint Engineering & Construction Co. excavated soil in the vicinity of the former dehydrator pit to a depth of 16 feet. A soil sample at the bottom of the excavation revealed TPH of 380 ppm.
September 21 through October 7, 1994	Pit Remediation	Flint Engineering & Construction Co. landfarmed the excavated soil on site.
June 1 and 2, 1995	Soil Borings and Groundwater Sampling	Phillip Environmental Services Corp. completed initial subsurface assesment (3 temporary monitor wells and 3 additional borings).
June 15, 1995	Soil Borings and Groundwater Sampling	Phillip Environmental Services Corp. completed an additional soil boring.
March 27, 1997	Monitor Well Sampling	On Site Technologies, LTD found insufficient water in the 3 monitor wells for sampling.
June 19, 2002	Groundwater sampling	Souder Miller and Associates (SMA) conducted groundwater sampling at the Site. Samples were collected from MW-1, and sparge points SP-6, SP-7 and SP-8. The only constituent over the NMWQCC standard was benzene in SP-7 at a concentration of 0.018 milligrams per liter (mg/L).
September 17, 2002	Groundwater sampling	SMA conducted groundwater sampling at the Site. Samples were collected from MW-1, and sparge points SP-6, SP-7 and SP-8. The only constituent over the NMWQCC standard was benzene in SP-7 at a concentration of 0.021 mg/L.
January 1, 2003	Operator Name Change	Conoco Inc. and Phillips Petroleum Company merged to form ConocoPhillips Company.
February 17 and 18, 2004	Monitor Well Installation	Monitor Wells MW-4, MW-5, and MW-6 were installed at deeper depths (35 to 39 feet BGS) to adequately intersect the water table, since previously installed groundwater monitoring wells continually went dry. The lowest water levels at the site are found to occur in early spring and late winter. 30 to 35 feet of screen was installed in each well to allow for seasonal groundwater fluctuations of up to 25 feet.
March 8 through December 27, 2004	Monitor Well Sampling	Quarterly groundwater sampling of Monitor Wells MW-4, MW-5, and MW-6; benzene spike in March (MW-6) coincides with MW-6 well installation and discovery of BTEX and TPH impacts to soil at 25-35 feet bgs in MW-6 soil samples collected during drilling.
May 11 through November 22, 2005	Monitor Well Sampling	Semi-annual sampling of monitor wells MW-4, MW-5, and MW-6.
November 15, 2006	Monitor Well Sampling	Annual sampling of monitor wells MW-4, MW-5, and MW-6.
February 21, 2007 through October 22, 2008	Monitor Well Sampling	Resumption of semi-annual sampling of Monitor Wells MW-4, MW-5, and MW-6 during summer and fall months when water is most likely to be present in wells.
February 6, 2009	BTEX vs. depth to water plotted for MW-6	BTEX concentrations show inverse relationship to water column thickness in MW-6; plotted from 2/21/07 to 10/22/08.
March 30, 2009	Monitor Well sampling	Monitor Wells MW-5 and MW-6 were sampled. MW-4 was found to be dry during the sampling event. Benzene was reported at a concentration above the groundwater quality standard in MW-6 with a concentration of 0.042 mg/L.
September 30, 2009	Monitor Well Sampling	Groundwater samples were collected from MW-4, MW-5 and MW-6. MW-6 indicated a benzene concentration of 0.096 mg/L and a dissolved iron concentration of 1.06 mg/L.
March 31 and April 1, 2010	Monitor Well Sampling	Groundwater samples collected from MW-5 and MW-6; MW-4 was dry. MW-6 indicated a benzene concentration of 0.480 mg/L and a sample for dissolved iron was not obtained due to low water levels in MW-6.

TABLE 1

**SITE HISTORY TIMELINE
CONOCO PHILLIPS COMPANY
NELL HALL NO. 1
SAN JUAN COUNTY**

<i>Date/Time Period</i>	<i>Event/Action</i>	<i>Description/Comments</i>
June 9, 2010	Monitor Well Sampling	Groundwater samples collected from MW-4, MW-5 and MW-6 as a continuation of semi-annual sampling event. MW-6 indicated a benzene concentration of 0.710 mg/L and a dissolved iron concentration of 11.4 mg/L.
September 27, 2010	Monitor Well Sampling	Groundwater samples collected from MW-4, MW-5 and MW-6. MW-6 indicated a benzene concentration of 0.30 mg/L and a dissolved iron concentration of 0.676 mg/L.
March 16, 2011	Monitor Well Sampling	Groundwater samples collected from MW-5 and MW-6. MW-4 was observed to be dry during this monitoring event. Laboratory analysis of the groundwater sample from MW-6 indicated a benzene concentration of 0.18 mg/L and a dissolved iron concentration of 8.66 mg/L; however, during the March 2011 sampling event MW-6 contained a very low volume of water and the sample collected may not be representative of actual aquifer conditions.
June 15, 2011	Transfer of Consulting Responsibilities to CRA	On June 15, 2011, Site consulting responsibilities were transferred from Tetra Tech of Albuquerque, NM to CRA of Albuquerque, NM.
June 21, 2011	Monitor Well Sampling	Groundwater samples collected from MW-4, MW-5 and MW-6. Groundwater sampled from MW-6 indicated a benzene concentration of 0.461 mg/L, a xylenes concentration of 0.677 mg/L, and a dissolved iron concentration of 9.45 mg/L.
September 27, 2011	Monitor Well Sampling	Groundwater samples collected from MW-4, MW-5 and MW-6. Groundwater sampled from MW-6 indicated a benzene concentration of 0.237 mg/L, and a dissolved iron concentration of 19.6 mg/L.
December 13, 2011	Monitor Well Sampling	Groundwater samples collected from MW-4, MW-5 and MW-6. Groundwater sampled from MW-6 indicated a benzene concentration of 0.298 mg/L, and a dissolved iron concentration of 11.6 mg/L.
March 7, 2012	Monitor Well Sampling	Groundwater samples collected from MW-4, MW-5 and MW-6. Groundwater sampled from MW-6 indicated a benzene concentration of 0.0477 mg/L, and a dissolved iron concentration of 22.50 mg/L.
June 4, 2012	Monitor Well Sampling	Groundwater samples collected from MW-4, MW-5 and MW-6. Groundwater sampled from MW-6 indicated a benzene concentration of 0.649 mg/L, and a dissolved iron concentration of 19.2 mg/L. The sample from MW-4 indicated a dissolved iron concentration of 1.17 mg/L.
September 20, 2012	Monitor Well Sampling	Groundwater samples collected from MW-4, MW-5 and MW-6. Groundwater sampled from MW-6 indicated a benzene concentration of 0.266 mg/L, and a dissolved iron concentration of 9.53 mg/L.
December 28, 2012	Monitor Well Sampling	Groundwater samples collected from MW-4, MW-5 and MW-6. Groundwater sampled from MW-6 indicated a benzene concentration of 0.319 mg/L, and a dissolved iron concentration of 8.06 mg/L.

TABLE 2
MONITOR WELL SPECIFICATIONS AND GROUNDWATER ELEVATIONS
CONOCOPHILLIPS COMPANY
NELL HALL NO. 1
SAN JUAN COUNTY, NM

Well ID	Total Depth (ft below TOC)	Surface Elevation (amsl)	Screen Interval (ft bgs)	Date Measured	Depth to Groundwater (ft below TOC)	Relative Water Level
MW-1	28.55	5615.72	Unknown	5/10/2005	DRY	NA
				10/20/2005	19.25	5596.47
				11/22/2005	24.15	5591.57
				5/17/2006	NM	NM
				11/15/2006	21.40	5594.32
				2/19/2007	DRY	NA
				5/14/2007	24.85	5590.87
				8/22/2007	24.61	5591.11
				11/6/2007	20.87	5594.85
				3/17/2008	DRY	NA
				10/22/2008	19.38	5596.34
				3/30/2009	28.25	5587.47
				9/30/2009	16.56	5599.16
				3/31/2010	DRY	NA
				6/9/2010	24.16	5591.56
				9/27/2010	20.00	77.95
				3/16/2011	DRY	NA
				6/21/2011	26.80	71.15
				9/27/2011	17.85	80.10
				12/13/2011	25.39	72.56
	97.95	97.95	Unknown	3/7/2012	DRY	NA
				6/4/2012	26.40	71.55
				9/20/2012	17.57	80.38
				12/28/2012	DRY	NA
				5/10/2005	DRY	NA
				10/20/2005	18.81	5596.13
MW-2	27.32	5614.94	Unknown	11/22/2005	23.74	5591.20
				5/17/2006	22.06	5592.88
				11/15/2006	21.01	5593.93
				2/19/2007	DRY	NA
				5/14/2007	DRY	NA
				8/22/2007	18.03	5596.91
				11/6/2007	20.43	5594.51
				3/17/2008	DRY	NA
				10/22/2008	18.83	5596.11
				3/30/2009	27.15	5587.79
				9/30/2009	16.01	5598.93
				3/31/2010	DRY	NA
				6/9/2010	23.36	5591.58
				9/27/2010	19.42	77.74
				3/16/2011	DRY	NA
				6/21/2011	26.43	70.73
				9/27/2011	17.28	79.88
				12/13/2011	25.10	72.06
	97.16	97.16	Unknown	3/7/2012	DRY	NA
				6/4/2012	25.17	71.99
				9/20/2012	17.30	79.86
				12/28/2012	DRY	NA
				5/10/2005	DRY	NA
				10/20/2005	19.36	5596.17
MW-3	27.45	5615.53	Unknown	11/22/2005	24.24	5591.29
				5/17/2006	22.82	5592.71
				11/15/2006	21.53	5594.00
				2/19/2007	DRY	NA
				5/14/2007	DRY	NA
				8/22/2007	18.36	5597.17
				11/6/2007	20.95	5594.58
				3/17/2008	DRY	NA
				10/22/2008	19.34	5596.19
				3/30/2009	DRY	NA
				9/30/2009	NM	NM
				3/31/2010	DRY	NA
				6/9/2010	23.87	5591.66
				9/27/2010	19.93	77.84
				3/16/2011	DRY	NA
				6/21/2011	27.06	70.71
				9/27/2011	17.82	79.95
				12/13/2011	25.66	72.11
	97.77	97.77	Unknown	3/7/2012	DRY	NA
				6/4/2012	25.53	72.24
				9/20/2012	17.97	79.80
				12/28/2012	DRY	NA
				5/10/2005	DRY	NA
				10/20/2005	19.36	5596.17

TABLE 2
MONITOR WELL SPECIFICATIONS AND GROUNDWATER ELEVATIONS
CONOCOPHILLIPS COMPANY
NELL HALL NO. 1
SAN JUAN COUNTY, NM

Well ID	Total Depth (ft below TOC)	Surface Elevation (amsl)	Screen Interval (ft bgs)	Date Measured	Depth to Groundwater (ft below TOC)	Relative Water Level
MW-4	37.57	5614.87	7.57 - 37.57	3/8/2004	36.04	5578.83
				7/19/2004	8.44	5606.43
				10/27/2004	19.69	5595.18
				12/27/2004	27.58	5587.29
				5/10/2005	DRY	NA
				10/20/2005	18.87	5596.00
				11/22/2005	23.93	5590.94
				5/17/2006	NM	NM
				11/15/2006	21.02	5593.85
				2/19/2007	34.40	5580.47
				5/14/2007	27.56	5587.31
				8/22/2007	18.18	5596.69
				11/6/2007	20.48	5594.39
				3/17/2008	36.08	5578.79
				10/22/2008	18.96	5595.91
				3/30/2009	37.36	5577.51
				9/30/2009	16.15	5598.72
				3/31/2010	DRY	NA
				6/9/2010	23.61	5591.26
				9/27/2010	19.61	78.14
	3/16/2011	DRY		NA		
	97.75	6/21/2011		26.79	70.96	
		9/27/2011		17.47	80.28	
		12/13/2011		25.35	72.40	
		3/7/2012		35.73	62.02	
		6/4/2012		25.39	72.36	
		9/20/2012		17.43	80.32	
		12/28/2012		28.02	69.73	
MW-5		42.7	5615.86	7.7 - 42.7	3/8/2004	37.19
	7/19/2004				9.38	5606.48
	10/27/2004				21.07	5594.79
	12/27/2004				28.99	5586.87
	5/10/2005				39.79	5576.07
	10/20/2005				20.34	5595.52
	11/22/2005				25.23	5590.63
	5/17/2006				23.80	5592.06
	11/15/2006				22.51	5593.35
	2/19/2007				35.31	5580.55
	5/14/2007				27.59	5588.27
	8/22/2007				19.45	5596.41
	11/6/2007				21.94	5593.92
	3/17/2008				37.33	5578.53
	10/22/2008				19.30	5596.56
	3/30/2009				38.68	5577.18
	9/30/2009				17.54	5598.32
	3/31/2010				39.05	5576.81
	6/9/2010				24.91	5590.95
	98.81				9/27/2010	20.92
		3/16/2011	39.25		59.56	
		6/21/2011	28.02		70.79	
		9/27/2011	18.79		80.02	
		12/13/2011	26.62		72.19	
		3/7/2012	37.00		61.81	
		6/4/2012	26.57		72.24	
		9/20/2012	18.92		79.89	
	12/28/2012	29.37	69.44			

TABLE 2

MONITOR WELL SPECIFICATIONS AND GROUNDWATER ELEVATIONS
CONOCOPHILLIPS COMPANY
NELL HALL NO. 1
SAN JUAN COUNTY, NM

<i>Well ID</i>	<i>Total Depth (ft below TOC)</i>	<i>Surface Elevation (amsl)</i>	<i>Screen Interval (ft bgs)</i>	<i>Date Measured</i>	<i>Depth to Groundwater (ft below TOC)</i>	<i>Relative Water Level</i>
MW-6	38.21	5615.44	8.21 - 38.21	3/8/2004	36.27	5579.17
				7/19/2004	9.43	5606.01
				10/27/2004	19.33	5596.11
				12/27/2004	28.62	5586.82
				5/10/2005	DRY	NA
				10/20/2005	19.94	5595.50
				11/22/2005	25.02	5590.42
				5/17/2006	NM	NM
				11/15/2006	21.12	5594.32
				2/19/2007	34.82	5580.62
				5/14/2007	26.12	5589.32
				8/22/2007	19.41	5596.03
				11/6/2007	21.51	5593.93
				3/17/2008	36.34	5579.10
				10/22/2008	19.99	5595.45
				3/30/2009	37.04	5578.40
				9/30/2009	17.26	5598.18
				3/31/2010	37.24	5578.20
				6/9/2010	24.43	5591.01
				9/27/2010	20.79	77.62
				3/16/2011	DRY	NA
				6/21/2011	27.56	70.85
				9/27/2011	18.58	79.83
				12/13/2011	26.32	72.09
				3/7/2012	36.01	62.40
				6/4/2012	26.55	71.86
				9/20/2012	18.25	80.16
				12/28/2012	29.11	69.30
		98.41				

Notes:

amsl = Above mean sea level

bgs = Below ground surface

ft = Feet

NM = Not measured

NA = Not available

TOC = Top of casing

* = Top of casing elevation based on an arbitrary reference elevation of 100 feet

TABLE 3
GROUNDWATER ANALYTICAL RESULTS SUMMARY
CONOCOPHILLIPS COMPANY
NELL HALL NO. 1

Well ID	Sample ID	Date	Sample Type	Benzene (mg/L)	Toluene (mg/L)	Ethylbenzene (mg/L)	Xylenes (total) (mg/L)	Sulfate (mg/L)	Iron (dissolved) (mg/L)	Nitrate (as N) (mg/L)
MW-4	MW-4	3/8/2004	(orig)	0.013	0.012	0.064	1.4	--	--	--
	MW-4	7/19/2004	(orig)	< 0.0005	< 0.0005	< 0.0005	< 0.0005	--	--	--
	MW-4	10/27/2004	(orig)	0.011	0.008	0.021	0.13	--	--	--
	MW-4	12/27/2004	(orig)	< 0.0025	< 0.0025	< 0.0025	< 0.0005	--	--	--
	MW-4	11/22/2005	(orig)	< 0.0005	< 0.0007	< 0.0008	< 0.0008	105	--	< 0.40
	MW-4	11/15/2006	(orig)	< 0.0005	< 0.0007	< 0.0008	< 0.0008	110	--	< 0.25
	MW-4	2/21/2007	(orig)	< 0.0005	< 0.0007	< 0.0008	< 0.0008	59.6	--	< 0.25
	MW-4	8/22/2007	(orig)	< 0.0005	< 0.0007	< 0.0008	< 0.0008	96.5	--	< 0.25
	MW-4	11/6/2007	(orig)	< 0.0005	< 0.0007	< 0.0008	< 0.0008	111	--	3.3
	MW-4	3/17/2008	(orig)	< 0.005	< 0.005	< 0.005	< 0.005	64.5	--	< 0.5
	MW-4	10/22/2008	(orig)	< 0.005	< 0.005	< 0.005	< 0.005	93.8	--	1.9
	MW-4	9/30/2009	(orig)	< 0.001	< 0.001	< 0.001	< 0.001	--	< 0.02	--
	MW-4	6/9/2010	(orig)	< 0.001	< 0.001	< 0.001	< 0.001	--	< 0.02	--
	MW-4	9/27/2010	(orig)	< 0.001	< 0.001	< 0.001	< 0.001	--	< 0.02	--
	GW-74941-062111-CMB-001	6/21/2011	(orig)	< 0.0010	< 0.0010	< 0.0010	< 0.0030	--	1.21	--
	GW-074941-092711-CM-007	9/27/2011	(orig)	< 0.001	< 0.001	< 0.001	< 0.003	--	< 0.05	--
	GW-074941-121311-CB-MW-4	12/13/2011	(orig)	< 0.001	< 0.001	< 0.001	< 0.003	--	0.201	--
	GW-074941-3712-CB-MW-4	3/7/2012	(orig)	< 0.001	< 0.001	< 0.001	< 0.003	--	< 0.25	--
	GW-074941-3712-CB-DUP	3/7/2012	(Duplicate)	< 0.001	< 0.001	< 0.001	< 0.003	--	--	--
	GW-074941-060412-CB-MW-4	6/4/2012	(orig)	< 0.001	< 0.001	< 0.001	< 0.003	--	1.17	--
	GW-074941-092012-JP-MW-4	9/20/2012	(orig)	< 0.001	< 0.001	< 0.001	< 0.003	--	< 0.25	--
	GW-074941-122812-JMK-MW4	12/28/2012	(orig)	< 0.001	< 0.001	< 0.001	< 0.003	--	0.748	--
	GW-074941-122812-JMK-DUP	12/28/2012	(Duplicate)	< 0.001	< 0.001	< 0.001	< 0.003	--	--	--

TABLE 3
GROUNDWATER ANALYTICAL RESULTS SUMMARY
CONOCOPHILLIPS COMPANY
NELL HALL NO. 1

Well ID	Sample ID	Date	Sample Type	Benzene (mg/L)	Toluene (mg/L)	Ethylbenzene (mg/L)	Xylenes (total) (mg/L)	Sulfate (mg/L)	Iron (dissolved) (mg/L)	Nitrate (as N) (mg/L)
MW-5	MW-5	3/8/2004	(orig)	0.0011	< 0.0005	0.001	0.017	--	--	--
	MW-5	7/19/2004	(orig)	< 0.0005	0.00055	< 0.0005	0.00072	--	--	--
	MW-5	10/27/2004	(orig)	< 0.0005	< 0.0005	< 0.0005	< 0.001	--	--	--
	MW-5	12/27/2004	(orig)	< 0.0005	< 0.0005	< 0.0005	< 0.001	--	--	--
	MW-5	5/11/2005	(orig)	< 0.0005	< 0.0007	< 0.0008	< 0.0008	139	--	2.3
	MW-5	11/22/2005	(orig)	< 0.0005	< 0.0007	< 0.0008	< 0.0008	38	--	< 0.40
	MW-5	11/15/2006	(orig)	< 0.0005	< 0.0007	< 0.0008	< 0.0008	77.9	--	2.3
	MW-5	2/21/2007	(orig)	< 0.0005	< 0.0007	< 0.0008	< 0.0008	83.3	--	1.3
	MW-5	8/22/2007	(orig)	< 0.0005	< 0.0007	< 0.0008	< 0.0008	125	--	5.6
	MW-5	11/6/2007	(orig)	< 0.0005	< 0.0007	< 0.0008	< 0.0008	59	--	4
	MW-5	3/17/2008	(orig)	< 0.005	< 0.005	< 0.005	< 0.005	69.7	--	0.986
	MW-5	10/22/2008	(orig)	< 0.005	< 0.005	< 0.005	< 0.005	105	--	0.532
	MW-5	3/30/2009	(orig)	< 0.005	< 0.005	< 0.005	< 0.005	--	--	--
	MW-5	9/30/2009	(orig)	< 0.001	< 0.001	< 0.001	< 0.001	--	< 0.02	--
	MW-5	3/31/2010	(orig)	< 0.001	< 0.001	< 0.001	< 0.001	--	< 0.02	--
	MW-5	6/9/2010	(orig)	< 0.001	< 0.001	< 0.001	< 0.001	--	< 0.02	--
	MW-5	9/27/2010	(orig)	< 0.001	< 0.001	< 0.001	< 0.001	--	< 0.02	--
	MW-5	3/16/2011	(orig)	< 0.001	< 0.001	< 0.001	< 0.001	--	< 0.02	--
	GW-74941-062111-CMB-002	6/21/2011	(orig)	< 0.0010	< 0.0010	< 0.0010	< 0.0030	--	< 0.1	--
	GW-074941-092711-CM-005	9/27/2011	(orig)	< 0.001	< 0.001	< 0.001	< 0.003	--	0.0835	--
	GW-074941-121311-CB-MW-5	12/13/2011	(orig)	< 0.001	< 0.001	< 0.001	< 0.003	--	< 0.05	--
	GW-074941-3712-CB-MW-5	3/7/2012	(orig)	< 0.001	< 0.001	< 0.001	< 0.003	--	< 0.05	--
	GW-074941-060412-CB-MW-5	6/4/2012	(orig)	< 0.001	< 0.001	< 0.001	< 0.003	--	< 0.05	--
	GW-074941-092012-JP-MW-5	9/20/2012	(orig)	< 0.001	< 0.001	< 0.001	< 0.003	--	< 0.05	--
	GW-074941-122812-JMK-MW5	12/28/2012	(orig)	< 0.001	< 0.001	< 0.001	< 0.003	--	< 0.05	--

TABLE 3
GROUNDWATER ANALYTICAL RESULTS SUMMARY
CONOCOPHILLIPS COMPANY
NELL HALL NO. 1

Well ID	Sample ID	Date	Sample Type	Benzene (mg/L)	Toluene (mg/L)	Ethylbenzene (mg/L)	Xylenes (total) (mg/L)	Sulfate (mg/L)	Iron (dissolved) (mg/L)	Nitrate (as N) (mg/L)
MW-6	MW-6	3/8/2004	(orig)	2.5	0.014	1.6	21.031	--	--	--
	MW-6	7/19/2004	(orig)	< 0.0005	< 0.0005	0.00098	0.0026	--	--	--
	MW-6	10/27/2004	(orig)	0.0004	0.0003	0.0005	0.0021	--	--	--
	MW-6	12/27/2004	(orig)	0.045	0.0068	0.014	0.0717	--	--	--
	MW-6	11/22/2005	(orig)	0.01	0.0007	0.016	0.15	3.4	--	< 0.40
	MW-6	11/15/2006	(orig)	< 0.0005	< 0.0007	< 0.0008	< 0.0008	41.3	--	< 0.25
	MW-6	2/21/2007	(orig)	0.54	< 0.001	0.076	0.81	1.8	--	< 0.25
	MW-6	8/22/2007	(orig)	< 0.0005	< 0.0007	< 0.0008	< 0.0008	12.6	--	< 0.25
	MW-6	11/6/2007	(orig)	0.015	< 0.0007	0.047	0.39	5.6	--	< 0.25
	MW-6	3/18/2008	(orig)	0.16	< 0.005	< 0.005	0.033	--	--	--
	MW-6	10/22/2008	(orig)	< 0.005	< 0.005	< 0.005	< 0.005	5.15	--	< 1.0
	MW-6	3/30/2009	(orig)	0.042	< 0.005	< 0.005	0.01	--	--	--
	MW-6	9/30/2009	(orig)	0.096	0.0047	0.062	0.12	--	1.06	--
	MW-6	4/1/2010	(orig)	0.48	< 0.001	0.078	0.2	--	--	--
	MW-6	6/9/2010	(orig)	0.71	< 0.001	0.42	0.52	--	11.4	--
	MW-6	9/27/2010	(orig)	0.3	< 0.001	0.25	0.41	--	0.676	--
	MW-6	3/16/2011	(orig)	0.18	< 0.001	0.044	0.072	--	8.66	--
	GW-74941-062111-CMB-003	6/21/2011	(orig)	0.461	0.00048	0.454	0.677	--	9.45	--
	GW-74941-062111-CMB-DUP	6/21/2011	(Duplicate)	0.383	0.00057	0.407	0.607	--	--	--
	GW-074941-092711-CM-006	9/27/2011	(orig)	0.237	< 0.005	0.197	0.225	--	19.6	--
	GW-074941-092711-CM-008	9/27/2011	(Duplicate)	0.249	< 0.005	0.216	0.248	--	--	--
	GW-074941-121311-CB-MW-6	12/13/2011	(orig)	0.298	0.0083	0.154	0.141	--	11.6	--
	GW-074941-121311-CB-DUP	12/13/2011	(Duplicate)	0.359	0.0061	0.19	0.183	--	--	--
	GW-074941-3712-CB-MW-6	3/7/2012	(orig)	0.0477	< 0.001	0.0073	0.0192	--	22.5	--
	GW-074941-060412-CB-MW-6	6/4/2012	(orig)	0.649	< 0.01	0.309	0.314	--	19.2	--
	GW-074941-060412-CB-DUP	6/4/2012	(Duplicate)	0.62	< 0.01	0.267	0.266	--	--	--
	GW-074941-092012-JP-MW-6	9/20/2012	(orig)	0.266	< 0.005	0.065	0.0355	--	9.53	--
	GW-074941-092012-JP-DUP	9/20/2012	(Duplicate)	0.282	< 0.005	0.0634	0.0348	--	--	--
	GW-074941-122812-JMK-MW6	12/28/2012	(orig)	0.319	< 0.005	0.0764	0.0452	--	8.06	--
NMWQCC Groundwater Quality Standards				0.01	0.75	0.75	0.62	600	1	10

Explanation

mg/L = milligrams per liter (parts per million)

NA = Not Analyzed

NMWQCC = New Mexico Water Quality Control Commission

APPENDIX A

2012 QUARTERLY GROUNDWATER SAMPLING FIELD FORMS

WELL SAMPLING FIELD INFORMATION FORM

WELL/PROJECT NAME: Nell Hall No. 1 JOB# 074941
 SAMPLE ID: W-074941-3712-CB-MW-4 WELL# MW-4

PURGE DATE (MM DD YY) 3.7.12 SAMPLE DATE (MM DD YY) 3.7.12 WELL PURGING INFORMATION
 SAMPLE TIME (24 HOUR) 1735 WATER VOL. IN CASING (GALLONS) 0.31 ACTUAL VOL. PURGED (GALLONS) 1.0

PURGING AND SAMPLING EQUIPMENT

PURGING EQUIPMENT.....DEDICATED ☒ Y ☐ N (CIRCLE ONE) SAMPLING EQUIPMENT.....DEDICATED ☒ Y ☐ N (CIRCLE ONE)

PURGING DEVICE ☒ G A - SUBMERSIBLE PUMP D - GAS LIFT PUMP G - BAILER X= _____
 B - PERISTALTIC PUMP E - PURGE PUMP H - WATERRA®
 SAMPLING DEVICE ☒ G C - BLADDER PUMP F - DIPPER BOTTLE X - OTHER X= _____
 PURGING MATERIAL ☒ E A - TEFLON D - PVC X= _____
 B - STAINLESS STEEL E - POLYETHYLENE
 SAMPLING MATERIAL ☒ E C - POLYPROPYLENE X - OTHER X= _____
 PURGE TUBING ☒ C A - TEFLON D - POLYPROPYLENE G - COMBINATION X= _____
 B - TYGON E - POLYETHYLENE TEFLON/POLYPROPYLENE
 SAMPLING TUBING ☒ C C - ROPE F - SILICONE X - OTHER X= _____
 FILTERING DEVICES 0.45 ☒ A A - IN-LINE DISPOSABLE B - PRESSURE C - VACUUM

FIELD MEASUREMENTS

DEPTH TO WATER 35.73 (feet) WELL ELEVATION 97.75 (feet)
 WELL DEPTH 37.69 (feet) GROUNDWATER ELEVATION 62.02 (feet)

TEMPERATURE	pH	TDS	CONDUCTIVITY	ORP	VOLUME
<u>15.35</u> (°C)	<u>6.87</u> (std)	<u>0.565</u> (g/L)	<u>709</u> (μS/cm)	<u>-62.6</u> (mV)	<u>0.5</u> (gal)
<u>15.31</u> (°C)	<u>6.90</u> (std)	<u>0.563</u> (g/L)	<u>706</u> (μS/cm)	<u>-58.4</u> (mV)	<u>0.75</u> (gal)
<u>15.37</u> (°C)	<u>6.91</u> (std)	<u>0.561</u> (g/L)	<u>705</u> (μS/cm)	<u>-50.9</u> (mV)	<u>1.00</u> (gal)
_____ (°C)	_____ (std)	_____ (g/L)	_____ (μS/cm)	_____ (mV)	_____ (gal)
_____ (°C)	_____ (std)	_____ (g/L)	_____ (μS/cm)	_____ (mV)	_____ (gal)

FIELD COMMENTS

SAMPLE APPEARANCE: Particulates, cloudy ODOR: slight COLOR: lt. gray SHEEN Y/N N
 WEATHER CONDITIONS: TEMPERATURE 50 WINDY Y/N N PRECIPITATION Y/N (IF Y TYPE) N
 SPECIFIC COMMENTS: _____

1.96 x .16 = 0.31 K3 = 0.99

Dup collected at 1740

I CERTIFY THAT SAMPLING PROCEDURES WERE IN ACCORDANCE WITH APPLICABLE CMA PROTOCOLS

DATE

PRINT

SIGNATURE

3.7.12

Cassie Brown

(Signature) Brown

WELL SAMPLING FIELD INFORMATION FORM

ITE/PROJECT NAME:

Nell Hall No. 1

JOB#

074941

SAMPLE ID:

CW-074941-3712-CB-MW-5

WELL#

MW-5

WELL PURGING INFORMATION

3-7-12

PURGE DATE
(MM DD YY)

3-7-12

SAMPLE DATE
(MM DD YY)

1745

SAMPLE TIME
(24 HOUR)

0.92

WATER VOL. IN CASING
(GALLONS)

2.75

ACTUAL VOL. PURGED
(GALLONS)

PURGING AND SAMPLING EQUIPMENT

PURGING EQUIPMENT.....DEDICATED ☒ Y ☐ N

(CIRCLE ONE)

SAMPLING EQUIPMENT.....DEDICATED ☒ Y ☐ N

(CIRCLE ONE)

PURGING DEVICE

☒ A

A - SUBMERSIBLE PUMP

D - GAS LIFT PUMP

G - BAILER

X=

PURGING DEVICE OTHER (SPECIFY)

SAMPLING DEVICE

☒ C

C - BLADDER PUMP

F - DIPPER BOTTLE

X - OTHER

X=

SAMPLING DEVICE OTHER (SPECIFY)

PURGING MATERIAL

☒ E

A - TEFLON

D - PVC

X=

PURGING MATERIAL OTHER (SPECIFY)

SAMPLING MATERIAL

☒ E

C - POLYPROPYLENE

X - OTHER

X=

SAMPLING MATERIAL OTHER (SPECIFY)

PURGE TUBING

☒ C

A - TEFLON

D - POLYPROPYLENE

G - COMBINATION

X=

PURGE TUBING OTHER (SPECIFY)

SAMPLING TUBING

☒ C

B - TYGON

E - POLYETHYLENE

TEFLON/POLYPROPYLENE

X=

SAMPLING TUBING OTHER (SPECIFY)

FILTERING DEVICES 0.45

☒ A

A - IN-LINE DISPOSABLE

B - PRESSURE

C - VACUUM

FIELD MEASUREMENTS

DEPTH TO WATER

37.00

(feet)

WELL ELEVATION

98.81

(feet)

WELL DEPTH

42.72

(feet)

GROUNDWATER ELEVATION

61.81

(feet)

TEMPERATURE

pH

TDS

CONDUCTIVITY

ORP

VOLUME

15.10 (°C)

7.06 (std)

0.649 (g/L)

809 (µS/cm)

0.2 (mV)

2.25 (gal)

15.26 (°C)

7.09 (std)

0.644 (g/L)

806 (µS/cm)

20.5 (mV)

2.5 (gal)

15.25 (°C)

7.13 (std)

0.640 (g/L)

801 (µS/cm)

31.7 (mV)

2.75 (gal)

_____ (°C)

_____ (std)

_____ (g/L)

_____ (µS/cm)

_____ (mV)

_____ (gal)

_____ (°C)

_____ (std)

_____ (g/L)

_____ (µS/cm)

_____ (mV)

_____ (gal)

FIELD COMMENTS

SAMPLE APPEARANCE:

slightly cloudy

ODOR:

none

COLOR:

tan

SHEEN Y/☒ N

WEATHER CONDITIONS:

TEMPERATURE

~45°

WINDY Y/☒ N

PRECIPITATION Y/☒ N (IF Y TYPE)

SPECIFIC COMMENTS:

5.72 K.16 = 0.92 x 3 = 2.75

I CERTIFY THAT SAMPLING PROCEDURES WERE IN ACCORDANCE WITH APPLICABLE CRA PROTOCOLS


DATE

3-7-12

PRINT

Jason Hoss

SIGNATURE



WELL SAMPLING FIELD INFORMATION FORM

WELL/PROJECT NAME:

Nash Hall No. 1

JOB# 074941

SAMPLE ID:

GW-074941-3812-CB-MW-6

WELL# MW-6

3.7.12

PURGE DATE
(MM DD YY)

3.8.12

SAMPLE DATE
(MM DD YY)

WELL PURGING INFORMATION

1645

SAMPLE TIME
(24 HOUR)

0.32

WATER VOL. IN CASING
(GALLONS)

0.6

ACTUAL VOL. PURGED
(GALLONS)

PURGING AND SAMPLING EQUIPMENT

PURGING EQUIPMENT.....DEDICATED ☒ N

(CIRCLE ONE)

SAMPLING EQUIPMENT.....DEDICATED ☒ N

(CIRCLE ONE)

PURGING DEVICE

G

A - SUBMERSIBLE PUMP

D - GAS LIFT PUMP

G - BAILER

X=

B - PERISTALTIC PUMP

E - PURGE PUMP

H - WATERRA®

PURGING DEVICE OTHER (SPECIFY)

SAMPLING DEVICE

G

C - BLADDER PUMP

F - DIPPER BOTTLE

X - OTHER

X=

SAMPLING DEVICE OTHER (SPECIFY)

PURGING MATERIAL

E

A - TEFLON

D - PVC

X=

B - STAINLESS STEEL

E - POLYETHYLENE

PURGING MATERIAL OTHER (SPECIFY)

SAMPLING MATERIAL

E

C - POLYPROPYLENE

X - OTHER

X=

SAMPLING MATERIAL OTHER (SPECIFY)

PURGE TUBING

C

A - TEFLON

D - POLYPROPYLENE

G - COMBINATION

X=

B - TYGON

E - POLYETHYLENE

TEFLON/POLYPROPYLENE

PURGE TUBING OTHER (SPECIFY)

SAMPLING TUBING

C

C - ROPE

F - SILICONE

X - OTHER

X=

SAMPLING TUBING OTHER (SPECIFY)

FILTERING DEVICES 0.45

A

A - IN-LINE DISPOSABLE

B - PRESSURE

C - VACUUM

FIELD MEASUREMENTS

DEPTH TO WATER

36.01

(feet)

WELL ELEVATION

98.41

(feet)

WELL DEPTH

38.03

(feet)

GROUNDWATER ELEVATION

62.40

(feet)

TEMPERATURE

14.78 (°C)

pH

6.54 (std)

TDS

0.707 (g/L)

CONDUCTIVITY

873 (µS/cm)

ORP

-57.9 (mV)

VOLUME

0.5 (gal)

(°C)

(std)

(g/L)

(µS/cm)

(mV)

(gal)

(°C)

(std)

(g/L)

(µS/cm)

(mV)

(gal)

(°C)

(std)

(g/L)

(µS/cm)

(mV)

(gal)

(°C)

(std)

(g/L)

(µS/cm)

(mV)

(gal)

FIELD COMMENTS

SAMPLE APPEARANCE:

slightly cloudy

ODOR:

bio/hydrocarbon

COLOR:

clear

SHEEN Y/☒ N

WEATHER CONDITIONS:

TEMPERATURE

~45°

WINDY Y/☒ N

PRECIPITATION Y/☒ N (IF Y TYPE)

SPECIFIC COMMENTS:

2.02 x .16 = .32 x > = 0.98

Well bailed dry on 3.7.12

I CERTIFY THAT SAMPLING PROCEDURES WERE IN ACCORDANCE WITH APPLICABLE CWA PROTOCOLS

3.8.12

DATE

Jason Hoss

PRINT

[Signature]

SIGNATURE

WELL SAMPLING FIELD INFORMATION FORM

WELL/PROJECT NAME:

Well Hall No. 1

JOB#

074941

SAMPLE ID:

GW-074941-200412-CB-MW-4

WELL#

MW-4

WELL PURGING INFORMATION

6.4.12

PURGE DATE
(MM DD YY)

6.4.12

SAMPLE DATE
(MM DD YY)

1805

SAMPLE TIME
(24 HOUR)

1.98

WATER VOL. IN CASING
(GALLONS)

6.0

ACTUAL VOL. PURGED
(GALLONS)

PURGING AND SAMPLING EQUIPMENT

PURGING EQUIPMENT.....DEDICATED ☒ Y ☐ N

(CIRCLE ONE)

SAMPLING EQUIPMENT.....DEDICATED ☒ Y ☐ N

(CIRCLE ONE)

PURGING DEVICE

☒ G

A - SUBMERSIBLE PUMP

D - GAS LIFT PUMP

G - BAILER

X=

B - PERISTALTIC PUMP

E - PURGE PUMP

H - WATERA®

PURGING DEVICE OTHER (SPECIFY)

SAMPLING DEVICE

☒ G

C - BLADDER PUMP

F - DIPPER BOTTLE

X - OTHER

X=

SAMPLING DEVICE OTHER (SPECIFY)

PURGING MATERIAL

☒ E

A - TEFLON

D - PVC

X=

B - STAINLESS STEEL

E - POLYETHYLENE

PURGING MATERIAL OTHER (SPECIFY)

SAMPLING MATERIAL

☒ E

C - POLYPROPYLENE

X - OTHER

X=

SAMPLING MATERIAL OTHER (SPECIFY)

PURGE TUBING

☒ L

A - TEFLON

D - POLYPROPYLENE

G - COMBINATION

X=

B - TYGON

E - POLYETHYLENE

TEFLON/POLYPROPYLENE

PURGE TUBING OTHER (SPECIFY)

SAMPLING TUBING

☒ L

C - ROPE

F - SILICONE

X - OTHER

X=

SAMPLING TUBING OTHER (SPECIFY)

FILTERING DEVICES 0.45

☒ A

A - IN-LINE DISPOSABLE

B - PRESSURE

C - VACUUM

FIELD MEASUREMENTS

DEPTH TO WATER

25.39

(feet)

WELL ELEVATION

97.75

(feet)

WELL DEPTH

37.78

(feet)

GROUNDWATER ELEVATION

72.36

(feet)

TEMPERATURE

pH

TDS

CONDUCTIVITY

ORP

VOLUME

15.78 (°C)

6.72 (std)

0.630 (g/L)

799 (µS/cm)

-39.8 (mV)

5.0 (gal)

15.79 (°C)

6.79 (std)

0.631 (g/L)

800 (µS/cm)

-54.0 (mV)

5.5 (gal)

15.74 (°C)

6.69 (std)

0.633 (g/L)

802 (µS/cm)

-56.6 (mV)

6.0 (gal)

_____ (°C)

_____ (std)

_____ (g/L)

_____ (µS/cm)

_____ (mV)

_____ (gal)

_____ (°C)

_____ (std)

_____ (g/L)

_____ (µS/cm)

_____ (mV)

_____ (gal)

FIELD COMMENTS

SAMPLE APPEARANCE:

clear w/white particulates

ODOR:

None

COLOR:

clear/white

SHEEN Y/☒ N

WEATHER CONDITIONS:

TEMPERATURE

~80°

WIND Y/☒ N

Breezy

PRECIPITATION Y/☒ N (IF Y TYPE)

SPECIFIC COMMENTS:

12.33 x .16 = 1.98 x 3 = 5.94

I CERTIFY THAT SAMPLING PROCEDURES WERE IN ACCORDANCE WITH APPLICABLE CWA PROTOCOLS

6.4.12
DATE

Casiborn
PRINT

Casiborn
SIGNATURE

WELL SAMPLING FIELD INFORMATION FORM

WELL/PROJECT NAME: Well hall No. 1 **JOB#** 074941
SAMPLE ID: GW-074941-000112-CB-MW-5 **WELL#** MW-5

WELL PURGING INFORMATION
6/4/12 6/4/12 1740 216 8.0
PURGE DATE (MM DD YY) SAMPLE DATE (MM DD YY) SAMPLE TIME (24 HOUR) WATER VOL. IN CASING (GALLONS) ACTUAL VOL. PURGED (GALLONS)

PURGING AND SAMPLING EQUIPMENT
 PURGING EQUIPMENT.....DEDICATED ☒ Y ☐ N (CIRCLE ONE) SAMPLING EQUIPMENT.....DEDICATED ☒ Y ☐ N (CIRCLE ONE)

PURGING DEVICE	<input checked="" type="checkbox"/> G	A - SUBMERSIBLE PUMP	D - GAS LIFT PUMP	G - BAILER	X= _____
		B - PERISTALTIC PUMP	E - PURGE PUMP	H - WATERRA®	PURGING DEVICE OTHER (SPECIFY) _____
SAMPLING DEVICE	<input checked="" type="checkbox"/> G	C - BLADDER PUMP	F - DIPPER BOTTLE	X - OTHER	X= _____
					SAMPLING DEVICE OTHER (SPECIFY) _____
PURGING MATERIAL	<input checked="" type="checkbox"/> E	A - TEFLON	D - PVC		X= _____
		B - STAINLESS STEEL	E - POLYETHYLENE		PURGING MATERIAL OTHER (SPECIFY) _____
SAMPLING MATERIAL	<input checked="" type="checkbox"/> E	C - POLYPROPYLENE	X - OTHER		X= _____
					SAMPLING MATERIAL OTHER (SPECIFY) _____
PURGE TUBING	<input checked="" type="checkbox"/> C	A - TEFLON	D - POLYPROPYLENE	G - COMBINATION	X= _____
		B - TYGON	E - POLYETHYLENE	TEFLON/POLYPROPYLENE	PURGE TUBING OTHER (SPECIFY) _____
SAMPLING TUBING	<input checked="" type="checkbox"/> C	C - ROPE	F - SILICONE	X - OTHER	X= _____
					SAMPLING TUBING OTHER (SPECIFY) _____
FILTERING DEVICES 0.45	<input checked="" type="checkbox"/> A	A - IN-LINE DISPOSABLE	B - PRESSURE	C - VACUUM	

FIELD MEASUREMENTS

DEPTH TO WATER	<u>26.57</u>	(feet)	WELL ELEVATION	<u>98.81</u>	(feet)
WELL DEPTH	<u>42.92</u>	(feet)	GROUNDWATER ELEVATION	<u>72.24</u>	(feet)

TEMPERATURE	pH	TDS	CONDUCTIVITY	ORP	VOLUME
<u>15.16</u> (°C)	<u>6.76</u> (std)	<u>0.625</u> (g/L)	<u>780</u> (µS/cm)	<u>9.3</u> (mV)	<u>7.0</u> (gal)
<u>15.26</u> (°C)	<u>6.69</u> (std)	<u>0.623</u> (g/L)	<u>780</u> (µS/cm)	<u>21.7</u> (mV)	<u>7.5</u> (gal)
<u>15.19</u> (°C)	<u>6.74</u> (std)	<u>0.623</u> (g/L)	<u>779</u> (µS/cm)	<u>28.2</u> (mV)	<u>8.0</u> (gal)
_____ (°C)	_____ (std)	_____ (g/L)	_____ (µS/cm)	_____ (mV)	_____ (gal)
_____ (°C)	_____ (std)	_____ (g/L)	_____ (µS/cm)	_____ (mV)	_____ (gal)

FIELD COMMENTS

SAMPLE APPEARANCE: cloudy ODOR: none COLOR: clear/white SHEEN Y/N no
 WEATHER CONDITIONS: TEMPERATURE 80 WINDY Y/N breezy PRECIPITATION Y/N (IF Y TYPE) no
 SPECIFIC COMMENTS: 16.35x16 = 2.16x3 = 7.84

I CERTIFY THAT SAMPLING PROCEDURES WERE IN ACCORDANCE WITH APPLICABLE CRA PROTOCOLS

DATE

PRINT

SIGNATURE

WELL SAMPLING FIELD INFORMATION FORM

TE/PROJECT NAME:

Well Hall No. 1

JOB#

074941

SAMPLE ID:

GW-074941-000412-CB-MW-6

WELL#

MW-6

WELL PURGING INFORMATION

6/19/12

PURGE DATE
(MM DD YY)

6/19/12

SAMPLE DATE
(MM DD YY)

1725

SAMPLE TIME
(24 HOUR)

1.90

WATER VOL. IN CASING
(GALLONS)

6.25

ACTUAL VOL. PURGED
(GALLONS)

PURGING AND SAMPLING EQUIPMENT

PURGING EQUIPMENT.....DEDICATED (Y) N

(CIRCLE ONE)

SAMPLING EQUIPMENT.....DEDICATED (Y) N

(CIRCLE ONE)

PURGING DEVICE

G

A - SUBMERSIBLE PUMP

D - GAS LIFT PUMP

G - BAILER

X=

B - PERISTALTIC PUMP

E - PURGE PUMP

H - WATERA®

PURGING DEVICE OTHER (SPECIFY)

SAMPLING DEVICE

G

C - BLADDER PUMP

F - DIPPER BOTTLE

X - OTHER

X=

SAMPLING DEVICE OTHER (SPECIFY)

PURGING MATERIAL

E

A - TEFLON

D - PVC

X=

B - STAINLESS STEEL

E - POLYETHYLENE

PURGING MATERIAL OTHER (SPECIFY)

SAMPLING MATERIAL

E

C - POLYPROPYLENE

X - OTHER

X=

SAMPLING MATERIAL OTHER (SPECIFY)

PURGE TUBING

C

A - TEFLON

D - POLYPROPYLENE

G - COMBINATION

X=

B - TYGON

E - POLYETHYLENE

TEFLON/POLYPROPYLENE

PURGE TUBING OTHER (SPECIFY)

SAMPLING TUBING

C

C - ROPE

F - SILICONE

X - OTHER

X=

SAMPLING TUBING OTHER (SPECIFY)

FILTERING DEVICES 0.45

A

A - IN-LINE DISPOSABLE

B - PRESSURE

C - VACUUM

FIELD MEASUREMENTS

DEPTH TO WATER

26.55

(feet)

WELL ELEVATION

98.41

(feet)

WELL DEPTH

38.23

(feet)

GROUNDWATER ELEVATION

71.86

(feet)

TEMPERATURE

pH

TDS

CONDUCTIVITY

ORP

VOLUME

15.82 (°C)

6.02 (std)

0.733 (g/L)

930 (µS/cm)

-57.4 (mV)

5.5 (gal)

15.48 (°C)

6.24 (std)

0.711 (g/L)

895 (µS/cm)

-65.1 (mV)

6.25 (gal)

_____ (°C)

_____ (std)

_____ (g/L)

_____ (µS/cm)

_____ (mV)

_____ (gal)

_____ (°C)

_____ (std)

_____ (g/L)

_____ (µS/cm)

_____ (mV)

_____ (gal)

_____ (°C)

_____ (std)

_____ (g/L)

_____ (µS/cm)

_____ (mV)

_____ (gal)

FIELD COMMENTS

SAMPLE APPEARANCE:

slightly cloudy

ODOR:

hydrocarbon/b.o

COLOR:

clear

SHEEN (Y)

WEATHER CONDITIONS:

TEMPERATURE

-80°

WINDY 0/N

Breezy

PRECIPITATION Y/N (IF Y TYPE)

SPECIFIC COMMENTS:

11.68 x 10 = 116.8

Dep @ 1730

I CERTIFY THAT SAMPLING PROCEDURES WERE IN ACCORDANCE WITH APPLICABLE CRA PROTOCOLS

6/19/12

DATE

PRINT

Cassie Brown

SIGNATURE

Cassie Brown

WELL SAMPLING FIELD INFORMATION FORM

TE/PROJECT NAME:

Nell Hall No. 1

JOB#

074941

SAMPLE ID:

GW-074941-092012-JP-MW-4

WELL#

MW-5-MW-4

WELL PURGING INFORMATION

9.20.12

PURGE DATE
(MM DD YY)

9.20.12

SAMPLE DATE
(MM DD YY)

800

SAMPLE TIME
(24 HOUR)

3.25

WATER VOL. IN CASING
(GALLONS)

10.0

ACTUAL VOL. PURGED
(GALLONS)

PURGING AND SAMPLING EQUIPMENT

PURGING EQUIPMENT.....DEDICATED ☒ N

(CIRCLE ONE)

SAMPLING EQUIPMENT.....DEDICATED ☒ N

(CIRCLE ONE)

PURGING DEVICE

G

A - SUBMERSIBLE PUMP

D - GAS LIFT PUMP

G - BAILER

X=

B - PERISTALTIC PUMP

E - PURGE PUMP

H - WATERRA®

PURGING DEVICE OTHER (SPECIFY)

SAMPLING DEVICE

G

C - BLADDER PUMP

F - DIPPER BOTTLE

X - OTHER

X=

SAMPLING DEVICE OTHER (SPECIFY)

PURGING MATERIAL

E

A - TEFLON

D - PVC

X=

B - STAINLESS STEEL

E - POLYETHYLENE

PURGING MATERIAL OTHER (SPECIFY)

SAMPLING MATERIAL

E

C - POLYPROPYLENE

X - OTHER

X=

SAMPLING MATERIAL OTHER (SPECIFY)

PURGE TUBING

C

A - TEFLON

D - POLYPROPYLENE

G - COMBINATION

X=

B - TYGON

E - POLYETHYLENE

TEFLON/POLYPROPYLENE

PURGE TUBING OTHER (SPECIFY)

SAMPLING TUBING

C

C - ROPE

F - SILICONE

X - OTHER

X=

SAMPLING TUBING OTHER (SPECIFY)

FILTERING DEVICES 0.45

A

A - IN-LINE DISPOSABLE

B - PRESSURE

C - VACUUM

FIELD MEASUREMENTS

DEPTH TO WATER

17.43

(feet)

WELL ELEVATION

97.75

(feet)

WELL DEPTH

37.75

(feet)

GROUNDWATER ELEVATION

80.32

(feet)

TEMPERATURE

pH

TDS

CONDUCTIVITY

ORP

VOLUME

1.70 18.50 (°C)

7.02 (std)

0.720 (g/L)

970 (µS/cm)

-29.5 (mV)

9.0 (gal)

1.00 18.25 (°C)

7.00 (std)

0.703 (g/L)

941 (µS/cm)

-10.4 (mV)

9.5 (gal)

1.54 18.35 (°C)

6.96 (std)

0.714 (g/L)

958 (µS/cm)

4.6 (mV)

10.0 (gal)

(°C)

(std)

(g/L)

(µS/cm)

(mV)

(gal)

(°C)

(std)

(g/L)

(µS/cm)

(mV)

(gal)

FIELD COMMENTS

SAMPLE APPEARANCE:

cloudy

ODOR:

None

COLOR:

slight orange

SHEEN ☒ N

WEATHER CONDITIONS:

TEMPERATURE

75°

WINDY ☒ N

PRECIPITATION ☒ N (IF Y TYPE)

SPECIFIC COMMENTS:

I CERTIFY THAT SAMPLING PROCEDURES WERE IN ACCORDANCE WITH APPLICABLE CRA PROTOCOLS

DATE

9.20.12

PRINT

Jason Press

SIGNATURE

[Signature]

WELL SAMPLING FIELD INFORMATION FORM

TE/PROJECT NAME:

Well Hall No.1

JOB#

074941

SAMPLE ID:

GW-074941-092012-JP-MW-5

WELL#

MW-4 MW-5

WELL PURGING INFORMATION

9.20.12
PURGE DATE
(MM DD YY)

9.20.12
SAMPLE DATE
(MM DD YY)

1735
SAMPLE TIME
(24 HOUR)

3.83
WATER VOL. IN CASING
(GALLONS)

17.25
ACTUAL VOL. PURGED
(GALLONS)

PURGING AND SAMPLING EQUIPMENT

PURGING EQUIPMENT.....DEDICATED ☒ N

(CIRCLE ONE)

SAMPLING EQUIPMENT.....DEDICATED ☒ N

(CIRCLE ONE)

PURGING DEVICE

G

A - SUBMERSIBLE PUMP

D - GAS LIFT PUMP

G - BAILER

X=

B - PERISTALTIC PUMP

E - PURGE PUMP

H - WATERRA®

PURGING DEVICE OTHER (SPECIFY)

SAMPLING DEVICE

G

C - BLADDER PUMP

F - DIPPER BOTTLE

X - OTHER

X=

SAMPLING DEVICE OTHER (SPECIFY)

PURGING MATERIAL

E

A - TEFLON

D - PVC

X=

B - STAINLESS STEEL

E - POLYETHYLENE

PURGING MATERIAL OTHER (SPECIFY)

SAMPLING MATERIAL

E

C - POLYPROPYLENE

X - OTHER

X=

SAMPLING MATERIAL OTHER (SPECIFY)

PURGE TUBING

C

A - TEFLON

D - POLYPROPYLENE

G - COMBINATION

X=

B - TYGON

E - POLYETHYLENE

TEFLON/POLYPROPYLENE

PURGE TUBING OTHER (SPECIFY)

SAMPLING TUBING

C

C - ROPE

F - SILICONE

X - OTHER

X=

SAMPLING TUBING OTHER (SPECIFY)

FILTERING DEVICES 0.45

A

A - IN-LINE DISPOSABLE

B - PRESSURE

C - VACUUM

FIELD MEASUREMENTS

DEPTH TO WATER

18.92

(feet)

WELL ELEVATION

98.81

(feet)

WELL DEPTH

42.91

(feet)

GROUNDWATER ELEVATION

79.89

(feet)

TEMPERATURE

pH

TDS

CONDUCTIVITY

ORP

VOLUME

17.50 (°C)

6.81 (std)

0.867 (g/L)

1143 (µS/cm)

20.9 (mV)

11.75 (gal)

17.41 (°C)

6.84 (std)

0.890 (g/L)

1172 (µS/cm)

23.9 (mV)

12.00 (gal)

17.65 (°C)

6.85 (std)

0.863 (g/L)

1141 (µS/cm)

27.4 (mV)

12.25 (gal)

(°C)

(std)

(g/L)

(µS/cm)

(mV)

(gal)

(°C)

(std)

(g/L)

(µS/cm)

(mV)

(gal)

FIELD COMMENTS

SAMPLE APPEARANCE:

slightly cloudy

ODOR:

None

COLOR:

light brown

SHEEN Y/N

Y

WEATHER CONDITIONS:

TEMPERATURE

~75°

WINDY Y/N

breezy

PRECIPITATION Y/N (IF Y TYPE)

Y

SPECIFIC COMMENTS:

I CERTIFY THAT SAMPLING PROCEDURES WERE IN ACCORDANCE WITH APPLICABLE CRA PROTOCOLS

9-20-12
DATE

Jason Ploss
PRINT

[Signature]
SIGNATURE

WELL SAMPLING FIELD INFORMATION FORM

TE/PROJECT NAME:

New Hall No. 1

JOB#

074941

SAMPLE ID:

Gw-074941-092012-1P-MW-6

WELL#

MW-6

WELL PURGING INFORMATION

9.20.12
PURGE DATE
(MM DD YY)

9.20.12
SAMPLE DATE
(MM DD YY)

1730
SAMPLE TIME
(24 HOUR)

3.22
WATER VOL. IN CASING
(GALLONS)

10.0
ACTUAL VOL. PURGED
(GALLONS)

PURGING AND SAMPLING EQUIPMENT

PURGING EQUIPMENT.....DEDICATED ☒ N
(CIRCLE ONE)

SAMPLING EQUIPMENT.....DEDICATED ☒ N
(CIRCLE ONE)

PURGING DEVICE	<u>G</u>	A - SUBMERSIBLE PUMP	D - GAS LIFT PUMP	G - BAILER	X= _____
		B - PERISTALTIC PUMP	E - PURGE PUMP	H - WATERRA®	PURGING DEVICE OTHER (SPECIFY)
SAMPLING DEVICE	<u>G</u>	C - BLADDER PUMP	F - DIPPER BOTTLE	X - OTHER	X= _____
					SAMPLING DEVICE OTHER (SPECIFY)
PURGING MATERIAL	<u>E</u>	A - TEFLON	D - PVC		X= _____
		B - STAINLESS STEEL	E - POLYETHYLENE		PURGING MATERIAL OTHER (SPECIFY)
SAMPLING MATERIAL	<u>E</u>	C - POLYPROPYLENE	X - OTHER		X= _____
					SAMPLING MATERIAL OTHER (SPECIFY)
PURGE TUBING	<u>C</u>	A - TEFLON	D - POLYPROPYLENE	G - COMBINATION	X= _____
		B - TYGON	E - POLYETHYLENE	TEFLON/POLYPROPYLENE	PURGE TUBING OTHER (SPECIFY)
SAMPLING TUBING	<u>C</u>	C - ROPE	F - SILICONE	X - OTHER	X= _____
					SAMPLING TUBING OTHER (SPECIFY)
FILTERING DEVICES 0.45	<u>A</u>	A - IN-LINE DISPOSABLE	B - PRESSURE	C - VACUUM	

FIELD MEASUREMENTS

DEPTH TO WATER	<u>18.25</u>	(feet)	WELL ELEVATION	<u>98.41</u>	(feet)
WELL DEPTH	<u>38.41</u>	(feet)	GROUNDWATER ELEVATION	<u>80.16</u>	(feet)

TEMPERATURE	pH	TDS	CONDUCTIVITY	ORP	VOLUME
<u>17.14</u> (°C)	<u>6.03</u> (std)	<u>1.155</u> (g/L)	<u>1510</u> (µS/cm)	<u>-91.5</u> (mV)	<u>9.0</u> (gal)
<u>16.99</u> (°C)	<u>6.08</u> (std)	<u>1.139</u> (g/L)	<u>1486</u> (µS/cm)	<u>-99.2</u> (mV)	<u>9.5</u> (gal)
<u>17.02</u> (°C)	<u>6.13</u> (std)	<u>1.147</u> (g/L)	<u>1497</u> (µS/cm)	<u>-104.3</u> (mV)	<u>10.0</u> (gal)
_____ (°C)	_____ (std)	_____ (g/L)	_____ (µS/cm)	_____ (mV)	_____ (gal)
_____ (°C)	_____ (std)	_____ (g/L)	_____ (µS/cm)	_____ (mV)	_____ (gal)

FIELD COMMENTS

SAMPLE APPEARANCE: black ODOR: hydrocarbon COLOR: black SHEEN Y/N? ☒

WEATHER CONDITIONS: TEMPERATURE ~80 WINDY Y/N breezy PRECIPITATION Y/N (if Y TYPE) _____

SPECIFIC COMMENTS: _____

Dp@ 1740

I CERTIFY THAT SAMPLING PROCEDURES WERE IN ACCORDANCE WITH APPLICABLE CWA PROTOCOLS

9.20.12
DATE

Jason Pless
PRINT

[Signature]
SIGNATURE

WELL SAMPLING FIELD INFORMATION FORM

WELL/PROJECT NAME:

Well Hall No. 1

JOB#

07 4941

SAMPLE ID:

6W-074941-122812-JMK-MW4

WELL#

4

WELL PURGING INFORMATION

12-28

PURGE DATE
(MM DD YY)

12-28

SAMPLE DATE
(MM DD YY)

1130

SAMPLE TIME
(24 HOUR)

1.557

WATER VOL. IN CASING
(GALLONS)

5

ACTUAL VOL. PURGED
(GALLONS)

PURGING AND SAMPLING EQUIPMENT

PURGING EQUIPMENT.....DEDICATED ☒ Y ☐ N

(CIRCLE ONE)

SAMPLING EQUIPMENT.....DEDICATED ☒ Y ☐ N

(CIRCLE ONE)

PURGING DEVICE

G

A - SUBMERSIBLE PUMP

D - GAS LIFT PUMP

G - BAILER

X=

B - PERISTALTIC PUMP

E - PURGE PUMP

H - WATERRA®

PURGING DEVICE OTHER (SPECIFY)

SAMPLING DEVICE

G

C - BLADDER PUMP

F - DIPPER BOTTLE

X - OTHER

X=

SAMPLING DEVICE OTHER (SPECIFY)

PURGING MATERIAL

E

A - TEFLON

D - PVC

X=

B - STAINLESS STEEL

E - POLYETHYLENE

PURGING MATERIAL OTHER (SPECIFY)

SAMPLING MATERIAL

E

C - POLYPROPYLENE

X - OTHER

X=

SAMPLING MATERIAL OTHER (SPECIFY)

PURGE TUBING

C

A - TEFLON

D - POLYPROPYLENE

G - COMBINATION

X=

B - TYGON

E - POLYETHYLENE

TEFLON/POLYPROPYLENE

PURGE TUBING OTHER (SPECIFY)

SAMPLING TUBING

C

C - ROPE

F - SILICONE

X - OTHER

X=

SAMPLING TUBING OTHER (SPECIFY)

FILTERING DEVICES 0.45

A

A - IN-LINE DISPOSABLE

B - PRESSURE

C - VACUUM

FIELD MEASUREMENTS

DEPTH TO WATER

28 02

(feet)

WELL ELEVATION

97 75

(feet)

WELL DEPTH

37 57 75

(feet)

GROUNDWATER ELEVATION

69 73

(feet)

TEMPERATURE

pH

TDS

CONDUCTIVITY

ORP

VOLUME

15.45 (°C)

7.19 (std)

1701 (g/L)

900 (µS/cm)

-75.3 (mV)

3.5 (gal)

12.02 (°C)

7.18 (std)

688 (g/L)

877 (µS/cm)

-82.7 (mV)

4 (gal)

16.28 (°C)

7.17 (std)

1670 (g/L)

860 (µS/cm)

-90.6 (mV)

4.5 (gal)

_____ (°C)

_____ (std)

_____ (g/L)

_____ (µS/cm)

_____ (mV)

_____ (gal)

_____ (°C)

_____ (std)

_____ (g/L)

_____ (µS/cm)

_____ (mV)

_____ (gal)

FIELD COMMENTS

SAMPLE APPEARANCE:

ODOR:

COLOR:

SHEEN Y/N

WEATHER CONDITIONS:

TEMPERATURE

WINDY Y/N

PRECIPITATION Y/N (IF Y TYPE)

SPECIFIC COMMENTS:

I CERTIFY THAT SAMPLING PROCEDURES WERE IN ACCORDANCE WITH APPLICABLE CRA PROTOCOLS

DATE

PRINT

SIGNATURE

WELL SAMPLING FIELD INFORMATION FORM

ITE/PROJECT NAME:

Well Hall No. 1

JOB#

074941

SAMPLE ID:

GV-074941-122812-SMK-MW5

WELL#

5

WELL PURGING INFORMATION

12-28

PURGE DATE
(MM DD YY)

12-28

SAMPLE DATE
(MM DD YY)

1215

SAMPLE TIME
(24 HOUR)

2.166

WATER VOL. IN CASING
(GALLONS)

6.5

ACTUAL VOL. PURGED
(GALLONS)

PURGING AND SAMPLING EQUIPMENT

PURGING EQUIPMENT.....DEDICATED ☒ Y ☐ N

(CIRCLE ONE)

SAMPLING EQUIPMENT.....DEDICATED ☒ Y ☐ N

(CIRCLE ONE)

PURGING DEVICE

☒ G

A - SUBMERSIBLE PUMP

D - GAS LIFT PUMP

G - BAILER

X=

B - PERISTALTIC PUMP

E - PURGE PUMP

H - WATERRA®

PURGING DEVICE OTHER (SPECIFY)

SAMPLING DEVICE

☒ G

C - BLADDER PUMP

F - DIPPER BOTTLE

X - OTHER

X=

SAMPLING DEVICE OTHER (SPECIFY)

PURGING MATERIAL

☒ E

A - TEFLON

D - PVC

X=

B - STAINLESS STEEL

E - POLYETHYLENE

PURGING MATERIAL OTHER (SPECIFY)

SAMPLING MATERIAL

☒ E

C - POLYPROPYLENE

X - OTHER

X=

SAMPLING MATERIAL OTHER (SPECIFY)

PURGE TUBING

☒ C

A - TEFLON

D - POLYPROPYLENE

G - COMBINATION

X=

B - TYGON

E - POLYETHYLENE

TEFLON/POLYPROPYLENE

PURGE TUBING OTHER (SPECIFY)

SAMPLING TUBING

☒ C

C - ROPE

F - SILICONE

X - OTHER

X=

SAMPLING TUBING OTHER (SPECIFY)

FILTERING DEVICES 0.45

☒ A

A - IN-LINE DISPOSABLE

B - PRESSURE

C - VACUUM

FIELD MEASUREMENTS

DEPTH TO WATER

29 37

(feet)

WELL ELEVATION

98 81

(feet)

WELL DEPTH

42 99

(feet)

GROUNDWATER ELEVATION

69 44

(feet)

TEMPERATURE

pH

TDS

CONDUCTIVITY

ORP

VOLUME

16.43 (°C)

1.07 (std)

8.648 (g/L)

834 (µS/cm)

6.2 (mV)

5.3 (gal)

16.34 (°C)

7.24 (std)

8.665 (g/L)

857 (µS/cm)

12.8 (mV)

6.0 (gal)

16.36 (°C)

7.25 (std)

8.675 (g/L)

867 (µS/cm)

11.2 (mV)

6.5 (gal)

_____ (°C)

_____ (std)

_____ (g/L)

_____ (µS/cm)

_____ (mV)

_____ (gal)

_____ (°C)

_____ (std)

_____ (g/L)

_____ (µS/cm)

_____ (mV)

_____ (gal)

FIELD COMMENTS

SAMPLE APPEARANCE:

ODOR:

COLOR:

SHEEN Y/N

WEATHER CONDITIONS:

TEMPERATURE

WINDY Y/N

PRECIPITATION Y/N (IF Y TYPE)

SPECIFIC COMMENTS:

I CERTIFY THAT SAMPLING PROCEDURES WERE IN ACCORDANCE WITH APPLICABLE CRA PROTOCOLS

DATE

PRINT

SIGNATURE

WELL SAMPLING FIELD INFORMATION FORM

WELL/PROJECT NAME:

Nell Hall No. 1

JOB#

074941

SAMPLE ID:

6W-074941-122812-JMK-MW6

WELL#

6

WELL PURGING INFORMATION

12-28

PURGE DATE
(MM DD YY)

12-28

SAMPLE DATE
(MM DD YY)

1300

SAMPLE TIME
(24 HOUR)

1.456

WATER VOL. IN CASING
(GALLONS)

4.5

ACTUAL VOL. PURGED
(GALLONS)

PURGING AND SAMPLING EQUIPMENT

PURGING EQUIPMENT.....DEDICATED ☒ Y ☐ N

(CIRCLE ONE)

SAMPLING EQUIPMENT.....DEDICATED ☒ Y ☐ N

(CIRCLE ONE)

PURGING DEVICE

☒ G

A - SUBMERSIBLE PUMP

D - GAS LIFT PUMP

G - BAILER

X=

B - PERISTALTIC PUMP

E - PURGE PUMP

H - WATERRA®

PURGING DEVICE OTHER (SPECIFY)

SAMPLING DEVICE

☒ G

C - BLADDER PUMP

F - DIPPER BOTTLE

X - OTHER

X=

SAMPLING DEVICE OTHER (SPECIFY)

PURGING MATERIAL

☒ F

A - TEFLON

D - PVC

X=

B - STAINLESS STEEL

E - POLYETHYLENE

PURGING MATERIAL OTHER (SPECIFY)

SAMPLING MATERIAL

☒ F

C - POLYPROPYLENE

X - OTHER

X=

SAMPLING MATERIAL OTHER (SPECIFY)

PURGE TUBING

☒ C

A - TEFLON

D - POLYPROPYLENE

G - COMBINATION

X=

B - TYGON

E - POLYETHYLENE

TEFLON/POLYPROPYLENE

PURGE TUBING OTHER (SPECIFY)

SAMPLING TUBING

☒ C

C - ROPE

F - SILICONE

X - OTHER

X=

SAMPLING TUBING OTHER (SPECIFY)

FILTERING DEVICES 0.45

☒ A

A - IN-LINE DISPOSABLE

B - PRESSURE

C - VACUUM

FIELD MEASUREMENTS

DEPTH TO WATER

29

11

(feet)

WELL ELEVATION

98

41

(feet)

WELL DEPTH

38

21

(feet)

GROUNDWATER ELEVATION

69

30

(feet)

TEMPERATURE

pH

TDS

CONDUCTIVITY

ORP

VOLUME

15.60 (°C)

6.87 (std)

182 (g/L)

985 (µS/cm)

-123.4 (mV)

3.25 (gal)

15.95 (°C)

6.87 (std)

792 (g/L)

1008 (µS/cm)

-134.8 (mV)

3.75 (gal)

15.99 (°C)

6.5 (std)

792 (g/L)

1009 (µS/cm)

-130.0 (mV)

4.25 (gal)

(°C)

(std)

(g/L)

(µS/cm)

(mV)

(gal)

(°C)

(std)

(g/L)

(µS/cm)

(mV)

(gal)

FIELD COMMENTS

SAMPLE APPEARANCE:

ODOR:

COLOR:

SHEN Y/N

WEATHER CONDITIONS:

TEMPERATURE

WINDY Y/N

PRECIPITATION Y/N (IF Y TYPE)

SPECIFIC COMMENTS:

I CERTIFY THAT SAMPLING PROCEDURES WERE IN ACCORDANCE WITH APPLICABLE CRA PROTOCOLS

DATE

PRINT

SIGNATURE

APPENDIX B

2012 QUARTERLY GROUNDWATER LABORATORY ANALYTICAL REPORTS

March 23, 2012

Christine Matthews
CRA
6121 Indian School Rd NE
Suite 200
Albuquerque, NM 87110

RE: Project: NELL HALL NO. 1 (074941)
Pace Project No.: 60117007

Dear Christine Matthews:

Enclosed are the analytical results for sample(s) received by the laboratory on March 10, 2012. The results relate only to the samples included in this report. Results reported herein conform to the most current TNI standards and the laboratory's Quality Assurance Manual, where applicable, unless otherwise noted in the body of the report.

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Alice Tracy

alice.tracy@pacelabs.com
Project Manager

Enclosures

cc: Kelly Blanchard, COP Conestoga-Rovers & Associa
Angela Bown, COP Conestoga-Rovers & Associa



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Page 1 of 18

CERTIFICATIONS

Project: NELL HALL NO. 1 (074941)

Pace Project No.: 60117007

Kansas Certification IDs

9608 Loiret Boulevard, Lenexa, KS 66219

A2LA Certification #: 2456.01

Arkansas Certification #: 05-008-0

Illinois Certification #: 001191

Iowa Certification #: 118

Kansas/NELAP Certification #: E-10116

Louisiana Certification #: 03055

Nevada Certification #: KS000212008A

Oklahoma Certification #: 9205/9935

Texas Certification #: T104704407-08-TX

Utah Certification #: 9135995665

REPORT OF LABORATORY ANALYSIS

Page 2 of 18

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

SAMPLE SUMMARY

Project: NELL HALL NO. 1 (074941)

Pace Project No.: 60117007

Lab ID	Sample ID	Matrix	Date Collected	Date Received
60117007001	GW-074941-3712-CB-MW-4	Water	03/07/12 17:35	03/10/12 09:00
60117007002	GW-074941-3712-CB-MW-5	Water	03/07/12 17:45	03/10/12 09:00
60117007003	GW-074941-3712-CB-MW-6	Water	03/08/12 16:45	03/10/12 09:00
60117007004	GW-074941-3712-CB-DUP	Water	03/07/12 17:40	03/10/12 09:00
60117007005	TRIP BLANK	Water	03/08/12 18:45	03/10/12 09:00

REPORT OF LABORATORY ANALYSIS

Page 3 of 18

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

SAMPLE ANALYTE COUNT

Project: NELL HALL NO. 1 (074941)

Pace Project No.: 60117007

Lab ID	Sample ID	Method	Analysts	Analytes Reported
60117007001	GW-074941-3712-CB-MW-4	EPA 6010	JGP	1
		EPA 8260	RNS	9
60117007002	GW-074941-3712-CB-MW-5	EPA 6010	JGP	1
		EPA 8260	RNS	9
60117007003	GW-074941-3712-CB-MW-6	EPA 6010	JGP	1
		EPA 8260	RNS	9
60117007004	GW-074941-3712-CB-DUP	EPA 8260	RNS	9
60117007005	TRIP BLANK	EPA 8260	RNS	9

REPORT OF LABORATORY ANALYSIS

Page 4 of 18

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

PROJECT NARRATIVE

Project: NELL HALL NO. 1 (074941)

Pace Project No.: 60117007

Method: EPA 6010

Description: 6010 MET ICP, Dissolved

Client: COP Conestoga-Rovers & Associates, Inc. NM

Date: March 23, 2012

General Information:

3 samples were analyzed for EPA 6010. All samples were received in acceptable condition with any exceptions noted below.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Sample Preparation:

The samples were prepared in accordance with EPA 3010 with any exceptions noted below.

Initial Calibrations (including MS Tune as applicable):

All criteria were within method requirements with any exceptions noted below.

Continuing Calibration:

All criteria were within method requirements with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

Duplicate Sample:

All duplicate sample results were within method acceptance criteria with any exceptions noted below.

Additional Comments:

REPORT OF LABORATORY ANALYSIS

Page 5 of 18

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

PROJECT NARRATIVE

Project: NELL HALL NO. 1 (074941)

Pace Project No.: 60117007

Method: EPA 8260

Description: 8260 MSV UST, Water

Client: COP Conestoga-Rovers & Associates, Inc. NM

Date: March 23, 2012

General Information:

5 samples were analyzed for EPA 8260. All samples were received in acceptable condition with any exceptions noted below.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Initial Calibrations (including MS Tune as applicable):

All criteria were within method requirements with any exceptions noted below.

Continuing Calibration:

All criteria were within method requirements with any exceptions noted below.

Internal Standards:

All internal standards were within QC limits with any exceptions noted below.

Surrogates:

All surrogates were within QC limits with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

QC Batch: MSV/44313

A matrix spike/matrix spike duplicate was not performed due to insufficient sample volume.

QC Batch: MSV/44314

A matrix spike/matrix spike duplicate was not performed due to insufficient sample volume.

QC Batch: MSV/44384

A matrix spike/matrix spike duplicate was not performed due to insufficient sample volume.

Duplicate Sample:

All duplicate sample results were within method acceptance criteria with any exceptions noted below.

Additional Comments:

REPORT OF LABORATORY ANALYSIS

Page 6 of 18

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

PROJECT NARRATIVE

Project: NELL HALL NO. 1 (074941)

Pace Project No.: 60117007

Method: EPA 8260

Description: 8260 MSV UST, Water

Client: COP Conestoga-Rovers & Associates, Inc. NM

Date: March 23, 2012

Analyte Comments:

QC Batch: MSV/44314

B: Analyte was detected in the associated method blank.

- TRIP BLANK (Lab ID: 60117007005)
- Toluene

This data package has been reviewed for quality and completeness and is approved for release.

REPORT OF LABORATORY ANALYSIS

Page 7 of 18

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: NELL HALL NO. 1 (074941)

Pace Project No.: 60117007

Sample: GW-074941-3712-CB-MW-4 **Lab ID:** 60117007001 **Collected:** 03/07/12 17:35 **Received:** 03/10/12 09:00 **Matrix:** Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
6010 MET ICP, Dissolved									
Analytical Method: EPA 6010 Preparation Method: EPA 3010									
Iron, Dissolved	782	ug/L	50.0	6.0	1	03/14/12 16:35	03/20/12 12:19	7439-89-6	
8260 MSV UST, Water									
Analytical Method: EPA 8260									
Benzene	ND	ug/L	1.0	0.040	1		03/21/12 12:59	71-43-2	
Ethylbenzene	ND	ug/L	1.0	0.10	1		03/21/12 12:59	100-41-4	
Toluene	ND	ug/L	1.0	0.10	1		03/21/12 12:59	108-88-3	
Xylene (Total)	ND	ug/L	3.0	0.30	1		03/21/12 12:59	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	96 %		86-112		1		03/21/12 12:59	1868-53-7	
Toluene-d8 (S)	99 %		90-110		1		03/21/12 12:59	2037-26-5	
4-Bromofluorobenzene (S)	100 %		87-113		1		03/21/12 12:59	460-00-4	
1,2-Dichloroethane-d4 (S)	93 %		82-119		1		03/21/12 12:59	17060-07-0	
Preservation pH	1.0		1.0	0.10	1		03/21/12 12:59		

ANALYTICAL RESULTS

Project: NELL HALL NO. 1 (074941)

Pace Project No.: 60117007

Sample: GW-074941-3712-CB-MW-5 Lab ID: 60117007002 Collected: 03/07/12 17:45 Received: 03/10/12 09:00 Matrix: Water									
Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
6010 MET ICP, Dissolved Analytical Method: EPA 6010 Preparation Method: EPA 3010									
Iron, Dissolved	9.0J	ug/L	50.0	6.0	1	03/14/12 16:35	03/20/12 12:29	7439-89-6	
8260 MSV UST, Water Analytical Method: EPA 8260									
Benzene	ND	ug/L	1.0	0.040	1		03/21/12 13:16	71-43-2	
Ethylbenzene	ND	ug/L	1.0	0.10	1		03/21/12 13:16	100-41-4	
Toluene	ND	ug/L	1.0	0.10	1		03/21/12 13:16	108-88-3	
Xylene (Total)	ND	ug/L	3.0	0.30	1		03/21/12 13:16	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	97 %		86-112		1		03/21/12 13:16	1868-53-7	
Toluene-d8 (S)	98 %		90-110		1		03/21/12 13:16	2037-26-5	
4-Bromofluorobenzene (S)	102 %		87-113		1		03/21/12 13:16	460-00-4	
1,2-Dichloroethane-d4 (S)	95 %		82-119		1		03/21/12 13:16	17060-07-0	
Preservation pH	1.0		1.0	0.10	1		03/21/12 13:16		

ANALYTICAL RESULTS

Project: NELL HALL NO. 1 (074941)

Pace Project No.: 60117007

Sample: GW-074941-3712-CB-MW-6 **Lab ID:** 60117007003 Collected: 03/08/12 16:45 Received: 03/10/12 09:00 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
6010 MET ICP, Dissolved									
Analytical Method: EPA 6010 Preparation Method: EPA 3010									
Iron, Dissolved	22500	ug/L	50.0	6.0	1	03/14/12 16:35	03/20/12 12:33	7439-89-6	
8260 MSV UST, Water									
Analytical Method: EPA 8260									
Benzene	47.7	ug/L	1.0	0.040	1		03/21/12 15:02	71-43-2	
Ethylbenzene	7.3	ug/L	1.0	0.10	1		03/21/12 15:02	100-41-4	
Toluene	ND	ug/L	1.0	0.10	1		03/21/12 15:02	108-88-3	
Xylene (Total)	19.2	ug/L	3.0	0.30	1		03/21/12 15:02	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	95 %		86-112		1		03/21/12 15:02	1868-53-7	
Toluene-d8 (S)	102 %		90-110		1		03/21/12 15:02	2037-26-5	
4-Bromofluorobenzene (S)	99 %		87-113		1		03/21/12 15:02	460-00-4	
1,2-Dichloroethane-d4 (S)	92 %		82-119		1		03/21/12 15:02	17060-07-0	
Preservation pH	1.0		1.0	0.10	1		03/21/12 15:02		

ANALYTICAL RESULTS

Project: NELL HALL NO. 1 (074941)

Pace Project No.: 60117007

Sample: GW-074941-3712-CB-DUP Lab ID: 60117007004 Collected: 03/07/12 17:40 Received: 03/10/12 09:00 Matrix: Water									
Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV UST, Water Analytical Method: EPA 8260									
Benzene	ND	ug/L	1.0	0.040	1		03/21/12 15:19	71-43-2	
Ethylbenzene	ND	ug/L	1.0	0.10	1		03/21/12 15:19	100-41-4	
Toluene	ND	ug/L	1.0	0.10	1		03/21/12 15:19	108-88-3	
Xylene (Total)	ND	ug/L	3.0	0.30	1		03/21/12 15:19	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	98 %		86-112		1		03/21/12 15:19	1868-53-7	
Toluene-d8 (S)	100 %		90-110		1		03/21/12 15:19	2037-26-5	
4-Bromofluorobenzene (S)	102 %		87-113		1		03/21/12 15:19	460-00-4	
1,2-Dichloroethane-d4 (S)	94 %		82-119		1		03/21/12 15:19	17060-07-0	
Preservation pH	1.0		1.0	0.10	1		03/21/12 15:19		

ANALYTICAL RESULTS

Project: NELL HALL NO. 1 (074941)

Pace Project No.: 60117007

Sample: TRIP BLANK		Lab ID: 60117007005	Collected: 03/08/12 18:45	Received: 03/10/12 09:00	Matrix: Water				
Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV UST, Water		Analytical Method: EPA 8260							
Benzene	0.20J	ug/L	1.0	0.040	1		03/20/12 11:28	71-43-2	
Ethylbenzene	ND	ug/L	1.0	0.10	1		03/20/12 11:28	100-41-4	
Toluene	0.68J	ug/L	1.0	0.10	1		03/20/12 11:28	108-88-3	B
Xylene (Total)	ND	ug/L	3.0	0.30	1		03/20/12 11:28	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	98 %		86-112		1		03/20/12 11:28	1868-53-7	
Toluene-d8 (S)	99 %		90-110		1		03/20/12 11:28	2037-26-5	
4-Bromofluorobenzene (S)	101 %		87-113		1		03/20/12 11:28	460-00-4	
1,2-Dichloroethane-d4 (S)	97 %		82-119		1		03/20/12 11:28	17060-07-0	
Preservation pH	1.0		1.0	0.10	1		03/20/12 11:28		

QUALITY CONTROL DATA

Project: NELL HALL NO. 1 (074941)

Pace Project No.: 60117007

QC Batch: MPRP/17310 Analysis Method: EPA 6010
QC Batch Method: EPA 3010 Analysis Description: 6010 MET Dissolved
Associated Lab Samples: 60117007001, 60117007002, 60117007003

METHOD BLANK: 965102 Matrix: Water

Associated Lab Samples: 60117007001, 60117007002, 60117007003

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Iron, Dissolved	ug/L	41.8J	50.0	03/20/12 11:47	

LABORATORY CONTROL SAMPLE: 965103

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Iron, Dissolved	ug/L	10000	10000	100	80-120	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 965104 965105

Parameter	Units	60117005001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	Max RPD	Qual
Iron, Dissolved	ug/L	40.9J	10000	10000	10800	10800	107	107	75-125	0 20	

QUALITY CONTROL DATA

Project: NELL HALL NO. 1 (074941)

Pace Project No.: 60117007

QC Batch: MSV/44313

Analysis Method: EPA 8260

QC Batch Method: EPA 8260

Analysis Description: 8260 MSV UST-WATER

Associated Lab Samples: 60117007001, 60117007002

METHOD BLANK: 967865

Matrix: Water

Associated Lab Samples: 60117007001, 60117007002

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Benzene	ug/L	ND	1.0	03/21/12 10:21	
Ethylbenzene	ug/L	ND	1.0	03/21/12 10:21	
Toluene	ug/L	0.14J	1.0	03/21/12 10:21	
Xylene (Total)	ug/L	ND	3.0	03/21/12 10:21	
1,2-Dichloroethane-d4 (S)	%	95	82-119	03/21/12 10:21	
4-Bromofluorobenzene (S)	%	102	87-113	03/21/12 10:21	
Dibromofluoromethane (S)	%	96	86-112	03/21/12 10:21	
Toluene-d8 (S)	%	98	90-110	03/21/12 10:21	

LABORATORY CONTROL SAMPLE: 967866

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Benzene	ug/L	20	21.2	106	82-117	
Ethylbenzene	ug/L	20	21.8	109	79-121	
Toluene	ug/L	20	21.3	107	80-120	
Xylene (Total)	ug/L	60	68.1	113	79-120	
1,2-Dichloroethane-d4 (S)	%			92	82-119	
4-Bromofluorobenzene (S)	%			100	87-113	
Dibromofluoromethane (S)	%			96	86-112	
Toluene-d8 (S)	%			98	90-110	

QUALITY CONTROL DATA

Project: NELL HALL NO. 1 (074941)

Pace Project No.: 60117007

QC Batch: MSV/44314

Analysis Method: EPA 8260

QC Batch Method: EPA 8260

Analysis Description: 8260 MSV UST-WATER

Associated Lab Samples: 60117007005

METHOD BLANK: 967867

Matrix: Water

Associated Lab Samples: 60117007005

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Benzene	ug/L	ND	1.0	03/20/12 10:01	
Ethylbenzene	ug/L	ND	1.0	03/20/12 10:01	
Toluene	ug/L	0.14J	1.0	03/20/12 10:01	
Xylene (Total)	ug/L	ND	3.0	03/20/12 10:01	
1,2-Dichloroethane-d4 (S)	%	96	82-119	03/20/12 10:01	
4-Bromofluorobenzene (S)	%	102	87-113	03/20/12 10:01	
Dibromofluoromethane (S)	%	97	86-112	03/20/12 10:01	
Toluene-d8 (S)	%	100	90-110	03/20/12 10:01	

LABORATORY CONTROL SAMPLE: 967868

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Benzene	ug/L	20	20.8	104	82-117	
Ethylbenzene	ug/L	20	20.5	102	79-121	
Toluene	ug/L	20	20.3	102	80-120	
Xylene (Total)	ug/L	60	64.1	107	79-120	
1,2-Dichloroethane-d4 (S)	%			95	82-119	
4-Bromofluorobenzene (S)	%			100	87-113	
Dibromofluoromethane (S)	%			99	86-112	
Toluene-d8 (S)	%			100	90-110	

QUALITY CONTROL DATA

Project: NELL HALL NO. 1 (074941)

Pace Project No.: 60117007

QC Batch: MSV/44384

Analysis Method: EPA 8260

QC Batch Method: EPA 8260

Analysis Description: 8260 MSV UST-WATER

Associated Lab Samples: 60117007003, 60117007004

METHOD BLANK: 969122

Matrix: Water

Associated Lab Samples: 60117007003, 60117007004

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Benzene	ug/L	ND	1.0	03/21/12 14:44	
Ethylbenzene	ug/L	ND	1.0	03/21/12 14:44	
Toluene	ug/L	ND	1.0	03/21/12 14:44	
Xylene (Total)	ug/L	ND	3.0	03/21/12 14:44	
1,2-Dichloroethane-d4 (S)	%	94	82-119	03/21/12 14:44	
4-Bromofluorobenzene (S)	%	100	87-113	03/21/12 14:44	
Dibromofluoromethane (S)	%	98	86-112	03/21/12 14:44	
Toluene-d8 (S)	%	99	90-110	03/21/12 14:44	

LABORATORY CONTROL SAMPLE: 969123

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Benzene	ug/L	20	19.9	99	82-117	
Ethylbenzene	ug/L	20	20.2	101	79-121	
Toluene	ug/L	20	19.9	100	80-120	
Xylene (Total)	ug/L	60	62.8	105	79-120	
1,2-Dichloroethane-d4 (S)	%			95	82-119	
4-Bromofluorobenzene (S)	%			99	87-113	
Dibromofluoromethane (S)	%			98	86-112	
Toluene-d8 (S)	%			100	90-110	

QUALIFIERS

Project: NELL HALL NO. 1 (074941)

Pace Project No.: 60117007

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

S - Surrogate

1,2-Diphenylhydrazine (8270 listed analyte) decomposes to Azobenzene.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

BATCH QUALIFIERS

Batch: MSV/44313

[M5] A matrix spike/matrix spike duplicate was not performed for this batch due to insufficient sample volume.

Batch: MSV/44314

[M5] A matrix spike/matrix spike duplicate was not performed for this batch due to insufficient sample volume.

Batch: MSV/44384

[M5] A matrix spike/matrix spike duplicate was not performed for this batch due to insufficient sample volume.

ANALYTE QUALIFIERS

B Analyte was detected in the associated method blank.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: NELL HALL NO. 1 (074941)

Pace Project No.: 60117007

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
60117007001	GW-074941-3712-CB-MW-4	EPA 3010	MPRP/17310	EPA 6010	ICP/14765
60117007002	GW-074941-3712-CB-MW-5	EPA 3010	MPRP/17310	EPA 6010	ICP/14765
60117007003	GW-074941-3712-CB-MW-6	EPA 3010	MPRP/17310	EPA 6010	ICP/14765
60117007001	GW-074941-3712-CB-MW-4	EPA 8260	MSV/44313		
60117007002	GW-074941-3712-CB-MW-5	EPA 8260	MSV/44313		
60117007003	GW-074941-3712-CB-MW-6	EPA 8260	MSV/44384		
60117007004	GW-074941-3712-CB-DUP	EPA 8260	MSV/44384		
60117007005	TRIP BLANK	EPA 8260	MSV/44314		



Sample Condition Upon Receipt – ESI Tech Specs

Client Name: COP CRA

Project #: 6017007

Courier: Fed Ex ☒ UPS ☐ USPS ☐ Client ☐ Commercial ☐ Pace ☐ Other ☐

Optional

Tracking #: 898638321843

Pace Shipping Label Used? Yes ☒ No ☐

Proj Due Date: 3/22/12
Proj Name:

Custody Seal on Cooler/Box Present: Yes ☒ No ☐ Seals intact: Yes ☒ No ☐

Packing Material: Bubble Wrap ☐ Bubble Bags ☐ Foam ☒ None ☐ Other ☐

Thermometer Used: T-19 / T-194

Type of Ice: Wet Blue None ☐ Samples received on ice, cooling process has begun.
(circle one)

Cooler Temperature: 2-7

Date and initials of person examining contents: PC 3-10-12

Temperature should be above freezing to 6°C

Chain of Custody present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	1.
Chain of Custody filled out:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	2.
Chain of Custody relinquished:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	3.
Sampler name & signature on COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	4.
Samples arrived within holding time:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	5.
Short Hold Time analyses (<72hr):	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	6.
Rush Turn Around Time requested:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	7.
Sufficient volume:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	8.
Correct containers used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	9.
-Pace containers used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	9.
Containers intact:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	10.
Unpreserved 5035A soils frozen w/in 48hrs?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	11.
Filtered volume received for dissolved tests?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	12.
Sample labels match COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	13.
-Includes date/time/ID/analyses Matrix:	<u>WT</u>	13.
All containers needing preservation have been checked.	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	14.
All containers needing preservation are found to be in compliance with EPA recommendation.	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	14.
Exceptions: <u>VOA</u> , coliform, TOC, O&G, WI-DRO (water), Phenolics	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Initial when completed
Trip Blank present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	Lot # of added preservative
Pace Trip Blank lot # (if purchased): <u>013012-3</u>		15.
Headspace in VOA vials (>6mm):	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	16.
Project sampled in USDA Regulated Area:	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	17. List State: <u>NC</u>

Client Notification/ Resolution:

Copy COC to Client? Y / N

Field Data Required? Y / N

Person Contacted: _____

Date/Time: _____

Comments/ Resolution: _____

Temp Log: Record start and finish times when unpacking cooler, if >20 min, recheck sample temps.

Start: <u>1243</u>	Start:
End: <u>1449</u>	End:
Temp:	Temp:

Project Manager Review: AKR

Date: 3/12/12

Note: Whenever there is a discrepancy affecting North Carolina compliance samples, a copy of this form will be sent to the NCDENR Certification Office (i.e. out of hold, incorrect preservative, out of temp, incorrect containers).

June 19, 2012

Christine Matthews
CRA
6121 Indian School Rd NE
Suite 200
Albuquerque, NM 87110

RE: Project: NELL HALL NO 1 074941
Pace Project No.: 60122809

Dear Christine Matthews:

Enclosed are the analytical results for sample(s) received by the laboratory on June 07, 2012. The results relate only to the samples included in this report. Results reported herein conform to the most current TNI standards and the laboratory's Quality Assurance Manual, where applicable, unless otherwise noted in the body of the report.

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Alice Flanagan

alice.flanagan@pacelabs.com
Project Manager

Enclosures

cc: Kelly Blanchard, COP Conestoga-Rovers & Associa
Angela Bown, COP Conestoga-Rovers & Associa



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Page 1 of 18

CERTIFICATIONS

Project: NELL HALL NO 1 074941

Pace Project No.: 60122809

Kansas Certification IDs

9608 Loiret Boulevard, Lenexa, KS 66219

A2LA Certification #: 2456.01

Arkansas Certification #: 05-008-0

Illinois Certification #: 001191

Iowa Certification #: 118

Kansas/NELAP Certification #: E-10116

Louisiana Certification #: 03055

Nevada Certification #: KS000212008A

Oklahoma Certification #: 9205/9935

Texas Certification #: T104704407-08-TX

Utah Certification #: 9135995665

REPORT OF LABORATORY ANALYSIS

Page 2 of 18

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

SAMPLE SUMMARY

Project: NELL HALL NO 1 074941

Pace Project No.: 60122809

Lab ID	Sample ID	Matrix	Date Collected	Date Received
60122809001	GW-074941-060412-CB-MW-4	Water	06/04/12 18:05	06/07/12 09:00
60122809002	GW-074941-060412-CB-MW-5	Water	06/04/12 17:40	06/07/12 09:00
60122809003	GW-074941-060412-CB-MW-6	Water	06/04/12 17:25	06/07/12 09:00
60122809004	GW-074941-060412-CB-DUP	Water	06/04/12 17:30	06/07/12 09:00
60122809005	TRIP BLANK	Water	06/04/12 09:00	06/07/12 09:00

REPORT OF LABORATORY ANALYSIS

Page 3 of 18

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

SAMPLE ANALYTE COUNT

Project: NELL HALL NO 1 074941

Pace Project No.: 60122809

Lab ID	Sample ID	Method	Analysts	Analytes Reported
60122809001	GW-074941-060412-CB-MW-4	EPA 6010	JDH	1
		EPA 8260	PRG	9
60122809002	GW-074941-060412-CB-MW-5	EPA 6010	JDH	1
		EPA 8260	PRG	9
60122809003	GW-074941-060412-CB-MW-6	EPA 6010	JDH	1
		EPA 8260	PRG	9
60122809004	GW-074941-060412-CB-DUP	EPA 8260	RNS	9
60122809005	TRIP BLANK	EPA 8260	PRG	9

REPORT OF LABORATORY ANALYSIS

Page 4 of 18

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

PROJECT NARRATIVE

Project: NELL HALL NO 1 074941

Pace Project No.: 60122809

Method: EPA 6010

Description: 6010 MET ICP, Dissolved

Client: COP Conestoga-Rovers & Associates, Inc. NM

Date: June 19, 2012

General Information:

3 samples were analyzed for EPA 6010. All samples were received in acceptable condition with any exceptions noted below.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Sample Preparation:

The samples were prepared in accordance with EPA 3010 with any exceptions noted below.

Initial Calibrations (including MS Tune as applicable):

All criteria were within method requirements with any exceptions noted below.

Continuing Calibration:

All criteria were within method requirements with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

Duplicate Sample:

All duplicate sample results were within method acceptance criteria with any exceptions noted below.

Additional Comments:

Analyte Comments:

QC Batch: MPRP/18386

B: Analyte was detected in the associated method blank.

- GW-074941-060412-CB-MW-4 (Lab ID: 60122809001)
 - Iron, Dissolved
- GW-074941-060412-CB-MW-6 (Lab ID: 60122809003)
 - Iron, Dissolved

REPORT OF LABORATORY ANALYSIS

Page 5 of 18

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

PROJECT NARRATIVE

Project: NELL HALL NO 1 074941

Pace Project No.: 60122809

Method: EPA 8260

Description: 8260 MSV UST, Water

Client: COP Conestoga-Rovers & Associates, Inc. NM

Date: June 19, 2012

General Information:

5 samples were analyzed for EPA 8260. All samples were received in acceptable condition with any exceptions noted below.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Initial Calibrations (including MS Tune as applicable):

All criteria were within method requirements with any exceptions noted below.

Continuing Calibration:

All criteria were within method requirements with any exceptions noted below.

Internal Standards:

All internal standards were within QC limits with any exceptions noted below.

Surrogates:

All surrogates were within QC limits with any exceptions noted below.

QC Batch: MSV/46219

S0: Surrogate recovery outside laboratory control limits.

- GW-074941-060412-CB-MW-4 (Lab ID: 60122809001)
- 4-Bromofluorobenzene (S)

Method Blank:

All analytes were below the report limit in the method blank with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

QC Batch: MSV/46219

A matrix spike/matrix spike duplicate was not performed due to insufficient sample volume.

QC Batch: MSV/46307

A matrix spike/matrix spike duplicate was not performed due to insufficient sample volume.

Duplicate Sample:

All duplicate sample results were within method acceptance criteria with any exceptions noted below.

Additional Comments:

REPORT OF LABORATORY ANALYSIS

Page 6 of 18

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

PROJECT NARRATIVE

Project: NELL HALL NO 1 074941

Pace Project No.: 60122809

Method: EPA 8260

Description: 8260 MSV UST, Water

Client: COP Conestoga-Rovers & Associates, Inc. NM

Date: June 19, 2012

Batch Comments:

- QC Batch: MSV / 46346

This data package has been reviewed for quality and completeness and is approved for release.

REPORT OF LABORATORY ANALYSIS

Page 7 of 18

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: NELL HALL NO 1 074941

Pace Project No.: 60122809

Sample: GW-074941-060412-CB-MW-4 **Lab ID:** 60122809001 Collected: 06/04/12 18:05 Received: 06/07/12 09:00 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
6010 MET ICP, Dissolved									
Analytical Method: EPA 6010 Preparation Method: EPA 3010									
Iron, Dissolved	1170	ug/L	50.0	17.2	1	06/15/12 15:55	06/18/12 12:48	7439-89-6	B
8260 MSV UST, Water									
Analytical Method: EPA 8260									
Benzene	ND	ug/L	1.0	0.050	1		06/12/12 07:22	71-43-2	
Ethylbenzene	ND	ug/L	1.0	0.080	1		06/12/12 07:22	100-41-4	
Toluene	ND	ug/L	1.0	0.070	1		06/12/12 07:22	108-88-3	
Xylene (Total)	ND	ug/L	3.0	0.18	1		06/12/12 07:22	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	104	%	86-112		1		06/12/12 07:22	1868-53-7	
Toluene-d8 (S)	98	%	90-110		1		06/12/12 07:22	2037-26-5	
4-Bromofluorobenzene (S)	119	%	87-113		1		06/12/12 07:22	460-00-4	S0
1,2-Dichloroethane-d4 (S)	101	%	82-119		1		06/12/12 07:22	17060-07-0	
Preservation pH	1.0		1.0	0.10	1		06/12/12 07:22		

ANALYTICAL RESULTS

Project: NELL HALL NO 1 074941

Pace Project No.: 60122809

Sample: GW-074941-060412-CB-MW-5 **Lab ID:** 60122809002 Collected: 06/04/12 17:40 Received: 06/07/12 09:00 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
6010 MET ICP, Dissolved									
Analytical Method: EPA 6010 Preparation Method: EPA 3010									
Iron, Dissolved	ND	ug/L	50.0	17.2	1	06/15/12 15:55	06/18/12 12:51	7439-89-6	
8260 MSV UST, Water									
Analytical Method: EPA 8260									
Benzene	ND	ug/L	1.0	0.050	1		06/12/12 07:36	71-43-2	
Ethylbenzene	ND	ug/L	1.0	0.080	1		06/12/12 07:36	100-41-4	
Toluene	ND	ug/L	1.0	0.070	1		06/12/12 07:36	108-88-3	
Xylene (Total)	ND	ug/L	3.0	0.18	1		06/12/12 07:36	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	102	%	86-112		1		06/12/12 07:36	1868-53-7	
Toluene-d8 (S)	98	%	90-110		1		06/12/12 07:36	2037-26-5	
4-Bromofluorobenzene (S)	104	%	87-113		1		06/12/12 07:36	460-00-4	
1,2-Dichloroethane-d4 (S)	101	%	82-119		1		06/12/12 07:36	17060-07-0	
Preservation pH	1.0		1.0	0.10	1		06/12/12 07:36		

ANALYTICAL RESULTS

Project: NELL HALL NO 1 074941

Pace Project No.: 60122809

Sample: GW-074941-060412-CB-MW-6 **Lab ID:** 60122809003 Collected: 06/04/12 17:25 Received: 06/07/12 09:00 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
6010 MET ICP, Dissolved									
Analytical Method: EPA 6010 Preparation Method: EPA 3010									
Iron, Dissolved	19200	ug/L	50.0	17.2	1	06/15/12 15:55	06/18/12 13:02	7439-89-6	B
8260 MSV UST, Water									
Analytical Method: EPA 8260									
Benzene	649	ug/L	10.0	0.50	10		06/13/12 17:29	71-43-2	
Ethylbenzene	309	ug/L	10.0	0.80	10		06/13/12 17:29	100-41-4	
Toluene	ND	ug/L	10.0	0.70	10		06/13/12 17:29	108-88-3	
Xylene (Total)	314	ug/L	30.0	1.8	10		06/13/12 17:29	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	106	%	86-112		10		06/13/12 17:29	1868-53-7	
Toluene-d8 (S)	100	%	90-110		10		06/13/12 17:29	2037-26-5	
4-Bromofluorobenzene (S)	105	%	87-113		10		06/13/12 17:29	460-00-4	
1,2-Dichloroethane-d4 (S)	99	%	82-119		10		06/13/12 17:29	17060-07-0	
Preservation pH	1.0		1.0	0.10	10		06/13/12 17:29		

ANALYTICAL RESULTS

Project: NELL HALL NO 1 074941

Pace Project No.: 60122809

Sample: GW-074941-060412-CB-DUP **Lab ID:** 60122809004 Collected: 06/04/12 17:30 Received: 06/07/12 09:00 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV UST, Water									
Analytical Method: EPA 8260									
Benzene	620	ug/L	10.0	0.40	10		06/14/12 21:53	71-43-2	
Ethylbenzene	267	ug/L	10.0	1.0	10		06/14/12 21:53	100-41-4	
Toluene	ND	ug/L	10.0	1.0	10		06/14/12 21:53	108-88-3	
Xylene (Total)	266	ug/L	30.0	3.0	10		06/14/12 21:53	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	94	%	86-112		10		06/14/12 21:53	1868-53-7	
Toluene-d8 (S)	100	%	90-110		10		06/14/12 21:53	2037-26-5	
4-Bromofluorobenzene (S)	100	%	87-113		10		06/14/12 21:53	460-00-4	
1,2-Dichloroethane-d4 (S)	93	%	82-119		10		06/14/12 21:53	17060-07-0	
Preservation pH	1.0		1.0	0.10	10		06/14/12 21:53		

ANALYTICAL RESULTS

Project: NELL HALL NO 1 074941

Pace Project No.: 60122809

Sample: TRIP BLANK		Lab ID: 60122809005		Collected: 06/04/12 09:00		Received: 06/07/12 09:00		Matrix: Water	
Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV UST, Water		Analytical Method: EPA 8260							
Benzene	ND ug/L		1.0	0.050	1		06/13/12 16:03	71-43-2	
Ethylbenzene	ND ug/L		1.0	0.080	1		06/13/12 16:03	100-41-4	
Toluene	ND ug/L		1.0	0.070	1		06/13/12 16:03	108-88-3	
Xylene (Total)	ND ug/L		3.0	0.18	1		06/13/12 16:03	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	103 %		86-112		1		06/13/12 16:03	1868-53-7	
Toluene-d8 (S)	99 %		90-110		1		06/13/12 16:03	2037-26-5	
4-Bromofluorobenzene (S)	106 %		87-113		1		06/13/12 16:03	460-00-4	
1,2-Dichloroethane-d4 (S)	102 %		82-119		1		06/13/12 16:03	17060-07-0	
Preservation pH	1.0		1.0	0.10	1		06/13/12 16:03		

QUALITY CONTROL DATA

Project: NELL HALL NO 1 074941

Pace Project No.: 60122809

QC Batch: MPRP/18386

Analysis Method: EPA 6010

QC Batch Method: EPA 3010

Analysis Description: 6010 MET Dissolved

Associated Lab Samples: 60122809001, 60122809002, 60122809003

METHOD BLANK: 1014955

Matrix: Water

Associated Lab Samples: 60122809001, 60122809002, 60122809003

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Iron, Dissolved	ug/L	ND	50.0	06/18/12 10:42	

LABORATORY CONTROL SAMPLE: 1014956

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Iron, Dissolved	ug/L	10000	9620	96	80-120	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 1014957

1014958

Parameter	Units	60122799001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Iron, Dissolved	ug/L	7.1 mg/L	10000	10000	16200	16400	92	93	75-125	1	20	

QUALITY CONTROL DATA

Project: NELL HALL NO 1 074941

Pace Project No.: 60122809

QC Batch: MSV/46219

Analysis Method: EPA 8260

QC Batch Method: EPA 8260

Analysis Description: 8260 MSV UST-WATER

Associated Lab Samples: 60122809001, 60122809002

METHOD BLANK: 1012030

Matrix: Water

Associated Lab Samples: 60122809001, 60122809002

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Benzene	ug/L	ND	1.0	06/12/12 03:32	
Ethylbenzene	ug/L	ND	1.0	06/12/12 03:32	
Toluene	ug/L	ND	1.0	06/12/12 03:32	
Xylene (Total)	ug/L	ND	3.0	06/12/12 03:32	
1,2-Dichloroethane-d4 (S)	%	96	82-119	06/12/12 03:32	
4-Bromofluorobenzene (S)	%	101	87-113	06/12/12 03:32	
Dibromofluoromethane (S)	%	100	86-112	06/12/12 03:32	
Toluene-d8 (S)	%	100	90-110	06/12/12 03:32	

LABORATORY CONTROL SAMPLE: 1012031

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Benzene	ug/L	20	20.8	104	82-117	
Ethylbenzene	ug/L	20	20.5	102	79-121	
Toluene	ug/L	20	21.2	106	80-120	
Xylene (Total)	ug/L	60	60.9	101	79-120	
1,2-Dichloroethane-d4 (S)	%			102	82-119	
4-Bromofluorobenzene (S)	%			100	87-113	
Dibromofluoromethane (S)	%			106	86-112	
Toluene-d8 (S)	%			102	90-110	

QUALITY CONTROL DATA

Project: NELL HALL NO 1 074941

Pace Project No.: 60122809

QC Batch: MSV/46307

Analysis Method: EPA 8260

QC Batch Method: EPA 8260

Analysis Description: 8260 MSV UST-WATER

Associated Lab Samples: 60122809003, 60122809005

METHOD BLANK: 1013449

Matrix: Water

Associated Lab Samples: 60122809003, 60122809005

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Benzene	ug/L	ND	1.0	06/13/12 15:34	
Ethylbenzene	ug/L	ND	1.0	06/13/12 15:34	
Toluene	ug/L	ND	1.0	06/13/12 15:34	
Xylene (Total)	ug/L	ND	3.0	06/13/12 15:34	
1,2-Dichloroethane-d4 (S)	%	98	82-119	06/13/12 15:34	
4-Bromofluorobenzene (S)	%	101	87-113	06/13/12 15:34	
Dibromofluoromethane (S)	%	99	86-112	06/13/12 15:34	
Toluene-d8 (S)	%	101	90-110	06/13/12 15:34	

LABORATORY CONTROL SAMPLE: 1013450

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Benzene	ug/L	20	20.8	104	82-117	
Ethylbenzene	ug/L	20	20.0	100	79-121	
Toluene	ug/L	20	20.7	103	80-120	
Xylene (Total)	ug/L	60	61.9	103	79-120	
1,2-Dichloroethane-d4 (S)	%			102	82-119	
4-Bromofluorobenzene (S)	%			102	87-113	
Dibromofluoromethane (S)	%			103	86-112	
Toluene-d8 (S)	%			98	90-110	

QUALITY CONTROL DATA

Project: NELL HALL NO 1 074941

Pace Project No.: 60122809

QC Batch: MSV/46346

Analysis Method: EPA 8260

QC Batch Method: EPA 8260

Analysis Description: 8260 MSV UST-WATER

Associated Lab Samples: 60122809004

METHOD BLANK: 1014006

Matrix: Water

Associated Lab Samples: 60122809004

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Benzene	ug/L	ND	1.0	06/14/12 21:38	
Ethylbenzene	ug/L	ND	1.0	06/14/12 21:38	
Toluene	ug/L	ND	1.0	06/14/12 21:38	
Xylene (Total)	ug/L	ND	3.0	06/14/12 21:38	
1,2-Dichloroethane-d4 (S)	%	95	82-119	06/14/12 21:38	
4-Bromofluorobenzene (S)	%	100	87-113	06/14/12 21:38	
Dibromofluoromethane (S)	%	97	86-112	06/14/12 21:38	
Toluene-d8 (S)	%	101	90-110	06/14/12 21:38	

LABORATORY CONTROL SAMPLE: 1014007

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Benzene	ug/L	20	20.0	100	82-117	
Ethylbenzene	ug/L	20	18.3	91	79-121	
Toluene	ug/L	20	19.1	96	80-120	
Xylene (Total)	ug/L	60	55.4	92	79-120	
1,2-Dichloroethane-d4 (S)	%			93	82-119	
4-Bromofluorobenzene (S)	%			99	87-113	
Dibromofluoromethane (S)	%			96	86-112	
Toluene-d8 (S)	%			100	90-110	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 1014008

1014009

Parameter	Units	60122831003 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	Max RPD	Qual
Benzene	ug/L	ND	100	100	95.1	111	92	109	58-139	16	21
Ethylbenzene	ug/L	29.9	100	100	113	127	83	97	56-138	12	19
Toluene	ug/L	ND	100	100	89.2	106	85	102	59-140	17	19
Xylene (Total)	ug/L	ND	300	300	249	295	83	98	52-146	17	19
1,2-Dichloroethane-d4 (S)	%						96	96	82-119		
4-Bromofluorobenzene (S)	%						101	102	87-113		
Dibromofluoromethane (S)	%						99	98	86-112		
Toluene-d8 (S)	%						101	100	90-110		
Preservation pH		1.0			1.0	1.0				0	

QUALIFIERS

Project: NELL HALL NO 1 074941

Pace Project No.: 60122809

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PRL - Pace Reporting Limit.

RL - Reporting Limit.

S - Surrogate

1,2-Diphenylhydrazine (8270 listed analyte) decomposes to Azobenzene.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

BATCH QUALIFIERS

Batch: MSV/46219

[M5] A matrix spike/matrix spike duplicate was not performed for this batch due to insufficient sample volume.

Batch: MSV/46307

[M5] A matrix spike/matrix spike duplicate was not performed for this batch due to insufficient sample volume.

Batch: MSV/46346

[1]

ANALYTE QUALIFIERS

B Analyte was detected in the associated method blank.

S0 Surrogate recovery outside laboratory control limits.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: NELL HALL NO 1 074941

Pace Project No.: 60122809

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
60122809001	GW-074941-060412-CB-MW-4	EPA 3010	MPRP/18386	EPA 6010	ICP/15406
60122809002	GW-074941-060412-CB-MW-5	EPA 3010	MPRP/18386	EPA 6010	ICP/15406
60122809003	GW-074941-060412-CB-MW-6	EPA 3010	MPRP/18386	EPA 6010	ICP/15406
60122809001	GW-074941-060412-CB-MW-4	EPA 8260	MSV/46219		
60122809002	GW-074941-060412-CB-MW-5	EPA 8260	MSV/46219		
60122809003	GW-074941-060412-CB-MW-6	EPA 8260	MSV/46307		
60122809004	GW-074941-060412-CB-DUP	EPA 8260	MSV/46346		
60122809005	TRIP BLANK	EPA 8260	MSV/46307		



Sample Condition Upon Receipt – ESI Tech Specs

Client Name: COP- CRA

Project #: 66122809

Courier: Fed Ex ☒ UPS ☐ USPS ☐ Client ☐ Commercial ☐ Pace ☐ Other ☐

Optional

Proj Due Date: 6/9

Proj Name:

Tracking #: 899390016518 Pace Shipping Label Used? Yes ☐ No ☒

Custody Seal on Cooler/Box Present: Yes ☒ No ☐ Seals intact: Yes ☒ No ☐

Packing Material: Bubble Wrap ☐ Bubble Bags ☐ Foam ☒ None ☐ Other ☐

Thermometer Used: T-191 / T-194

Type of Ice: Wet Blue ☐ None ☐ Samples received on ice, cooling process has begun.
(circle one)

Cooler Temperature: 2.7

Date and initials of person examining contents: 6/7/12 SS

Temperature should be above freezing to 6°C

Chain of Custody present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	1.
Chain of Custody filled out:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	2.
Chain of Custody relinquished:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	3.
Sampler name & signature on COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	4.
Samples arrived within holding time:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	5.
Short Hold Time analyses (<72hr):	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	6.
Rush Turn Around Time requested:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	7.
Sufficient volume:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	8.
Correct containers used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
-Pace containers used:	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	9.
Containers intact:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	10.
Unpreserved 5035A soils frozen w/in 48hrs?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	11.
Filtered volume received for dissolved tests?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	12. <u>2-47</u>
Sample labels match COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
-Includes date/time/ID/analyses Matrix: <u>WA</u>		13.
All containers needing preservation have been checked.	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
All containers needing preservation are found to be in compliance with EPA recommendation.	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	14.
Exceptions: VOA, coliform, TOC, O&G, WI-DRO (water), Phenolics <input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Initial when completed
Trip Blank present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	Lot # of added preservative
Pace Trip Blank lot # (if purchased): <u>052112-3</u>		15.
Headspace in VOA vials (>6mm):	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	16.
Project sampled in USDA Regulated Area:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	17. List State: <u>NC</u>

Client Notification/ Resolution:

Copy COC to Client? Y / N

Field Data Required? Y / N

Person Contacted: _____

Date/Time: _____

Comments/ Resolution: _____

Project Manager Review: AKF

Date: 6/8/12

Temp Log: Record start and finish times when unpacking cooler, if >20 min, recheck sample temps.

Start: 1235 Start:

End: 1239 End:

Temp: Temp:

Note: Whenever there is a discrepancy affecting North Carolina compliance samples, a copy of this form will be sent to the NCDENR Certification Office (i.e. out of hold, incorrect preservative, out of temp, incorrect containers).



CHAIN-OF-CUSTODY / Analytical Request Document

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.

Section A Required Client Information:		Section B Required Project Information:		Section C Invoice Information:	
Company:	COP CRA NM	Report To:	Christine Mathews	Attention:	ENFOS
Address:	6121 Indian School Rd NE, Ste 200	Copy To:	Kelly Blanchard, Angela Bown	Company Name:	
Email To:	cmathews@crworld.com	Purchase Order No.:	4515860215	Address:	
Phone:	(505)884-0872	Project Name:	Nail Hall No. 1	Pace Quote Reference:	
Requested Due Date/TAT:	standard	Project Number:	074941	Pace Project Manager:	Alice Tracy
				Pace Profile #:	5514, 4

ITEM #	Section D Required Client Information	Valid Matrix Codes MATRIX CODE DW DRINKING WATER WT WASTE WATER WW WASTE WATER P PRODUCT SL SOLID OL OIL WI WIPE AIR AIR OTHER OTHER TS TISSUE	SAMPLE ID (A-Z, 0-9 / -) Sample IDs MUST BE UNIQUE	MATRIX CODE (see valid codes to left)	SAMPLE TYPE (G=GRAB C=COMP)	COLLECTED		SAMPLE TEMP AT COLLECTION	# OF CONTAINERS	Preservatives Unpreserved H ₂ SO ₄ HNO ₃ HCl NaOH Na ₂ S ₂ O ₃ Methanol Other	Analysis Test 6010 Dissolved Fe	Y/N	Requested Analysis Filtered (Y/N)	Temp in °C	Received on	Custody Sealed	Samples Intact
						COMPOSITE START	COMPOSITE END/GRAB										
1	61W-074941-000412-CB-MW-4			WTG			DATE	TIME	DATE	TIME							
2	61W-074941-000412-CB-MW-5			WTG			6/4/12	1740									
3	61W-074941-000412-CB-MW-6			WTG			6/4/12	1745									
4	61W-074941-000412-CB-MW-dup			WTG			6/4/12	1730									
5	trip blank						6/4/12	0900									
6																	
7																	
8																	
9																	
10																	
11																	
12																	

ADDITIONAL COMMENTS	RELINQUISHED BY / AFFILIATION	DATE	TIME	ACCEPTED BY / AFFILIATION	DATE	TIME	SAMPLE CONDITIONS				
							Temp in °C	Received on	Custody Sealed	Samples Intact	
Note: Metals containers were field-filtered	Cassie Brown / COPA	6/6/12		E. Brockett	6/12/12	0900	2.7	Y	Y	Y	Y
SAMPLER NAME AND SIGNATURE							DATE SIGNED (MM/DD/YY): 6/6/12				
PRINT Name of SAMPLER: Cassie Brown											
SIGNATURE of SAMPLER: [Signature]											

October 01, 2012

Christine Matthews
CRA
6121 Indian School Rd NE
Suite 200
Albuquerque, NM 87110

RE: Project: NELL HALL NO 1
Pace Project No.: 60129629

Dear Christine Matthews:

Enclosed are the analytical results for sample(s) received by the laboratory on September 22, 2012. The results relate only to the samples included in this report. Results reported herein conform to the most current TNI standards and the laboratory's Quality Assurance Manual, where applicable, unless otherwise noted in the body of the report.

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Alice Flanagan

alice.flanagan@pacelabs.com
Project Manager

Enclosures

cc: Kelly Blanchard, COP Conestoga-Rovers & Associa
Angela Bown, COP Conestoga-Rovers & Associa
Cassie Brown, COP Conestoga-Rovers & Associa



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Page 1 of 15

Pace Package 1 of 17

CERTIFICATIONS

Project: NELL HALL NO 1

Pace Project No.: 60129629

Kansas Certification IDs

9608 Loiret Boulevard, Lenexa, KS 66219

A2LA Certification #: 2456.01

Arkansas Certification #: 12-019-0

Illinois Certification #: 002885

Iowa Certification #: 118

Kansas/NELAP Certification #: E-10116

Louisiana Certification #: 03055

Nevada Certification #: KS000212008A

Oklahoma Certification #: 9205/9935

Texas Certification #: T104704407-12-3

Utah Certification #: KS000212012-2

REPORT OF LABORATORY ANALYSIS

Page 2 of 15

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

SAMPLE SUMMARY

Project: NELL HALL NO 1

Pace Project No.: 60129629

Lab ID	Sample ID	Matrix	Date Collected	Date Received
60129629001	GW-074941-092012-JP-MW-4	Water	09/20/12 17:35	09/22/12 08:50
60129629002	GW-074941-092012-JP-MW-5	Water	09/20/12 17:35	09/22/12 08:50
60129629003	GW-074941-092012-JP-MW-6	Water	09/20/12 17:30	09/22/12 08:50
60129629004	GW-074941-092012-JP-DUP	Water	09/20/12 17:40	09/22/12 08:50
60129629005	TB-074941-092012	Water	09/20/12 00:00	09/22/12 08:50

REPORT OF LABORATORY ANALYSIS

Page 3 of 15

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

SAMPLE ANALYTE COUNT

Project: NELL HALL NO 1

Pace Project No.: 60129629

Lab ID	Sample ID	Method	Analysts	Analytes Reported
60129629001	GW-074941-092012-JP-MW-4	EPA 6010	SMW	1
		EPA 5030B/8260	JTS	9
60129629002	GW-074941-092012-JP-MW-5	EPA 6010	SMW	1
		EPA 5030B/8260	JTS	9
60129629003	GW-074941-092012-JP-MW-6	EPA 6010	SMW	1
		EPA 5030B/8260	JTS	9
60129629004	GW-074941-092012-JP-DUP	EPA 5030B/8260	JTS	9
60129629005	TB-074941-092012	EPA 5030B/8260	JTS	9

REPORT OF LABORATORY ANALYSIS

Page 4 of 15

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

PROJECT NARRATIVE

Project: NELL HALL NO 1

Pace Project No.: 60129629

Method: EPA 6010

Description: 6010 MET ICP, Dissolved

Client: COP Conestoga-Rovers & Associates, Inc. NM

Date: October 01, 2012

General Information:

3 samples were analyzed for EPA 6010. All samples were received in acceptable condition with any exceptions noted below.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Sample Preparation:

The samples were prepared in accordance with EPA 3010 with any exceptions noted below.

Initial Calibrations (including MS Tune as applicable):

All criteria were within method requirements with any exceptions noted below.

Continuing Calibration:

All criteria were within method requirements with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

Additional Comments:

REPORT OF LABORATORY ANALYSIS

Page 5 of 15

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

PROJECT NARRATIVE

Project: NELL HALL NO 1

Pace Project No.: 60129629

Method: EPA 5030B/8260

Description: 8260 MSV

Client: COP Conestoga-Rovers & Associates, Inc. NM

Date: October 01, 2012

General Information:

5 samples were analyzed for EPA 5030B/8260. All samples were received in acceptable condition with any exceptions noted below.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Initial Calibrations (including MS Tune as applicable):

All criteria were within method requirements with any exceptions noted below.

Continuing Calibration:

All criteria were within method requirements with any exceptions noted below.

Internal Standards:

All internal standards were within QC limits with any exceptions noted below.

Surrogates:

All surrogates were within QC limits with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

QC Batch: MSV/48681

A matrix spike/matrix spike duplicate was not performed due to insufficient sample volume.

Additional Comments:

This data package has been reviewed for quality and completeness and is approved for release.

REPORT OF LABORATORY ANALYSIS

Page 6 of 15

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: NELL HALL NO 1

Pace Project No.: 60129629

Sample: GW-074941-092012-JP-MW-4 **Lab ID:** 60129629001 **Collected:** 09/20/12 17:35 **Received:** 09/22/12 08:50 **Matrix:** Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
6010 MET ICP, Dissolved									
Analytical Method: EPA 6010 Preparation Method: EPA 3010									
Iron, Dissolved	ND	ug/L	250	86.0	5	09/24/12 13:45	09/28/12 11:37	7439-89-6	
8260 MSV									
Analytical Method: EPA 5030B/8260									
Benzene	ND	ug/L	1.0	0.12	1		09/24/12 21:32	71-43-2	
Ethylbenzene	ND	ug/L	1.0	0.060	1		09/24/12 21:32	100-41-4	
Toluene	ND	ug/L	1.0	0.054	1		09/24/12 21:32	108-88-3	
Xylene (Total)	ND	ug/L	3.0	0.67	1		09/24/12 21:32	1330-20-7	
Surrogates									
4-Bromofluorobenzene (S)	99 %		80-120		1		09/24/12 21:32	460-00-4	
Dibromofluoromethane (S)	101 %		80-120		1		09/24/12 21:32	1868-53-7	
1,2-Dichloroethane-d4 (S)	98 %		80-120		1		09/24/12 21:32	17060-07-0	
Toluene-d8 (S)	100 %		80-120		1		09/24/12 21:32	2037-26-5	
Preservation pH	1.0		0.10	0.10	1		09/24/12 21:32		

ANALYTICAL RESULTS

Project: NELL HALL NO 1

Pace Project No.: 60129629

Sample: GW-074941-092012-JP-MW-5 **Lab ID:** 60129629002 Collected: 09/20/12 17:35 Received: 09/22/12 08:50 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
6010 MET ICP, Dissolved									
Analytical Method: EPA 6010 Preparation Method: EPA 3010									
Iron, Dissolved	ND	ug/L	50.0	17.2	1	09/24/12 13:45	09/26/12 15:41	7439-89-6	
8260 MSV									
Analytical Method: EPA 5030B/8260									
Benzene	ND	ug/L	1.0	0.12	1		09/24/12 21:47	71-43-2	
Ethylbenzene	ND	ug/L	1.0	0.060	1		09/24/12 21:47	100-41-4	
Toluene	ND	ug/L	1.0	0.054	1		09/24/12 21:47	108-88-3	
Xylene (Total)	ND	ug/L	3.0	0.67	1		09/24/12 21:47	1330-20-7	
Surrogates									
4-Bromofluorobenzene (S)	98 %		80-120		1		09/24/12 21:47	460-00-4	
Dibromofluoromethane (S)	97 %		80-120		1		09/24/12 21:47	1868-53-7	
1,2-Dichloroethane-d4 (S)	93 %		80-120		1		09/24/12 21:47	17060-07-0	
Toluene-d8 (S)	110 %		80-120		1		09/24/12 21:47	2037-26-5	
Preservation pH	1.0		0.10	0.10	1		09/24/12 21:47		

ANALYTICAL RESULTS

Project: NELL HALL NO 1

Pace Project No.: 60129629

Sample: GW-074941-092012-JP-MW-6 **Lab ID:** 60129629003 Collected: 09/20/12 17:30 Received: 09/22/12 08:50 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
6010 MET ICP, Dissolved									
Analytical Method: EPA 6010 Preparation Method: EPA 3010									
Iron, Dissolved	9530	ug/L	50.0	17.2	1	09/24/12 13:45	09/26/12 15:44	7439-89-6	
8260 MSV									
Analytical Method: EPA 5030B/8260									
Benzene	266	ug/L	5.0	0.60	5		09/24/12 22:03	71-43-2	
Ethylbenzene	65.0	ug/L	5.0	0.30	5		09/24/12 22:03	100-41-4	
Toluene	ND	ug/L	5.0	0.27	5		09/24/12 22:03	108-88-3	
Xylene (Total)	35.5	ug/L	15.0	3.4	5		09/24/12 22:03	1330-20-7	
Surrogates									
4-Bromofluorobenzene (S)	99 %		80-120		5		09/24/12 22:03	460-00-4	
Dibromofluoromethane (S)	100 %		80-120		5		09/24/12 22:03	1868-53-7	
1,2-Dichloroethane-d4 (S)	96 %		80-120		5		09/24/12 22:03	17060-07-0	
Toluene-d8 (S)	99 %		80-120		5		09/24/12 22:03	2037-26-5	
Preservation pH	1.0		0.10	0.10	5		09/24/12 22:03		

ANALYTICAL RESULTS

Project: NELL HALL NO 1

Pace Project No.: 60129629

Sample: GW-074941-092012-JP-DUP **Lab ID:** 60129629004 Collected: 09/20/12 17:40 Received: 09/22/12 08:50 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 5030B/8260									
Benzene	282	ug/L	5.0	0.60	5		09/24/12 22:18	71-43-2	
Ethylbenzene	63.4	ug/L	5.0	0.30	5		09/24/12 22:18	100-41-4	
Toluene	ND	ug/L	5.0	0.27	5		09/24/12 22:18	108-88-3	
Xylene (Total)	34.8	ug/L	15.0	3.4	5		09/24/12 22:18	1330-20-7	
Surrogates									
4-Bromofluorobenzene (S)	97	%	80-120		5		09/24/12 22:18	460-00-4	
Dibromofluoromethane (S)	103	%	80-120		5		09/24/12 22:18	1868-53-7	
1,2-Dichloroethane-d4 (S)	97	%	80-120		5		09/24/12 22:18	17060-07-0	
Toluene-d8 (S)	98	%	80-120		5		09/24/12 22:18	2037-26-5	
Preservation pH	1.0		0.10	0.10	5		09/24/12 22:18		

ANALYTICAL RESULTS

Project: NELL HALL NO 1

Pace Project No.: 60129629

Sample: TB-074941-092012		Lab ID: 60129629005		Collected: 09/20/12 00:00		Received: 09/22/12 08:50		Matrix: Water	
Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 5030B/8260									
Benzene	ND ug/L		1.0	0.12	1		09/24/12 22:34	71-43-2	
Ethylbenzene	ND ug/L		1.0	0.060	1		09/24/12 22:34	100-41-4	
Toluene	ND ug/L		1.0	0.054	1		09/24/12 22:34	108-88-3	
Xylene (Total)	ND ug/L		3.0	0.67	1		09/24/12 22:34	1330-20-7	
Surrogates									
4-Bromofluorobenzene (S)	100 %		80-120		1		09/24/12 22:34	460-00-4	
Dibromofluoromethane (S)	97 %		80-120		1		09/24/12 22:34	1868-53-7	
1,2-Dichloroethane-d4 (S)	94 %		80-120		1		09/24/12 22:34	17060-07-0	
Toluene-d8 (S)	109 %		80-120		1		09/24/12 22:34	2037-26-5	
Preservation pH	1.0		0.10	0.10	1		09/24/12 22:34		

QUALITY CONTROL DATA

Project: NELL HALL NO 1

Pace Project No.: 60129629

QC Batch: MPRP/19623

Analysis Method: EPA 6010

QC Batch Method: EPA 3010

Analysis Description: 6010 MET Dissolved

Associated Lab Samples: 60129629001, 60129629002, 60129629003

METHOD BLANK: 1066229

Matrix: Water

Associated Lab Samples: 60129629001, 60129629002, 60129629003

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Iron, Dissolved	ug/L	ND	50.0	09/26/12 14:46	

LABORATORY CONTROL SAMPLE: 1066230

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Iron, Dissolved	ug/L	10000	9850	98	80-120	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 1066231

1066232

Parameter	Units	60129627003 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Iron, Dissolved	ug/L	ND	10000	10000	9560	9630	96	96	75-125	1	20	

QUALITY CONTROL DATA

Project: NELL HALL NO 1

Pace Project No.: 60129629

QC Batch: MSV/48681

Analysis Method: EPA 5030B/8260

QC Batch Method: EPA 5030B/8260

Analysis Description: 8260 MSV Water 7 day

Associated Lab Samples: 60129629001, 60129629002, 60129629003, 60129629004, 60129629005

METHOD BLANK: 1066323

Matrix: Water

Associated Lab Samples: 60129629001, 60129629002, 60129629003, 60129629004, 60129629005

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Benzene	ug/L	ND	1.0	09/24/12 18:10	
Ethylbenzene	ug/L	ND	1.0	09/24/12 18:10	
Toluene	ug/L	ND	1.0	09/24/12 18:10	
Xylene (Total)	ug/L	ND	3.0	09/24/12 18:10	
1,2-Dichloroethane-d4 (S)	%	90	80-120	09/24/12 18:10	
4-Bromofluorobenzene (S)	%	99	80-120	09/24/12 18:10	
Dibromofluoromethane (S)	%	99	80-120	09/24/12 18:10	
Toluene-d8 (S)	%	95	80-120	09/24/12 18:10	

LABORATORY CONTROL SAMPLE: 1066324

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Benzene	ug/L	20	18.9	94	74-123	
Ethylbenzene	ug/L	20	19.1	95	76-123	
Toluene	ug/L	20	18.8	94	75-123	
Xylene (Total)	ug/L	60	57.1	95	76-123	
1,2-Dichloroethane-d4 (S)	%			99	80-120	
4-Bromofluorobenzene (S)	%			105	80-120	
Dibromofluoromethane (S)	%			95	80-120	
Toluene-d8 (S)	%			102	80-120	

QUALIFIERS

Project: NELL HALL NO 1

Pace Project No.: 60129629

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PRL - Pace Reporting Limit.

RL - Reporting Limit.

S - Surrogate

1,2-Diphenylhydrazine (8270 listed analyte) decomposes to Azobenzene.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

BATCH QUALIFIERS

Batch: MSV/48681

[M5] A matrix spike/matrix spike duplicate was not performed for this batch due to insufficient sample volume.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: NELL HALL NO 1

Pace Project No.: 60129629

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
60129629001	GW-074941-092012-JP-MW-4	EPA 3010	MPRP/19623	EPA 6010	ICP/16167
60129629002	GW-074941-092012-JP-MW-5	EPA 3010	MPRP/19623	EPA 6010	ICP/16167
60129629003	GW-074941-092012-JP-MW-6	EPA 3010	MPRP/19623	EPA 6010	ICP/16167
60129629001	GW-074941-092012-JP-MW-4	EPA 5030B/8260	MSV/48681		
60129629002	GW-074941-092012-JP-MW-5	EPA 5030B/8260	MSV/48681		
60129629003	GW-074941-092012-JP-MW-6	EPA 5030B/8260	MSV/48681		
60129629004	GW-074941-092012-JP-DUP	EPA 5030B/8260	MSV/48681		
60129629005	TB-074941-092012	EPA 5030B/8260	MSV/48681		



The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.

Page: 1 of[illegible]

ADDITIONAL COMMENTS	RELINQUISHED BY / AFFILIATION	DATE	TIME	ACCEPTED BY / AFFILIATION	DATE	TIME	SAMPLE CONDITIONS			Temp in °C	Received on Ice (Y/N)	Custody Sealed Cooler (Y/N)	Samples Intact (Y/N)
VOAs leaked HCl and may not be preserved. 1 day hold.	Signifor / CRA	9/21/12	1200	Bennett Otero	9-22-12					2-2	Y	Y	Y
<div>SAMPLER NAME AND SIGNATURE</div> <div> <div>PRINT Name of SAMPLER:</div> <div>SIGNATURE of SAMPLER:</div> </div> <div> <div>DATE Signed (MM/DD/YY):</div> <div>09/21/12</div> </div>													

Important Note: By signing this form you are accepting Pace's **NET 30** day payment terms and agreeing to late charges of 1.5% per month for any invoices not paid within 30 days.

F-ALL-Q-020rev.08, 12-Oct-2007



Sample Condition Upon Receipt – ESI Tech Specs

Client Name: COP CRANM

Project #: 60129629

Courier: Fed Ex ☒ UPS ☐ USPS ☐ Client ☐ Commercial ☐ Pace ☐ Other ☐

Optional

Proj Due Date: 6/6/04

Proj Name:

Tracking #: 8993 90016573

Pace Shipping Label Used? Yes ☐ No ☒

Custody Seal on Cooler/Box Present: Yes ☒ No ☐ Seals intact: Yes ☒ No ☐

Packing Material: Bubble Wrap ☐ Bubble Bags ☐ Foam ☒ None ☐ Other ☒ ZPLC

Thermometer Used: R-191 / T-194

Type of Ice: Wet Blue ☐ None ☐ Samples received on ice, cooling process has begun.
(circle one)

Cooler Temperature: 2.2

Date and initials of person examining contents: 9-22-12 BA

Temperature should be above freezing to 6°C

Chain of Custody present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	1.
Chain of Custody filled out:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	2.
Chain of Custody relinquished:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	3.
Sampler name & signature on COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	4.
Samples arrived within holding time:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	5.
Short Hold Time analyses (<72hr):	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	6.
Rush Turn Around Time requested:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	7.
Sufficient volume:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	8.
Correct containers used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
-Pace containers used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	9.
Containers intact:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	10.
Unpreserved 5035A soils frozen w/in 48hrs?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	11.
Filtered volume received for dissolved tests?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	12. <u>8A9/22/12</u>
Sample labels match COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
-Includes date/time/ID/analyses Matrix: <u>WT</u>		13.
All containers needing preservation have been checked.	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
All containers needing preservation are found to be in compliance with EPA recommendation.	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	14.
Exceptions: <u>VOA</u> , coliform, TOC, O&G, WI-DRO (water), Phenolics	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	Initial when completed
Trip Blank present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	Lot # of added preservative
Pace Trip Blank lot # (if purchased): <u>08042-3</u>		15.
Headspace in VOA vials (>6mm):	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	16.
Project sampled in USDA Regulated Area:	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	17. List State: <u>NC</u>

Client Notification/ Resolution:

Copy COC to Client? Y / N

Field Data Required? Y / N

Person Contacted: _____

Date/Time: _____

Comments/ Resolution: _____

Temp Log: Record start and finish times when unpacking cooler, if >20 min, recheck sample temps.

Start: <u>9/24/12</u>	Start: <u>1410</u>
End: <u>1920</u>	End: _____
Temp: _____	Temp: _____

Project Manager Review: AMF

Date: 9/24/12

Note: Whenever there is a discrepancy affecting North Carolina compliance samples, a copy of this form will be sent to the NCDENR Certification Office (i.e. out of hold, incorrect preservative, out of temp, incorrect containers).

January 07, 2013

Christine Matthews
CRA
6121 Indian School Rd NE
Suite 200
Albuquerque, NM 87110

RE: Project: 074941 Nell Hall No. 1
Pace Project No.: 60136178

Dear Christine Matthews:

Enclosed are the analytical results for sample(s) received by the laboratory on December 29, 2012. The results relate only to the samples included in this report. Results reported herein conform to the most current TNI standards and the laboratory's Quality Assurance Manual, where applicable, unless otherwise noted in the body of the report.

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Alice Flanagan

alice.flanagan@pacelabs.com
Project Manager

Enclosures

cc: Kelly Blanchard, COP Conestoga-Rovers & Associa
Angela Bown, COP Conestoga-Rovers & Associa
Cassie Brown, COP Conestoga-Rovers & Associa



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Page 1 of 16

CERTIFICATIONS

Project: 074941 Nell Hall No. 1

Pace Project No.: 60136178

Kansas Certification IDs

9608 Loiret Boulevard, Lenexa, KS 66219

A2LA Certification #: 2456.01

Arkansas Certification #: 12-019-0

Illinois Certification #: 002885

Iowa Certification #: 118

Kansas/NELAP Certification #: E-10116

Louisiana Certification #: 03055

Nevada Certification #: KS000212008A

Oklahoma Certification #: 9205/9935

Texas Certification #: T104704407-12-3

Utah Certification #: KS000212012-2

REPORT OF LABORATORY ANALYSIS

Page 2 of 16

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

SAMPLE SUMMARY

Project: 074941 Nell Hall No. 1

Pace Project No.: 60136178

Lab ID	Sample ID	Matrix	Date Collected	Date Received
60136178001	GW-074941-122812-JMK-MW4	Water	12/28/12 11:30	12/29/12 08:45
60136178002	GW-074941-122812-JMK-MW5	Water	12/28/12 12:15	12/29/12 08:45
60136178003	GW-074941-122812-JMK-MW6	Water	12/28/12 13:00	12/29/12 08:45
60136178004	GW-074941-122812-JMK-DUP	Water	12/28/12 12:15	12/29/12 08:45
60136178005	TRIP BLANK	Water	12/28/12 08:00	12/29/12 08:45

REPORT OF LABORATORY ANALYSIS

Page 3 of 16

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

SAMPLE ANALYTE COUNT

Project: 074941 Nell Hall No. 1

Pace Project No.: 60136178

Lab ID	Sample ID	Method	Analysts	Analytes Reported
60136178001	GW-074941-122812-JMK-MW4	EPA 6010	SMW	1
		EPA 8260	PRG	9
60136178002	GW-074941-122812-JMK-MW5	EPA 6010	SMW	1
		EPA 8260	PRG	9
60136178003	GW-074941-122812-JMK-MW6	EPA 6010	SMW	1
		EPA 8260	PRG	9
60136178004	GW-074941-122812-JMK-DUP	EPA 8260	PRG	9
60136178005	TRIP BLANK	EPA 8260	PRG	9

REPORT OF LABORATORY ANALYSIS

Page 4 of 16

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

PROJECT NARRATIVE

Project: 074941 Nell Hall No. 1

Pace Project No.: 60136178

Method: EPA 6010

Description: 6010 MET ICP, Dissolved

Client: COP Conestoga-Rovers & Associates, Inc. NM

Date: January 07, 2013

General Information:

3 samples were analyzed for EPA 6010. All samples were received in acceptable condition with any exceptions noted below.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Sample Preparation:

The samples were prepared in accordance with EPA 3010 with any exceptions noted below.

Initial Calibrations (including MS Tune as applicable):

All criteria were within method requirements with any exceptions noted below.

Continuing Calibration:

All criteria were within method requirements with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

Additional Comments:

REPORT OF LABORATORY ANALYSIS

Page 5 of 16

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

PROJECT NARRATIVE

Project: 074941 Nell Hall No. 1

Pace Project No.: 60136178

Method: EPA 8260

Description: 8260 MSV UST, Water

Client: COP Conestoga-Rovers & Associates, Inc. NM

Date: January 07, 2013

General Information:

5 samples were analyzed for EPA 8260. All samples were received in acceptable condition with any exceptions noted below.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Initial Calibrations (including MS Tune as applicable):

All criteria were within method requirements with any exceptions noted below.

Continuing Calibration:

All criteria were within method requirements with any exceptions noted below.

Internal Standards:

All internal standards were within QC limits with any exceptions noted below.

Surrogates:

All surrogates were within QC limits with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

QC Batch: MSV/51101

A matrix spike/matrix spike duplicate was not performed due to insufficient sample volume.

QC Batch: MSV/51129

A matrix spike/matrix spike duplicate was not performed due to insufficient sample volume.

Additional Comments:

This data package has been reviewed for quality and completeness and is approved for release.

REPORT OF LABORATORY ANALYSIS

Page 6 of 16

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 074941 Nell Hall No. 1

Pace Project No.: 60136178

Sample: GW-074941-122812-JMK-MW4 **Lab ID:** 60136178001 **Collected:** 12/28/12 11:30 **Received:** 12/29/12 08:45 **Matrix:** Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
6010 MET ICP, Dissolved									
Analytical Method: EPA 6010 Preparation Method: EPA 3010									
Iron, Dissolved	748	ug/L	50.0	17.2	1	12/31/12 15:00	01/03/13 15:06	7439-89-6	
8260 MSV UST, Water									
Analytical Method: EPA 8260									
Benzene	ND	ug/L	1.0	0.098	1		01/01/13 05:03	71-43-2	
Ethylbenzene	ND	ug/L	1.0	0.23	1		01/01/13 05:03	100-41-4	
Toluene	ND	ug/L	1.0	0.15	1		01/01/13 05:03	108-88-3	
Xylene (Total)	ND	ug/L	3.0	0.41	1		01/01/13 05:03	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	106	%	80-120		1		01/01/13 05:03	1868-53-7	
Toluene-d8 (S)	96	%	80-120		1		01/01/13 05:03	2037-26-5	
4-Bromofluorobenzene (S)	105	%	80-120		1		01/01/13 05:03	460-00-4	
1,2-Dichloroethane-d4 (S)	100	%	80-120		1		01/01/13 05:03	17060-07-0	
Preservation pH	1.0		1.0	0.10	1		01/01/13 05:03		

ANALYTICAL RESULTS

Project: 074941 Nell Hall No. 1

Pace Project No.: 60136178

Sample: GW-074941-122812-JMK-MW5 **Lab ID:** 60136178002 Collected: 12/28/12 12:15 Received: 12/29/12 08:45 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
6010 MET ICP, Dissolved									
Analytical Method: EPA 6010 Preparation Method: EPA 3010									
Iron, Dissolved	ND	ug/L	50.0	17.2	1	12/31/12 15:00	01/03/13 15:19	7439-89-6	
8260 MSV UST, Water									
Analytical Method: EPA 8260									
Benzene	ND	ug/L	1.0	0.098	1		01/01/13 05:18	71-43-2	
Ethylbenzene	ND	ug/L	1.0	0.23	1		01/01/13 05:18	100-41-4	
Toluene	ND	ug/L	1.0	0.15	1		01/01/13 05:18	108-88-3	
Xylene (Total)	ND	ug/L	3.0	0.41	1		01/01/13 05:18	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	109 %		80-120		1		01/01/13 05:18	1868-53-7	
Toluene-d8 (S)	97 %		80-120		1		01/01/13 05:18	2037-26-5	
4-Bromofluorobenzene (S)	104 %		80-120		1		01/01/13 05:18	460-00-4	
1,2-Dichloroethane-d4 (S)	100 %		80-120		1		01/01/13 05:18	17060-07-0	
Preservation pH	1.0		1.0	0.10	1		01/01/13 05:18		

ANALYTICAL RESULTS

Project: 074941 Nell Hall No. 1

Pace Project No.: 60136178

Sample: GW-074941-122812-JMK-MW6 **Lab ID:** 60136178003 Collected: 12/28/12 13:00 Received: 12/29/12 08:45 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
6010 MET ICP, Dissolved									
Analytical Method: EPA 6010 Preparation Method: EPA 3010									
Iron, Dissolved	8060	ug/L	50.0	17.2	1	12/31/12 15:00	01/03/13 15:23	7439-89-6	
8260 MSV UST, Water									
Analytical Method: EPA 8260									
Benzene	319	ug/L	5.0	0.49	5		01/01/13 05:32	71-43-2	
Ethylbenzene	76.4	ug/L	5.0	1.2	5		01/01/13 05:32	100-41-4	
Toluene	ND	ug/L	5.0	0.75	5		01/01/13 05:32	108-88-3	
Xylene (Total)	45.2	ug/L	15.0	2.0	5		01/01/13 05:32	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	106	%	80-120		5		01/01/13 05:32	1868-53-7	
Toluene-d8 (S)	95	%	80-120		5		01/01/13 05:32	2037-26-5	
4-Bromofluorobenzene (S)	106	%	80-120		5		01/01/13 05:32	460-00-4	
1,2-Dichloroethane-d4 (S)	99	%	80-120		5		01/01/13 05:32	17060-07-0	
Preservation pH	1.0		1.0	0.10	5		01/01/13 05:32		

ANALYTICAL RESULTS

Project: 074941 Nell Hall No. 1

Pace Project No.: 60136178

Sample: GW-074941-122812-JMK-DUP **Lab ID:** 60136178004 Collected: 12/28/12 12:15 Received: 12/29/12 08:45 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV UST, Water									
Analytical Method: EPA 8260									
Benzene	ND	ug/L	1.0	0.098	1		01/02/13 18:46	71-43-2	
Ethylbenzene	ND	ug/L	1.0	0.23	1		01/02/13 18:46	100-41-4	
Toluene	ND	ug/L	1.0	0.15	1		01/02/13 18:46	108-88-3	
Xylene (Total)	ND	ug/L	3.0	0.41	1		01/02/13 18:46	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	103	%	80-120		1		01/02/13 18:46	1868-53-7	
Toluene-d8 (S)	99	%	80-120		1		01/02/13 18:46	2037-26-5	
4-Bromofluorobenzene (S)	102	%	80-120		1		01/02/13 18:46	460-00-4	
1,2-Dichloroethane-d4 (S)	98	%	80-120		1		01/02/13 18:46	17060-07-0	
Preservation pH	1.0		1.0	0.10	1		01/02/13 18:46		

ANALYTICAL RESULTS

Project: 074941 Nell Hall No. 1

Pace Project No.: 60136178

Sample: TRIP BLANK		Lab ID: 60136178005		Collected: 12/28/12 08:00		Received: 12/29/12 08:45		Matrix: Water	
Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV UST, Water		Analytical Method: EPA 8260							
Benzene	ND ug/L		1.0	0.098	1		01/01/13 06:01	71-43-2	
Ethylbenzene	ND ug/L		1.0	0.23	1		01/01/13 06:01	100-41-4	
Toluene	ND ug/L		1.0	0.15	1		01/01/13 06:01	108-88-3	
Xylene (Total)	ND ug/L		3.0	0.41	1		01/01/13 06:01	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	111 %		80-120		1		01/01/13 06:01	1868-53-7	
Toluene-d8 (S)	98 %		80-120		1		01/01/13 06:01	2037-26-5	
4-Bromofluorobenzene (S)	102 %		80-120		1		01/01/13 06:01	460-00-4	
1,2-Dichloroethane-d4 (S)	98 %		80-120		1		01/01/13 06:01	17060-07-0	
Preservation pH	1.0		1.0	0.10	1		01/01/13 06:01		

QUALITY CONTROL DATA

Project: 074941 Nell Hall No. 1

Pace Project No.: 60136178

QC Batch: MPRP/21025 Analysis Method: EPA 6010
QC Batch Method: EPA 3010 Analysis Description: 6010 MET Dissolved
Associated Lab Samples: 60136178001, 60136178002, 60136178003

METHOD BLANK: 1121151 Matrix: Water

Associated Lab Samples: 60136178001, 60136178002, 60136178003

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Iron, Dissolved	ug/L	ND	50.0	01/03/13 14:59	

LABORATORY CONTROL SAMPLE: 1121152

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Iron, Dissolved	ug/L	10000	9960	100	80-120	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 1121153 1121154

Parameter	Units	60136178001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Iron, Dissolved	ug/L	748	10000	10000	10800	10700	100	100	75-125	0	20	

QUALITY CONTROL DATA

Project: 074941 Nell Hall No. 1

Pace Project No.: 60136178

QC Batch: MSV/51101 Analysis Method: EPA 8260
QC Batch Method: EPA 8260 Analysis Description: 8260 MSV UST-WATER
Associated Lab Samples: 60136178001, 60136178002, 60136178003, 60136178005

METHOD BLANK: 1121041 Matrix: Water

Associated Lab Samples: 60136178001, 60136178002, 60136178003, 60136178005

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Benzene	ug/L	ND	1.0	01/01/13 03:08	
Ethylbenzene	ug/L	ND	1.0	01/01/13 03:08	
Toluene	ug/L	ND	1.0	01/01/13 03:08	
Xylene (Total)	ug/L	ND	3.0	01/01/13 03:08	
1,2-Dichloroethane-d4 (S)	%	101	80-120	01/01/13 03:08	
4-Bromofluorobenzene (S)	%	100	80-120	01/01/13 03:08	
Dibromofluoromethane (S)	%	110	80-120	01/01/13 03:08	
Toluene-d8 (S)	%	100	80-120	01/01/13 03:08	

LABORATORY CONTROL SAMPLE: 1121042

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Benzene	ug/L	20	20.8	104	74-123	
Ethylbenzene	ug/L	20	20.9	104	76-123	
Toluene	ug/L	20	20.0	100	75-123	
Xylene (Total)	ug/L	60	62.8	105	76-123	
1,2-Dichloroethane-d4 (S)	%			99	80-120	
4-Bromofluorobenzene (S)	%			101	80-120	
Dibromofluoromethane (S)	%			108	80-120	
Toluene-d8 (S)	%			99	80-120	

QUALITY CONTROL DATA

Project: 074941 Nell Hall No. 1

Pace Project No.: 60136178

QC Batch: MSV/51129

Analysis Method: EPA 8260

QC Batch Method: EPA 8260

Analysis Description: 8260 MSV UST-WATER

Associated Lab Samples: 60136178004

METHOD BLANK: 1121342

Matrix: Water

Associated Lab Samples: 60136178004

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Benzene	ug/L	ND	1.0	01/02/13 15:40	
Ethylbenzene	ug/L	ND	1.0	01/02/13 15:40	
Toluene	ug/L	ND	1.0	01/02/13 15:40	
Xylene (Total)	ug/L	ND	3.0	01/02/13 15:40	
1,2-Dichloroethane-d4 (S)	%	101	80-120	01/02/13 15:40	
4-Bromofluorobenzene (S)	%	100	80-120	01/02/13 15:40	
Dibromofluoromethane (S)	%	103	80-120	01/02/13 15:40	
Toluene-d8 (S)	%	99	80-120	01/02/13 15:40	

LABORATORY CONTROL SAMPLE: 1121343

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Benzene	ug/L	20	21.0	105	74-123	
Ethylbenzene	ug/L	20	20.5	102	76-123	
Toluene	ug/L	20	19.7	99	75-123	
Xylene (Total)	ug/L	60	62.6	104	76-123	
1,2-Dichloroethane-d4 (S)	%			104	80-120	
4-Bromofluorobenzene (S)	%			102	80-120	
Dibromofluoromethane (S)	%			102	80-120	
Toluene-d8 (S)	%			98	80-120	

QUALIFIERS

Project: 074941 Nell Hall No. 1

Pace Project No.: 60136178

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PRL - Pace Reporting Limit.

RL - Reporting Limit.

S - Surrogate

1,2-Diphenylhydrazine (8270 listed analyte) decomposes to Azobenzene.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

BATCH QUALIFIERS

Batch: MSV/51101

[M5] A matrix spike/matrix spike duplicate was not performed for this batch due to insufficient sample volume.

Batch: MSV/51129

[M5] A matrix spike/matrix spike duplicate was not performed for this batch due to insufficient sample volume.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: 074941 Nell Hall No. 1

Pace Project No.: 60136178

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
60136178001	GW-074941-122812-JMK-MW4	EPA 3010	MPRP/21025	EPA 6010	ICP/17024
60136178002	GW-074941-122812-JMK-MW5	EPA 3010	MPRP/21025	EPA 6010	ICP/17024
60136178003	GW-074941-122812-JMK-MW6	EPA 3010	MPRP/21025	EPA 6010	ICP/17024
60136178001	GW-074941-122812-JMK-MW4	EPA 8260	MSV/51101		
60136178002	GW-074941-122812-JMK-MW5	EPA 8260	MSV/51101		
60136178003	GW-074941-122812-JMK-MW6	EPA 8260	MSV/51101		
60136178004	GW-074941-122812-JMK-DUP	EPA 8260	MSV/51129		
60136178005	TRIP BLANK	EPA 8260	MSV/51101		



Sample Condition Upon Receipt
ESI Tech Spec Client

WO#: 60136178



Client Name: COP - CRA

Courier: Fed Ex ☒ UPS ☐ USPS ☐ Client ☐ Commercial ☐ Pace ☐ Other ☐

Tracking #: 8015 3662 1442 Pace Shipping Label Used? Yes ☐ No ☒

Custody Seal on Cooler/Box Present: Yes ☐ No ☒ Seals intact: Yes ☐ No ☒

Packing Material: Bubble Wrap ☐ Bubble Bags ☐ Foam ☒ None ☐ Other ☐

Thermometer Used: T-191 / T-194

Type of Ice: Wet Blue ☐ None ☐ Samples received on ice, cooling process has begun.
(circle one)

Cooler Temperature: 1.4

Date and initials of person examining contents: 12/29/12 [Signature]

Temperature should be above freezing to 6°C

Chain of Custody present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	1.
Chain of Custody filled out:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	2.
Chain of Custody relinquished:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	3.
Sampler name & signature on COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	4.
Samples arrived within holding time:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	5.
Short Hold Time analyses (<72hr):	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	6.
Rush Turn Around Time requested:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	7.
Sufficient volume:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	8.
Correct containers used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	9.
Pace containers used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	10.
Containers intact:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	11.
Unpreserved 5035A soils frozen w/in 48hrs?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	12.
Filtered volume received for dissolved tests?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	13.
Sample labels match COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	14.
Includes date/time/ID/analyses	Matrix: <u>W</u>	15.
All containers needing preservation have been checked.	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	16.
All containers needing preservation are found to be in compliance with EPA recommendation.	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	17.
Exceptions: VOA, coliform, TOC, O&G, WI-DRO (water), Phenolics	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Initial when completed
Trip Blank present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	Lot # of added preservative
Pace Trip Blank lot # (if purchased): <u>102912-3</u>		
Headspace in VOA vials (>6mm):	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	
Project sampled in USDA Regulated Area:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	17. List State:

Client Notification/ Resolution:

Copy COC to Client? Y / N Field Data Required? Y / N

Person Contacted: _____ Date/Time: _____

Comments/ Resolution: _____

Project Manager Review: [Signature]

Date: 12/31/12

Temp Log: Record start and finish times when unpacking cooler, if >20 min, recheck sample temps.

Start: <u>0927</u>	Start:
End: <u>0930</u>	End:
Temp:	Temp:

CHAIN-OF-CUSTODY / Analytical Request Document

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.

Section A Required Client Information:		Section B Required Project Information:		Section C Invoice Information:	
Company:	COP CRA NM	Report To:	Christine Mathews	Attention:	ENFOS
Address:	6121 Indian School Rd NE, Ste 200	Copy To:	Kelly Blanchard, Angela Brown, Cassie Brown	Company Name:	
	Albuquerque, NM 87110			Address:	
Email To:	cmathews@croworld.com	Purchase Order No.:			
Phone:	(505)884-0672	Project Name:	Nell Hall No. 1	Pace Quote Reference:	
		Fax:	(505)384-4932	Pace Project Manager:	Alice Flanagan
Requested Due Date/TAT:	standard	Project Number:	074941	Pace Profile #:	5514, 4

[illegible]