

AP - 007

ANNUAL MONITORING REPORT

YEAR(S):

2004

Martin, Ed

To: Robert Eidson

Subject: RE: Additional wells at previously listed sites requesting a reduction in sampling frequency

TNM 97-17 (AP-17): Monitor well MW-2; This monitor well may be sampled annually.

Darr Angell 4 (AP-07): Monitor well MW-13; This monitor well may be sampled annually.

Lea to Monument Six-inch Pipeline site: Monitor wells MW-1, MW-3, MW-4 and MW-6. Monitor wells MW-1, 3, and 4 may be sampled annually; monitor well MW-6 may be sampled semi-annually.

Ed Martin

New Mexico Oil Conservation Division

Environmental Bureau

1220 S. St. Francis

Santa Fe, NM 87505

Phone: 505-476-3492

Fax: 505-476-3471

-----Original Message-----

From: Robert Eidson [mailto:reidson@etgi.cc]

Sent: Thursday, April 29, 2004 4:38 PM

To: Ed Martin

Subject: Additional wells at previously listed sites requesting a reduction in sampling frequency

Ed:

In my original letter requesting a reduction in sampling frequency a few wells were mistakenly omitted. I apologize for any inconvenience this may cause. The list should have also included:

TNM 97-17 (AP-17): Monitor well MW-2;

Darr Angell 4 (AP-07): Monitor well MW-13; and,

Lea to Monument Six-inch Pipeline site: Monitor wells MW-1, MW-3, MW-4 and MW-6. This last site was entirely omitted from the original list so I am attaching a Site Location Map and a Site Plan for your reference. An Annual Report covering this site was filed in April 2004.

This email has been scanned by the MessageLabs Email Security System.
For more information please visit <http://www.messagelabs.com/email>

4/30/2004



NEW MEXICO ENERGY, MINERALS and NATURAL RESOURCES DEPARTMENT

BILL RICHARDSON
Governor

April 28, 2004

Joanna Prukop
Cabinet Secretary
Acting Director
Oil Conservation Division

Mr. Robert B. Eidson
Environmental Technology Group, Inc.
2540 West Marland
Hobbs, NM 88240

RE: Your "Annual Sampling and Quarterly Gauging of Groundwater Monitor Wells Meeting Regulatory Cleanup Standards" letter dated March 25, 2004

Sampling of the below-listed monitor wells may be done in the timeframes indicated:

Darr Angell #1: MW-4, 11, 15, 16, 19, and 20 may be sampled annually; MW-7 may be sampled semi-annually.

Darr Angell #2: MW-1, 5, 6, 7, 8, 9, and 10 may be sampled annually; MW-3, and 4 may be sampled semi-annually.

Darr Angell #4: MW-1, 2, 4, 5, 7, and 12 may be sampled annually; MW-9 may be sampled semi-annually.

HDO 90-23: MW-1, 7, and 8 may be sampled annually; MW-4, and 5 may be sampled semi-annually.

LF-37: MW-1, 2, 5, 6, 7, 8, and 9 may be sampled annually; MW-4 may be sampled semi-annually.

LF-59: MW-3, 5, and 6 may be sampled annually; MW-7 may be sampled semi-annually.

Monument 2: MW-6, and 7 may be sampled annually; MW-4 may be sampled semi-annually.

Monument 10: MW-4 may be sampled annually; MW-6, and 7 may be sampled semi-annually.

Monument 11: MW-1, 2, and 3 may be sampled annually.

Monument 17: MW-5, and 8 may be sampled annually. MW-4, and 6 may be sampled semi-annually.

Monument 18: MW-2, 6, 7, and 8 may be sampled annually. MW-5 may be sampled semi-annually.

TNM 97-04: MW-1, 7, 8, 10, and 12 may be sampled annually.

TNM 97-17: MW-1, 3, 11, 12, 13, 16, 17, 18, and 28 may be sampled annually. MW-22, 23, 24, 25, and 27 may be sampled semi-annually.

TNM 97-18: MW-1, 8, 9, 11, 12, 13, 14, 15, 16, 19, 20, and 21 may be sampled annually. MW-22, 26, 28, 29, and 30 may be sampled semi-annually.

TNM 97-23: MW-1, 2, 3, and 5 may be sampled annually.

TNM 98-05: MW-3, and 4 may be sampled annually.

TNM 98-05A: MW-5, and 8 may be sampled annually. MW-6, and 7 may be sampled semi-annually.

SPS-11: MW-2, 3, 13, 19, 20, 21, 22, 25, 27, 30, and 31 may be sampled annually. MW-10, and 18 may be sampled semi-annually.

Conditions:

1. Gauging of all monitor wells will continue on a quarterly basis.
2. A request for a change in sampling frequency for any other monitor wells must be made specifically for those wells. This approval of annual and semi-annual sampling for the above wells does not constitute a "blanket" approval for any other monitor well not shown above.

If you have any questions, do not hesitate to contact me.

NEW MEXICO OIL CONSERVATION DIVISION

A handwritten signature in cursive script, appearing to read "Ed Martin".

Ed Martin
Environmental Bureau

° DRAFT

March 25, 2004

Mr. Ed Martin
New Mexico Energy, Minerals and Natural Resources Department
Oil Conservation Division
1220 South St. Francis Drive
Santa Fe, New Mexico 87505

RE: Annual sampling and quarterly gauging of groundwater monitor wells meeting regulatory cleanup standards.

Mr. Martin:

Environmental Technology Group, Inc. (ETGI) for Link Energy is requesting that the groundwater sampling schedule of the wells listed below be changed from a quarterly to an annual sampling schedule. Quarterly gauging will continue on all site monitor wells during the regularly scheduled monitoring events. Benzene and total BTEX concentrations have been below regulatory standards in all of the monitor wells listed below for at least eight consecutive monitoring periods:

- ✓ HDO 90-23: MW-1, 4, 5, 7 and 8;
- ✓ LF-37: MW-1, 2, 4, 5, 6, 7, 8 and 9;
- ✓ LF-59: MW-3, 5, 6 and 7;
- ✓ Monument 2: MW-4, 6 and 7;
- ✓ Monument 10: MW-1, 4, 5, 6 and 7;
- ✓ Monument 11: MW-1, 2 and 3;
- ✓ Monument 17: MW-4, 5, 6 and 8;
- ✓ Monument 18: MW-2, 5, 6, 7 and 8;
- ✓ TNM 97-04: MW-1, 7, 8, 10 and 12;
- ✓ TNM97-17: MW-1, 3, 11, 12, 13, 16, 17, 18, 22, 23, 24, 25, 27 and 28;
- ✓ TNM 97-18: MW-1; + E-mail
- ✓ TNM 97-23: MW-1, 2, 3 and 5;
- ✓ TNM 98-05: MW-3 and 4;
- ✓ TNM 98-05A: MW-5, 6, 7 and 8;
- ✓ SPS-11: MW-2, 3, 13, 15, 18, 19, 20, 21, 22, 25, 27, 30 and 31. + E-mail (#10)

As additional monitor wells meet the eight consecutive monitoring events requirement with concentrations below regulatory standards we will formally request that they too be sampled on an annual basis.

Please contact me with any questions you have concerning ETGI's proposed groundwater sampling schedule at these sites.

Sincerely;

Robert B. Edison
Geologist / Senior Project Manager
ETGI, Hobbs, New Mexico

(505) 397-4882 office phone
(505) 631-2974 cell
(505) 397-4701 fax

From: Robert Eidson [reidson@etgi.cc]
Sent: Tuesday, April 27, 2004 10:53 AM
To: Ed Martin
Subject: Groundwater sampling frequency letter
 Ed:
 The letter is attached for your reference.

Tabulated analytical results are included in all of the Annual Groundwater Monitoring reports. The Figure 3's should also be helpful in determining sampling frequency changes. Of those sites which show only seven consecutive quarters of acceptable groundwater sampling results, I checked the first quarter results of this year to meet the requirement (8). All wells will continue to be gauged during each sampling event.

- ✓ At the **Darr Angell 1 site (AP-07)** we would like to sample monitor wells MW-4, 7, 11, 15, 16, 19 and 20 annually.
- ✓ At the **Darr Angell 2 site (AP-07)** we would like to sample monitor wells MW-1, 3, 4, 5, 6, 7, 8, 9 and 10 annually.
- ✓ At the **Darr Angell 4 site (AP-07)** we would like to sample monitor wells MW-1, 2, 4, 5, 7, 9 and 12 annually.

Additionally, we would like to add the following monitor wells to the list shown on the attached letter:

- ✓ At **TNM 97-18 (AP-13)** monitor wells MW-8, 9, 11, 12, 13, 14, 15, 16, 19, 20, 21, 22, 26, 28, 29 and 30. and SPS-11.
- ✓ At **SPS-11** monitor wells MW-10 and MW-19.

I will send the corresponding maps in groups to speed transmission and delivery.

Sincerely,
 Robert B. Eidson
 Geologist / Sr. Project Manager
 ETGI
 Hobbs, New Mexico
 505-397-4882 office
 505-397-4701 fax
 505-631-2974 cell

This email has been scanned by the MessageLabs Email Security System.
 For more information please visit <http://www.messagelabs.com/email>

ANNUAL MONITORING REPORT

DARR ANGELL #4

NW ¼ NE ¼ SECTION 11, TOWNSHIP 15 SOUTH, RANGE 37 EAST

SW ¼ SE ¼ SECTION 2, TOWNSHIP 15 SOUTH, RANGE 37 EAST

LEA COUNTY, NEW MEXICO

LINK LEAK NUMBER: 2001-10876

ETGI PROJECT NUMBER: LI2075

PREPARED FOR:

LINK ENERGY

5805 EAST HIGHWAY 80

MIDLAND, TEXAS 79701

PREPARED BY:

ENVIRONMENTAL TECHNOLOGY GROUP, INC.

2540 WEST MARLAND

HOBBS, NEW MEXICO 88240

April 2004

ANNUAL MONITORING REPORT

DARR ANGELL #4

NW ¼ NE ¼ SECTION 11, TOWNSHIP 15 SOUTH, RANGE 37 EAST
SW ¼ SE ¼ SECTION 2, TOWNSHIP 15 SOUTH, RANGE 37 EAST
LEA COUNTY, NEW MEXICO
LINK LEAK NUMBER: 2001-10876
ETGI PROJECT NUMBER: LI2075


PREPARED FOR:

LINK ENERGY
5805 EAST HIGHWAY 80
MIDLAND, TEXAS 79701


PREPARED BY:

ENVIRONMENTAL TECHNOLOGY GROUP, INC.
2540 WEST MARLAND
HOBBS, NEW MEXICO 88240

April 2004



Robert B. Eidson
Geologist/Senior Project Manager



Todd Choban
Regional Manager

TABLE OF CONTENTS

INTRODUCTION.....	1
FIELD ACTIVITIES.....	1
GROUNDWATER GRADIENT	1
LABORATORY RESULTS	2
SUMMARY	2
DISTRIBUTION	4

FIGURES

Figure 1 – Site Location Map

Figure 2 – Inferred Groundwater Gradient Map – March 12, 2003

Inferred Groundwater Gradient Map – June 16, 2003

Inferred Groundwater Gradient Map – September 10, 2003

Inferred Groundwater Gradient Map – December 11, 2003

Figure 3 – Groundwater Concentration Map – March 13, 2003

Groundwater Concentration Map – June 16, 2003

Groundwater Concentration Map – September 10, 2003

Groundwater Concentration Map – December 11, 2003

TABLES

Table 1 – Groundwater Elevation Data

Table 2 – Concentrations of BTEX in Groundwater

APPENDICES

Appendix A – Laboratory Reports

INTRODUCTION

Environmental Technology Group, Inc. (ETGI), on behalf of Link Energy (Link), has prepared this Annual Monitoring Report in compliance with the New Mexico Oil Conservation Division (NMOCD) letter of May 1998 requiring submittal of an Annual Monitoring Report by April 1 of each year. This report is intended to be viewed as a complete document with text, figures, tables, and appendices. This report presents the results of the quarterly groundwater monitoring events conducted in calendar year 2003 only. For reference, a Site Location Map is provided as Figure 1.

Groundwater monitoring was conducted during four quarterly events in calendar year 2003 to assess the levels and extent of dissolved phase and Phase-Separated Hydrocarbon (PSH) constituents. The groundwater monitoring events consisted of measuring static water levels in the monitor and recovery wells, checking for the presence of PSH and purging and sampling of each well exhibiting sufficient recharge. Monitor and/or recovery wells containing a thickness of PSH greater than 0.01 foot were not sampled.

FIELD ACTIVITIES

The monitor wells were gauged and sampled on March 12-13, June 16, September 10, and December 11, 2003. During each sampling event the monitor and recovery wells were purged of approximately three well volumes of water or until the wells were dry using a PVC bailer or electrical Grundfos Pump. Groundwater was allowed to recharge and samples were obtained using disposable Teflon samplers. Water samples were collected in clean glass containers provided by the laboratory and placed on ice in the field. Purge water was collected in a polystyrene tank and disposed of by Vista Trucking, Eunice, New Mexico from January through September and by Lobo Trucking, Hobbs, New Mexico between August and December utilizing a licensed disposal facility (OCD AO SWD-730).

GROUNDWATER GRADIENT

Locations of the monitor wells and the inferred groundwater gradient, constructed from measurements collected during the quarterly monitoring events, are depicted on Figures 2A-2D, the Inferred Groundwater Gradient Maps. Cumulative groundwater elevation data is provided in Table 1. Groundwater elevation contours, generated from water level measurements acquired during the quarterly events of 2003, indicated a general gradient of approximately 0.002 ft/ft to the southeast as measured between groundwater monitor wells MW-5 and MW-3. The depth to groundwater, as measured from the top of the well casing, ranged between 61.46 to 70.86 feet in the shallow alluvial aquifer.

Measurable thicknesses of PSH was detected in recovery wells RW-1, RW-2, RW-3, RW-4, RW-5, RW-6, RW-7, RW-8, RW-9, RW-10, RW-11, RW-12, RW-13 and monitor wells MW-6 and MW-8 during the annual monitoring period. Maximum thicknesses of 4.74 feet in recovery well RW-1, 5.81 feet in recovery well RW-2, 5.03 feet in recovery well RW-3, 5.66 feet in recovery well RW-4, a sheen in RW-5, 4.85 feet in recovery well RW-6, 1.00 feet in RW-7, 4.91

feet in recovery well RW-8, 6.67 feet in recovery well RW-9, 7.34 feet in recovery well RW-10, 9.09 feet in recovery well RW-11, 3.60 feet in recovery well RW-12, 1.65 feet in RW-13, 0.81 feet in monitor well MW-6, and 0.58 feet in monitor well MW-8 were recorded during this reporting period and are shown in Table 1.

LABORATORY RESULTS

Groundwater samples collected during the sampling events were delivered to AnalySys, Inc. in Austin, Texas for determination of Benzene, Toluene, Ethylbenzene and Xylene (BTEX) constituent concentrations by EPA Method SW846-8260b. A cumulative listing of BTEX constituent concentrations are summarized in Table 2 and copies of the laboratory reports generated during this reporting period are provided in Appendix A. The inferred extent of PSH and groundwater sampling results for benzene and total BTEX concentrations are indicated on Figures 3A-3D, the Groundwater Concentration Maps.

Review of laboratory analytical results generated from analysis of the groundwater samples obtained during the monitoring period indicate benzene and BTEX concentrations were below NMOCD regulatory standards in monitor wells MW-1, MW-2, MW-4, MW-5, MW-7, MW-8, MW-9, MW-11, MW-12 and MW-13. The benzene concentrations in monitor wells MW-3, MW-10, MW-14 and recovery wells RW-5 were above NMOCD regulatory standards while total BTEX concentrations were below NMOCD regulatory standards in wells not containing PSH. Product recovery wells RW-1, RW-2, RW-3, RW-4, RW-5, RW-6, RW-7, RW-8, RW-9, RW-10, RW-11, RW-12, RW-13 and monitor well MW-6 contained measurable thicknesses of PSH and were not sampled. Groundwater monitor well MW-8 contained at least a sheen of PSH during the monitoring period but was sampled during the first quarterly monitoring event.

SUMMARY

This report presents the results of groundwater monitoring activities for the monitoring period of calendar year 2003. Measurable thicknesses of PSH were detected in recovery wells RW-1, RW-2, RW-3, RW-4, RW-5, RW-6, RW-7, RW-8, RW-9, RW-10, RW-11, RW-12, RW-13 and monitor wells MW-6 and MW-8 during the monitoring period. Maximum thicknesses of 4.74 feet in recovery well RW-1, 5.81 feet in recovery well RW-2, 5.03 feet in recovery well RW-3, 5.66 feet in recovery well RW-4, a sheen in RW-5, 4.85 feet in recovery well RW-6, 1.00 feet in RW-7, 4.91 feet in recovery well RW-8, 6.67 feet in recovery well RW-9, 7.34 feet in recovery well RW-10, 9.09 feet in recovery well RW-11, 3.60 feet in recovery well RW-12, 1.65 feet in RW-13, 0.81 feet in monitor well MW-6, and 0.58 feet in monitor well MW-8 were measured and are recorded Table 1. Approximately 5,433 gallons of PSH have been recovered since project inception. During this reporting period, approximately 1,988 gallons of PSH was recovered from the aforementioned recovery and monitor wells. Recovered PSH was reintroduced into the Link transportation system at the Lea Station Facility, Monument, New Mexico.

Groundwater elevation contours, generated from water level measurements acquired during the quarterly events of 2003, indicated a general gradient of approximately 0.002 ft/ft to the southeast as measured between groundwater monitor wells MW-5 and MW-3.

Review of laboratory analytical results generated from analysis of the groundwater samples obtained during the monitoring period indicate benzene and BTEX concentrations were below NMOCD regulatory standards in monitor wells MW-1, MW-2, MW-4, MW-5, MW-7, MW-8, MW-9, MW-11, MW-12 and MW-13. The benzene concentrations in monitor wells MW-3, MW-10, MW-14 and recovery wells RW-5 were above NMOCD regulatory standards while total BTEX concentrations were below NMOCD regulatory standards in wells not containing PSH. Product recovery wells RW-1, RW-2, RW-3, RW-4, RW-5, RW-6, RW-7, RW-8, RW-9, RW-10, RW-11, RW-12, RW-13 and monitor well MW-6 contained measurable thicknesses of PSH and were not sampled. Groundwater monitor well MW-8 contained at least a sheen of PSH during the monitoring period but was sampled during the first quarterly monitoring event.

Groundwater sampling results from samples collected at monitor wells MW-1, MW-2, MW-4, MW-5, MW-7, MW-9 and MW-12 have not exceeded the NMOCD regulatory standards for benzene or total BTEX concentrations for at least eight consecutive monitoring events. At this time, we are requesting that the above referenced monitor wells be gauged quarterly but sampled annually, until conditions for site closure are met.


DISTRIBUTION

- Copy 1 & 2: William C. Olson and Ed Martin
New Mexico Oil Conservation Division
1220 South St. Francis Drive
Santa Fe, New Mexico 87505
- Copy 3: Chris Williams
New Mexico Oil Conservation Division (District 1)
1625 French Drive
Hobbs, New Mexico 88240
- Copy 4: Jeff Dann
Link Energy
2000 West Sam Houston Parkway
Suite 400
Houston, Texas 77042
- Copy 5: Jimmy Bryant
Link Energy
5805 Hwy. 80 East
Midland, Texas 79701
- Copy 6: Environmental Technology Group, Inc.
4600 West Wall Street
Midland, Texas 79703
- Copy 7: Environmental Technology Group, Inc.
2540 West Marland
Hobbs, New Mexico 88240

Copy Number: _____

Quality Control Review: _____

FIGURES



Site Location

33° 02' 17.4" N 103° 10' 04.4" W

NW 1/4 NE 1/4 Sec 11 T15S R37E

SW 1/4 SE 1/4 Sec 2 T15S R37E

Figure 1
Site Location Map

Link Energy
Darr Angell #4
Lea County, NM

Environmental Technology
Group, INC.


Scale: 1"=2000'

Prep By: JDJ


Checked By: RE


March 11, 2002

ETIG Project # LI 2075



Recovery Wells RW-3 and RW-13 were not used in map construction.





Recovery wells RW-1 thru RW-6, RW-9 and RW-11,12,13 were not used in map construction

LEGEND:

- Monitor Well Location
- Recovery Well Location
- Groundwater Gradient Direction and Magnitude
- Poly Tank
- Shed
- Groundwater Elevation Contour Line
- Monitor Well Location and Groundwater Elevation (feet)


Site Location
33° 02' 17.4" N 103° 10' 04.4" W
RW 1/4 NE 1/4 Sec 11 T16S R07E
SW 1/4 SE 1/4 Sec 2 T15S R07E

Figure 2C
Inferred Groundwater
Gradient Map
9/10/03

Link Energy
Darr Angell #4
Lea County, NM

Environmental Technology
Group, Inc.


Scale: 1"=100'	Prep By: CE	Checked By: RE
March 23, 2004	ETGI Project #12 2075	



Recovery Wells RW-4, 7 and 8 were not used in map construction



LEGEND  Monitoring Well Location  Recovery Well Location  Groundwater Gradient Direction and Magnitude	 Poly Tank  Shed  Groundwater Elevation Contour Line  Monitoring Well Location and Groundwater Elevation (feet)	Site Location: 37° 02' 17.4" N, 107° 02' 34.4" W NW 1/4 Sec 14, T11S, R12E SW 1/4 Sec 14, T11S, R12E	Figure 20 Inferred Groundwater Gradient Map 12/11/03 Link Energy Dan Angeli 84 Lea County, NM	Environmental Technology Group, Inc. <table border="1"><tr><td>Scale: 1"=50'</td><td>Map for: 20'</td><td>Checked by: RB</td></tr><tr><td>Date: 11, 2004</td><td colspan="2">ETGI Project # 11-2003</td></tr></table>	Scale: 1"=50'	Map for: 20'	Checked by: RB	Date: 11, 2004	ETGI Project # 11-2003	
Scale: 1"=50'	Map for: 20'	Checked by: RB								
Date: 11, 2004	ETGI Project # 11-2003									



LEGEND

- Monitor Well Location
- Recovery Well Location


- Poly Tank
- Shed
- Inferred Extent of PSH

Site Location
37° 57' 11.4" N 107° 50' 34.4" W
Add 1/4 NE 1/4 Sec 11 T15S R27E
38P 1/4 SE 1/4 Sec 2 T15S R27E

Figure 3A
Groundwater Concentration
Map (3/13/03)
Link Energy
Dart Angel #4
Lea County, NM


Environmental Technology
Group, Inc.

Scale: 1"=100' Prep By: JBC Checked By: JBC
Drawn: 11, 2004 01103 Project # 01001



LEGEND

- Monitor Well Location
- Recovery Well Location



Inferred Extent of PSN


Note: PSN Thickness in Feet

Site Location
37° 02' 17.4" N 107° 02' 34.7" W
430 14 16 14 Sec 11 T19S R27E
SW 1/4 Sec 14 Sec 1 T19S R27E

Figure 3C
Groundwater Concentration
Map (5/10/2003)
Link Energy
Dart Argus 44
Lea County, NM

Environmental Technology
Group, Inc.

Scale: 1"=100' Prep By: JGJ Checked By: RB
Date: 11/2004 ETD Project #112003



LEGEND: Monitor Well Location Recovery Well Location Note: PSH Thickness in Feet	Poly Well Shed Inferred Extent of PSH	Site Location: 30° 52' 12.4" N 100° 37' 04.4" W NW 1/4 NE 1/4 Sec 11 T15S R27E SW 1/4 SE 1/4 Sec 2 T15S R27E	Figure 3D Groundwater Concentration Map (12/1/03) Link Energy Darr Angel #4 Lea County, NM	Environmental Technology Group, Inc. <table><tr><td>Scale: 1"=100'</td><td>Prep By: JDL</td><td>Checked By: RL</td></tr><tr><td colspan="3">March 17, 2004</td></tr></table>	Scale: 1"=100'	Prep By: JDL	Checked By: RL	March 17, 2004		
Scale: 1"=100'	Prep By: JDL	Checked By: RL								
March 17, 2004										

TABLES

TABLE 1
GROUNDWATER ELEVATION DATA

LINK ENERGY
DARR ANGELL 4
LEA COUNTY, NEW MEXICO
ETGI PROJECT # LI 2075

WELL NUMBER	DATE MEASURED	TOP OF CASING ELEVATION	DEPTH TO PRODUCT	DEPTH TO WATER	PSH THICKNESS	CORRECTED GROUND WATER ELEVATION
MW - 1	07/31/00	3,800.66	-	64.55	0.00	3,736.11
	09/13/00	3,800.66	-	64.65	0.00	3,736.01
	11/15/00	3,800.66	-	64.76	0.00	3,735.90
	02/14/01	3,800.66	-	64.82	0.00	3,735.84
	04/24/01	3,800.66	-	64.92	0.00	3,735.74
	08/21/01	3,800.66	-	65.11	0.00	3,735.55
	10/30/01	3,800.66	-	65.22	0.00	3,735.44
	02/18/02	3,800.66	-	65.39	0.00	3,735.27
	06/19/02	3,800.66	-	65.59	0.00	3,735.07
	09/18/02	3,800.66	-	65.77	0.00	3,734.89
	12/18/02	3,800.66	-	65.89	0.00	3,734.77
	03/12/03	3,800.66	-	66.00	0.00	3,734.66
	06/16/03	3,800.66	-	66.18	0.00	3,734.48
	09/10/03	3,800.66	-	66.32	0.00	3,734.34
	12/11/03	3,800.66	-	66.48	0.00	3,734.18
MW - 2	07/31/00	3,796.33	-	60.55	0.00	3,735.78
	09/13/00	3,796.33	-	60.66	0.00	3,735.67
	11/15/00	3,796.33	-	60.76	0.00	3,735.57
	02/14/01	3,796.33	-	60.74	0.00	3,735.59
	04/24/01	3,796.33	-	60.90	0.00	3,735.43
	08/21/01	3,796.33	-	61.10	0.00	3,735.23
	10/30/01	3,796.33	-	61.20	0.00	3,735.13
	02/18/02	3,796.33	-	61.31	0.00	3,735.02
	06/19/02	3,796.33	-	61.57	0.00	3,734.76
	09/18/02	3,796.33	-	61.74	0.00	3,734.59
	12/18/02	3,796.33	-	61.86	0.00	3,734.47
	03/12/03	3,796.33	-	61.99	0.00	3,734.34
	06/16/03	3,796.33	-	62.16	0.00	3,734.17
	09/10/03	3,796.33	-	62.27	0.00	3,734.06
	12/11/03	3,796.33	-	62.45	0.00	3,733.88
MW - 3	07/31/00	3,798.10	-	62.53	0.00	3,735.57
	09/13/00	3,798.10	-	62.63	0.00	3,735.47
	11/15/00	3,798.10	-	62.72	0.00	3,735.38
	02/14/01	3,798.10	-	62.72	0.00	3,735.38
	04/24/01	3,798.10	-	62.88	0.00	3,735.22
	08/21/01	3,798.10	-	63.10	0.00	3,735.00
	10/30/01	3,798.10	-	63.20	0.00	3,734.90
	02/18/02	3,798.10	-	63.31	0.00	3,734.79
	06/19/02	3,798.10	-	63.54	0.00	3,734.56
	09/18/02	3,798.10	-	63.72	0.00	3,734.38
	12/18/02	3,798.10	-	63.83	0.00	3,734.27
	03/12/03	3,798.10	-	63.96	0.00	3,734.14

TABLE 1
GROUNDWATER ELEVATION DATA

LINK ENERGY
DARR ANGELL 4
LEA COUNTY, NEW MEXICO
ETGI PROJECT # LI 2075

WELL NUMBER	DATE MEASURED	TOP OF CASING ELEVATION	DEPTH TO PRODUCT	DEPTH TO WATER	PSH THICKNESS	CORRECTED GROUND WATER ELEVATION
MW - 3	06/16/03	3,798.10	-	64.13	0.00	3,733.97
	09/10/03	3,798.10	-	64.25	0.00	3,733.85
	12/11/03	3,798.10	-	64.42	0.00	3,733.68
MW - 4	08/21/01	3,797.73	-	62.34	0.00	3,735.39
	10/30/01	3,797.73	-	62.45	0.00	3,735.28
	02/18/02	3,797.73	-	62.63	0.00	3,735.10
	06/19/02	3,797.73	-	62.81	0.00	3,734.92
	09/18/02	3,797.73	-	62.92	0.00	3,734.81
	12/18/02	3,797.73	-	63.09	0.00	3,734.64
	03/12/03	3,797.73	-	63.25	0.00	3,734.48
	06/16/03	3,797.73	-	63.39	0.00	3,734.34
	09/10/03	3,797.73	-	63.52	0.00	3,734.21
	12/11/03	3,797.73	-	63.70	0.00	3,734.03
	08/21/01	3,797.23	-	61.87	0.00	3,735.36
	10/30/01	3,797.23	-	61.86	0.00	3,735.37
MW - 5	02/18/02	3,797.23	-	62.03	0.00	3,735.20
	06/19/02	3,797.23	-	62.21	0.00	3,735.02
	09/18/02	3,797.23	-	62.38	0.00	3,734.85
	12/18/02	3,797.23	-	62.50	0.00	3,734.73
	03/12/03	3,797.23	-	62.64	0.00	3,734.59
	06/16/03	3,797.23	-	62.79	0.00	3,734.44
	09/10/03	3,797.23	-	62.91	0.00	3,734.32
	12/11/03	3,797.23	-	63.10	0.00	3,734.13
	08/21/01	3,796.51	-	60.96	0.00	3,735.55
	10/30/01	3,796.51	-	61.11	0.00	3,735.40
	02/18/02	3,796.51	61.28	61.47	0.19	3,735.20
	06/19/02	3,796.51	61.44	61.54	0.10	3,735.06
MW - 6	09/18/02	3,796.51	61.53	62.01	0.48	3,734.91
	12/18/02	3,796.51	61.77	61.85	0.08	3,734.73
	01/06/03	3,796.51	61.87	62.01	0.14	3,734.62
	01/08/03	3,796.51	61.80	61.88	0.08	3,734.70
	01/13/03	3,796.51	61.85	61.97	0.12	3,734.64
	01/20/03	3,797.51	61.78	61.78	0.00	3,735.73
	02/25/03	3,796.51	61.90	62.18	0.28	3,734.57
	03/04/03	3,796.51	61.88	62.15	0.27	3,734.59
	03/12/03	3,796.51	61.90	62.17	0.27	3,734.57
	03/17/03	3,796.51	61.97	62.18	0.21	3,734.51
	03/18/03	3,796.51	61.99	62.27	0.28	3,734.48
	03/26/03	3,796.51	61.99	62.29	0.30	3,734.48
	03/31/03	3,796.51	61.97	62.31	0.34	3,734.49
	04/09/03	3,796.51	62.02	62.08	0.06	3,734.48
	04/16/03	3,796.51	61.99	62.18	0.19	3,734.49

TABLE 1
GROUNDWATER ELEVATION DATA

LINK ENERGY
DARR ANGELL 4
LEA COUNTY, NEW MEXICO
ETGI PROJECT # LI 2075

WELL NUMBER	DATE MEASURED	TOP OF CASING ELEVATION	DEPTH TO PRODUCT	DEPTH TO WATER	PSH THICKNESS	CORRECTED GROUND WATER ELEVATION
MW - 6	04/21/03	3,796.51	61.90	61.90	0.00	3,734.61
	05/13/03	3,796.51	62.03	62.55	0.52	3,734.40
	06/03/03	3,796.51	62.09	62.52	0.43	3,734.36
	06/09/03	3,796.51	62.16	62.54	0.38	3,734.29
	06/16/03	3,796.51	62.11	62.31	0.20	3,734.37
	06/23/03	3,796.51	62.19	62.63	0.44	3,734.25
	07/09/03	3,796.51	62.21	62.72	0.51	3,734.22
	07/28/03	3,796.51	62.04	62.64	0.60	3,734.38
	08/04/03	3,796.51	62.30	62.88	0.58	3,734.12
	08/11/04	3,796.51	62.44	62.71	0.27	3,734.03
	08/19/03	3,796.51	62.48	62.61	0.13	3,734.01
	09/02/03	3,796.51	62.39	62.46	0.07	3,734.11
	09/10/03	3,796.51	62.36	62.43	0.07	3,734.14
	09/19/03	3,796.51	62.40	62.42	0.02	3,734.11
	10/02/03	3,796.51	62.38	62.41	0.03	3,734.13
	10/15/03	3,796.51	62.31	62.40	0.09	3,734.19
	10/21/03	3,796.51	62.28	62.81	0.53	3,734.15
	11/04/03	3,796.51	62.30	62.37	0.07	3,734.20
	11/12/03	3,796.51	62.77	63.41	0.64	3,733.64
	11/20/03	3,796.51	62.27	62.94	0.67	3,734.14
	12/02/03	3,796.51	62.65	63.43	0.78	3,733.74
	12/11/03	3,796.51	62.32	63.13	0.81	3,734.07
	12/30/03	3,796.51	62.34	63.11	0.77	3,734.05
MW - 7	08/21/01	3,796.16	-	60.60	0.00	3,735.56
	10/30/01	3,796.16	-	60.73	0.00	3,735.43
	02/18/02	3,796.16	-	60.83	0.00	3,735.33
	06/19/02	3,796.16	-	61.08	0.00	3,735.08
	09/18/02	3,796.16	-	61.24	0.00	3,734.92
	12/18/02	3,796.16	-	61.46	0.00	3,734.70
	03/12/03	3,796.16	-	61.50	0.00	3,734.66
	06/16/03	3,796.16	-	61.64	0.00	3,734.52
	09/10/03	3,796.16	-	61.79	0.00	3,734.37
MW - 8	12/11/03	3,796.16	-	61.97	0.00	3,734.19
	08/21/01	3,795.89	-	60.58	0.00	3,735.31
	10/30/01	3,795.89	-	60.65	0.00	3,735.24
	02/18/02	3,795.89	-	60.77	0.00	3,735.12
	06/19/02	3,795.89	-	61.05	0.00	3,734.84
	09/18/02	3,795.89	-	61.23	0.00	3,734.66
	12/18/02	3,795.89	61.35	61.37	0.02	3,734.54
	01/13/03	3,795.89	61.43	61.47	0.04	3,734.45
	03/04/03	3,795.89	61.50	61.62	0.12	3,734.37
	03/10/03	3,795.89	61.53	61.53	0.00	3,734.36

TABLE 1
GROUNDWATER ELEVATION DATA

LINK ENERGY
DARR ANGELL 4
LEA COUNTY, NEW MEXICO
ETGI PROJECT # LI 2075

WELL NUMBER	DATE MEASURED	TOP OF CASING ELEVATION	DEPTH TO PRODUCT	DEPTH TO WATER	PSH THICKNESS	CORRECTED GROUND WATER ELEVATION
MW - 8	03/12/03	3,795.89	61.51	61.52	0.01	3,734.38
	03/26/03	3,795.89	61.60	61.60	0.00	3,734.29
	03/31/03	3,795.89	61.61	61.62	0.01	3,734.28
	04/09/03	3,795.89	61.62	61.62	0.00	3,734.27
	04/21/03	3,795.89	61.48	61.50	0.02	3,734.41
	05/13/03	3,795.89	61.72	61.79	0.07	3,734.16
	06/03/03	3,795.89	61.73	61.81	0.08	3,734.15
	06/10/03	3,795.89	61.74	61.79	0.05	3,734.14
	06/16/03	3,795.89	61.81	61.81	0.00	3,734.08
	06/24/03	3,795.89	61.76	61.88	0.12	3,734.11
	07/09/03	3,795.89	61.81	61.97	0.16	3,734.06
	07/28/03	3,795.89	61.64	61.86	0.22	3,734.22
	08/04/03	3,795.89	61.91	62.10	0.19	3,733.95
	08/11/03	3,795.89	62.03	62.03	0.00	3,733.86
	08/19/03	3,795.89	62.04	62.04	0.00	3,733.85
	09/10/03	3,795.89	62.03	62.03	0.00	3,733.86
	09/19/03	3,795.89	62.10	62.10	0.00	3,733.79
	10/21/03	3,795.89	63.33	63.91	0.58	3,732.47
	11/04/03	3,795.89	61.90	62.04	0.14	3,733.97
	11/12/03	3,795.89	62.30	62.40	0.10	3,733.58
	11/20/03	3,795.89	61.81	62.15	0.34	3,734.03
	12/02/03	3,795.89	62.29	62.68	0.39	3,733.54
	12/11/03	3,795.89	61.99	62.43	0.44	3,733.83
	12/30/03	3,795.89	62.01	62.45	0.44	3,733.81
MW - 9	08/21/01	3,795.66	-	60.68	0.00	3,734.98
	10/30/01	3,795.66	-	60.80	0.00	3,734.86
	02/18/02	3,795.66	-	60.92	0.00	3,734.74
	06/19/02	3,795.66	-	61.15	0.00	3,734.51
	09/18/02	3,795.66	-	61.32	0.00	3,734.34
	12/18/02	3,795.66	-	61.43	0.00	3,734.23
	03/12/03	3,795.66	-	61.57	0.00	3,734.09
	06/16/03	3,795.66	-	61.73	0.00	3,733.93
	09/10/03	3,795.66	-	61.86	0.00	3,733.80
	12/11/03	3,795.66	-	62.04	0.00	3,733.62
MW - 10	08/21/01	3,796.23	-	61.35	0.00	3,734.88
	10/30/01	3,796.23	-	61.51	0.00	3,734.72
	02/18/02	3,796.23	-	61.61	0.00	3,734.62
	06/19/02	3,796.23	-	61.84	0.00	3,734.39
	09/18/02	3,796.23	-	62.01	0.00	3,734.22
	12/18/02	3,796.23	-	62.11	0.00	3,734.12
	03/12/03	3,796.23	-	62.23	0.00	3,734.00
	06/16/03	3,796.23	-	62.40	0.00	3,733.83

TABLE 1
GROUNDWATER ELEVATION DATA

LINK ENERGY
DARR ANGELL 4
LEA COUNTY, NEW MEXICO
ETGI PROJECT # LI 2075

WELL NUMBER	DATE MEASURED	TOP OF CASING ELEVATION	DEPTH TO PRODUCT	DEPTH TO WATER	PSH THICKNESS	CORRECTED GROUND WATER ELEVATION
MW - 10	09/10/03	3,796.23	-	62.52	0.00	3,733.71
	12/11/03	3,796.23	-	62.69	0.00	3,733.54
MW - 11	08/21/01	3,796.58	-	61.80	0.00	3,734.78
	10/30/01	3,796.58	-	61.92	0.00	3,734.66
	02/18/02	3,796.58	-	62.08	0.00	3,734.50
	06/19/02	3,796.58	-	62.28	0.00	3,734.30
	09/18/02	3,796.58	-	62.42	0.00	3,734.16
	12/18/02	3,796.58	-	62.57	0.00	3,734.01
	03/12/03	3,796.58	-	62.68	0.00	3,733.90
	06/16/03	3,796.58	-	62.84	0.00	3,733.74
	09/10/03	3,796.58	-	62.98	0.00	3,733.60
	12/11/03	3,796.58	-	63.14	0.00	3,733.44
	08/21/01	3,798.03	-	63.04	0.00	3,734.99
	10/30/01	3,798.03	-	63.20	0.00	3,734.83
MW - 12	02/18/02	3,798.03	-	63.28	0.00	3,734.75
	06/19/02	3,798.03	-	63.52	0.00	3,734.51
	09/18/02	3,798.03	-	63.68	0.00	3,734.35
	12/18/02	3,798.03	-	63.83	0.00	3,734.20
	03/12/03	3,798.03	-	63.94	0.00	3,734.09
	06/16/03	3,798.03	-	64.10	0.00	3,733.93
	09/10/03	3,798.03	-	64.24	0.00	3,733.79
	12/11/03	3,798.03	-	65.91	0.00	3,732.12
	08/21/01	3,799.65	-	64.51	0.00	3,735.14
	10/30/01	3,799.65	-	64.63	0.00	3,735.02
	02/18/02	3,799.65	-	64.73	0.00	3,734.92
	06/19/02	3,799.65	-	64.97	0.00	3,734.68
MW - 13	09/18/02	3,799.65	-	65.13	0.00	3,734.52
	12/18/02	3,799.65	-	65.30	0.00	3,734.35
	03/12/03	3,799.65	-	65.41	0.00	3,734.24
	06/16/03	3,799.65	-	65.57	0.00	3,734.08
	09/10/03	3,799.65	-	65.70	0.00	3,733.95
	12/11/030	3,799.65	-	65.86	0.00	3,733.79
	12/18/02	3,796.10	-	62.07	0.00	3,734.03
	03/12/03	3,796.10	-	62.22	0.00	3,733.88
	06/16/03	3,796.10	-	62.38	0.00	3,733.72
	09/10/03	3,796.10	-	62.51	0.00	3,733.59
	12/11/03	3,796.10	-	62.66	0.00	3,733.44
	07/31/00	3,797.66	-	61.76	0.00	3,735.90
RW - 1	09/13/00	3,797.66	-	61.86	0.00	3,735.80
	11/15/00	3,797.66	-	61.94	0.00	3,735.72
	02/14/01	3,797.66	-	61.95	0.00	3,735.71
	04/24/01	3,797.66	62.06	62.50	0.44	3,735.53

TABLE 1
GROUNDWATER ELEVATION DATA

LINK ENERGY
DARR ANGELL 4
LEA COUNTY, NEW MEXICO
ETGI PROJECT # LI 2075

WELL NUMBER	DATE MEASURED	TOP OF CASING ELEVATION	DEPTH TO PRODUCT	DEPTH TO WATER	PSH THICKNESS	CORRECTED GROUND WATER ELEVATION
RW - 1	08/21/01	3,797.66	62.31	63.18	0.87	3,735.22
	10/30/01	3,797.66	62.43	63.00	0.57	3,735.14
	02/18/02	3,797.66	62.20	64.53	2.33	3,735.11
	06/19/02	3,797.66	62.87	62.94	0.07	3,734.78
	09/18/02	3,797.66	62.75	64.03	1.28	3,734.72
	12/18/02	could not gauge due to float in well				
	01/06/03	3,797.66	62.72	65.18	2.46	3,734.57
	01/08/03	3,797.66	62.83	64.79	1.96	3,734.54
	01/13/03	3,797.66	63.13	63.25	0.12	3,734.51
	01/20/03	3,798.66	62.97	63.16	0.19	3,735.66
	02/17/03	3,797.66	62.91	64.81	1.90	3,734.47
	02/25/03	3,797.66	62.82	65.09	2.27	3,734.50
	03/04/03	3,797.66	63.21	63.61	0.40	3,734.39
	03/10/03	3,797.66	63.19	63.97	0.78	3,734.35
	03/12/03	3,797.66	63.12	64.10	0.98	3,734.39
	03/17/03	3,797.66	63.08	64.01	0.93	3,734.44
	03/18/03	3,797.66	63.11	64.46	1.35	3,734.35
	03/26/03	3,797.66	62.96	64.95	1.99	3,734.40
	03/31/03	3,797.66	62.84	65.21	2.37	3,734.46
	04/09/03	3,797.66	62.84	63.06	0.22	3,734.79
	04/16/03	3,797.66	63.08	64.01	0.93	3,734.44
	04/21/03	3,797.66	63.18	63.39	0.21	3,734.45
	05/13/03	3,797.66	63.06	63.49	0.43	3,734.54
	06/03/03	3,797.66	62.76	66.55	3.79	3,734.33
	06/10/03	3,797.66	63.15	64.17	1.02	3,734.36
	06/16/03	could not gauge due to float in well				
	06/24/03	3,797.66	62.96	65.92	2.96	3,734.26
	07/09/03	3,797.66	62.86	66.80	3.94	3,734.21
	07/28/03	3,797.66	62.54	67.28	4.74	3,734.41
	08/04/03	3,797.66	63.75	63.77	0.02	3,733.91
	08/19/03	3,797.66	63.72	63.72	0.00	3,733.94
	09/02/03	3,797.66	63.81	63.81	0.00	3,733.85
	09/10/03	3,797.66	63.81	63.81	0.00	3,733.85
	09/19/03	3,797.66	63.61	63.61	0.00	3,734.05
	10/02/03	3,797.66	63.58	63.61	0.03	3,734.08
	10/15/03	3,797.66	63.46	63.87	0.41	3,734.14
	10/21/03	3,797.66	63.51	63.97	0.46	3,734.08
	11/12/03	3,797.66	64.08	64.16	0.08	3,733.57
	11/20/03	3,797.66	63.61	63.64	0.03	3,734.05
	12/02/03	3,797.66	64.08	64.10	0.02	3,733.58
	12/11/03	3,797.66	63.77	63.82	0.05	3,733.88
	12/30/03	3,797.66	63.78	63.81	0.03	3,733.88

TABLE 1
GROUNDWATER ELEVATION DATA

LINK ENERGY
DARR ANGELL 4
LEA COUNTY, NEW MEXICO
ETGI PROJECT # LI 2075

WELL NUMBER	DATE MEASURED	TOP OF CASING ELEVATION	DEPTH TO PRODUCT	DEPTH TO WATER	PSH THICKNESS	CORRECTED GROUND WATER ELEVATION
RW - 2	07/31/00	3,797.60	61.53	62.45	0.92	3,735.93
	09/13/00	3,797.60	61.13	64.52	3.39	3,735.96
	11/15/00	3,797.60	61.01	65.91	4.90	3,735.86
	02/14/01	3,797.60	61.04	66.80	5.76	3,735.70
	04/24/01	3,797.60	60.26	66.21	5.95	3,736.45
	08/21/01	3,797.60	61.47	67.22	5.75	3,735.27
	10/30/01	3,797.60	61.58	66.25	4.67	3,735.32
	02/18/02	3,797.60	61.42	67.68	6.26	3,735.24
	06/19/02	3,797.60	62.86	62.93	0.07	3,734.73
	09/18/02	3,797.60	61.89	67.84	5.95	3,734.82
	12/18/02	3,797.60	62.08	67.80	5.72	3,734.66
	01/06/03	3,797.60	62.15	67.91	5.76	3,734.59
	01/08/03	3,797.60	62.08	67.87	5.79	3,734.65
	01/13/03	3,797.60	62.07	67.81	5.74	3,734.67
	01/20/03	3,798.60	63.06	63.91	0.85	3,735.41
	02/17/03	3,797.60	62.34	66.37	4.03	3,734.66
	02/25/03	3,797.60	62.21	67.48	5.27	3,734.60
	03/04/03	3,797.60	62.23	67.78	5.55	3,734.54
	03/10/03	3,797.60	62.26	67.88	5.62	3,734.50
	03/12/03	3,797.60	62.52	66.50	3.98	3,734.48
	03/17/03	3,797.60	62.35	67.64	5.29	3,734.46
	03/18/03	3,797.60	62.55	67.71	5.16	3,734.28
	03/26/03	3,797.60	63.31	63.55	0.24	3,734.25
	03/31/03	3,797.60	63.15	63.73	0.58	3,734.36
	04/09/03	3,797.60	63.04	64.71	1.67	3,734.31
	04/16/03	3,797.60	62.35	67.68	5.33	3,734.45
	04/21/03	3,797.60	62.27	62.71	0.44	3,735.26
	05/13/03	3,797.60	62.55	67.46	4.91	3,734.31
	06/03/03	3,797.60	62.42	67.82	5.40	3,734.37
	06/10/03	3,797.60	62.58	67.50	4.92	3,734.28
	06/16/03	3,797.60	62.49	62.81	0.32	3,735.06
	06/24/03	3,797.60	62.48	67.86	5.38	3,734.31
	07/09/03	3,797.60	62.60	67.20	4.60	3,734.31
	07/28/03	3,797.60	62.38	68.00	5.62	3,734.38
	08/04/03	3,797.60	62.68	68.35	5.67	3,734.07
	08/11/03	3,797.60	62.72	68.47	5.75	3,734.02
	08/19/03	3,797.60	62.70	68.51	5.81	3,734.03
	09/02/03	3,797.60	62.78	63.14	0.36	3,734.77
	09/10/03	3,797.60	62.78	63.15	0.37	3,734.76
	09/19/03	3,797.60	62.76	63.10	0.34	3,734.79
	10/02/03	3,797.60	62.69	63.02	0.33	3,734.86
	10/15/03	3,797.60	62.81	63.39	0.58	3,734.70

TABLE 1
GROUNDWATER ELEVATION DATA

LINK ENERGY
DARR ANGELL 4
LEA COUNTY, NEW MEXICO
ETGI PROJECT # LI 2075

WELL NUMBER	DATE MEASURED	TOP OF CASING ELEVATION	DEPTH TO PRODUCT	DEPTH TO WATER	PSH THICKNESS	CORRECTED GROUND WATER ELEVATION
RW - 2	10/21/03	3,797.60	62.60	63.19	0.59	3,734.91
	11/04/03	3,797.60	62.60	62.62	0.02	3,735.00
	11/12/03	3,797.60	63.75	64.28	0.53	3,733.77
	11/20/03	3,797.60	63.31	64.75	1.44	3,734.07
	12/02/03	3,797.60	63.23	67.87	4.64	3,733.67
	12/11/03	3,797.60	62.83	67.81	4.98	3,734.02
	12/30/03	3,797.60	62.81	67.88	5.07	3,734.03
RW - 3	07/31/00	3,798.81	61.35	67.77	6.42	3,736.50
	09/13/00	3,798.81	61.77	67.82	6.05	3,736.13
	11/15/00	3,798.81	61.65	67.81	6.16	3,736.24
	02/14/01	3,798.81	61.88	67.80	5.92	3,736.04
	04/24/01	3,798.81	61.97	67.84	5.87	3,735.96
	08/21/01	3,798.81	62.20	67.87	5.67	3,735.76
	10/30/01	3,798.81	62.30	65.70	3.40	3,736.00
	02/18/02	3,798.81	*	*	*	*
	06/19/02	3,798.81	*	*	*	*
	09/18/02	3,798.81	*	*	*	*
	12/18/02	3,798.81	63.30	67.72	4.42	3,734.85
	01/06/03	3,798.81	63.70	68.25	4.55	3,734.43
	01/08/03	3,798.81	63.18	67.74	4.56	3,734.95
	01/13/03	3,798.81	64.33	64.86	0.53	3,734.40
	01/20/03	3,799.81	63.14	64.19	1.05	3,736.51
	02/17/03	3,798.81	63.25	67.77	4.52	3,734.88
	02/25/03	3,798.81	63.18	67.77	4.59	3,734.94
	03/04/03	3,798.81	63.21	67.75	4.54	3,734.92
	03/10/03	3,798.81	63.21	67.76	4.55	3,734.92
	03/12/03	3,798.81	63.26	67.69	4.43	3,734.89
	03/17/03	3,798.81	63.38	67.18	3.80	3,734.86
	03/18/03	3,798.81	63.32	67.80	4.48	3,734.82
	03/26/03	3,798.81	63.22	67.81	4.59	3,734.90
	03/31/03	3,798.81	63.27	67.72	4.45	3,734.87
	04/09/03	3,798.81	63.20	67.92	4.72	3,734.90
	04/16/03	3,798.81	63.38	67.18	3.80	3,734.86
	04/21/03	3,798.81	63.19	68.22	5.03	3,734.87
	05/13/03	3,798.81	63.42	67.89	4.47	3,734.72
	06/03/03	3,798.81	63.35	67.84	4.49	3,734.79
	06/10/03	3,798.81	63.46	67.86	4.40	3,734.69
	06/16/03	could not gauge due to float in well				
	06/24/03	3,798.81	63.46	67.90	4.44	3,734.68
	07/09/03	3,798.81	63.44	67.93	4.49	3,734.70
	07/28/03	3,798.81	63.29	67.77	4.48	3,734.85
	08/04/03	3,798.81	63.49	66.96	3.47	3,734.80

TABLE 1
GROUNDWATER ELEVATION DATA

LINK ENERGY
DARR ANGELL 4
LEA COUNTY, NEW MEXICO
ETGI PROJECT # LI 2075

WELL NUMBER	DATE MEASURED	TOP OF CASING ELEVATION	DEPTH TO PRODUCT	DEPTH TO WATER	PSH THICKNESS	CORRECTED GROUND WATER ELEVATION
RW - 3	08/11/03	3,798.81	63.90	64.10	0.20	3,734.88
	08/19/03	3,798.81	63.88	64.38	0.50	3,734.86
	09/02/03	3,798.81	63.71	64.07	0.36	3,735.05
	09/10/03	3,798.81	63.69	64.06	0.37	3,735.06
	09/19/03	3,798.81	63.69	64.02	0.33	3,735.07
	10/02/03	3,798.81	63.61	63.72	0.11	3,735.18
	10/15/03	3,798.81	63.64	63.74	0.10	3,735.16
	10/21/03	3,798.81	63.57	63.68	0.11	3,735.22
	11/04/03	3,798.81	63.49	63.55	0.06	3,735.31
	11/12/03	3,798.81	63.92	66.01	2.09	3,734.58
	11/20/03	3,798.81	63.47	67.74	4.27	3,734.70
	12/02/03	3,798.81	63.92	68.26	4.34	3,734.24
	12/11/03	3,798.81	63.63	67.89	4.26	3,734.54
	12/30/03	3,798.81	63.65	67.94	4.29	3,734.52
RW - 4	07/31/00	3,798.34	61.95	64.92	2.97	3,735.94
	09/13/00	3,798.34	61.33	68.18	6.85	3,735.98
	11/15/00	3,798.34	61.44	68.41	6.97	3,735.85
	02/14/01	3,798.34	61.65	68.47	6.82	3,735.67
	04/24/01	3,798.34	61.75	68.51	6.76	3,735.58
	08/21/01	3,798.34	62.05	66.26	4.21	3,735.66
	10/30/01	3,798.34	62.14	64.00	1.86	3,735.92
	02/18/02	3,798.34	62.14	68.81	6.67	3,735.20
	06/19/02	3,798.34	63.87	63.92	0.05	3,734.46
	09/18/02	3,798.34	62.70	68.81	6.11	3,734.72
	12/18/02	3,798.34	63.93	64.08	0.15	3,734.39
	01/06/03	3,798.34	63.05	68.63	5.58	3,734.45
	01/08/03	3,798.34	63.02	68.68	5.66	3,734.47
	01/13/03	3,798.34	63.91	64.06	0.15	3,734.41
	01/20/03	3,799.34	63.91	64.26	0.35	3,735.38
	02/17/03	3,798.34	63.43	67.14	3.71	3,734.35
	02/25/03	3,798.34	63.78	63.92	0.14	3,734.54
	03/04/03	3,798.34	63.31	67.93	4.62	3,734.34
	03/10/03	3,798.34	64.04	64.29	0.25	3,734.26
	03/12/03	3,798.34	63.99	64.29	0.30	3,734.31
	03/17/03	3,798.34	64.12	64.19	0.07	3,734.21
	03/18/03	3,798.34	64.01	64.71	0.70	3,734.23
	03/26/03	3,798.34	64.14	64.28	0.14	3,734.18
	03/31/03	3,798.34	64.03	64.12	0.09	3,734.30
	04/09/03	3,798.34	64.10	64.10	0.00	3,734.24
	04/16/03	3,798.34	64.13	64.19	0.06	3,734.20
	04/21/03	3,798.34	63.47	63.47	0.00	3,734.87
	05/13/03	3,798.34	64.29	64.57	0.28	3,734.01

TABLE 1
GROUNDWATER ELEVATION DATA

LINK ENERGY
DARR ANGELL 4
LEA COUNTY, NEW MEXICO
ETGI PROJECT # LI 2075

WELL NUMBER	DATE MEASURED	TOP OF CASING ELEVATION	DEPTH TO PRODUCT	DEPTH TO WATER	PSH THICKNESS	CORRECTED GROUND WATER ELEVATION
RW - 4	06/03/03	3,798.34	64.20	64.64	0.44	3,734.07
	06/10/03	3,798.34	64.36	64.64	0.28	3,733.94
	06/16/03	3,798.34	64.22	64.51	0.29	3,734.08
	06/24/03	3,798.34	64.48	64.67	0.19	3,733.83
	07/09/03	3,798.34	64.42	64.56	0.14	3,733.90
	07/28/03	3,798.34	64.13	64.33	0.20	3,734.18
	08/04/03	3,798.34	63.84	66.94	3.10	3,734.04
	08/11/03	3,798.34	63.61	68.42	4.81	3,734.01
	08/19/03	3,798.34	63.60	68.56	4.96	3,734.00
	09/02/03	3,798.34	63.71	68.10	4.39	3,733.97
	09/10/03	3,798.34	63.91	68.12	4.21	3,733.80
	09/19/03	3,798.34	63.92	68.19	4.27	3,733.78
	10/02/03	3,798.34	63.96	68.22	4.26	3,733.74
	10/15/03	3,798.34	64.02	68.31	4.29	3,733.68
	10/16/03	3,798.34	65.11	65.39	0.28	3,733.19
	10/21/03	3,798.34	63.91	64.62	0.71	3,734.32
	11/04/03	3,798.34	63.77	63.89	0.12	3,734.55
	11/12/03	3,798.34	63.95	64.38	0.43	3,734.33
	11/20/03	3,798.34	-	63.47	0.00	3,734.87
	12/02/03	3,798.34	63.96	69.36	5.40	3,733.57
	12/11/03	3,798.34	63.63	68.94	5.31	3,733.91
	12/30/03	3,798.34	63.62	68.90	5.28	3,733.93
RW - 5	08/21/01	3,797.60	62.22	62.22	0.00	3,735.38
	10/30/01	3,797.60	62.35	62.35	0.00	3,735.25
	02/18/02	3,797.60	-	62.50	0.00	3,735.10
	06/19/02	3,797.60	-	62.69	0.00	3,734.91
	09/18/02	3,797.60	-	62.85	0.00	3,734.75
	12/18/02	3,797.60	-	62.98	0.00	3,734.62
	03/12/03	3,797.60	-	63.12	0.00	3,734.48
	03/17/03	3,797.60	63.04	63.04	0.00	3,734.56
	06/16/03	3,797.60	-	63.24	0.00	3,734.36
	09/10/03	3,797.60	-	63.30	0.00	3,734.30
RW - 6	12/11/03	3,797.60	-	63.55	0.00	3,734.05
	08/21/01	3,797.28	61.88	61.89	0.01	3,735.40
	10/30/01	3,797.28	62.01	62.04	0.03	3,735.27
	02/18/02	3,797.28	62.13	62.40	0.27	3,735.11
	06/19/02	3,797.28	62.26	62.81	0.55	3,734.94
	09/18/02	3,797.28	62.31	63.31	1.00	3,734.82
	12/18/02	3,797.28	62.52	64.49	1.97	3,734.46
	01/06/03	3,797.28	62.51	63.96	1.45	3,734.55
	01/08/03	3,797.28	62.45	63.81	1.36	3,734.63
	01/13/03	3,797.28	62.44	64.01	1.57	3,734.60

TABLE 1
GROUNDWATER ELEVATION DATA

LINK ENERGY
DARR ANGELL 4
LEA COUNTY, NEW MEXICO
ETGI PROJECT # LI 2075

WELL NUMBER	DATE MEASURED	TOP OF CASING ELEVATION	DEPTH TO PRODUCT	DEPTH TO WATER	PSH THICKNESS	CORRECTED GROUND WATER ELEVATION
RW - 6	03/04/03	3,797.28	62.28	64.55	2.27	3,734.66
	03/05/03	3,797.28	62.28	64.55	2.27	3,734.66
	03/10/03	3,797.28	62.75	63.27	0.52	3,734.45
	03/12/03	3,797.28	62.68	63.14	0.46	3,734.53
	03/17/03	3,797.28	61.97	62.18	0.21	3,735.28
	03/18/03	3,797.28	62.71	63.41	0.70	3,734.47
	03/26/03	3,797.28	62.68	63.51	0.83	3,734.48
	03/31/03	3,797.28	62.66	63.68	1.02	3,734.47
	04/09/03	3,797.28	62.71	62.78	0.07	3,734.56
	04/16/03	3,797.28	62.66	63.32	0.66	3,734.52
	04/21/03	3,797.28	62.18	62.39	0.21	3,735.07
	05/13/03	3,797.28	62.85	63.42	0.57	3,734.34
	06/03/03	3,797.28	62.81	63.89	1.08	3,734.31
	06/10/03	3,797.28	62.78	64.12	1.34	3,734.30
	06/16/03	3,797.28	62.75	62.89	0.14	3,734.51
	06/24/03	3,797.28	62.74	64.50	1.76	3,734.28
	07/09/03	3,797.28	62.68	65.10	2.42	3,734.24
	07/28/03	3,797.28	62.49	65.23	2.74	3,734.38
	08/04/03	3,797.28	62.79	65.78	2.99	3,734.04
	08/19/03	3,797.28	62.19	62.56	0.37	3,735.03
	09/02/03	3,797.28	62.18	66.01	3.83	3,734.53
	09/10/03	3,797.28	62.15	66.00	3.85	3,734.55
	09/19/03	3,797.28	62.21	66.00	3.79	3,734.50
	10/02/03	3,797.28	62.36	65.58	3.22	3,734.44
	10/15/03	3,797.28	62.39	65.61	3.22	3,734.41
	10/16/03	3,797.28	62.50	62.52	0.02	3,734.78
	10/21/03	3,797.28	62.66	66.19	3.53	3,734.09
	11/04/03	3,797.28	62.80	62.84	0.04	3,734.47
	11/12/03	3,797.28	62.40	63.10	0.70	3,734.78
	11/20/03	3,797.28	62.44	66.62	4.18	3,734.21
	12/02/03	3,797.28	62.80	67.53	4.70	3,733.75
	12/11/03	3,797.28	62.48	67.33	4.85	3,734.07
	12/30/03	3,797.28	62.47	67.30	4.83	3,734.09
RW - 7	12/18/02	3,797.43	-	62.93	0.00	3,734.50
	01/06/03	3,797.43	-	62.97	0.00	3,734.46
	01/08/03	3,797.43	-	62.94	0.00	3,734.49
	01/13/03	3,797.43	62.98	62.98	0.00	3,734.45
	02/25/03	3,797.43	63.04	63.07	0.03	3,734.39
	03/04/03	3,797.43	63.06	63.10	0.04	3,734.36
	03/10/03	3,797.43	63.06	63.06	0.00	3,734.37
	03/12/03	3,797.43	63.05	63.07	0.02	3,734.38
	03/17/03	3,797.43	63.04	63.04	0.00	3,734.39

TABLE 1
GROUNDWATER ELEVATION DATA

LINK ENERGY
DARR ANGELL 4
LEA COUNTY, NEW MEXICO
ETGI PROJECT # LI 2075

WELL NUMBER	DATE MEASURED	TOP OF CASING ELEVATION	DEPTH TO PRODUCT	DEPTH TO WATER	PSH THICKNESS	CORRECTED GROUND WATER ELEVATION
RW - 7	03/18/03	3,797.43	63.12	63.12	0.00	3,734.31
	03/26/03	3,797.43	63.10	63.12	0.02	3,734.33
	03/31/03	3,797.43	63.09	63.11	0.02	3,734.34
	04/16/03	3,797.43	63.04	63.04	0.00	3,734.39
	04/21/03	3,797.43	63.05	63.07	0.02	3,734.38
	05/13/03	3,797.43	63.19	63.34	0.15	3,734.22
	06/03/03	3,797.43	63.26	63.33	0.07	3,734.16
	06/10/03	3,797.43	63.25	63.31	0.06	3,734.17
	06/16/03	3,797.43	63.30	63.41	0.11	3,734.11
	06/24/03	3,797.43	63.27	63.41	0.14	3,734.14
	07/09/03	3,797.43	63.37	63.55	0.18	3,734.03
	07/28/03	3,797.43	63.17	63.49	0.32	3,734.21
	08/04/03	3,797.43	63.43	63.71	0.28	3,733.96
	08/11/03	3,797.43	63.55	63.71	0.16	3,733.86
	08/19/03	3,797.43	63.46	63.66	0.20	3,733.94
	09/02/03	3,797.43	63.49	63.52	0.03	3,733.94
	09/10/03	3,797.43	63.38	63.51	0.13	3,734.03
	09/19/03	3,797.43	63.37	63.41	0.04	3,734.05
	10/02/03	3,797.43	63.34	63.39	0.05	3,734.08
	10/15/03	3,797.43	63.42	63.81	0.39	3,733.95
	10/21/03	3,797.43	63.33	63.91	0.58	3,734.01
	11/04/03	3,797.43	63.69	63.74	0.05	3,733.73
	11/12/03	3,797.43	63.77	64.52	0.75	3,733.55
	11/20/03	3,797.43	63.28	64.07	0.79	3,734.03
	12/02/03	3,797.43	63.73	64.65	0.92	3,733.56
	12/11/03	3,797.43	63.46	64.40	0.94	3,733.83
	12/30/03	3,797.43	63.44	64.44	1.00	3,733.84
RW - 8	12/18/02	3,798.33	63.84	63.98	0.14	3,734.47
	01/06/03	3,798.33	63.86	64.21	0.35	3,734.42
	01/08/03	3,798.33	63.83	64.22	0.39	3,734.44
	01/13/03	3,798.33	63.90	64.02	0.12	3,734.41
	02/25/03	3,798.33	63.81	64.65	0.84	3,734.39
	03/04/03	3,798.33	61.50	61.62	0.12	3,736.81
	03/10/03	3,798.33	61.53	61.53	0.00	3,736.80
	03/12/03	3,798.33	63.80	64.84	1.04	3,734.37
	03/17/03	3,798.33	63.78	64.99	1.21	3,734.37
	03/18/03	3,798.33	63.83	65.07	1.24	3,734.31
	03/26/03	3,798.33	63.76	65.20	1.44	3,734.35
	03/31/03	3,798.33	63.77	65.33	1.56	3,734.33
	04/09/03	3,798.33	63.62	63.80	0.18	3,734.68
	04/16/03	3,798.33	63.78	64.99	1.21	3,734.37
	04/21/03	3,798.33	63.69	64.66	0.97	3,734.49

TABLE 1
GROUNDWATER ELEVATION DATA

LINK ENERGY
DARR ANGELL 4
LEA COUNTY, NEW MEXICO
ETGI PROJECT # LI 2075

WELL NUMBER	DATE MEASURED	TOP OF CASING ELEVATION	DEPTH TO PRODUCT	DEPTH TO WATER	PSH THICKNESS	CORRECTED GROUND WATER ELEVATION
RW - 8	05/13/03	3,798.33	64.00	64.89	0.89	3,734.20
	06/03/03	3,798.33	63.93	65.48	1.55	3,734.17
	06/10/03	3,798.33	63.91	65.72	1.81	3,734.15
	06/16/03	3,798.33	63.90	66.02	2.12	3,734.11
	06/24/03	3,798.33	62.84	66.31	3.47	3,734.97
	07/09/03	3,798.33	63.80	66.95	3.15	3,734.06
	07/28/03	3,798.33	63.42	67.48	4.06	3,734.30
	08/04/03	3,798.33	63.69	67.76	4.07	3,734.03
	08/11/03	3,798.33	63.72	68.07	4.35	3,733.96
	08/19/03	3,798.33	63.69	66.97	3.28	3,734.15
	09/02/03	3,798.33	63.70	67.72	4.02	3,734.03
	09/10/03	3,798.33	63.65	67.70	4.05	3,734.07
	09/19/03	3,798.33	63.66	67.77	4.11	3,734.05
	10/02/03	3,798.33	63.71	67.69	3.98	3,734.02
	10/15/03	3,798.33	63.46	68.14	4.68	3,734.17
	10/16/03	3,798.33	63.99	64.03	0.04	3,734.33
	10/21/03	3,798.33	63.45	68.36	4.91	3,734.14
	11/04/03	3,798.33	63.42	64.19	0.77	3,734.79
	11/12/03	3,798.33	64.24	64.39	0.15	3,734.07
	11/20/03	3,798.33	63.78	66.89	3.11	3,734.08
	12/02/03	3,798.33	64.13	68.04	3.91	3,733.61
	12/11/03	3,798.33	63.78	68.08	4.30	3,733.91
	12/30/03	3,798.33	63.79	68.11	4.32	3,733.89
RW - 9	12/18/02	3,797.99	63.25	64.20	0.95	3,734.60
	01/06/03	3,797.99	63.13	65.16	2.03	3,734.56
	01/08/03	3,797.99	63.08	65.24	2.16	3,734.59
	01/13/03	3,797.99	63.02	65.48	2.46	3,734.60
	02/25/03	3,797.99	62.63	67.58	4.95	3,734.62
	03/04/03	3,797.99	62.63	67.88	5.25	3,734.57
	03/05/03	3,797.99	62.63	67.88	5.25	3,734.57
	03/10/03	3,797.99	63.38	64.47	1.09	3,734.45
	03/12/03	3,797.99	63.43	64.14	0.71	3,734.45
	03/17/03	3,797.99	63.36	64.37	1.01	3,734.48
	03/18/03	3,797.99	63.37	64.77	1.40	3,734.41
	03/26/03	3,797.99	63.17	65.41	2.24	3,734.48
	03/31/03	3,797.99	63.12	65.89	2.77	3,734.45
	04/09/03	3,797.99	63.17	65.69	2.52	3,734.44
	04/16/03	3,797.99	63.36	64.37	1.01	3,734.48
	04/21/03	3,797.99	62.70	67.78	5.08	3,734.53
	05/13/03	3,797.99	63.51	64.69	1.18	3,734.30
	06/03/03	3,797.99	63.12	66.82	3.70	3,734.32
	06/10/03	3,797.99	63.50	64.96	1.46	3,734.27

TABLE 1
GROUNDWATER ELEVATION DATA

LINK ENERGY
DARR ANGELL 4
LEA COUNTY, NEW MEXICO
ETGI PROJECT # LI 2075

WELL NUMBER	DATE MEASURED	TOP OF CASING ELEVATION	DEPTH TO PRODUCT	DEPTH TO WATER	PSH THICKNESS	CORRECTED GROUND WATER ELEVATION
RW - 9	06/16/03	3,797.99	63.39	65.84	2.45	3,734.23
	06/24/03	3,797.99	63.23	66.61	3.38	3,734.25
	07/09/03	3,797.99	62.98	68.09	5.11	3,734.24
	07/28/03	3,797.99	62.63	68.69	6.06	3,734.45
	08/04/03	3,797.99	62.81	69.06	6.25	3,734.24
	08/11/03	3,797.99	62.87	69.22	6.35	3,734.17
	08/19/03	3,797.99	62.67	69.18	6.51	3,734.34
	09/02/03	3,797.99	62.69	69.18	6.49	3,734.33
	09/10/03	3,797.99	62.67	69.18	6.51	3,734.34
	09/19/03	3,797.99	62.74	69.21	6.47	3,734.28
	10/02/03	3,797.99	62.69	69.36	6.67	3,734.30
	10/15/03	3,797.99	62.70	69.13	6.43	3,734.33
	10/16/03	3,797.99	63.06	63.06	0.00	3,734.93
	10/21/03	3,797.99	62.74	69.22	6.48	3,734.28
	11/04/03	3,797.99	62.69	62.74	0.05	3,735.29
	11/12/03	3,797.99	64.35	64.66	0.31	3,733.59
	11/20/03	3,797.99	63.86	64.19	0.33	3,734.08
	12/02/03	3,797.99	64.33	64.69	0.36	3,733.61
	12/11/03	3,797.99	64.04	64.49	0.45	3,733.88
	12/30/03	3,797.99	64.06	64.53	0.47	3,733.86
RW - 10	12/18/02	3,799.10	63.58	69.25	5.67	3,734.67
	01/06/03	3,799.10	63.44	70.13	6.69	3,734.66
	01/08/03	3,799.10	63.40	70.74	7.34	3,734.60
	01/13/03	3,799.10	63.42	70.21	6.79	3,734.66
	02/25/03	3,799.10	63.49	70.34	6.85	3,734.58
	03/04/03	3,799.10	63.50	70.36	6.86	3,734.57
	03/05/03	3,799.10	63.50	70.36	6.86	3,734.57
	03/10/03	3,799.10	64.08	67.95	3.87	3,734.44
	03/12/03	3,799.10	64.47	66.07	1.60	3,734.39
	03/17/03	3,799.10	63.97	68.50	4.53	3,734.45
	03/18/03	3,799.10	63.92	68.81	4.89	3,734.45
	03/26/03	3,799.10	63.62	70.11	6.49	3,734.51
	03/31/03	3,799.10	63.57	70.32	6.75	3,734.52
	04/01/03	3,799.10	63.57	70.32	6.75	3,734.52
	04/09/03	3,799.10	63.64	70.21	6.57	3,734.47
	04/16/03	3,799.10	63.97	68.50	4.53	3,734.45
	04/21/03	3,799.10	63.48	70.40	6.92	3,734.58
	05/13/03	3,799.10	64.04	68.86	4.82	3,734.34
	06/03/03	3,799.10	63.69	70.51	6.82	3,734.39
	06/10/03	3,799.10	63.93	69.52	5.59	3,734.33
	06/16/03	3,799.10	63.80	70.44	6.64	3,734.30
	06/24/03	3,799.10	63.80	70.59	6.79	3,734.28

TABLE 1
GROUNDWATER ELEVATION DATA

LINK ENERGY
DARR ANGELL 4
LEA COUNTY, NEW MEXICO
ETGI PROJECT # LI 2075

WELL NUMBER	DATE MEASURED	TOP OF CASING ELEVATION	DEPTH TO PRODUCT	DEPTH TO WATER	PSH THICKNESS	CORRECTED GROUND WATER ELEVATION
RW - 10	07/09/03	3,799.10	63.81	70.67	6.86	3,734.26
	07/28/03	3,799.10	63.67	70.54	6.87	3,734.40
	08/04/03	3,799.10	63.89	70.77	6.88	3,734.18
	08/11/03	3,799.10	63.96	70.86	6.90	3,734.11
	08/19/03	3,799.10	63.99	70.14	6.15	3,734.19
	09/02/03	3,799.10	64.01	70.76	6.75	3,734.08
	09/10/03	3,799.10	64.00	70.75	6.75	3,734.09
	09/19/03	3,799.10	64.09	70.18	6.09	3,734.10
	10/02/03	3,799.10	64.00	70.07	6.07	3,734.19
	10/15/03	3,799.10	64.02	70.11	6.09	3,734.17
	10/16/03	3,799.10	64.81	64.96	0.15	3,734.27
	10/21/03	3,799.10	63.82	70.00	6.18	3,734.35
	11/04/03	3,799.10	63.80	63.92	0.12	3,735.28
	11/12/03	3,799.10	65.45	66.21	0.76	3,733.54
	11/20/03	3,799.10	64.94	66.20	1.26	3,733.97
	12/02/03	3,799.10	64.98	68.56	3.58	3,733.58
	12/11/03	3,799.10	64.86	67.47	2.61	3,733.85
	12/30/03	3,799.10	64.84	67.43	2.59	3,733.87
RW - 11	12/18/02	3,796.65	61.50	65.53	4.03	3,734.55
	01/06/03	3,796.65	61.10	67.59	6.49	3,734.58
	01/08/03	3,796.65	61.04	67.72	6.68	3,734.61
	01/13/03	3,796.65	61.02	67.99	6.97	3,734.58
	02/25/03	3,796.65	61.04	68.32	7.28	3,734.52
	03/04/03	3,796.65	61.03	68.36	7.33	3,734.52
	03/05/03	3,796.65	61.03	68.36	7.33	3,734.52
	03/10/03	3,796.65	61.52	66.35	4.83	3,734.41
	03/12/03	3,796.65	62.00	64.02	2.02	3,734.35
	03/17/03	3,796.65	61.55	66.34	4.79	3,734.38
	03/18/03	3,796.65	61.50	66.65	5.15	3,734.38
	03/26/03	3,796.65	61.12	68.08	6.96	3,734.49
	03/31/03	3,796.65	61.60	66.20	4.60	3,734.36
	04/01/03	3,796.65	61.60	66.20	4.60	3,734.36
	04/09/03	3,796.65	61.11	68.18	7.07	3,734.48
	04/16/03	3,796.65	61.55	66.34	4.79	3,734.38
	04/21/03	3,796.65	61.09	70.18	9.09	3,734.20
	05/13/03	3,796.65	61.57	66.90	5.33	3,734.28
	06/03/03	3,796.65	61.27	68.53	7.26	3,734.29
	06/10/03	3,796.65	61.48	67.61	6.13	3,734.25
	06/16/03	3,796.65	61.34	68.46	7.12	3,734.24
	06/24/03	3,796.65	61.32	68.57	7.25	3,734.24
	07/09/03	3,796.65	61.38	68.68	7.30	3,734.18
	07/28/03	3,796.65	61.25	68.52	7.27	3,734.31

TABLE 1
GROUNDWATER ELEVATION DATA

LINK ENERGY
DARR ANGELL 4
LEA COUNTY, NEW MEXICO
ETGI PROJECT # LI 2075

WELL NUMBER	DATE MEASURED	TOP OF CASING ELEVATION	DEPTH TO PRODUCT	DEPTH TO WATER	PSH THICKNESS	CORRECTED GROUND WATER ELEVATION
RW - 11	08/04/03	3,796.65	61.45	68.77	7.32	3,734.10
	08/11/03	3,796.65	61.50	68.75	7.25	3,734.06
	08/19/03	3,796.65	61.46	68.81	7.35	3,734.09
	09/02/03	3,796.65	61.14	67.90	6.76	3,734.50
	09/10/03	3,796.65	61.16	67.92	6.76	3,734.48
	09/19/03	3,796.65	61.18	67.96	6.78	3,734.45
	10/02/03	3,796.65	61.21	67.99	6.78	3,734.42
	10/15/03	3,796.65	61.19	67.94	6.75	3,734.45
	10/21/03	3,796.65	61.09	67.51	6.42	3,734.60
	11/04/03	3,796.65	61.42	61.46	0.04	3,735.22
	11/12/03	3,796.65	62.03	62.69	0.66	3,734.52
	11/20/03	3,796.65	62.73	62.85	0.12	3,733.90
	12/02/03	3,796.65	63.21	63.33	0.12	3,733.42
	12/11/03	3,796.65	62.84	63.35	0.51	3,733.73
	12/30/03	3,796.65	62.81	63.33	0.52	3,733.76
RW - 12	12/18/02	3,798.13	63.61	63.96	0.35	3,734.47
	01/06/03	3,798.13	63.61	64.22	0.61	3,734.43
	01/08/03	3,798.13	63.61	64.21	0.60	3,734.43
	01/13/03	3,798.13	63.68	64.01	0.33	3,734.40
	02/25/03	3,798.13	63.37	64.86	1.49	3,734.54
	03/04/03	3,798.13	63.60	64.96	1.36	3,734.33
	03/10/03	3,798.13	63.51	65.23	1.72	3,734.36
	03/12/03	3,798.13	63.72	64.04	0.32	3,734.36
	03/17/03	3,798.13	63.75	64.19	0.44	3,734.31
	03/18/03	3,798.13	63.78	64.22	0.44	3,734.28
	03/26/03	3,798.13	63.72	64.41	0.69	3,734.31
	03/31/03	3,798.13	63.72	64.55	0.83	3,734.29
	04/09/03	3,798.13	63.45	64.48	1.03	3,734.53
	04/16/03	3,798.13	63.75	64.19	0.44	3,734.31
	04/21/03	3,798.13	63.57	64.77	1.20	3,734.38
	05/13/03	3,798.13	63.87	64.32	0.45	3,734.19
	06/03/03	3,798.13	63.82	65.07	1.25	3,734.12
	06/10/03	3,798.13	63.89	65.17	1.28	3,734.05
	06/16/03	3,798.13	63.81	65.27	1.46	3,734.10
	06/24/03	3,798.13	63.75	65.64	1.89	3,734.10
	07/09/03	3,798.13	63.70	66.16	2.46	3,734.06
	07/28/03	3,798.13	63.48	66.47	2.99	3,734.20
	08/04/03	3,798.13	63.74	66.66	2.92	3,733.95
	08/11/03	3,798.13	63.70	66.84	3.14	3,733.96
	08/19/03	3,798.13	63.72	65.96	2.24	3,734.07
	09/02/03	3,798.13	63.63	66.67	3.04	3,734.04
	09/10/03	3,798.13	63.66	63.67	0.01	3,734.47

TABLE 1
GROUNDWATER ELEVATION DATA

LINK ENERGY
DARR ANGELL 4
LEA COUNTY, NEW MEXICO
ETGI PROJECT # LI 2075

WELL NUMBER	DATE MEASURED	TOP OF CASING ELEVATION	DEPTH TO PRODUCT	DEPTH TO WATER	PSH THICKNESS	CORRECTED GROUND WATER ELEVATION
RW - 12	09/19/03	3,798.13	63.60	66.57	2.97	3,734.08
	10/02/03	3,798.13	63.49	66.71	3.22	3,734.16
	10/15/03	3,798.13	63.53	66.92	3.39	3,734.09
	10/16/03	3,798.13	64.09	64.09	0.00	3,734.04
	10/21/03	3,798.13	63.49	67.09	3.60	3,734.10
	11/04/03	3,798.13	63.60	63.69	0.09	3,734.52
	11/12/03	3,798.13	64.62	64.85	0.23	3,733.48
	11/20/03	3,798.13	64.07	64.67	0.60	3,733.97
	12/02/03	3,798.13	64.51	65.25	0.74	3,733.51
	12/11/03	3,798.13	64.09	65.55	1.46	3,733.82
	12/30/03	3,798.13	64.14	65.53	1.39	3,733.78
RW - 13	12/18/02	3,798.52	-	64.08	0.00	3,734.44
	01/06/03	3,798.52	-	64.15	0.00	3,734.37
	01/08/03	3,798.52	64.09	64.09	0.00	3,734.43
	03/04/03	3,798.52	64.19	64.24	0.05	3,734.32
	03/10/03	3,798.52	64.21	64.21	0.00	3,734.31
	03/12/03	3,798.52	64.19	64.21	0.02	3,734.33
	03/17/03	3,798.52	64.25	64.25	0.00	3,734.27
	03/18/03	3,798.52	64.27	64.27	0.00	3,734.25
	03/26/03	3,798.52	64.25	64.28	0.03	3,734.27
	03/31/03	3,798.52	64.25	64.29	0.04	3,734.26
	04/09/03	3,798.52	64.27	64.33	0.06	3,734.24
	04/16/03	3,798.52	64.25	64.25	0.00	3,734.27
	04/21/03	3,798.52	64.21	64.26	0.05	3,734.30
	05/13/03	3,798.52	64.31	64.54	0.23	3,734.18
	06/03/03	3,798.52	64.41	64.61	0.20	3,734.08
	06/10/03	3,798.52	64.42	64.63	0.21	3,734.07
	06/16/03	3,798.52	64.44	64.62	0.18	3,734.05
	06/24/03	3,798.52	64.44	64.76	0.32	3,734.03
	07/09/03	3,798.52	64.55	64.85	0.30	3,733.93
	07/28/03	3,798.52	64.30	64.83	0.53	3,734.14
	08/04/03	3,798.52	64.60	65.11	0.51	3,733.84
	08/11/03	3,798.52	64.67	65.14	0.47	3,733.78
	08/19/03	3,798.52	64.68	65.12	0.44	3,733.77
	09/02/03	3,798.52	64.65	64.91	0.26	3,733.83
	09/10/03	3,798.52	64.61	64.90	0.29	3,733.87
	09/19/03	3,798.52	64.39	64.99	0.60	3,734.04
	10/15/03	3,798.52	64.30	65.59	1.29	3,734.03
	10/21/03	3,798.52	64.53	65.52	0.99	3,733.84
	11/04/03	3,798.52	64.37	64.46	0.09	3,734.14
	11/12/03	3,798.52	64.83	66.02	1.19	3,733.51
	11/20/03	3,798.52	64.36	65.70	1.34	3,733.96

TABLE 1**GROUNDWATER ELEVATION DATA**

**LINK ENERGY
DARR ANGELL 4
LEA COUNTY, NEW MEXICO
ETGI PROJECT # LI 2075**

WELL NUMBER	DATE MEASURED	TOP OF CASING ELEVATION	DEPTH TO PRODUCT	DEPTH TO WATER	PSH THICKNESS	CORRECTED GROUND WATER ELEVATION
RW - 13	12/02/03	3,798.52	64.78	66.31	1.53	3,733.51
	12/11/03	3,798.52	64.50	66.07	1.57	3,733.78
	12/30/03	3,798.52	64.48	66.13	1.65	3,733.79

**** Could not gauge due to excavation**

Elevations based on the North American Vertical Datum of 1929.

TABLE 2

CONCENTRATIONS OF BTEX IN GROUNDWATER

LINK ENERGY
DARR ANGELL 4
LEA COUNTY, NEW MEXICO
ETGI PROJECT # LI 2075

ANNUAL SAMPLING
ALLOWED 4/28/04

All concentrations are reported in mg/L

SAMPLE LOCATION	SAMPLE DATE	SW 846-8260b				
		BENZENE	TOLUENE	ETHYL-BENZENE	m, p - XYLENES	o - XYLENE
MW - 1	07/18/00	0.001	0.001	<0.001	0.002	<0.001
	09/14/00	<0.001	<0.001	<0.001	<0.001	<0.001
	11/15/00	<0.001	<0.001	<0.001	<0.001	<0.001
	02/14/01	<0.001	<0.001	<0.001	<0.001	<0.001
	04/24/01	<0.005	<0.005	<0.005	<0.005	
	08/21/01	0.002	<0.001	<0.001	<0.001	<0.001
	10/30/01	<0.001	<0.001	<0.001	<0.001	<0.001
	02/18/02	0.002	<0.001	<0.001	<0.001	<0.001
	06/19/02	0.006	<0.001	0.002	<0.001	<0.001
	09/18/02	<0.001	<0.001	<0.001	<0.001	<0.001
	12/18/02	<0.001	<0.001	<0.001	<0.001	<0.001
	03/13/03	<0.001	<0.001	<0.001	<0.001	<0.001
	06/16/03	<0.001	<0.001	<0.001	<0.001	<0.001
	09/10/03	<0.001	<0.001	<0.001	<0.001	<0.001
	12/11/03	<0.001	<0.001	<0.001	<0.002	<0.001
MW - 2	07/18/00	<0.001	<0.001	<0.001	<0.001	<0.001
	09/14/00	<0.001	<0.001	<0.001	<0.001	<0.001
	11/15/00	<0.001	<0.001	<0.001	<0.001	<0.001
	02/14/01	<0.001	<0.001	<0.001	<0.001	<0.001
	04/24/01	<0.005	<0.005	<0.005	<0.005	
	08/21/01	<0.001	<0.001	<0.001	<0.001	<0.001
	10/30/01	0.002	<0.001	<0.001	<0.001	<0.001
	02/18/02	<0.001	<0.001	<0.001	<0.001	<0.001
	06/19/02	<0.001	<0.001	<0.001	<0.001	<0.001
	09/18/02	<0.001	<0.001	0.002	<0.001	<0.001
	12/18/02	0.002	<0.001	<0.001	<0.001	<0.001
	03/13/03	<0.001	<0.001	<0.001	<0.001	<0.001
	06/16/03	<0.001	<0.001	<0.001	<0.001	<0.001
	09/10/03	<0.001	<0.001	<0.001	<0.001	<0.001
	12/11/03	<0.001	<0.001	<0.001	<0.002	<0.001
MW - 3	07/18/00	0.359	0.002	<0.001	0.071	0.002
	09/14/00	0.159	0.001	<0.001	0.025	<0.001
	11/15/00	0.431	<0.001	<0.001	0.074	<0.001
	02/14/01	0.553	0.001	<0.001	0.087	<0.001
	04/24/01	0.683	<0.005	<0.005	0.116	
	08/21/01	0.953	<0.001	<0.001	0.085	<0.001
	10/30/01	0.071	<0.001	<0.001	0.005	<0.001
	02/18/02	0.713	<0.001	<0.001	0.057	<0.001
	06/19/02	0.395	<0.001	<0.001	0.053	<0.001
	09/18/02	0.705	<0.001	<0.001	0.035	<0.001
	12/18/02	0.250	<0.001	0.001	0.025	<0.001
	03/13/03	0.135	<0.001	<0.001	0.018	<0.001

TABLE 2

CONCENTRATIONS OF BTEX IN GROUNDWATER

LINK ENERGY
DARR ANGELL 4
LEA COUNTY, NEW MEXICO
ETGI PROJECT # LI 2075

All concentrations are reported in mg/L

SAMPLE LOCATION	SAMPLE DATE	SW 846-8260b				
		BENZENE	TOLUENE	ETHYL-BENZENE	m, p - XYLENES	o - XYLENE
MW - 3	06/16/03	0.011	<0.001	0.003	<0.001	<0.001
	09/10/03	0.016	<0.001	0.002	<0.001	<0.001
	12/11/03	0.019	<0.001	0.002	<0.002	<0.001
MW - 4	08/21/01	0.001	<0.001	<0.001	<0.001	<0.001
	10/30/01	<0.001	<0.001	<0.001	<0.001	<0.001
	02/18/02	<0.001	<0.001	<0.001	<0.001	<0.001
	06/19/02	<0.001	<0.001	<0.001	<0.001	<0.001
	09/18/02	<0.001	<0.001	<0.001	<0.001	<0.001
	12/18/02	0.002	<0.001	<0.001	<0.001	<0.001
	03/13/03	<0.001	<0.001	<0.001	<0.001	<0.001
	06/16/03	<0.001	<0.001	<0.001	<0.001	<0.001
	09/10/03	<0.001	<0.001	<0.001	<0.001	<0.001
	12/11/03	<0.001	<0.001	<0.001	<0.002	<0.001
MW - 5	08/21/01	<0.001	<0.001	<0.001	<0.001	<0.001
	10/30/01	<0.001	<0.001	<0.001	<0.001	<0.001
	02/18/02	<0.001	<0.001	<0.001	<0.001	<0.001
	06/19/02	<0.001	<0.001	<0.001	<0.001	<0.001
	09/18/02	<0.001	<0.001	<0.001	<0.001	<0.001
	12/18/02	0.002	<0.001	<0.001	<0.001	<0.001
	03/13/03	0.001	<0.001	<0.001	<0.001	<0.001
	06/16/03	<0.001	<0.001	<0.001	<0.001	<0.001
	09/10/03	<0.001	<0.001	<0.001	<0.001	<0.001
	12/11/03	<0.001	<0.001	<0.001	<0.002	<0.001
MW - 6	08/21/01	<0.001	0.038	0.060	0.186	0.109
	10/30/01	<0.001	0.006	0.025	0.092	0.023
MW - 7	08/21/01	<0.001	<0.001	<0.001	<0.001	<0.001
	10/30/01	<0.001	<0.001	<0.001	<0.001	<0.001
	02/18/02	<0.001	<0.001	<0.001	<0.001	<0.001
	06/19/02	<0.001	<0.001	<0.001	<0.001	<0.001
	09/18/02	<0.001	<0.001	<0.001	<0.001	<0.001
	12/18/02	0.001	<0.001	<0.001	<0.001	<0.001
	03/13/03	<0.001	<0.001	<0.001	<0.001	<0.001
	06/16/03	<0.001	<0.001	<0.001	<0.001	<0.001
	09/10/03	<0.001	<0.001	<0.001	<0.001	<0.001
	12/11/03	<0.001	<0.001	<0.001	<0.002	<0.001

TABLE 2

CONCENTRATIONS OF BTEX IN GROUNDWATER

LINK ENERGY
DARR ANGELL 4
LEA COUNTY, NEW MEXICO
ETGI PROJECT # LI 2075

All concentrations are reported in mg/L.

SAMPLE LOCATION	SAMPLE DATE	SW 846-8260b				
		BENZENE	TOLUENE	ETHYL-BENZENE	m, p - XYLENES	o - XYLENE
MW - 8	08/21/01	0.009	0.004	0.032	0.055	0.014
	10/30/01	0.008	<0.001	0.044	0.030	0.005
	02/18/02	0.009	<0.001	0.063	0.011	0.004
	06/19/02	0.016	<0.001	0.205	0.032	0.004
	09/18/02	0.030	0.002	0.145	0.033	0.008
	03/13/03	0.002	0.011	0.022	0.044	0.020
MW - 9	08/21/01	<0.001	<0.001	<0.001	<0.001	<0.001
	10/30/01	<0.001	<0.001	<0.001	<0.001	<0.001
	02/18/02	0.001	<0.001	<0.001	<0.001	<0.001
	06/19/02	<0.001	<0.001	<0.001	<0.001	<0.001
	09/18/02	<0.001	<0.001	<0.001	<0.001	<0.001
	12/18/02	<0.001	<0.001	<0.001	<0.001	<0.001
	03/13/03	0.001	<0.001	<0.001	<0.001	<0.001
	06/16/03	<0.001	<0.001	<0.001	<0.001	<0.001
	09/10/03	<0.001	<0.001	<0.001	<0.001	<0.001
	12/11/03	<0.001	<0.001	<0.001	<0.002	<0.001
MW - 10	08/21/01	0.360	<0.001	<0.001	0.022	<0.001
	10/30/01	0.596	<0.001	0.002	0.071	<0.001
	02/18/02	0.981	<0.001	0.002	0.050	<0.001
	06/19/02	0.629	<0.001	0.004	0.067	<0.001
	09/18/02	0.949	<0.001	0.005	0.050	<0.001
	12/18/02	0.437	<0.001	0.003	0.036	<0.001
	03/13/03	0.044	<0.001	<0.001	0.007	<0.001
	06/16/03	0.055	<0.001	0.005	0.056	<0.001
	09/10/03	0.073	<0.001	0.004	0.007	<0.001
	12/11/03	0.048	<0.001	0.004	<0.002	<0.001
MW - 11	08/21/01	0.003	<0.001	<0.001	<0.001	<0.001
	10/30/01	0.004	<0.001	<0.001	<0.001	<0.001
	02/18/02	<0.001	<0.001	<0.001	<0.001	<0.001
	06/19/02	0.017	<0.001	<0.001	<0.001	<0.001
	09/18/02	0.005	<0.001	<0.001	<0.001	<0.001
	12/18/02	0.002	<0.001	<0.001	<0.001	<0.001
	03/13/03	<0.001	<0.001	<0.001	<0.001	<0.001
	06/16/03	<0.001	<0.001	<0.001	<0.001	<0.001
	09/10/03	<0.001	<0.001	<0.001	<0.001	<0.001
	12/11/03	<0.001	<0.001	<0.001	<0.002	<0.001

TABLE 2

CONCENTRATIONS OF BTEX IN GROUNDWATER

LINK ENERGY
DARR ANGELL 4
LEA COUNTY, NEW MEXICO
ETGI PROJECT # LI 2075

All concentrations are reported in mg/L

SAMPLE LOCATION	SAMPLE DATE	SW 846-8260b				
		BENZENE	TOLUENE	ETHYL-BENZENE	m, p - XYLENES	o - XYLENE
MW - 12	08/21/01	0.001	<0.001	<0.001	<0.001	<0.001
	10/30/01	0.002	<0.001	<0.001	<0.001	<0.001
	02/18/02	<0.001	<0.001	<0.001	<0.001	<0.001
	06/19/02	<0.001	<0.001	<0.001	<0.001	<0.001
	09/18/02	0.001	<0.001	<0.001	<0.001	<0.001
	12/18/02	0.002	<0.001	<0.001	<0.001	<0.001
	03/13/03	<0.001	<0.001	<0.001	<0.001	<0.001
	06/16/03	<0.001	<0.001	<0.001	<0.001	<0.001
	09/10/03	<0.001	<0.001	<0.001	<0.001	<0.001
	12/11/03	<0.001	<0.001	<0.001	<0.002	<0.001
MW - 13	08/21/01	0.002	<0.001	<0.001	<0.001	<0.001
	10/30/01	0.003	<0.001	<0.001	<0.001	<0.001
	02/18/02	0.013	<0.001	<0.001	<0.001	<0.001
	06/19/02	0.008	<0.001	<0.001	<0.001	<0.001
	09/18/02	0.009	<0.001	<0.001	<0.001	<0.001
	12/18/02	0.004	<0.001	<0.001	<0.001	<0.001
	03/13/03	<0.001	<0.001	<0.001	<0.001	<0.001
	06/16/03	<0.001	<0.001	<0.001	<0.001	<0.001
	09/10/03	<0.001	<0.001	<0.001	<0.001	<0.001
	12/11/03	<0.001	<0.001	<0.001	<0.002	<0.001
MW - 14	12/18/02	0.111	<0.001	<0.001	0.012	<0.001
	03/13/03	0.046	<0.001	<0.001	0.006	<0.001
	06/16/03	<0.001	<0.001	<0.001	<0.001	<0.001
	09/10/03	0.199	<0.001	<0.001	0.015	<0.001
	12/11/03	0.399	<0.001	<0.001	0.035	<0.001
RW - 1	07/18/00	0.018	0.011	0.002	0.003	0.001
	09/14/00	0.007	0.004	<0.001	<0.001	<0.001
	11/15/00	0.022	0.021	0.005	0.008	0.002
	02/14/01	0.016	0.014	0.005	0.007	0.003
RW - 5	08/21/01	0.007	0.027	0.014	0.042	0.018
	02/18/02	0.007	0.001	0.019	0.021	0.007
	06/19/02	0.006	0.015	0.012	0.017	0.006
	09/18/02	0.003	0.013	0.042	0.021	0.013
	12/18/02	0.002	0.005	0.004	0.018	0.006
	03/13/03	0.013	0.003	0.007	0.015	0.013
	06/16/03	0.014	<0.001	0.004	0.007	0.007
	09/10/03	0.016	0.001	0.004	0.026	0.013
	12/11/03	0.011	<0.001	0.002	0.005	0.005

TABLE 2

CONCENTRATIONS OF BTEX IN GROUNDWATER

LINK ENERGY
DARR ANGELL 4
LEA COUNTY, NEW MEXICO
ETGI PROJECT # LI 2075

All concentrations are reported in mg/L

SAMPLE LOCATION	SAMPLE DATE	SW 846-8260b				
		BENZENE	TOLUENE	ETHYL-BENZENE	m, p - XYLENES	o - XYLENE
RW - 7	12/18/02	0.175	0.152	0.060	0.138	0.057
RW - 13	12/18/02	0.638	0.476	0.225	0.393	0.157
EB - 1	09/14/00	<0.001	<0.001	<0.001	<0.001	<0.001
	11/15/00	<0.001	<0.001	<0.001	<0.001	<0.001
	02/14/01	<0.001	<0.001	<0.001	<0.001	<0.001
	04/24/01	<0.001	<0.001	<0.001	<0.001	
	10/30/01	<0.001	<0.001	<0.001	<0.001	<0.001
	02/18/02	<0.001	<0.001	<0.001	<0.001	<0.001
	06/19/02	<0.001	<0.001	<0.001	<0.001	<0.001
	09/18/02	<0.001	<0.001	<0.001	<0.001	<0.001
	12/18/02	<0.001	<0.001	<0.001	<0.001	<0.001

Note: m, p & o xylenes combined when analyzed by Trace Laboratories, Inc. only
EB - 1 Denotes equipment blank collected on sample date.

APPENDICES

Appendix A

Laboratory Reports

Client: Environmental Tech Group
Attn: Camille Reynolds
Address: 2540 W. Marland
Hobbs NM 88240

Phone: 505 397-4882 **FAX:** 505 397-4701

Report#/Lab ID#: 140507 **Report Date:** 03/26/03
Project ID: Darr Angell #4 EO 2075

Sample Name: MW-1

Sample Matrix: water

Date Received: 03/14/2003 **Time:** 13:15

Date Sampled: 03/13/2003 **Time:** 09:00

REPORT OF ANALYSIS

Parameter	Result	Units	RQL ⁵	Blank	Date	Method ⁶	Data Qual ⁷	Prec. ²	Recov. ³	CCV ⁴	LCS ⁴
Volatile organics-8260b/BTEX					03/21/03	8260b					
Benzene	<1	µg/L	1	<1	03/21/03	8260b	J	1.4	87.9	114.5	94.1
Ethylbenzene	<1	µg/L	1	<1	03/21/03	8260b		2.8	97.3	98	100.8
m,p-Xylenes	<1	µg/L	1	<1	03/21/03	8260b		2.5	98.4	94.4	98.9
o-Xylene	<1	µg/L	1	<1	03/21/03	8260b		2	102.2	101	106.5
Toluene	<1	µg/L	1	<1	03/21/03	8260b		1.8	99	94.8	101.3

QUALITY ASSURANCE DATA¹

This analytical report is respectfully submitted by AnalySys, Inc. The enclosed results have been carefully reviewed and, to the best of my knowledge, the analytical results are consistent with AnalySys, Inc.'s Quality Assurance/Quality Control Program. © Copyright 2000, AnalySys, Inc., Austin, TX. All rights reserved. No part of this publication may be reproduced or transmitted in any form or by any means without the express written consent of AnalySys, Inc.

Respectfully Submitted,

Richard Laster

Richard Laster

1. Quality assurance data is for the sample batch which included this sample. 2. Precision (PREC) is the absolute value of the relative percent (%) difference between duplicate measurements. 3. Recovery (Recov.) is the percent (%) of analyte recovered from a spiked sample. 4. Calibration Verification (CCV) and Laboratory Control Sample (LCS) results are expressed as the percent (%) recovery of analyte from a known standard or matrix. 5. Reporting Quantitation Limits (RQL), typically at or above the Practical Quantitation Limit (PQL) of the analytical method. 6. Method numbers typically denote USEPA procedures. Less than ("<") values reflect nominal quantitation limits adjusted for any required dilutions. 7. Data Qualifiers are J = analyte potentially present between the PQL and the MDL. B = Analyte detected in associated method blank(s). S1 = MS and/or MSD recovery exceed advisory limits. S2 = Post digestion spike (PDS) recovery exceeds advisory limit. S3 = MS and/or MSD and PDS recoveries exceed advisory limits. P = Precision higher than advisory limit. M = Matrix interference.

Client: Environmental Tech Group Attn: Camille Reynolds	Project ID: Darr Angell #4 EO 2075 Sample Name: MW-1	Report#/Lab ID#: 140507 Sample Matrix: water
--	---	---

REPORT OF SURROGATE RECOVERY

Surrogate Compound	Method	Recovery	Recovery Limit	Data Qualifiers
1,2-Dichloroethane-d4	8260b	98	80-120	---
Toluene-d8	8260b	94.3	88-110	---

Data Qualifiers: D= Surrogates diluted and X= Surrogates outside advisory recovery limits.

Exceptions Report:

Report #/Lab ID#: 140507	Matrix: water	Attn: Camille Reynolds
Client: Environmental Tech Group		
Project ID: Darr Angell #4 EO 2075		
Sample Name: MW-1		

Sample Temperature/Condition <=6°C

The typical sample temperature criteria (except for metals by ICP, GFAA and AA and a very few other tests) is <= 6°C. Possible exceptions include samples submitted to laboratory within such a short time after sampling that cooling measures used in the field and during transport had insufficient time to achieve desired temperatures in the samples (see sample collection and sample receipt times) and samples where the temperature could not be measured due to sample submission in a manner precluding temperature measurement without impacting sample integrity (ex. in a bottle with no cooler).

Sample Bottles & Preservation

- ☒ Sample received in appropriate container(s) and appear to be appropriately preserved.
☐ Sample received in appropriate container(s). State of sample preservation unknown.
☐ Sample received in inappropriate container(s) and/or with unknown state of preservation.

J flag Discussion

A J flag data qualifier indicates (as required under TCEQ-TRRP reporting requirements) that the raw calculated analyte concentration in the sample (uncorrected for background levels/blanks and other potential sources of sampling and analytical contamination), though less than the Reported Quantitation Limit (RQL) is greater than the Detection Limit. Because the reported result is below the quantitation limit for this project/sample (or test procedure), GC/MS organics results may or MAY NOT have been verified as to the presence and relative ratio of target ions (eg. the material causing the J flag "hit" in such situations may be nothing more than background ion-fragment noise.)

Comments pertaining to Data Qualifiers and QC data:

Parameter	Qualif	Comment
Benzene	J	See J-flag discussion above.

Notes:

Client: Environmental Tech Group
Attn: Camille Reynolds
Address: 2540 W. Marland
Hobbs NM 88240
Phone: 505 397-4882 **FAX:** 505 397-4701

Report#/Lab ID#: 140508 **Report Date:** 03/26/03
Project ID: Darr Angell #4 EO 2075
Sample Name: MW-2
Sample Matrix: water
Date Received: 03/14/2003 **Time:** 13:15
Date Sampled: 03/13/2003 **Time:** 09:30

REPORT OF ANALYSIS

QUALITY ASSURANCE DATA¹

Parameter	Result	Units	RQL ⁵	Blank	Date	Method ⁶	Data Qual ⁷	Prec. ²	Recov. ³	CCV ⁴	LCS ⁴
Volatile organics-8260b/BTEX	---		---		03/21/03	8260b	---	---	---	---	---
Benzene	<1	µg/L	1	<1	03/21/03	8260b	---	1	89.7	84.6	87.7
Ethylbenzene	<1	µg/L	1	<1	03/21/03	8260b	---	7.9	96	100.5	101.1
m,p-Xylenes	<1	µg/L	1	<1	03/21/03	8260b	---	8.3	95.6	97.9	101.5
o-Xylene	<1	µg/L	1	<1	03/21/03	8260b	---	7.2	101.9	100.6	104.7
Toluene	<1	µg/L	1	<1	03/21/03	8260b	---	1.7	99	95.3	97.3

This analytical report is respectfully submitted by AnalySys, Inc. The enclosed results have been carefully reviewed and, to the best of my knowledge, the analytical results are consistent with AnalySys, Inc.'s Quality Assurance/Quality Control Program. © Copyright 2000, AnalySys, Inc., Austin, TX. All rights reserved. No part of this publication may be reproduced or transmitted in any form or by any means without the express written consent of AnalySys, Inc.

Respectfully Submitted,

Richard Laster

Richard Laster

1. Quality assurance data is for the sample batch which included this sample. 2. Precision (PREC) is the absolute value of the relative percent (%) difference between duplicate measurements. 3. Recovery (Recov.) is the percent (%) of analyte recovered from a spiked sample. 4. Calibration Verification (CCV) and Laboratory Control Sample (LCS) results are expressed as the percent (%) recovery of analyte from a known standard or matrix. 5. Reporting Quantitation Limits (RQL), typically at or above the Practical Quantitation Limit (PQL) of the analytical method. 6. Method numbers typically denote USEPA procedures. Less than ("<") values reflect nominal quantitation limits adjusted for any required dilutions. 7. Data Qualifiers are J = analyte potentially present between the PQL and the MDL. B = Analyte detected in associated method blank(s). S1 = MS and/or MSD recovery exceed advisory limits. S2 = Post digestion spike (PDS) recovery exceeds advisory limit. S3 = MS and/or MSD and PDS recoveries exceed advisory limits. P = Precision higher than advisory limit. M = Matrix interference.

Client: Environmental Tech Group Attn: Camille Reynolds	Project ID: Darr Angell #4 EO 2075 Sample Name: MW-2	Report#/Lab ID#: 140508 Sample Matrix: water
--	---	---

REPORT OF SURROGATE RECOVERY

Surrogate Compound	Method	Recovery	Recovery Limit	Data Qualifiers
1,2-Dichloroethane-d4	8260b	100	80-120	---
Toluene-d8	8260b	90.4	88-110	---

Data Qualifiers: D= Surrogates diluted and X= Surrogates outside advisory recovery limits.

Client: Environmental Tech Group
Attn: Camille Reynolds
Address: 2540 W. Marland
Hobbs NM 88240
Phone: 505 397-4882 **FAX:** 505 397-4701

Report#/Lab ID#: 140509 **Report Date:** 03/26/03
Project ID: Darr Angell #4 EO 2075
Sample Name: MW-3
Sample Matrix: water
Date Received: 03/14/2003 **Time:** 13:15
Date Sampled: 03/13/2003 **Time:** 10:00

REPORT OF ANALYSIS

Parameter	Result	Units	RQL ⁵	Blank	Date	Method ⁶	Data Qual ⁷	Prec. ²	Recov. ³	CCV ⁴	LCS ⁴
Volatiles organics-8260b/BTEX	---		---		03/21/03	8260b	---	---	---	---	---
Benzene	135	µg/L	1	<1	03/21/03	8260b	---	1	89.7	84.6	87.7
Ethylbenzene	<1	µg/L	1	<1	03/21/03	8260b	J	7.9	96	100.5	101.1
m,p-Xylenes	18	µg/L	1	<1	03/21/03	8260b	---	8.3	95.6	97.9	101.5
o-Xylene	<1	µg/L	1	<1	03/21/03	8260b	---	7.2	101.9	100.6	104.7
Toluene	<1	µg/L	1	<1	03/21/03	8260b	---	1.7	99	95.3	97.3

QUALITY ASSURANCE DATA¹

This analytical report is respectfully submitted by AnalySys, Inc. The enclosed results have been carefully reviewed and, to the best of my knowledge, the analytical results are consistent with AnalySys, Inc.'s Quality Assurance/Quality Control Program. © Copyright 2000, AnalySys, Inc., Austin, TX. All rights reserved. No part of this publication may be reproduced or transmitted in any form or by any means without the express written consent of AnalySys, Inc.

Respectfully Submitted,

Richard Laster

Richard Laster

1. Quality assurance data is for the sample batch which included this sample. 2. Precision (PREC) is the absolute value of the relative percent (%) difference between duplicate measurements. 3. Recovery (Recov.) is the percent (%) of analyte recovered from a spiked sample. 4. Calibration Verification (CCV) and Laboratory Control Sample (LCS) results are expressed as the percent (%) recovery of analyte from a known standard or matrix. 5. Reporting Quantitation Limits (RQL), typically at or above the Practical Quantitation Limit (PQL) of the analytical method. 6. Method numbers typically denote USEPA procedures. Less than (" $<$ ") values reflect nominal quantitation limits adjusted for any required dilutions. 7. Data Qualifiers are J = analyte potentially present between the PQL and the MDL. B = Analyte detected in associated method blank(s). S1 = MS and/or MSD recovery exceed advisory limits. S2 = Post digestion spike (PDS) recovery exceeds advisory limit. S3 = MS and/or MSD and PDS recoveries exceed advisory limits. P = Precision higher than advisory limit. M = Matrix interference.

Client: Environmental Tech Group	Project ID: Darr Angell #4 EO 2075	Report#/Lab ID#: 140509
Attn: Camille Reynolds	Sample Name: MW-3	Sample Matrix: water

REPORT OF SURROGATE RECOVERY

Surrogate Compound	Method	Recovery	Recovery Limit	Data Qualifiers
1,2-Dichloroethane-d4	8260b	95	80-120	---
Toluene-d8	8260b	92.4	88-110	---

Data Qualifiers: D= Surrogates diluted and X= Surrogates outside advisory recovery limits.

Exceptions Report:

Report #/Lab ID#: 140509	Matrix: water	Attn: Camille Reynolds
Client: Environmental Tech Group		
Project ID: Darr Angell #4 EO 2075		
Sample Name: MW-3		

Sample Temperature/Condition <=6°C

The typical sample temperature criteria (except for metals by ICP, GFAA and AA and a very few other tests) is <= 6°C. Possible exceptions include samples submitted to laboratory within such a short time after sampling that cooling measures used in the field and during transport had insufficient time to achieve desired temperatures in the samples (see sample collection and sample receipt times) and samples where the temperature could not be measured due to sample submission in a manner precluding temperature measurement without impacting sample integrity (ex. in a bottle with no cooler).

Sample Bottles & Preservation

- ☒ Sample received in appropriate container(s) and appear to be appropriately preserved.
- ☐ Sample received in appropriate container(s). State of sample preservation unknown.
- ☐ Sample received in inappropriate container(s) and/or with unknown state of preservation.

J flag Discussion

A J flag data qualifier indicates (as required under TCEQ-TRRP reporting requirements) that the raw calculated analyte concentration in the sample (uncorrected for background levels/blanks and other potential sources of sampling and analytical contamination), though less than the Reported Quantitation Limit (RQL) is greater than the Detection Limit. Because the reported result is below the quantitation limit for this project/sample (or test procedure), GC/MS organics results may or MAY NOT have been verified as to the presence and relative ratio of target ions (eg. the material causing the J flag "hit" in such situations may be nothing more than background ion-fragment noise.)

Comments pertaining to Data Qualifiers and QC data:

Parameter	Qualif	Comment
Ethylbenzene	J	See J-flag discussion above.

Notes:

Client: Environmental Tech Group

Attn: Camille Reynolds

Address: 2540 W. Marland

Hobbs

NM 88240

Phone: 505 397-4882 **FAX:** 505 397-4701

Report#/Lab ID#: 140510 **Report Date:** 03/26/03

Project ID: Dair Angell #4 EO 2075

Sample Name: MW-4

Sample Matrix: water

Date Received: 03/14/2003 **Time:** 13:15

Date Sampled: 03/13/2003 **Time:** 10:30

REPORT OF ANALYSIS

QUALITY ASSURANCE DATA¹

Parameter	Result	Units	RQL ⁵	Blank	Date	Method ⁶	Data Qual ⁷	Prec. ²	Recov. ³	CCV ⁴	LCS ⁴
Volatile organics-8260b/BTEX					03/21/03	8260b					
Benzene	<1	µg/L	1	<1	03/21/03	8260b	J	1	89.7	84.6	87.7
Ethylbenzene	<1	µg/L	1	<1	03/21/03	8260b		7.9	96	100.5	101.1
m,p-Xylenes	<1	µg/L	1	<1	03/21/03	8260b		8.3	95.6	97.9	101.5
o-Xylene	<1	µg/L	1	<1	03/21/03	8260b		7.2	101.9	100.6	104.7
Toluene	<1	µg/L	1	<1	03/21/03	8260b		1.7	99	95.3	97.3


This analytical report is respectfully submitted by AnalySys, Inc. The enclosed results have been carefully reviewed and, to the best of my knowledge, the analytical results are consistent with AnalySys, Inc.'s Quality Assurance/Quality Control Program. © Copyright 2000, AnalySys, Inc., Austin, TX. All rights reserved. No part of this publication may be reproduced or transmitted in any form or by any means without the express written consent of AnalySys, Inc.

Respectfully Submitted,

Richard Laster

Richard Laster

1. Quality assurance data is for the sample batch which included this sample. 2. Precision (PREC) is the absolute value of the relative percent (%) difference between duplicate measurements. 3. Recovery (Recov.) is the percent (%) of analyte recovered from a spiked sample. 4. Calibration Verification (CCV) and Laboratory Control Sample (LCS) results are expressed as the percent (%) recovery of analyte from a known standard or matrix. 5. Reporting Quantitation Limits (RQL), typically at or above the Practical Quantitation Limit (PQL) of the analytical method. 6. Method numbers typically denote USEPA procedures. Less than ("<") values reflect nominal quantitation limits adjusted for any required dilutions. 7. Data Qualifiers are J = analyte potentially present between the PQL and the MDL. B = Analyte detected in associated method blank(s). S1 =MS and/or MSD recovery exceed advisory limits. S2 =Post digestion spike (PDS) recovery exceeds advisory limit. S3 =MS and/or MSD and PDS recoveries exceed advisory limits. P =Precision higher than advisory limit. M =Matrix interference.



3512 Montopolis Drive, Austin, TX 78744 &
2209 N. Padre Island Dr., Corpus Christi, TX 78408
(512) 385-5886 • FAX (512) 385-7411

Client: Environmental Tech Group
Attn: Camille Reynolds

Project ID: Darr Angell #4 EO 2075
Sample Name: MW-4

Report#/Lab ID#: 140510
Sample Matrix: water

REPORT OF SURROGATE RECOVERY

Surrogate Compound	Method	Recovery	Recovery Limit	Data Qualifiers
1,2-Dichloroethane-d4	8260b	97.3	80-120	---
Toluene-d8	8260b	89.4	88-110	---

Data Qualifiers: D= Surrogates diluted and X= Surrogates outside advisory recovery limits.

Exceptions Report:

Report #/Lab ID#: 140510	Matrix: water	Attn: Camille Reynolds
Client: Environmental Tech Group		
Project ID: Darr Angell #4 EO 2075		
Sample Name: MW-4		

Sample Temperature/Condition <=6°C

The typical sample temperature criteria (except for metals by ICP, GFAA and AA and a very few other tests) is <= 6°C. Possible exceptions include samples submitted to laboratory within such a short time after sampling that cooling measures used in the field and during transport had insufficient time to achieve desired temperatures in the samples (see sample collection and sample receipt times) and samples where the temperature could not be measured due to sample submission in a manner precluding temperature measurement without impacting sample integrity (ex. in a bottle with no cooler).

Sample Bottles & Preservation

- ☒ Sample received in appropriate container(s) and appear to be appropriately preserved.
☐ Sample received in appropriate container(s). State of sample preservation unknown.
☐ Sample received in inappropriate container(s) and/or with unknown state of preservation.

J flag Discussion

A J flag data qualifier indicates (as required under TCEQ-TRRP reporting requirements) that the raw calculated analyte concentration in the sample (uncorrected for background levels/blanks and other potential sources of sampling and analytical contamination), though less than the Reported Quantitation Limit (RQL) is greater than the Detection Limit. Because the reported result is below the quantitation limit for this project/sample (or test procedure), GC/MS organics results may or MAY NOT have been verified as to the presence and relative ratio of target ions (eg. the material causing the J flag "hit" in such situations may be nothing more than background ion-fragment noise.)

Comments pertaining to Data Qualifiers and QC data:

Parameter	Qualif	Comment
Benzene	J	See J-flag discussion above.

Notes:

Client: Environmental Tech Group
Attn: Camille Reynolds
Address: 2540 W. Marland
Hobbs NM 88240

Phone: 505 397-4882 **FAX:** 505 397-4701

Report#/Lab ID#: 140511 **Report Date:** 03/26/03
Project ID: Darr Angell #4 EO 2075
Sample Name: MW-5
Sample Matrix: water
Date Received: 03/14/2003 **Time:** 13:15
Date Sampled: 03/13/2003 **Time:** 11:00

REPORT OF ANALYSIS

QUALITY ASSURANCE DATA¹

Parameter	Result	Units	RQL ⁵	Blank	Date	Method ⁶	Data Qual ⁷	Prec. ²	Recov. ³	CCV ⁴	LCS ⁴
Volatile organics-8260b/BTEX	---		---		03/21/03	8260b	---	---	---	---	---
Benzene	1.48	µg/L	1	<1	03/21/03	8260b	---	1	89.7	84.6	87.7
Ethylbenzene	<1	µg/L	1	<1	03/21/03	8260b	---	7.9	96	100.5	101.1
m,p-Xylenes	<1	µg/L	1	<1	03/21/03	8260b	---	8.3	95.6	97.9	101.5
o-Xylene	<1	µg/L	1	<1	03/21/03	8260b	---	7.2	101.9	100.6	104.7
Toluene	<1	µg/L	1	<1	03/21/03	8260b	---	1.7	99	95.3	97.3

This analytical report is respectfully submitted by AnalySys, Inc. The enclosed results have been carefully reviewed and, to the best of my knowledge, the analytical results are consistent with AnalySys, Inc.'s Quality Assurance/Quality Control Program. © Copyright 2000, AnalySys, Inc., Austin, TX. All rights reserved. No part of this publication may be reproduced or transmitted in any form or by any means without the express written consent of AnalySys, Inc.

Respectfully Submitted,

Richard Laster

Richard Laster

1. Quality assurance data is for the sample batch which included this sample. 2. Precision (PREC) is the absolute value of the relative percent (%) difference between duplicate measurements. 3. Recovery (Recov.) is the percent (%) of analyte recovered from a spiked sample. 4. Calibration Verification (CCV) and Laboratory Control Sample (LCS) results are expressed as the percent (%) recovery of analyte from a known standard or matrix. 5. Reporting Quantitation Limits (RQL), typically at or above the Practical Quantitation Limit (PQL) of the analytical method. 6. Method numbers typically denote USEPA procedures. Less than ("<") values reflect nominal quantitation limits adjusted for any required dilutions. 7. Data Qualifiers are J = analyte potentially present between the PQL and the MDL. B = Analyte detected in associated method blank(s). S1 = MS and/or MSD recovery exceed advisory limits. S2 = Post digestion spike (PDS) recovery exceeds advisory limit. S3 = MS and/or MSD and PDS recoveries exceed advisory limits. P = Precision higher than advisory limit. M = Matrix interference.



3512 Montopolis Drive, Austin, TX 78744 &
2209 N. Padre Island Dr., Corpus Christi, TX 78408
(512) 385-5886 • FAX (512) 385-7411

Client: Environmental Tech Group Attn: Camille Reynolds	Project ID: Darr Angell #4 EO 2075 Sample Name: MW-5	Report#/Lab ID#: 140511 Sample Matrix: water
--	---	---

REPORT OF SURROGATE RECOVERY

Surrogate Compound	Method	Recovery	Recovery Limit	Data Qualifiers
1,2-Dichloroethane-d4	8260b	96.6	80-120	---
Toluene-d8	8260b	89.8	88-110	---

Data Qualifiers: D= Surrogates diluted and X= Surrogates outside advisory recovery limits.

Client: Environmental Tech Group
Attn: Camille Reynolds
Address: 2540 W. Marland
Hobbs NM 88240

Phone: 505 397-4882 **FAX:** 505 397-4701

Report#/Lab ID#: 140512 **Report Date:** 03/26/03
Project ID: Darr Angell #4 EO 2075

Sample Name: MW-7

Sample Matrix: water

Date Received: 03/14/2003 **Time:** 13:15

Date Sampled: 03/13/2003 **Time:** 11:30

REPORT OF ANALYSIS

Parameter	Result	Units	RQL ⁵	Blank	Date	Method ⁶	Data Qual ⁷	Prec. ²	Recov. ³	CCV ⁴	LCS ⁴
Volatiles organics-8260b/BTEX	---		---		03/21/03	8260b	---	---	---	---	---
Benzene	<1	µg/L	1	<1	03/21/03	8260b	---	1	89.7	84.6	87.7
Ethylbenzene	<1	µg/L	1	<1	03/21/03	8260b	---	7.9	96	100.5	101.1
m,p-Xylenes	<1	µg/L	1	<1	03/21/03	8260b	---	8.3	95.6	97.9	101.5
o-Xylene	<1	µg/L	1	<1	03/21/03	8260b	---	7.2	101.9	100.6	104.7
Toluene	<1	µg/L	1	<1	03/21/03	8260b	---	1.7	99	95.3	97.3

QUALITY ASSURANCE DATA¹

This analytical report is respectfully submitted by AnalySys, Inc. The enclosed results have been carefully reviewed and, to the best of my knowledge, the analytical results are consistent with AnalySys, Inc.'s Quality Assurance/Quality Control Program. © Copyright 2000, AnalySys, Inc., Austin, TX. All rights reserved. No part of this publication may be reproduced or transmitted in any form or by any means without the express written consent of AnalySys, Inc.

Respectfully Submitted,

Richard Laster

Richard Laster

1. Quality assurance data is for the sample batch which included this sample. 2. Precision (PREC) is the absolute value of the relative percent (%) difference between duplicate measurements. 3. Recovery (Recov.) is the percent (%) of analyte recovered from a spiked sample. 4. Calibration Verification (CCV) and Laboratory Control Sample (LCS) results are expressed as the percent (%) recovery of analyte from a known standard or matrix. 5. Reporting Quantitation Limits (RQL), typically at or above the Practical Quantitation Limit (PQL) of the analytical method. 6. Method numbers typically denote USEPA procedures. Less than ("<") values reflect nominal quantitation limits adjusted for any required dilutions. 7. Data Qualifiers are J = analyte potentially present between the PQL and the MDL. B = Analyte detected in associated method blank(s). S1 = MS and/or MSD recovery exceed advisory limits. S2 = Post digestion spike (PDS) recovery exceeds advisory limit. S3 = MS and/or MSD and PDS recoveries exceed advisory limits. P = Precision higher than advisory limit. M = Matrix interference.



3512 Montopolis Drive, Austin, TX 78744 &
2209 N. Padre Island Dr., Corpus Christi, TX 78408
(512) 385-5886 • FAX (512) 385-7411

Client: Environmental Tech Group
Attn: Camille Reynolds

Project ID: Darr Angell #4 EO 2075
Sample Name: MW-7

Report#/Lab ID#: 140512
Sample Matrix: water

REPORT OF SURROGATE RECOVERY

Surrogate Compound	Method	Recovery	Recovery Limit	Data Qualifiers
1,2-Dichloroethane-d4	8260b	95.4	80-120	---
Toluene-d8	8260b	91.5	88-110	---

Data Qualifiers: D= Surrogates diluted and X= Surrogates outside advisory recovery limits.

Client: Environmental Tech Group
Attn: Camille Reynolds
Address: 2540 W. Marland
Hobbs NM 88240
Phone: 505 397-4882 **FAX:** 505 397-4701

Report#/Lab ID#: 140513 **Report Date:** 03/26/03
Project ID: Darr Angell #4 EO 2075
Sample Name: MW-8
Sample Matrix: water
Date Received: 03/14/2003 **Time:** 13:15
Date Sampled: 03/13/2003 **Time:** 12:00

REPORT OF ANALYSIS

QUALITY ASSURANCE DATA¹

Parameter	Result	Units	RQL ⁵	Blank	Date	Method ⁶	Data Qual ⁷	Prec. ²	Recov. ³	CCV ⁴	LCS ⁴
Volatiles organics-8260b/BTEX	---		---		03/24/03	8260b	---	---	---	---	---
Benzene	2.25	µg/L	1	<1	03/24/03	8260b	---	1	89.7	84.6	87.7
Ethylbenzene	22.2	µg/L	1	<1	03/24/03	8260b	---	7.9	96	100.5	101.1
m,p-Xylenes	44.4	µg/L	1	<1	03/24/03	8260b	---	8.3	95.6	97.9	101.5
o-Xylene	19.9	µg/L	1	<1	03/24/03	8260b	---	7.2	101.9	100.6	104.7
Toluene	11.2	µg/L	1	<1	03/24/03	8260b	---	1.7	99	95.3	97.3

This analytical report is respectfully submitted by AnalySys, Inc. The enclosed results have been carefully reviewed and, to the best of my knowledge, the analytical results are consistent with AnalySys, Inc.'s Quality Assurance/Quality Control Program. © Copyright 2000, AnalySys, Inc., Austin, TX. All rights reserved. No part of this publication may be reproduced or transmitted in any form or by any means without the express written consent of AnalySys, Inc.

Respectfully Submitted,

Richard Laster

Richard Laster

1. Quality assurance data is for the sample batch which included this sample. 2. Precision (PREC) is the absolute value of the relative percent (%) difference between duplicate measurements. 3. Recovery (Recov.) is the percent (%) of analyte recovered from a spiked sample. 4. Calibration Verification (CCV) and Laboratory Control Sample (LCS) results are expressed as the percent (%) recovery of analyte from a known standard or matrix. 5. Reporting Quantitation Limits (RQL), typically at or above the Practical Quantitation Limit (PQL) of the analytical method. 6. Method numbers typically denote USEPA procedures. Less than ("<") values reflect nominal quantitation limits adjusted for any required dilutions. 7. Data Qualifiers are J = analyte potentially present between the PQL and the MDL, B = Analyte detected in associated method blank(s). S1 = MS and/or MSD recovery exceed advisory limits. S2 = Post digestion spike (PDS) recovery exceeds advisory limit. S3 = MS and/or MSD and PDS recoveries exceed advisory limits. P = Precision higher than advisory limit. M = Matrix interference.



3512 Montopolis Drive, Austin, TX 78744 &
2209 N. Padre Island Dr., Corpus Christi, TX 78408
(512) 385-5886 • FAX (512) 385-7411

Client: Environmental Tech Group
Attn: Camille Reynolds

Project ID: Darr Angell #4 EO 2075
Sample Name: MW-8

Report#/Lab ID#: 140513
Sample Matrix: water

REPORT OF SURROGATE RECOVERY

Surrogate Compound	Method	Recovery	Recovery Limit	Data Qualifiers
1,2-Dichloroethane-d4	8260b	98.3	80-120	---
Toluene-d8	8260b	88.7	88-110	---

Data Qualifiers: D= Surrogates diluted and X= Surrogates outside advisory recovery limits.

Client: Environmental Tech Group
Attn: Camille Reynolds
Address: 2540 W. Marland
Hobbs NM 88240

Phone: 505 397-4882 **FAX:** 505 397-4701

Report# / Lab ID#: 140514 **Report Date:** 03/26/03
Project ID: Darr Angell #4 EO 2075

Sample Name: MW-9

Sample Matrix: water

Date Received: 03/14/2003 **Time:** 13:15

Date Sampled: 03/13/2003 **Time:** 13:00

REPORT OF ANALYSIS

QUALITY ASSURANCE DATA¹

Parameter	Result	Units	RQL ⁵	Blank	Date	Method ⁶	Data Qual ⁷	Prec. ²	Recov. ³	CCV ⁴	LCS ⁴
Volatile organics-8260b/BTEX	---		---		03/21/03	8260b	---	---	---	---	---
Benzene	1.19	µg/L	1	<1	03/21/03	8260b	---	1	89.7	84.6	87.7
Ethylbenzene	<1	µg/L	1	<1	03/21/03	8260b	---	7.9	96	100.5	101.1
m,p-Xylenes	<1	µg/L	1	<1	03/21/03	8260b	---	8.3	95.6	97.9	101.5
o-Xylene	<1	µg/L	1	<1	03/21/03	8260b	---	7.2	101.9	100.6	104.7
Toluene	<1	µg/L	1	<1	03/21/03	8260b	---	1.7	99	95.3	97.3

This analytical report is respectfully submitted by AnalySys, Inc. The enclosed results have been carefully reviewed and, to the best of my knowledge, the analytical results are consistent with AnalySys, Inc.'s Quality Assurance/Quality Control Program. © Copyright 2000, AnalySys, Inc., Austin, TX. All rights reserved. No part of this publication may be reproduced or transmitted in any form or by any means without the express written consent of AnalySys, Inc.

Respectfully Submitted,

Richard Laster

Richard Laster

1. Quality assurance data is for the sample batch which included this sample. 2. Precision (PREC) is the absolute value of the relative percent (%) difference between duplicate measurements. 3. Recovery (Recov.) is the percent (%) of analyte recovered from a spiked sample. 4. Calibration Verification (CCV) and Laboratory Control Sample (LCS) results are expressed as the percent (%) recovery of analyte from a known standard or matrix. 5. Reporting Quantitation Limits (RQL), typically at or above the Practical Quantitation Limit (PQL) of the analytical method. 6. Method numbers typically denote USEPA procedures. Less than ("<") values reflect nominal quantitation limits adjusted for any required dilutions. 7. Data Qualifiers are J = MS and/or MSD recovery exceed advisory limits. S2 = Post digestion spike (PDS) associated method blank(s). S1 = MS and/or MSD recovery exceed advisory limits. S3 = MS and/or MSD recoveries exceed advisory limits. P = Precision higher than advisory limit. M = Matrix interference.



3512 Montopolis Drive, Austin, TX 78744 &
2209 N. Padre Island Dr., Corpus Christi, TX 78408
(512) 385-5886 • FAX (512) 385-7411

Client: Environmental Tech Group
Attn: Camille Reynolds

Project ID: Darr Angell #4 EO 2075
Sample Name: MW-9

Report#/Lab ID#: 140514
Sample Matrix: water

REPORT OF SURROGATE RECOVERY

Surrogate Compound	Method	Recovery	Recovery Limit	Data Qualifiers
1,2-Dichloroethane-d4	8260b	96.8	80-120	---
Toluene-d8	8260b	90.6	88-110	---

Data Qualifiers: D= Surrogates diluted and X= Surrogates outside advisory recovery limits.

Client: Environmental Tech Group
Attn: Camille Reynolds
Address: 2540 W. Marland
Hobbs NM 88240

Phone: 505 397-4882 **FAX:** 505 397-4701

Report#/Lab ID#: 140515 **Report Date:** 03/26/03
Project ID: Darr Angell #4 EO 2075
Sample Name: MW-10
Sample Matrix: water
Date Received: 03/14/2003 **Time:** 13:15
Date Sampled: 03/13/2003 **Time:** 13:30

REPORT OF ANALYSIS

Parameter	Result	Units	RQL ⁵	Blank	Date	Method ⁶	Data Qual ⁷	Prec. ²	Recov. ³	CCV ⁴	LCS ⁴
Volatile organics-8260b/BTEX	---		---		03/24/03	8260b	---	---	---	---	---
Benzene	44.3	µg/L	1	<1	03/24/03	8260b	---	1	89.7	84.6	87.7
Ethylbenzene	<1	µg/L	1	<1	03/24/03	8260b	---	7.9	96	100.5	101.1
m,p-Xylenes	7.05	µg/L	1	<1	03/24/03	8260b	---	8.3	95.6	97.9	101.5
o-Xylene	<1	µg/L	1	<1	03/24/03	8260b	---	7.2	101.9	100.6	104.7
Toluene	<1	µg/L	1	<1	03/24/03	8260b	---	1.7	99	95.3	97.3

QUALITY ASSURANCE DATA¹

This analytical report is respectfully submitted by AnalySys, Inc. The enclosed results have been carefully reviewed and, to the best of my knowledge, the analytical results are consistent with AnalySys, Inc.'s Quality Assurance/Quality Control Program. © Copyright 2000, AnalySys, Inc., Austin, TX. All rights reserved. No part of this publication may be reproduced or transmitted in any form or by any means without the express written consent of AnalySys, Inc.

Respectfully Submitted,

Richard Laster

Richard Laster

1. Quality assurance data is for the sample batch which included this sample. 2. Precision (PREC) is the absolute value of the relative percent (%) difference between duplicate measurements. 3. Recovery (Recov.) is the percent (%) of analyte recovered from a spiked sample. 4. Calibration Verification (CCV) and Laboratory Control Sample (LCS) results are expressed as the percent (%) recovery of analyte from a known standard or matrix. 5. Reporting Quantitation Limits (RQL), typically at or above the Practical Quantitation Limit (PQL) of the analytical method. 6. Method numbers typically denote USEPA procedures. Less than ("<") values reflect nominal quantitation limits adjusted for any required dilutions. 7. Data Qualifiers are J = analyte potentially present between the PQL and the MDL. B = Analyte detected in associated method blank(s). S1 =MS and/or MSD recovery exceed advisory limits. S2 =Post digestion spike (PDS) recovery exceeds advisory limit. S3 =MS and/or MSD and PDS recoveries exceed advisory limits. P =Precision higher than advisory limit. M =Matrix interference.



3512 Montopolis Drive, Austin, TX 78744 &
2209 N. Padre Island Dr., Corpus Christi, TX 78408
(512) 385-5886 • FAX (512) 385-7411

Client: Environmental Tech Group
Attn: Camille Reynolds

Project ID: Darr Angell #4 EO 2075
Sample Name: MW-10

Report#/Lab ID#: 140515
Sample Matrix: water

REPORT OF SURROGATE RECOVERY

Surrogate Compound	Method	Recovery	Recovery Limit	Data Qualifiers
1,2-Dichloroethane-d4	8260b	96.3	80-120	---
Toluene-d8	8260b	88.9	88-110	---

Data Qualifiers: D= Surrogates diluted and X= Surrogates outside advisory recovery limits



3512 Montopolis Drive, Austin, TX 78744 &
2209 N. Padre Island Dr., Corpus Christi, TX 78408
(512) 385-5886 • FAX (512) 385-7411

Client: Environmental Tech Group
Attn: Camille Reynolds
Address: 2540 W. Marland
Hobbs NM 88240

Phone: 505 397-4882 FAX: 505 397-4701

Report#/Lab ID#: 140516 Report Date: 03/26/03
Project ID: Darr Angell #4 EO 2075
Sample Name: MW-11
Sample Matrix: water
Date Received: 03/14/2003 Time: 13:15
Date Sampled: 03/13/2003 Time: 14:00

REPORT OF ANALYSIS

Parameter	Result	Units	RQL ⁵	Blank	Date	Method ⁶	Data Qual ⁷	Prec. ²	Recov. ³	CCV ⁴	LCS ⁴
Volatile organics-8260b/BTEX	---		---		03/22/03	8260b		---	---	---	---
Benzene	<1	µg/L	1	<1	03/22/03	8260b	J	1	89.7	84.6	87.7
Ethylbenzene	<1	µg/L	1	<1	03/22/03	8260b	---	7.9	96	100.5	101.1
m,p-Xylenes	<1	µg/L	1	<1	03/22/03	8260b	---	8.3	95.6	97.9	101.5
o-Xylene	<1	µg/L	1	<1	03/22/03	8260b	---	7.2	101.9	100.6	104.7
Toluene	<1	µg/L	1	<1	03/22/03	8260b	---	1.7	99	95.3	97.3

This analytical report is respectfully submitted by AnalySys, Inc. The enclosed results have been carefully reviewed and, to the best of my knowledge, the analytical results are consistent with AnalySys, Inc.'s Quality Assurance/Quality Control Program. © Copyright 2000, AnalySys, Inc., Austin, TX. All rights reserved. No part of this publication may be reproduced or transmitted in any form or by any means without the express written consent of AnalySys, Inc.

Respectfully Submitted,

Richard Laster

Richard Laster

1. Quality assurance data is for the sample batch which included this sample. 2. Precision (PREC) is the absolute value of the relative percent (%) difference between duplicate measurements. 3. Recovery (Recov.) is the percent (%) of analyte recovered from a spiked sample. 4. Calibration Verification (CCV) and Laboratory Control Sample (LCS) results are expressed as the percent (%) recovery of analyte from a known standard or matrix. 5. Reporting Quantitation Limits (RQL), typically at or above the Practical Quantitation Limit (PQL) of the analytical method. 6. Method numbers typically denote USEPA procedures. Less than ("<") values reflect nominal quantitation limits adjusted for any required dilutions. 7. Data Qualifiers are J = analyte potentially present between the PQL and the MDL. B = Analyte detected in associated method blank(s). S1 = MS and/or MSD recovery exceed advisory limits. S2 = Post digestion spike (PDS) recovery exceeds advisory limit. S3 = MS and/or MSD and PDS recoveries exceed advisory limits. P = Precision higher than advisory limit. M = Matrix interference.



3512 Montopolis Drive, Austin, TX 78744 &
2209 N. Padre Island Dr., Corpus Christi, TX 78408
(512) 385-5886 • FAX (512) 385-7411

Client: Environmental Tech Group
Attn: Camille Reynolds

Project ID: Darr Angell #4 EO 2075
Sample Name: MW-11

Report#/Lab ID#: 140516
Sample Matrix: water

REPORT OF SURROGATE RECOVERY

Surrogate Compound	Method	Recovery	Recovery Limit	Data Qualifiers
1,2-Dichloroethane-d4	8260b	94	80-120	---
Toluene-d8	8260b	93	88-110	---

Data Qualifiers: D= Surrogates diluted and X= Surrogates outside advisory recovery limits.

Exceptions Report:

Report #/Lab ID#: 140516	Matrix: water	Attn: Camille Reynolds
Client: Environmental Tech Group		
Project ID: Darr Angell #4 EO 2075		
Sample Name: MW-11		

Sample Temperature/Condition <=6°C

The typical sample temperature criteria (except for metals by ICP, GFAA and AA and a very few other tests) is <= 6°C. Possible exceptions include samples submitted to laboratory within such a short time after sampling that cooling measures used in the field and during transport had insufficient time to achieve desired temperatures in the samples (see sample collection and sample receipt times) and samples where the temperature could not be measured due to sample submission in a manner precluding temperature measurement without impacting sample integrity (ex. in a bottle with no cooler).

Sample Bottles & Preservation

- ☒ Sample received in appropriate container(s) and appear to be appropriately preserved.
- ☐ Sample received in appropriate container(s). State of sample preservation unknown.
- ☐ Sample received in inappropriate container(s) and/or with unknown state of preservation.


J flag Discussion

A J flag data qualifier indicates (as required under TCEQ-TRRP reporting requirements) that the raw calculated analyte concentration in the sample (uncorrected for background levels/blanks and other potential sources of sampling and analytical contamination), though less than the Reported Quantitation Limit (RQL) is greater than the Detection Limit. Because the reported result is below the quantitation limit for this project/sample (or test procedure), GC/MS organics results may or MAY NOT have been verified as to the presence and relative ratio of target ions (eg. the material causing the J flag "hit" in such situations may be nothing more than background ion-fragment noise.)

Comments pertaining to Data Qualifiers and QC data:

Parameter	Qualif	Comment
Benzene	J	See J-flag discussion above.

Notes:



3512 Montopolis Drive, Austin, TX 78744 &
2209 N. Padre Island Dr., Corpus Christi, TX 78408
(512) 385-5886 • FAX (512) 385-7411

Client: Environmental Tech Group
Attn: Camille Reynolds
Address: 2540 W. Marland
Hobbs NM 88240

Phone: 505 397-4882 FAX: 505 397-4701

Report# / Lab ID#: 140517 Report Date: 03/26/03
Project ID: Darr Angell #4 EO 2075
Sample Name: MW-12
Sample Matrix: water
Date Received: 03/14/2003 Time: 13:15
Date Sampled: 03/13/2003 Time: 14:30

REPORT OF ANALYSIS

Parameter	Result	Units	RQL ⁵	Blank	Date	Method ⁶	Data Qual ⁷	Prec. ²	Recov. ³	CCV ⁴	LCS ⁴
Volatiles organics-8260b/BTEX	---		---		03/22/03	8260b	---	---	---	---	---
Benzene	<1	µg/L	1	<1	03/22/03	8260b	---	1	89.7	84.6	87.7
Ethylbenzene	<1	µg/L	1	<1	03/22/03	8260b	---	7.9	96	100.5	101.1
m,p-Xylenes	<1	µg/L	1	<1	03/22/03	8260b	---	8.3	95.6	97.9	101.5
o-Xylene	<1	µg/L	1	<1	03/22/03	8260b	---	7.2	101.9	100.6	104.7
Toluene	<1	µg/L	1	<1	03/22/03	8260b	---	1.7	99	95.3	97.3

This analytical report is respectfully submitted by AnalySys, Inc. The enclosed results have been carefully reviewed and, to the best of my knowledge, the analytical results are consistent with AnalySys, Inc.'s Quality Assurance/Quality Control Program. © Copyright 2000, AnalySys, Inc., Austin, TX. All rights reserved. No part of this publication may be reproduced or transmitted in any form or by any means without the express written consent of AnalySys, Inc.

Respectfully Submitted,

Richard Laster

Richard Laster

1. Quality assurance data is for the sample batch which included this sample. 2. Precision (PREC) is the absolute value of the relative percent (%) difference between duplicate measurements. 3. Recovery (Recov.) is the percent (%) of analyte recovered from a spiked sample. 4. Calibration Verification (CCV) and Laboratory Control Sample (LCS) results are expressed as the percent (%) recovery of analyte from a known standard or matrix. 5. Reporting Quantitation Limits (RQL), typically at or above the Practical Quantitation Limit (PQL) of the analytical method. 6. Method numbers typically denote USEPA procedures. Less than ("<") values reflect nominal quantitation limits adjusted for any required dilutions. 7. Data Qualifiers are J = analyte potentially present between the PQL and the MDL. B = Analyte detected in associated method blank(s). S1 = MS and/or MSD recovery exceed advisory limits. S2 = Post digestion spike (PDS) recovery exceeds advisory limit. S3 = MS and/or MSD and PDS recoveries exceed advisory limits. P = Precision higher than advisory limit. M = Matrix interference.



3512 Montopolis Drive, Austin, TX 78744 &
2209 N. Padre Island Dr., Corpus Christi, TX 78408
(512) 385-5886 • FAX (512) 385-7411

Client: Environmental Tech Group
Attn: Camille Reynolds

Project ID: Darr Angell #4 EO 2075
Sample Name: MW-12

Report#/Lab ID#: 140517
Sample Matrix: water

REPORT OF SURROGATE RECOVERY

Surrogate Compound	Method	Recovery	Recovery Limit	Data Qualifiers
1,2-Dichloroethane-d4	8260b	106	80-120	---
Toluene-d8	8260b	94.2	88-110	---

Data Qualifiers: D= Surrogates diluted and X= Surrogates outside advisory recovery limits.



3512 Montopolis Drive, Austin, TX 78744 &
2209 N. Padre Island Dr., Corpus Christi, TX 78408
(512) 385-5886 • FAX (512) 385-7411

Client: Environmental Tech Group

Attn: Camille Reynolds

Address: 2540 W. Marland

Hobbs

NM 88240

Phone: 505 397-4882

FAX: 505 397-4701

Report#/Lab ID#: 140518 Report Date: 03/26/03

Project ID: Darr Angell #4 EO 2075

Sample Name: MW-13

Sample Matrix: water

Date Received: 03/14/2003 Time: 13:15

Date Sampled: 03/13/2003 Time: 15:00

REPORT OF ANALYSIS

Parameter	Result	Units	RQL ⁵	Blank	Date	Method ⁶	Data Qual ⁷	Prec. ²	Recov. ³	CCV ⁴	LCS ⁴
Volatile organics-8260b/BTEX	---		---		03/24/03	8260b	---	---	---	---	---
Benzene	<1	µg/L	1	<1	03/24/03	8260b	J	1	89.7	84.6	87.7
Ethylbenzene	<1	µg/L	1	<1	03/24/03	8260b	---	7.9	96	100.5	101.1
m,p-Xylenes	<1	µg/L	1	<1	03/24/03	8260b	J	8.3	95.6	97.9	101.5
o-Xylene	<1	µg/L	1	<1	03/24/03	8260b	---	7.2	101.9	100.6	104.7
Toluene	<1	µg/L	1	<1	03/24/03	8260b	---	1.7	99	95.3	97.3

QUALITY ASSURANCE DATA¹


This analytical report is respectfully submitted by AnalySys, Inc. The enclosed results have been carefully reviewed and, to the best of my knowledge, the analytical results are consistent with AnalySys, Inc.'s Quality Assurance/Quality Control Program. © Copyright 2000, AnalySys, Inc., Austin, TX. All rights reserved. No part of this publication may be reproduced or transmitted in any form or by any means without the express written consent of AnalySys, Inc.

Respectfully Submitted,

Richard Laster

Richard Laster

1. Quality assurance data is for the sample batch which included this sample. 2. Precision (PREC) is the absolute value of the relative percent (%) difference between duplicate measurements. 3. Recovery (Recov.) is the percent (%) of analyte recovered from a spiked sample. 4. Calibration Verification (CCV) and Laboratory Control Sample (LCS) results are expressed as the percent (%) recovery of analyte from a known standard or matrix. 5. Reporting Quantitation Limits (RQL), typically at or above the Practical Quantitation Limit (PQL) of the analytical method. 6. Method numbers typically denote USEPA procedures. Less than ("<") values reflect nominal quantitation limits adjusted for any required dilutions. 7. Data Qualifiers are J = analyte potentially present between the PQL and the MDL. B = Analyte detected in associated method blank(s). S1 = MS and/or MSD recovery exceed advisory limits. S2 = Post digestion spike (PDS) recovery exceeds advisory limit. S3 = MS and/or MSD and PDS recoveries exceed advisory limits. P = Precision higher than advisory limit. M = Matrix interference.



3512 Montopolis Drive, Austin, TX 78744 &
2209 N. Padre Island Dr., Corpus Christi, TX 78408
(512) 385-5886 • FAX (512) 385-7411

Client: Environmental Tech Group
Attn: Camille Reynolds

Project ID: Darr Angell #4 EO 2075
Sample Name: MW-13

Report#/Lab ID#: 140518
Sample Matrix: water

REPORT OF SURROGATE RECOVERY

Surrogate Compound	Method	Recovery	Recovery Limit	Data Qualifiers
1,2-Dichloroethane-d4	8260b	94.7	80-120	---
Toluene-d8	8260b	91.2	88-110	---

Data Qualifiers: D= Surrogates diluted and X= Surrogates outside advisory recovery limits.

Exceptions Report:

Report #/Lab ID#: 140518	Matrix: water	Attn: Camille Reynolds
Client: Environmental Tech Group		
Project ID: Darr Angell #4 EO 2075		
Sample Name: MW-13		

Sample Temperature/Condition <=6°C

The typical sample temperature criteria (except for metals by ICP, GFAA and AA and a very few other tests) is <= 6°C. Possible exceptions include samples submitted to laboratory within such a short time after sampling that cooling measures used in the field and during transport had insufficient time to achieve desired temperatures in the samples (see sample collection and sample receipt times) and samples where the temperature could not be measured due to sample submission in a manner precluding temperature measurement without impacting sample integrity (ex. in a bottle with no cooler).

Sample Bottles & Preservation

- ☒ Sample received in appropriate container(s) and appear to be appropriately preserved.
☐ Sample received in appropriate container(s). State of sample preservation unknown.
☐ Sample received in inappropriate container(s) and/or with unknown state of preservation.

J flag Discussion

A J flag data qualifier indicates (as required under TCEQ-TRRP reporting requirements) that the raw calculated analyte concentration in the sample (uncorrected for background levels/blanks and other potential sources of sampling and analytical contamination), though less than the Reported Quantitation Limit (RQL) is greater than the Detection Limit. Because the reported result is below the quantitation limit for this project/sample (or test procedure), GC/MS organics results may or MAY NOT have been verified as to the presence and relative ratio of target ions (eg. the material causing the J flag "hit" in such situations may be nothing more than background ion-fragment noise.)

Comments pertaining to Data Qualifiers and QC data:

Parameter	Qualif	Comment
Benzene	J	See J-flag discussion above.
m,p-Xylenes	J	See J-flag discussion above.

Notes:

Client: Environmental Tech Group
Attn: Camille Reynolds
Address: 2540 W. Marland
Hobbs NM 88240

Phone: 505 397-4882 **FAX:** 505 397-4701

Report#/Lab ID#: 140519 **Report Date:** 03/26/03
Project ID: Darr Angell #4 EO 2075
Sample Name: MW-14
Sample Matrix: water
Date Received: 03/14/2003 **Time:** 13:15
Date Sampled: 03/13/2003 **Time:** 15:30

REPORT OF ANALYSIS

Parameter	Result	Units	RQL ⁵	Blank	Date	Method ⁶	Data Qual ⁷	Prec. ²	Recov. ³	CCV ⁴	LCS ⁴
Volatile organics-8260b/BTEX	---		---		03/24/03	8260b	---	---	---	---	---
Benzene	46.4	µg/L	1	<1	03/24/03	8260b	---	1	89.7	84.6	87.7
Ethylbenzene	<1	µg/L	1	<1	03/24/03	8260b	---	7.9	96	100.5	101.1
m,p-Xylenes	6.1	µg/L	1	<1	03/24/03	8260b	---	8.3	95.6	97.9	101.5
o-Xylene	<1	µg/L	1	<1	03/24/03	8260b	---	7.2	101.9	100.6	104.7
Toluene	<1	µg/L	1	<1	03/24/03	8260b	---	1.7	99	95.3	97.3

QUALITY ASSURANCE DATA¹


This analytical report is respectfully submitted by AnalySys, Inc. The enclosed results have been carefully reviewed and, to the best of my knowledge, the analytical results are consistent with AnalySys, Inc.'s Quality Assurance/Quality Control Program. © Copyright 2000, AnalySys, Inc., Austin, TX. All rights reserved. No part of this publication may be reproduced or transmitted in any form or by any means without the express written consent of AnalySys, Inc.

Respectfully Submitted,

Richard Laster

Richard Laster

1. Quality assurance data is for the sample batch which included this sample. 2. Precision (PREC) is the absolute value of the relative percent (%) difference between duplicate measurements. 3. Recovery (Recov.) is the percent (%) of analyte recovered from a spiked sample. 4. Calibration Verification (CCV) and Laboratory Control Sample (LCS) results are expressed as the percent (%) recovery of analyte from a known standard or matrix. 5. Reporting Quantitation Limits (RQL), typically at or above the Practical Quantitation Limit (PQL) of the analytical method. 6. Method numbers typically denote USEPA procedures. Less than ("<") values reflect nominal quantitation limits adjusted for any required dilutions. 7. Data Qualifiers are J = analyte potentially present between the PQL and the MDL. B = Analyte detected in associated method blank(s). S1 = MS and/or MSD recovery exceed advisory limits. S2 = Post digestion spike (PDS) recovery exceeds advisory limit. S3 = MS and/or MSD and PDS recoveries exceed advisory limits. P = Precision higher than advisory limit. M = Matrix interference.



3512 Montopolis Drive, Austin, TX 78744 &
2209 N. Padre Island Dr., Corpus Christi, TX 78408
(512) 385-5886 • FAX (512) 385-7411

Client: Environmental Tech Group
Attn: Camille Reynolds

Project ID: Darr Angell #4 EO 2075
Sample Name: MW-14

Report#/Lab ID#: 140519
Sample Matrix: water

REPORT OF SURROGATE RECOVERY

Surrogate Compound	Method	Recovery	Recovery Limit	Data Qualifiers
1,2-Dichloroethane-d4	8260b	99.2	80-120	---
Toluene-d8	8260b	90.6	88-110	---

Data Qualifiers: D= Surrogates diluted and X= Surrogates outside advisory recovery limits.



3512 Montopolis Drive, Austin, TX 78744 &
2209 N. Padre Island Dr., Corpus Christi, TX 78408
(512) 385-5886 • FAX (512) 385-7411

Client: Environmental Tech Group
Attn: Camille Reynolds
Address: 2540 W. Marland
Hobbs NM 88240

Phone: 505 397-4882 FAX: 505 397-4701

Report#/Lab ID#: 140520 Report Date: 03/26/03
Project ID: Darr Angell #4 EO 2075
Sample Name: RW-5
Sample Matrix: water
Date Received: 03/14/2003 Time: 13:15
Date Sampled: 03/13/2003 Time: 16:00

REPORT OF ANALYSIS

Parameter	Result	Units	RQL ⁵	Blank	Date	Method ⁶	Data Qual ⁷	Prec. ²	Recov. ³	CCV ⁴	LCS ⁴
Volatiles organics-8260b/BTEX	---				03/24/03	8260b	---	---	---	---	---
Benzene	13.2	µg/L	1	<1	03/24/03	8260b	---	1	89.7	84.6	87.7
Ethylbenzene	6.61	µg/L	1	<1	03/24/03	8260b	---	7.9	96	100.5	101.1
m,p-Xylenes	14.5	µg/L	1	<1	03/24/03	8260b	---	8.3	95.6	97.9	101.5
o-Xylene	13.3	µg/L	1	<1	03/24/03	8260b	---	7.2	101.9	100.6	104.7
Toluene	3.08	µg/L	1	<1	03/24/03	8260b	---	1.7	99	95.3	97.3

This analytical report is respectfully submitted by AnalySys, Inc. The enclosed results have been carefully reviewed and, to the best of my knowledge, the analytical results are consistent with AnalySys, Inc.'s Quality Assurance/Quality Control Program. © Copyright 2000, AnalySys, Inc., Austin, TX. All rights reserved. No part of this publication may be reproduced or transmitted in any form or by any means without the express written consent of AnalySys, Inc.

Respectfully Submitted,

Richard Laster

Richard Laster

1. Quality assurance data is for the sample batch which included this sample. 2. Precision (PREC) is the absolute value of the relative percent (%) difference between duplicate measurements. 3. Recovery (Recov.) is the percent (%) of analyte recovered from a spiked sample. 4. Calibration Verification (CCV) and Laboratory Control Sample (LCS) results are expressed as the percent (%) recovery of analyte from a known standard or matrix. 5. Reporting Quantitation Limits (RQL), typically at or above the Practical Quantitation Limit (PQL) of the analytical method. 6. Method numbers typically denote USEPA procedures. Less than (" $<$ ") values reflect nominal quantitation limits adjusted for any required dilutions. 7. Data Qualifiers are J = analyte potentially present between the PQL and the MDL. B = Analyte detected in associated method blank(s). S1 = MS and/or MSD recovery exceed advisory limits. S2 = Post digestion spike (PDS) recovery exceeds advisory limit. S3 = MS and/or MSD and/or PDS recoveries exceed advisory limits. P = Precision higher than advisory limit. M = Matrix interference.



3512 Montopolis Drive, Austin, TX 78744 &
2209 N. Padre Island Dr., Corpus Christi, TX 78408
(512) 385-5886 • FAX (512) 385-7411

Client: Environmental Tech Group	Project ID: Darr Angell #4 EO 2075	Report#/Lab ID#: 140520
Attn: Camille Reynolds	Sample Name: RW-5	Sample Matrix: water

REPORT OF SURROGATE RECOVERY

Surrogate Compound	Method	Recovery	Recovery Limit	Data Qualifiers
1,2-Dichloroethane-d4	8260b	99.5	80-120	---
Toluene-d8	8260b	90.1	88-110	---

Data Qualifiers: D= Surrogates diluted and X= Surrogates outside advisory recovery limits.

Bill to (if different):

4221 Freidrich Lane, Suite 100, Austin, TX
(512) 441-5896

Project Name/PO#: 80 2075 Per Page #4 Sampler:

Analyses Requested (1)

Sample Relinquished By			Sample Received By		
Name	Affiliation	Date	Name	Affiliation	Date
Quota Fund	ET&ET	3-13-03	Melanie Humphrey	ASI	3/14/03
					1315

Tendering of above described samples to AnalySys, Inc. for analytical testing constitutes agreement by buyer/sampler to AnalySys, Inc.'s standard terms

FILE

3512 Montopolis Drive, Austin, TX 78744 &
2209 N. Padre Island Dr., Corpus Christi, TX 78408
(512) 385-5886 • FAX (512) 385-7411

ANALYSIS
INC.

Client: Environmental Tech Group
Attn: Robert Eidson
Address: 2540 W. Marland
Hobbs NM 88240

Phone: 505 397-4882 **FAX:** 505 397-4701

Report#/Lab ID#: 144259 **Report Date:** 06/25/03
Project ID: EO 2075 Dart Angell #4
Sample Name: MW-1
Sample Matrix: water
Date Received: 06/20/2003 **Time:** 13:35
Date Sampled: 06/16/2003 **Time:** 10:00

REPORT OF ANALYSIS

QUALITY ASSURANCE DATA¹

Parameter	Result	Units	RQL ⁵	Blank	Date	Method ⁶	Data Qual ⁷	Prec. ²	Recov. ³	CCV ⁴	LCS ⁴
Volatile organics-8260b/BTEX	---		---		06/24/03	8260b	---	---	---	---	---
Benzene	<1	µg/L	1	<1	06/24/03	8260b	---	1.4	94.2	93.2	89.8
Ethylbenzene	<1	µg/L	1	<1	06/24/03	8260b	---	4	124.7	118	123.2
m,p-Xylenes	<1	µg/L	1	<1	06/24/03	8260b	---	5.4	113.5	108.2	112
o-Xylene	<1	µg/L	1	<1	06/24/03	8260b	---	5.2	123.1	118	120.7
Toluene	<1	µg/L	1	<1	06/24/03	8260b	---	2.6	98.7	96.8	93.6

This analytical report is respectfully submitted by AnalySys, Inc. The enclosed results have been carefully reviewed and, to the best of my knowledge, the analytical results are consistent with AnalySys, Inc.'s Quality Assurance/Quality Control Program. © Copyright 2000, AnalySys, Inc., Austin, TX. All rights reserved. No part of this publication may be reproduced or transmitted in any form or by any means without the express written consent of AnalySys, Inc.

Respectfully Submitted,

Richard Laster

Richard Laster

1. Quality assurance data is for the sample batch which included this sample. 2. Precision (PREC) is the absolute value of the relative percent (%) difference between duplicate measurements. 3. Recovery (Recov.) is the percent (%) of analyte recovered from a spiked sample. 4. Calibration Verification (CCV) and Laboratory Control Sample (LCS) results are expressed as the percent (%) recovery of analyte from a known standard or matrix. 5. Reporting Quantitation Limits (RQL), typically at or above the Practical Quantitation Limit (PQL) of the analytical method. 6. Method numbers typically denote USEPA procedures. Less than (" $<$ ") values reflect nominal quantitation limits adjusted for any required dilutions. 7. Data Qualifiers are J = analyte potentially present between the PQL and the MDL. B = Analyte detected in associated method blank(s). S1 =MS and/or MSD recovery exceed advisory limits. S2 =Post digestion spike (PDS) recovery exceeds advisory limit. S3 =MS and/or MSD and PDS recoveries exceed advisory limits. P =Precision higher than advisory limit. M =Matrix interference.



3512 Montopolis Drive, Austin, TX 78744 &
2209 N. Padre Island Dr., Corpus Christi, TX 78408
(512) 385-5886 • FAX (512) 385-7411

Client: Environmental Tech Group
Attn: Robert Eidson


Project ID: EO 2075 Darr Angell #4
Sample Name: MW-1

Report#/Lab ID#: 144259
Sample Matrix: water

REPORT OF SURROGATE RECOVERY

Surrogate Compound	Method	Recovery	Recovery Limit	Data Qualifiers
1,2-Dichloroethane-d4	8260b	92.7	80-120	---
Toluene-d8	8260b	107	88-110	---

Data Qualifiers: D= Surrogates diluted and X= Surrogates outside advisory recovery limits.



3512 Montopolis Drive, Austin, TX 78744 &
2209 N. Padre Island Dr., Corpus Christi, TX 78408
(512) 385-5886 • FAX (512) 385-7411

Client: Environmental Tech Group		Report#/Lab ID#: 144260	Report Date: 06/25/03
Attn: Robert Eidson		Project ID: EO 2075 Darr Angell #4	
Address: 2540 W. Marland Hobbs NM 88240		Sample Name: MW-2	
Phone: 505 397-4882		Sample Matrix: water	
FAX: 505 397-4701		Date Received: 06/20/2003	Time: 13:35
		Date Sampled: 06/16/2003	Time: 10:30

REPORT OF ANALYSIS

Parameter	Result	Units	RQL ⁵	Blank	Date	Method ⁶	Data Qual ⁷	Prec. ²	Recov. ³	CCV ⁴	LCS ⁴
Volatiles organics-8260b/BTEX	---		---		06/24/03	8260b	---	---	---	---	---
Benzene	<1	µg/L	1	<1	06/24/03	8260b	---	1.4	94.2	93.2	89.8
Ethylbenzene	<1	µg/L	1	<1	06/24/03	8260b	---	4	124.7	118	123.2
m,p-Xylenes	<1	µg/L	1	<1	06/24/03	8260b	---	5.4	113.5	108.2	112
o-Xylene	<1	µg/L	1	<1	06/24/03	8260b	---	5.2	123.1	118	120.7
Toluene	<1	µg/L	1	<1	06/24/03	8260b	---	2.6	98.7	96.8	93.6


This analytical report is respectfully submitted by AnalySys, Inc. The enclosed results have been carefully reviewed and, to the best of my knowledge, the analytical results are consistent with AnalySys, Inc.'s Quality Assurance/Quality Control Program. © Copyright 2000, AnalySys, Inc., Austin, TX. All rights reserved. No part of this publication may be reproduced or transmitted in any form or by any means without the express written consent of AnalySys, Inc.

Respectfully Submitted,

Richard Laster

Richard Laster

1. Quality assurance data is for the sample batch which included this sample. 2. Precision (PREC) is the absolute value of the relative percent (%) difference between duplicate measurements. 3. Recovery (Recov.) is the percent (%) of analyte recovered from a spiked sample. 4. Calibration Verification (CCV) and Laboratory Control Sample (LCS) results are expressed as the percent (%) recovery of analyte from a known standard or matrix. 5. Reporting Quantitation Limits (RQL), typically at or above the Practical Quantitation Limit (PQL) of the analytical method. 6. Method numbers typically denote USEPA procedures. Less than (" $<$ ") values reflect nominal quantitation limits adjusted for any required dilutions. 7. Data Qualifiers are I = analyte potentially present between the PQL and the MDL. B = Analyte detected in associated method blank(s). S1 = MS and/or MSD recovery exceed advisory limits. S2 = Post digestion spike (PDS) recovery exceeds advisory limit. S3 = MS and/or MSD and PDS recoveries exceed advisory limits. P = Precision higher than advisory limit. M = Matrix interference.




3512 Montopolis Drive, Austin, TX 78744 &
2209 N. Padre Island Dr., Corpus Christi, TX 78408
(512) 385-5886 • FAX (512) 385-7411

Client: Environmental Tech Group	Project ID: EO 2075 Darr Angell #4	Report#/Lab ID#: 144260
Attn: Robert Eidson	Sample Name: MW-2	Sample Matrix: water

REPORT OF SURROGATE RECOVERY

Surrogate Compound	Method	Recovery	Recovery Limit	Data Qualifiers
1,2-Dichloroethane-d4	8260b	93.4	80-120	---
Toluene-d8	8260b	108	88-110	---

Data Qualifiers: D= Surrogates diluted and X= Surrogates outside advisory recovery limits.



3512 Montopolis Drive, Austin, TX 78744 &
2209 N. Padre Island Dr., Corpus Christi, TX 78408
(512) 385-5886 • FAX (512) 385-7411

Client: Environmental Tech Group
Attn: Robert Eidson
Address: 2540 W. Marland
Hobbs NM 88240
Phone: 505 397-4882 **FAX:** 505 397-4701

Report#/Lab ID#: 144261 **Report Date:** 06/25/03
Project ID: EO 2075 Darr Angell #4
Sample Name: MW-3
Sample Matrix: water
Date Received: 06/20/2003 **Time:** 13:35
Date Sampled: 06/16/2003 **Time:** 11:00

REPORT OF ANALYSIS

QUALITY ASSURANCE DATA 1

Parameter	Result	Units	RQL ⁵	Blank	Date	Method ⁶	Data Qual ⁷	Prec. ²	Recov. ³	CCV ⁴	LCS ⁴
Volatiles organics-8260b/BTEX	---		---		06/24/03	8260b	---	---	---	---	---
Benzene	11	µg/L	1	<1	06/24/03	8260b	---	1.4	94.2	93.2	89.8
Ethylbenzene	2.61	µg/L	1	<1	06/24/03	8260b	---	4	124.7	118	123.2
m,p-Xylenes	<1	µg/L	1	<1	06/24/03	8260b	---	5.4	113.5	108.2	112
o-Xylene	<1	µg/L	1	<1	06/24/03	8260b	---	5.2	123.1	118	120.7
Toluene	<1	µg/L	1	<1	06/24/03	8260b	---	2.6	98.7	96.8	93.6

This analytical report is respectfully submitted by AnalySys, Inc. The enclosed results have been carefully reviewed and, to the best of my knowledge, the analytical results are consistent with AnalySys, Inc.'s Quality Assurance/Quality Control Program. © Copyright 2000, AnalySys, Inc., Austin, TX. All rights reserved. No part of this publication may be reproduced or transmitted in any form or by any means without the express written consent of AnalySys, Inc.

Respectfully Submitted,

Richard Laster

Richard Laster

1. Quality assurance data is for the sample batch which included this sample. 2. Precision (PREC) is the absolute value of the relative percent (%) difference between duplicate measurements. 3. Recovery (Recov.) is the percent (%) of analyte recovered from a spiked sample. 4. Calibration Verification (CCV) and Laboratory Control Sample (LCS) results are expressed as the percent (%) recovery of analyte from a known standard or matrix. 5. Reporting Quantitation Limits (RQL), typically at or above the Practical Quantitation Limit (PQL) of the analytical method. 6. Method numbers typically denote USEPA procedures. Less than (" $<$ ") values reflect nominal quantitation limits adjusted for any required dilutions. 7. Data Qualifiers are J = analyte potentially present between the PQL and the MDL. B = Analyte detected in associated method blank(s). S1 =MS and/or MSD recovery exceed advisory limits. S2 =Post digestion spike (PDS) recovery exceeds advisory limit. S3 =MS and/or MSD and PDS recoveries exceed advisory limits. P =Precision higher than advisory limit. M =Matrix interference.




3512 Montopolis Drive, Austin, TX 78744 &
2209 N. Padre Island Dr., Corpus Christi, TX 78408
(512) 385-5886 • FAX (512) 385-7411

Client: Environmental Tech Group Attn: Robert Eidson	Project ID: EO 2075 Darr Angell #4 Sample Name: MW-3	Report#/Lab ID#: 144261 Sample Matrix: water
---	---	---

REPORT OF SURROGATE RECOVERY

Surrogate Compound	Method	Recovery	Recovery Limit	Data Qualifiers
1,2-Dichloroethane-d4	8260b	95.8	80-120	---
Toluene-d8	8260b	105	88-110	---

Data Qualifiers: D= Surrogates diluted and X= Surrogates outside advisory recovery limits.



3512 Montopolis Drive, Austin, TX 78744 &
2209 N. Padre Island Dr., Corpus Christi, TX 78408
(512) 385-5886 • FAX (512) 385-7411

Client: Environmental Tech Group

Attn: Robert Eidson

Address: 2540 W. Marland

Hobbs

NM 88240

Phone: 505 397-4882 **FAX:** 505 397-4701

Report#/Lab ID#: 144262 **Report Date:** 06/25/03

Project ID: EO 2075 Darr Angell #4

Sample Name: MW-4

Sample Matrix: water

Date Received: 06/20/2003 **Time:** 13:35

Date Sampled: 06/16/2003 **Time:** 11:30

REPORT OF ANALYSIS

QUALITY ASSURANCE DATA¹

Parameter	Result	Units	RQL ⁵	Blank	Date	Method ⁶	Data Qual ⁷	Prec. ²	Recov. ³	CCV ⁴	LCS ⁴
Volatile organics-8260b/BTEX	---		---		06/24/03	8260b	---	---	---	---	---
Benzene	<1	µg/L	1	<1	06/24/03	8260b	---	1.4	94.2	93.2	89.8
Ethylbenzene	<1	µg/L	1	<1	06/24/03	8260b	---	4	124.7	118	123.2
m,p-Xylenes	<1	µg/L	1	<1	06/24/03	8260b	---	5.4	113.5	108.2	112
o-Xylene	<1	µg/L	1	<1	06/24/03	8260b	---	5.2	123.1	118	120.7
Toluene	<1	µg/L	1	<1	06/24/03	8260b	---	2.6	98.7	96.8	93.6

This analytical report is respectfully submitted by AnalySys, Inc. The enclosed results have been carefully reviewed and, to the best of my knowledge, the analytical results are consistent with AnalySys, Inc.'s Quality Assurance/Quality Control Program. © Copyright 2000, AnalySys, Inc., Austin, TX. All rights reserved. No part of this publication may be reproduced or transmitted in any form or by any means without the express written consent of AnalySys, Inc.

Respectfully Submitted,

Richard Laster

Richard Laster

1. Quality assurance data is for the sample batch which included this sample. 2. Precision (PREC) is the absolute value of the relative percent (%) difference between duplicate measurements. 3. Recovery (Recov.) is the percent (%) of analyte recovered from a spiked sample. 4. Calibration Verification (CCV) and Laboratory Control Sample (LCS) results are expressed as the percent (%) recovery of analyte from a known standard or matrix. 5. Reporting Quantitation Limits (RQL), typically at or above the Practical Quantitation Limit (PQL) of the analytical method. 6. Method numbers typically denote USEPA procedures. Less than ("<") values reflect nominal quantitation limits adjusted for any required dilutions. 7. Data Qualifiers are J = analyte potentially present between the PQL and the MDL. B = Analyte detected in associated method blank(s). S1 = MS and/or MSD recovery exceed advisory limits. S2 = Post digestion spike (PDS) recovery exceeds advisory limit. S3 = MS and/or MSD and PDS recoveries exceed advisory limits. P = Precision higher than advisory limit. M = Matrix interference.



3512 Montopolis Drive, Austin, TX 78744 &
2209 N. Padre Island Dr., Corpus Christi, TX 78408
(512) 385-5886 • FAX (512) 385-7411

Client: Environmental Tech Group
Attn: Robert Eidson


Project ID: EO 2075 Darr Angell #4
Sample Name: MW-4

Report#/Lab ID#: 144262
Sample Matrix: water

REPORT OF SURROGATE RECOVERY

Surrogate Compound	Method	Recovery	Recovery Limit	Data Qualifiers
1,2-Dichloroethane-d4	8260b	93.2	80-120	---
Toluene-d8	8260b	105	88-110	---

Data Qualifiers: D= Surrogates diluted and X= Surrogates outside advisory recovery limits.



3512 Montopolis Drive, Austin, TX 78744 &
2209 N. Padre Island Dr., Corpus Christi, TX 78408
(512) 385-5886 • FAX (512) 385-7411

Client: Environmental Tech Group

Attn: Robert Eidson

Address: 2540 W. Marland

Hobbs

NM 88240

Phone: 505 397-4882

FAX: 505 397-4701

Report#/Lab ID#: 144263 **Report Date:** 06/25/03

Project ID: EO 2075 Darr Angell #4

Sample Name: MW-5

Sample Matrix: water

Date Received: 06/20/2003 **Time:** 13:35

Date Sampled: 06/16/2003 **Time:** 12:00

REPORT OF ANALYSIS

QUALITY ASSURANCE DATA¹

Parameter	Result	Units	RQL ⁵	Blank	Date	Method ⁶	Data Qual ⁷	Prec. ²	Recov. ³	CCV ⁴	LCS ⁴
Volatiles organics-8260b/BTEX	---		---		06/24/03	8260b	---	---	---	---	---
Benzene	<1	µg/L	1	<1	06/24/03	8260b	---	1.4	94.2	93.2	89.8
Ethylbenzene	<1	µg/L	1	<1	06/24/03	8260b	---	4	124.7	118	123.2
m,p-Xylenes	<1	µg/L	1	<1	06/24/03	8260b	---	5.4	113.5	108.2	112
o-Xylene	<1	µg/L	1	<1	06/24/03	8260b	---	5.2	123.1	118	120.7
Toluene	<1	µg/L	1	<1	06/24/03	8260b	---	2.6	98.7	96.8	93.6


This analytical report is respectfully submitted by AnalySys, Inc. The enclosed results have been carefully reviewed and, to the best of my knowledge, the analytical results are consistent with AnalySys, Inc.'s Quality Assurance/Quality Control Program. © Copyright 2000, AnalySys, Inc., Austin, TX. All rights reserved. No part of this publication may be reproduced or transmitted in any form or by any means without the express written consent of AnalySys, Inc.

Respectfully Submitted,

Richard Laster

Richard Laster

1. Quality assurance data is for the sample batch which included this sample. 2. Precision (PREC) is the absolute value of the relative percent (%) difference between duplicate measurements. 3. Recovery (Recov.) is the percent (%) of analyte recovered from a spiked sample. 4. Calibration Verification (CCV) and Laboratory Control Sample (LCS) results are expressed as the percent (%) recovery of analyte from a known standard or matrix. 5. Reporting Quantitation Limits (RQL), typically at or above the Practical Quantitation Limit (PQL) of the analytical method. 6. Method numbers typically denote USEPA procedures. Less than ("<") values reflect nominal quantitation limits adjusted for any required dilutions. 7. Data Qualifiers are J = analyte potentially present between the PQL and the MDL. B = Analyte detected in associated method blank(s). S1 = MS and/or MSD recovery exceed advisory limits. S2 = Post digestion spike (PDS) recovery exceeds advisory limit. S3 = MS and/or MSD and PDS recoveries exceed advisory limits. P = Precision higher than advisory limit. M = Matrix interference.



3512 Montopolis Drive, Austin, TX 78744 &
2209 N. Padre Island Dr., Corpus Christi, TX 78408
(512) 385-5886 • FAX (512) 385-7411

Client: Environmental Tech Group
Attn: Robert Eidson


Project ID: EO 2075 Darr Angell #4
Sample Name: MW-5

Report#/Lab ID#: 144263
Sample Matrix: water

REPORT OF SURROGATE RECOVERY

Surrogate Compound	Method	Recovery	Recovery Limit	Data Qualifiers
1,2-Dichloroethane-d4	8260b	93.1	80-120	---
Toluene-d8	8260b	107	88-110	---

Data Qualifiers: D= Surrogates diluted and X= Surrogates outside advisory recovery limits.



3512 Montopolis Drive, Austin, TX 78744 &
2209 N. Padre Island Dr., Corpus Christi, TX 78408
(512) 385-5886 • FAX (512) 385-7411

Client: Environmental Tech Group

Attn: Robert Eidson

Address: 2540 W. Marland

Hobbs

NM 88240

Phone: 505 397-4882 FAX: 505 397-4701

Report#/Lab ID#: 144264 Report Date: 06/25/03

Project ID: EO 2075 Darr Angell #4

Sample Name: MW-7

Sample Matrix: water

Date Received: 06/20/2003 Time: 13:35

Date Sampled: 06/16/2003 Time: 13:00

REPORT OF ANALYSIS

QUALITY ASSURANCE DATA¹

Parameter	Result	Units	RQL ⁵	Blank	Date	Method ⁶	Data Qual ⁷	Prec. ²	Recov. ³	CCV ⁴	LCS ⁴
Volatile organics-8260b/BTEX	---		---		06/24/03	8260b	---	---	---	---	---
Benzene	<1	µg/L	1	<1	06/24/03	8260b	---	1.4	94.2	93.2	89.8
Ethylbenzene	<1	µg/L	1	<1	06/24/03	8260b	---	4	124.7	118	123.2
m,p-Xylenes	<1	µg/L	1	<1	06/24/03	8260b	---	5.4	113.5	108.2	112
o-Xylene	<1	µg/L	1	<1	06/24/03	8260b	---	5.2	123.1	118	120.7
Toluene	<1	µg/L	1	<1	06/24/03	8260b	---	2.6	98.7	96.8	93.6

This analytical report is respectfully submitted by AnalySys, Inc. The enclosed results have been carefully reviewed and, to the best of my knowledge, the analytical results are consistent with AnalySys, Inc.'s Quality Assurance/Quality Control Program. © Copyright 2000, AnalySys, Inc., Austin, TX. All rights reserved. No part of this publication may be reproduced or transmitted in any form or by any means without the express written consent of AnalySys, Inc.

Respectfully Submitted,

Richard Laster

Richard Laster

1. Quality assurance data is for the sample batch which included this sample. 2. Precision (PREC) is the absolute value of the relative percent (%) difference between duplicate measurements. 3. Recovery (Recov.) is the percent (%) of analyte recovered from a spiked sample. 4. Calibration Verification (CCV) and Laboratory Control Sample (LCS) results are expressed as the percent (%) recovery of analyte from a known standard or matrix. 5. Reporting Quantitation Limits (RQL), typically at or above the Practical Quantitation Limit (PQL) of the analytical method. 6. Method numbers typically denote USEPA procedures. Less than ("<") values reflect nominal quantitation limits adjusted for any required dilutions. 7. Data Qualifiers are J = MS and/or MSD recovery exceed advisory limits. S2 = Post digestion spike (PDS) recovery exceeds advisory limit. S3 = MS and/or MSD and PDS recoveries exceed advisory limits. P = Precision higher than advisory limit. M = Matrix interference.




3512 Montopolis Drive, Austin, TX 78744 &
2209 N. Padre Island Dr., Corpus Christi, TX 78408
(512) 385-5886 • FAX (512) 385-7411

Client: Environmental Tech Group Attn: Robert Eidson	Project ID: EO 2075 Darr Angell #4 Sample Name: MW-7	Report#/Lab ID#: 144264 Sample Matrix: water
---	---	---

REPORT OF SURROGATE RECOVERY

Surrogate Compound	Method	Recovery	Recovery Limit	Data Qualifiers
1,2-Dichloroethane-d4	8260b	97.8	80-120	---
Toluene-d8	8260b	108	88-110	---

Data Qualifiers: D= Surrogates diluted and X= Surrogates outside advisory recovery limits.



3512 Montopolis Drive, Austin, TX 78744 &
2209 N. Padre Island Dr., Corpus Christi, TX 78408
(512) 385-5886 • FAX (512) 385-7411

Client: Environmental Tech Group

Attn: Robert Eidson

Address: 2540 W. Marland

Hobbs

NM 88240

Phone: 505 397-4882

FAX: 505 397-4701

Report#/Lab ID#: 144265 **Report Date:** 06/25/03

Project ID: EO 2075 Darr Angell #4

Sample Name: MW-9

Sample Matrix: water

Date Received: 06/20/2003 **Time:** 13:35

Date Sampled: 06/16/2003 **Time:** 13:30

REPORT OF ANALYSIS

Parameter	Result	Units
Volatile organics-8260b/BTEX	---	
Benzene	<1	µg/L
Ethylbenzene	<1	µg/L
m,p-Xylenes	<1	µg/L
o-Xylene	<1	µg/L
Toluene	<1	µg/L

QUALITY ASSURANCE DATA¹

Method ⁶	Date	Blank	RQL ⁵	Data Qual ⁷	Prec. ²	Recov. ³	CCV ⁴	LCS ⁴
8260b	06/24/03		---	---	---	---	---	---
8260b	06/24/03	<1	1	---	1.4	94.2	93.2	89.8
8260b	06/24/03	<1	1	---	4	124.7	118	123.2
8260b	06/24/03	<1	1	---	5.4	113.5	108.2	112
8260b	06/24/03	<1	1	---	5.2	123.1	118	120.7
8260b	06/24/03	<1	1	---	2.6	98.7	96.8	93.6


This analytical report is respectfully submitted by AnalySys, Inc. The enclosed results have been carefully reviewed and, to the best of my knowledge, the analytical results are consistent with AnalySys, Inc.'s Quality Assurance/Quality Control Program. © Copyright 2000, AnalySys, Inc., Austin, TX. All rights reserved. No part of this publication may be reproduced or transmitted in any form or by any means without the express written consent of AnalySys, Inc.

Respectfully Submitted,

Richard Laster

Richard Laster

1. Quality assurance data is for the sample batch which included this sample. 2. Precision (PREC) is the absolute value of the relative percent (%) difference between duplicate measurements. 3. Recovery (Recov.) is the percent (%) of analyte recovered from a spiked sample. 4. Calibration Verification (CCV) and Laboratory Control Sample (LCS) results are expressed as the percent (%) recovery of analyte from a known standard or matrix. 5. Reporting Quantitation Limits (RQL), typically at or above the Practical Quantitation Limit (PQL) of the analytical method. 6. Method numbers typically denote USEPA procedures. Less than ("<") values reflect nominal quantitation limits adjusted for any required dilutions. 7. Data Qualifiers are J = analyte potentially present between the PQL and the MDL. B = Analyte detected in associated method blank(s). S1 = MS and/or MSD recovery exceed advisory limits. S2 = Post digestion spike (PDS) recovery exceeds advisory limit. S3 = MS and/or MSD and PDS recoveries exceed advisory limits. P = Precision higher than advisory limit. M = Matrix interference.



3512 Montopolis Drive, Austin, TX 78744 &
2209 N. Padre Island Dr., Corpus Christi, TX 78408
(512) 385-5886 • FAX (512) 385-7411

Client: Environmental Tech Group
Attn: Robert Eidson


Project ID: EO 2075 Dar Angell #4
Sample Name: MW-9

Report#/Lab ID#: 144265
Sample Matrix: water

REPORT OF SURROGATE RECOVERY

Surrogate Compound	Method	Recovery	Recovery Limit	Data Qualifiers
1,2-Dichloroethane-d4	8260b	92.3	80-120	---
Toluene-d8	8260b	107	88-110	---

Data Qualifiers: D= Surrogates diluted and X= Surrogates outside advisory recovery limits.



3512 Montopolis Drive, Austin, TX 78744 &
2209 N. Padre Island Dr., Corpus Christi, TX 78408
(512) 385-5886 • FAX (512) 385-7411

Client: Environmental Tech Group
Attn: Robert Eidson
Address: 2540 W. Marland
Hobbs NM 88240
Phone: 505 397-4882 FAX: 505 397-4701

Report#/Lab ID#: 144266 Report Date: 06/25/03
Project ID: EO 2075 Darr Angell #4
Sample Name: MW-10
Sample Matrix: water
Date Received: 06/20/2003 Time: 13:35
Date Sampled: 06/16/2003 Time: 14:00

REPORT OF ANALYSIS

Parameter	Result	Units	RQL ⁵	Blank	Date	Method ⁶	Data Qual ⁷	Prec. ²	Recov. ³	CCV ⁴	LCS ⁴
Volatile organics-8260b/BTEX	---		---		06/24/03	8260b	---	---	---	---	---
Benzene	54.5	µg/L	1	<1	06/24/03	8260b	---	1.4	94.2	93.2	89.8
Ethylbenzene	4.58	µg/L	1	<1	06/24/03	8260b	---	4	124.7	118	123.2
m,p-Xylenes	55.5	µg/L	1	<1	06/24/03	8260b	---	5.4	113.5	108.2	112
o-Xylene	<1	µg/L	1	<1	06/24/03	8260b	---	5.2	123.1	118	120.7
Toluene	<1	µg/L	1	<1	06/24/03	8260b	---	2.6	98.7	96.8	93.6

QUALITY ASSURANCE DATA¹

This analytical report is respectfully submitted by AnalySys, Inc. The enclosed results have been carefully reviewed and, to the best of my knowledge, the analytical results are consistent with AnalySys, Inc.'s Quality Assurance/Quality Control Program. © Copyright 2000, AnalySys, Inc., Austin, TX. All rights reserved. No part of this publication may be reproduced or transmitted in any form or by any means without the express written consent of AnalySys, Inc.

Respectfully Submitted,

Richard Laster

Richard Laster

1. Quality assurance data is for the sample batch which included this sample. 2. Precision (PREC) is the absolute value of the relative percent (%) difference between duplicate measurements. 3. Recovery (Recov.) is the percent (%) of analyte recovered from a spiked sample. 4. Calibration Verification (CCV) and Laboratory Control Sample (LCS) results are expressed as the percent (%) recovery of analyte from a known standard or matrix. 5. Reporting Quantitation Limits (RQL), typically at or above the Practical Quantitation Limit (PQL) of the analytical method. 6. Method numbers typically denote USEPA procedures. Less than ("<") values reflect nominal quantitation limits adjusted for any required dilutions. 7. Data Qualifiers are J = analyte potentially present between the PQL and the MDL. B = Analyte detected in associated method blank(s). S1 =MS and/or MSD recovery exceed advisory limits. S2 =Post digestion spike (PDS) recovery exceeds advisory limit. S3 =MS and/or MSD and PDS recoveries exceed advisory limits. P =Precision higher than advisory limit. M =Matrix interference.




3512 Montopolis Drive, Austin, TX 78744 &
2209 N. Padre Island Dr., Corpus Christi, TX 78408
(512) 385-5886 • FAX (512) 385-7411

Client: Environmental Tech Group Attn: Robert Eidson	Project ID: EO 2075 Darr Angell #4 Sample Name: MW-10	Report#/Lab ID#: 144266 Sample Matrix: water
---	--	---

REPORT OF SURROGATE RECOVERY

Surrogate Compound	Method	Recovery	Recovery Limit	Data Qualifiers
1,2-Dichloroethane-d4	8260b	99.3	80-120	---
Toluene-d8	8260b	106	88-110	---

Data Qualifiers: D= Surrogates diluted and X= Surrogates outside advisory recovery limits.



3512 Montopolis Drive, Austin, TX 78744 &
2209 N. Padre Island Dr., Corpus Christi, TX 78408
(512) 385-5886 • FAX (512) 385-7411

Client: Environmental Tech Group
Attn: Robert Eidson
Address: 2540 W. Marland
Hobbs NM 88240

Phone: 505 397-4882 FAX: 505 397-4701

Report#/Lab ID#: 144267 Report Date: 06/25/03
Project ID: EO 2075 Darr Angell #4
Sample Name: MW-11
Sample Matrix: water
Date Received: 06/20/2003 Time: 13:35
Date Sampled: 06/16/2003 Time: 14:30

REPORT OF ANALYSIS

Parameter	Result	Units	RQL ⁵	Blank	Date	Method ⁶	Data Qual ⁷	Prec. ²	Recov. ³	CCV ⁴	LCS ⁴
Volatile organics-8260b/BTEX	---		---		06/24/03	8260b	---	---	---	---	---
Benzene	<1	µg/L	1	<1	06/24/03	8260b	---	1.4	94.2	93.2	89.8
Ethylbenzene	<1	µg/L	1	<1	06/24/03	8260b	---	4	124.7	118	123.2
m,p-Xylenes	<1	µg/L	1	<1	06/24/03	8260b	---	5.4	113.5	108.2	112
o-Xylene	<1	µg/L	1	<1	06/24/03	8260b	---	5.2	123.1	118	120.7
Toluene	<1	µg/L	1	<1	06/24/03	8260b	---	2.6	98.7	96.8	93.6


This analytical report is respectfully submitted by AnalySys, Inc. The enclosed results have been carefully reviewed and, to the best of my knowledge, the analytical results are consistent with AnalySys, Inc.'s Quality Assurance/Quality Control Program. © Copyright 2000, AnalySys, Inc., Austin, TX. All rights reserved. No part of this publication may be reproduced or transmitted in any form or by any means without the express written consent of AnalySys, Inc.

Respectfully Submitted,

Richard Laster

Richard Laster

1. Quality assurance data is for the sample batch which included this sample. 2. Precision (PREC) is the absolute value of the relative percent (%) difference between duplicate measurements. 3. Recovery (Recov.) is the percent (%) of analyte recovered from a spiked sample. 4. Calibration Verification (CCV) and Laboratory Control Sample (LCS) results are expressed as the percent (%) recovery of analyte from a known standard or matrix. 5. Reporting Quantitation Limits (RQL), typically at or above the Practical Quantitation Limit (PQL) of the analytical method. 6. Method numbers typically denote USEPA procedures. Less than (" $<$ ") values reflect nominal quantitation limits adjusted for any required dilutions. 7. Data Qualifiers are I = analyte potentially present between the PQL and the MDL. B = Analyte detected in associated method blank(s). S1 = MS and/or MSD recovery exceed advisory limits. S2 = Post digestion spike (PDS) recovery exceeds advisory limit. S3 = MS and/or MSD and PDS recoveries exceed advisory limits. P = Precision higher than advisory limit. M = Matrix interference.



3512 Montopolis Drive, Austin, TX 78744 &
2209 N. Padre Island Dr., Corpus Christi, TX 78408
(512) 385-5886 • FAX (512) 385-7411

Client: Environmental Tech Group
Attn: Robert Eidson

Project ID: EO 2075 Dar Angell #4
Sample Name: MW-11

Report#/Lab ID#: 144267
Sample Matrix: water

REPORT OF SURROGATE RECOVERY

Surrogate Compound	Method	Recovery	Recovery Limit	Data Qualifiers
1,2-Dichloroethane-d4	8260b	84.1	80-120	---
Toluene-d8	8260b	107	88-110	---

Data Qualifiers: D= Surrogates diluted and X= Surrogates outside advisory recovery limits.



3512 Montopolis Drive, Austin, TX 78744 &
2209 N. Padre Island Dr., Corpus Christi, TX 78408
(512) 385-5886 • FAX (512) 385-7411

Client: Environmental Tech Group

Attn: Robert Eidson

Address: 2540 W. Marland

Hobbs

NM 88240

Phone: 505 397-4882

FAX: 505 397-4701

Report#/Lab ID#: 144268 **Report Date:** 06/25/03

Project ID: EO 2075 Darr Angell #4

Sample Name: MW-12

Sample Matrix: water

Date Received: 06/20/2003 **Time:** 13:35

Date Sampled: 06/16/2003 **Time:** 15:00

REPORT OF ANALYSIS

Parameter	Result	Units	RQL ⁵	Blank	Date	Method ⁶	Data Qual ⁷	Prec. ²	Recov. ³	CCV ⁴	LCS ⁴
Volatiles organics-8260b/BTEX	---		---		06/24/03	8260b	---	---	---	---	---
Benzene	<1	µg/L	1	<1	06/24/03	8260b	---	1.4	94.2	93.2	89.8
Ethylbenzene	<1	µg/L	1	<1	06/24/03	8260b	---	4	124.7	118	123.2
m,p-Xylenes	<1	µg/L	1	<1	06/24/03	8260b	---	5.4	113.5	108.2	112
o-Xylene	<1	µg/L	1	<1	06/24/03	8260b	---	5.2	123.1	118	120.7
Toluene	<1	µg/L	1	<1	06/24/03	8260b	---	2.6	98.7	96.8	93.6

QUALITY ASSURANCE DATA¹


This analytical report is respectfully submitted by AnalySys, Inc. The enclosed results have been carefully reviewed and, to the best of my knowledge, the analytical results are consistent with AnalySys, Inc.'s Quality Assurance/Quality Control Program. © Copyright 2000, AnalySys, Inc., Austin, TX. All rights reserved. No part of this publication may be reproduced or transmitted in any form or by any means without the express written consent of AnalySys, Inc.

Respectfully Submitted,

Richard Laster

Richard Laster

1. Quality assurance data is for the sample batch which included this sample. 2. Precision (PREC) is the absolute value of the relative percent (%) difference between duplicate measurements. 3. Recovery (Recov.) is the percent (%) of analyte recovered from a spiked sample. 4. Calibration Verification (CCV) and Laboratory Control Sample (LCS) results are expressed as the percent (%) recovery of analyte from a known standard or matrix. 5. Reporting Quantitation Limits (RQL), typically at or above the Practical Quantitation Limit (PQL) of the analytical method. 6. Method numbers typically denote USEPA procedures. Less than (" $<$ ") values reflect nominal quantitation limits adjusted for any required dilutions. 7. Data Qualifiers are J = MS and/or MSD recovery exceed advisory limits. S2 = Post digestion spike (PDS) associated method blank(s). S1 = MS and/or MSD recovery exceed advisory limits. S2 = Post digestion spike (PDS) recovery exceeds advisory limit. S3 = MS and/or MSD and PDS recoveries exceed advisory limits. P = Precision higher than advisory limit. M = Matrix interference.



3512 Montopolis Drive, Austin, TX 78744 &
2209 N. Padre Island Dr., Corpus Christi, TX 78408
(512) 385-5886 • FAX (512) 385-7411

Client: Environmental Tech Group
Attn: Robert Eidson

Project ID: EO 2075 Darr Angell #4
Sample Name: MW-12

Report#/Lab ID#: 144268
Sample Matrix: water

REPORT OF SURROGATE RECOVERY

Surrogate Compound	Method	Recovery	Recovery Limit	Data Qualifiers
1,2-Dichloroethane-d4	8260b	93.1	80-120	---
Toluene-d8	8260b	107	88-110	---

Data Qualifiers: D= Surrogates diluted and X= Surrogates outside advisory recovery limits.



3512 Montopolis Drive, Austin, TX 78744 &
2209 N. Padre Island Dr., Corpus Christi, TX 78408
(512) 385-5886 • FAX (512) 385-7411

Client: Environmental Tech Group
Attn: Robert Eidson
Address: 2540 W. Marland
Hobbs NM 88240

Phone: 505 397-4882 FAX: 505 397-4701

Report#/Lab ID#: 144269 Report Date: 06/25/03
Project ID: EO 2075 Darr Angell #4
Sample Name: MW-13
Sample Matrix: water
Date Received: 06/20/2003 Time: 13:35
Date Sampled: 06/16/2003 Time: 15:30

REPORT OF ANALYSIS

Parameter	Result	Units	RQL ⁵	Blank	Date	Method ⁶	Data Qual ⁷	Prec. ²	Recov. ³	CCV ⁴	LCS ⁴
Volatiles organics-8260b/BTEX	---		---		06/24/03	8260b	---	---	---	---	---
Benzene	<1	µg/L	1	<1	06/24/03	8260b	---	1.4	94.2	93.2	89.8
Ethylbenzene	<1	µg/L	1	<1	06/24/03	8260b	---	4	124.7	118	123.2
m,p-Xylenes	<1	µg/L	1	<1	06/24/03	8260b	---	5.4	113.5	108.2	112
o-Xylene	<1	µg/L	1	<1	06/24/03	8260b	---	5.2	123.1	118	120.7
Toluene	<1	µg/L	1	<1	06/24/03	8260b	---	2.6	98.7	96.8	93.6

QUALITY ASSURANCE DATA 1

This analytical report is respectfully submitted by AnalySys, Inc. The enclosed results have been carefully reviewed and, to the best of my knowledge, the analytical results are consistent with AnalySys, Inc.'s Quality Assurance/Quality Control Program. © Copyright 2000, AnalySys, Inc., Austin, TX. All rights reserved. No part of this publication may be reproduced or transmitted in any form or by any means without the express written consent of AnalySys, Inc.

Respectfully Submitted,

Richard Laster

Richard Laster

1. Quality assurance data is for the sample batch which included this sample. 2. Precision (PREC) is the absolute value of the relative percent (%) difference between duplicate measurements. 3. Recovery (Recov.) is the percent (%) of analyte recovered from a spiked sample. 4. Calibration Verification (CCV) and Laboratory Control Sample (LCS) results are expressed as the percent (%) recovery of analyte from a known standard or matrix. 5. Reporting Quantitation Limits (RQL), typically at or above the Practical Quantitation Limit (PQL) of the analytical method. 6. Method numbers typically denote USEPA procedures. Less than (" $<$ ") values reflect nominal quantitation limits adjusted for any required dilutions. 7. Data Qualifiers are J = analyte potentially present between the PQL and the MDL, B = Analyte detected in associated method blank(s). S1 = MS and/or MSD recovery exceed advisory limits. S2 = Post digestion spike (PDS) recovery exceeds advisory limit. S3 = MS and/or MSD and PDS recoveries exceed advisory limits. P = Precision higher than advisory limit. M = Matrix interference.



3512 Montopolis Drive, Austin, TX 78744 &
2209 N. Padre Island Dr., Corpus Christi, TX 78408
(512) 385-5886 • FAX (512) 385-7411

Client: Environmental Tech Group
Attn: Robert Eidson

Project ID: EO 2075 Darr Angell #4
Sample Name: MW-13

Report#/Lab ID#: 144269
Sample Matrix: water

REPORT OF SURROGATE RECOVERY

Surrogate Compound	Method	Recovery	Recovery Limit	Data Qualifiers
1,2-Dichloroethane-d4	8260b	88.9	80-120	---
Toluene-d8	8260b	107	88-110	---

Data Qualifiers: D= Surrogates diluted and X= Surrogates outside advisory recovery limits.



3512 Montopolis Drive, Austin, TX 78744 &
2209 N. Padre Island Dr., Corpus Christi, TX 78408
(512) 385-5886 • FAX (512) 385-7411

Client: Environmental Tech Group
Attn: Robert Eidson
Address: 2540 W. Marland
Hobbs NM 88240

Phone: 505 397-4882 FAX: 505 397-4701

Report#/Lab ID#: 144270 Report Date: 06/25/03
Project ID: EO 2075 Darr Angell #4
Sample Name: MW-14
Sample Matrix: water
Date Received: 06/20/2003 Time: 13:35
Date Sampled: 06/16/2003 Time: 16:00

REPORT OF ANALYSIS

Parameter	Result	Units	RQL ⁵	Blank	Date	Method ⁶	Data Qual ⁷	Prec. ²	Recov. ³	CCV ⁴	LCS ⁴
Volatile organics-8260b/BTEX	---		---		06/24/03	8260b	---	---	---	---	---
Benzene	<1	µg/L	1	<1	06/24/03	8260b	---	1.4	94.2	93.2	89.8
Ethylbenzene	<1	µg/L	1	<1	06/24/03	8260b	---	4	124.7	118	123.2
m,p-Xylenes	<1	µg/L	1	<1	06/24/03	8260b	---	5.4	113.5	108.2	112
o-Xylene	<1	µg/L	1	<1	06/24/03	8260b	---	5.2	123.1	118	120.7
Toluene	<1	µg/L	1	<1	06/24/03	8260b	---	2.6	98.7	96.8	93.6

QUALITY ASSURANCE DATA¹

This analytical report is respectfully submitted by AnalySys, Inc. The enclosed results have been carefully reviewed and, to the best of my knowledge, the analytical results are consistent with AnalySys, Inc.'s Quality Assurance/Quality Control Program. © Copyright 2000, AnalySys, Inc., Austin, TX. All rights reserved. No part of this publication may be reproduced or transmitted in any form or by any means without the express written consent of AnalySys, Inc.

Respectfully Submitted,

Richard Laster

Richard Laster

1. Quality assurance data is for the sample batch which included this sample. 2. Precision (PREC) is the absolute value of the relative percent (%) difference between duplicate measurements. 3. Recovery (Recov.) is the percent (%) of analyte recovered from a spiked sample. 4. Calibration Verification (CCV) and Laboratory Control Sample (LCS) results are expressed as the percent (%) recovery of analyte from a known standard or matrix. 5. Reporting Quantitation Limits (RQL), typically at or above the Practical Quantitation Limit (PQL) of the analytical method. 6. Method numbers typically denote USEPA procedures. Less than (" $<$ ") values reflect nominal quantitation limits adjusted for any required dilutions. 7. Data Qualifiers are J = analyte potentially present between the PQL and the MDL. B = Analyte detected in associated method blank(s). S1 =MS and/or MSD recovery exceed advisory limits. S2 =Post digestion spike (PDS) recovery exceeds advisory limit. S3 =MS and/or MSD and PDS recoveries exceed advisory limits. P =Precision higher than advisory limit. M =Matrix interference.



3512 Montopolis Drive, Austin, TX 78744 &
2209 N. Padre Island Dr., Corpus Christi, TX 78408
(512) 385-5886 • FAX (512) 385-7411

Client: Environmental Tech Group
Attn: Robert Eidson


Project ID: EO 2075 Darr Angell #4
Sample Name: MW-14

Report#/Lab ID#: 144270
Sample Matrix: water

REPORT OF SURROGATE RECOVERY

Surrogate Compound	Method	Recovery	Recovery Limit	Data Qualifiers
1,2-Dichloroethane-d4	8260b	97	80-120	---
Toluene-d8	8260b	107	88-110	---

Data Qualifiers: D= Surrogates diluted and X= Surrogates outside advisory recovery limits.



3512 Montopolis Drive, Austin, TX 78744 &
2209 N. Padre Island Dr., Corpus Christi, TX 78408
(512) 385-5886 • FAX (512) 385-7411

Client: Environmental Tech Group

Attn: Robert Eidson

Address: 2540 W. Marland

Hobbs

NM 88240

Phone: 505 397-4882 FAX: 505 397-4701

Report#/Lab ID#: 144271 Report Date: 06/25/03

Project ID: EO 2075 Darr Angell #4

Sample Name: RW-5

Sample Matrix: water

Date Received: 06/20/2003 Time: 13:35

Date Sampled: 06/16/2003 Time: 16:30

REPORT OF ANALYSIS

Parameter	Result	Units	RQL ⁵	Blank	Date	Method ⁶	Data Qual ⁷	Prec. ²	Recov. ³	CCV ⁴	LCS ⁴
Volatiles organics-8260b/BTEX	---		---		06/25/03	8260b	---	---	---	---	---
Benzene	14	µg/L	1	<1	06/25/03	8260b	---	20.7	90.6	90.2	86.3
Ethylbenzene	3.94	µg/L	1	<1	06/25/03	8260b	---	3.3	124.1	118.5	119
m,p-Xylenes	6.68	µg/L	1	<1	06/25/03	8260b	---	3.1	110.6	107.9	106.1
o-Xylene	7.31	µg/L	1	<1	06/25/03	8260b	---	3.7	119.3	115.9	114.2
Toluene	<1	µg/L	1	<1	06/25/03	8260b	J	19.7	92	97.2	86.5

QUALITY ASSURANCE DATA¹

This analytical report is respectfully submitted by AnalySys, Inc. The enclosed results have been carefully reviewed and, to the best of my knowledge, the analytical results are consistent with AnalySys, Inc.'s Quality Assurance/Quality Control Program. © Copyright 2000, AnalySys, Inc., Austin, TX. All rights reserved. No part of this publication may be reproduced or transmitted in any form or by any means without the express written consent of AnalySys, Inc.

Respectfully Submitted,

Richard Laster

Richard Laster

1. Quality assurance data is for the sample batch which included this sample. 2. Precision (PREC) is the absolute value of the relative percent (%) difference between duplicate measurements. 3. Recovery (Recov.) is the percent (%) of analyte recovered from a spiked sample. 4. Calibration Verification (CCV) and Laboratory Control Sample (LCS) results are expressed as the percent (%) recovery of analyte from a known standard or matrix. 5. Reporting Quantitation Limits (ROL), typically at or above the Practical Quantitation Limit (PQL) of the analytical method. 6. Method numbers typically denote USEPA procedures. Less than (" $<$ ") values reflect nominal quantitation limits adjusted for any required dilutions. 7. Data Qualifiers are J = analyte potentially present between the PQL and the MDL. B = Analyte detected in associated method blank(s). S1 = MS and/or MSD recovery exceed advisory limits. S2 = Post digestion spike (PDS) recovery exceeds advisory limit. S3 = MS and/or MSD and PDS recoveries exceed advisory limits. P = Precision higher than advisory limit. M = Matrix interference.



3512 Montopolis Drive, Austin, TX 78744 &
2209 N. Padre Island Dr., Corpus Christi, TX 78408
(512) 385-5886 • FAX (512) 385-7411

Client: Environmental Tech Group
Attn: Robert Eidson

Project ID: EO 2075 Darr Angell #4
Sample Name: RW-5

Report#/Lab ID#: 144271
Sample Matrix: water

REPORT OF SURROGATE RECOVERY

Surrogate Compound	Method	Recovery	Recovery Limit	Data Qualifiers
1,2-Dichloroethane-d4	8260b	99.7	80-120	---
Toluene-d8	8260b	105	88-110	---

Data Qualifiers: D= Surrogates diluted and X= Surrogates outside advisory recovery limits.

CHAIN-OF-CUSTODY

Send Reports To:

Company Name Environmental Technology Group Inc.

Address 2540 W. Newford

City Helena State MT Zip 59604

ATTN: Robert Eidson

Phone (505) 397-4883 Fax (505) 397-4701

Rush Status (must be confirmed with lab mgr.):

Project Name/PO#: 602075 Quc Argus #4 Sampler: Sub to Inc

WWW.ANALYSYSINC.COM

Bill to (if different):

Company Name ES&T

Address

City State Zip

ATTN:

Phone Fax

Analyses Requested (1)

Please attach explanatory information as required

Client Sample No. Description/Identification	Date Sampled	Time Sampled	No. of Containers	Soil	Water	Waste	Lab I.D. # (Lab only)	Comments
MW-1	6-16-03	10:00	2		X		144259	X
MW-2	6-16-03	10:30	2		X		144260	X
MW-3	6-16-03	11:00	2		X		144261	X
MW-4	6-16-03	11:30	2		X		144262	X
MW-5	6-16-03	12:00	2		X		144263	X
MW-7	6-16-03	1:00	2		X		144264	X
MW-9	6-16-03	1:30	2		X		144265	X
MW-10	6-16-03	2:00	2		X		144266	X
MW-11	6-16-03	2:30	2		X		144267	X
MW-12	6-16-03	3:00	2		X		144268	X

(*) Unless specifically requested otherwise on this Chain-of-custody and/or attached documentation, all analyses will be conducted using ASI's method of choice and all data will be reported to ASI's normal report limits (MDL/PQL). For GC/MS volatiles and extractables, unless specific analytical parameter lists are specified on this chain-of-custody or attached to this chain-of-custody, ASI will default to Priority Pollutants ASI's HSI list at ASI's option. Specific compound lists must be supplied for all GC procedures.

T = 4.5°C

Sample Relinquished By				Sample Received By			
Name	Affiliation	Date	Time	Name	Affiliation	Date	Time
<u>ES&T</u>		<u>6-16-03</u>		<u>Melanie Humphrey</u>	<u>ASI</u>	<u>6/20/03</u>	<u>1335</u>

[Tendering of above described samples to AnalySys, Inc. for analytical testing constitutes agreement by buyer/sampler to AnalySys, Inc.'s standard terms.]

WWW.AN21YSYSINC.COM

Send Reports To:

Company Name Computerized Technology Shop Inc.

Address 2540 W. 22nd-land

City Hopkins State P.M. Zip 88240

NAME: Robert Sidson

Phone (505) 347-4882
Fax (505) 347-4701

1024-265 (505) 397-4701

Rush Status (must be confirmed with lab mgr.):

Project Name/PO#: E0 2075 Dev Angel#4 Sampler:

470

WWW.AN21YSYSINC.COM

Bill to (if different):

Company Name *Est-A*

Address

City
State
Zip

ATTN:

Phone _____
Fax _____

Analyses Requested (1)

Please attach explanatory information as required.

Rush Status (must be confirmed with lab mgr.):

Project Name/PO#: E0 2075 Dev Angel#4 Sampler:

470

[illegible]

(c) Unless specifically requested otherwise on this Chain-of-custody and/or attached documentation, all analyses will be conducted using ASI's method of choice and all data will be reported to ASI's normal reporting format. For GC/MS volatiles and extractables, unless specific analytical parameter lists are specified on this chain-of-custody or attached to this chain-of-custody, ASI will default to Priority Pollutants (MDL/PQL). Specific compound lists must be supplied for all GC procedures. ASI's HSL list at ASI's option. Specific compound lists must be supplied for all GC procedures.

$$T = 4.50$$

Sample Relinquished By			Sample Received By		
Name	Affiliation	Date	Name	Affiliation	Date
<i>[Signature]</i>	<i>[Signature]</i>	6-16-03	Melanie Humphrey	ASL	6/20/03

[Tendering of above described samples to AnalySys, Inc. for analytical testing constitutes agreement by buyer/sampler to AnalySys, Inc.'s standard terms.

FILE

ANALYSIS

3512 Montopolis Drive, Austin, TX 78744 &
2209 N. Padre Island Dr., Corpus Christi, TX 78408
(512) 385-5886 • FAX (512) 385-7411

Client: Environmental Tech Group

Attn: Robert Eidson

Address: 2540 W. Marland

Hobbs

NM 88240

Phone: 505 397-4882

FAX: 505 397-4701

Report# / Lab ID#: 147241

Report Date: 09/19/03

Project ID: EO 2075 Angell #4

Sample Name: MW-1

Sample Matrix: water

Date Received: 09/15/2003

Time: 08:00

Date Sampled: 09/10/2003

Time: 10:00

REPORT OF ANALYSIS

QUALITY ASSURANCE DATA¹

Parameter	Result	Units	RQL ⁵	Blank	Date	Method ⁶	Data Qual ⁷	Prec. ²	Recov. ³	CCV ⁴	LCS ⁴
Volatile organics-8260b/BTEX	---		---		09/17/03	8260b(5030/5035)	---	---	---	---	---
Benzene	<1	µg/L	1	<1	09/17/03	8260b	---	4.7	91	92.8	88.8
Ethylbenzene	<1	µg/L	1	<1	09/17/03	8260b	---	6.4	101.8	103.4	99.4
m,p-Xylenes	<1	µg/L	1	<1	09/17/03	8260b	---	6.9	101.8	104.7	99.2
o-Xylene	<1	µg/L	1	<1	09/17/03	8260b	---	7.2	103.5	106.4	101.3
Toluene	<1	µg/L	1	<1	09/17/03	8260b	---	5.8	99.6	101.8	97.8

This analytical report is respectfully submitted by AnalySys, Inc. The enclosed results have been carefully reviewed and, to the best of my knowledge, the analytical results are consistent with AnalySys, Inc.'s Quality Assurance/Quality Control Program. © Copyright 2000, AnalySys, Inc., Austin, TX. All rights reserved. No part of this publication may be reproduced or transmitted in any form or by any means without the express written consent of AnalySys, Inc.

Respectfully Submitted,

Richard Laster

Richard Laster

1. Quality assurance data is for the sample batch which included this sample. 2. Precision (PREC) is the absolute value of the relative percent (%), difference between duplicate measurements. 3. Recovery (Recov.) is the percent (%) of analyte recovered from a spiked sample. 4. Calibration Verification (CCV) and Laboratory Control Sample (LCS) results are expressed as the percent (%) recovery of analyte from a known standard or matrix. 5. Reporting Quantitation Limits (RQL), typically at or above the Practical Quantitation Limit (PQL) of the analytical method. 6. Method numbers typically denote USEPA procedures. Less than "<" values reflect nominal quantitation limits adjusted for any required dilutions. 7. Data Qualifiers are J = analyte potentially present between the PQL and the MDL, B = Analyte detected in associated method blank(s), S1 = MS and/or MSD recovery exceed advisory limits, S2 = Post digestion spike (PDS) recovery exceeds advisory limit, S3 = MS and/or MSD and PDS recoveries exceed advisory limits, P = Precision higher than advisory limit, NI = Matrix interference.




3512 Montopolis Drive, Austin, TX 78744 &
2209 N. Padre Island Dr., Corpus Christi, TX 78408
(512) 385-5886 • FAX (512) 385-7411

Client: Environmental Tech Group Attn: Robert Eidson	Project ID: EO 2075 Angell #4 Sample Name: MW-1	Report#/Lab ID#: 147241 Sample Matrix: water
---	--	---

REPORT OF SURROGATE RECOVERY

Surrogate Compound	Method	Recovery	Recovery Limit	Data Qualifiers
1,2-Dichloroethane-d4	8260b	94.7	80-120	---
Toluene-d8	8260b	92.9	88-110	---

Data Qualifiers: D= Surrogates diluted and X= Surrogates outside advisory recovery limits.



3512 Montopolis Drive, Austin, TX 78744 &
2209 N. Padre Island Dr., Corpus Christi, TX 78408
(512) 385-5886 • FAX (512) 385-7411

Client: Environmental Tech Group
Attn: Robert Eldson
Address: 2540 W. Marland
Hobbs NM 88240
Phone: 505 397-4882 **FAX:** 505 397-4701

Report#/Lab ID#: 147242 **Report Date:** 09/19/03
Project ID: EO 2075 Angell #4
Sample Name: MW-2
Sample Matrix: water
Date Received: 09/15/2003 **Time:** 08:00
Date Sampled: 09/10/2003 **Time:** 10:30

REPORT OF ANALYSIS

QUALITY ASSURANCE DATA 1

Parameter	Result	Units	RQL 5	Blank	Date	Method 6	Data Qual 7	Prec. 2	Recov. 3	CCV 4	LCS 4
Volatiles organics-8260b/BTEX	---		---		09/17/03	8260b(5030/5035)	---	---	---	---	---
Benzene	<1	µg/L	1	<1	09/17/03	8260b	---	4.7	91	92.8	88.8
Ethylbenzene	<1	µg/L	1	<1	09/17/03	8260b	---	6.4	101.8	103.4	99.4
m,p-Xylenes	<1	µg/L	1	<1	09/17/03	8260b	---	6.9	101.8	104.7	99.2
o-Xylene	<1	µg/L	1	<1	09/17/03	8260b	---	7.2	103.5	106.4	101.3
Toluene	<1	µg/L	1	<1	09/17/03	8260b	---	5.8	99.6	101.8	97.8


This analytical report is respectfully submitted by Analysys, Inc. The enclosed results have been carefully reviewed and, to the best of my knowledge, the analytical results are consistent with Analysys, Inc.'s Quality Assurance/Quality Control Program. © Copyright 2000, Analysys, Inc., Austin, TX. All rights reserved. No part of this publication may be reproduced or transmitted in any form or by any means without the express written consent of Analysys, Inc.

Respectfully Submitted,

Richard Laster

Richard Laster

1. Quality assurance data is for the sample batch which included this sample. 2. Precision (PREC) is the absolute value of the relative percent (%) difference between duplicate measurements. 3. Recovery (Recov.) is the percent (%) of analyte recovered from a spiked sample. 4. Calibration Verification (CCV) and Laboratory Control Sample (LCS) results are expressed as the percent (%) recovery of analyte from a known standard or matrix. 5. Reporting Quantitation Limits (RQL), typically at or above the Practical Quantitation Limit (PQL) of the analytical method. 6. Method numbers typically denote USEPA procedures. Less than ("<") values reflect nominal quantitation limits adjusted for any required dilutions. 7. Data Qualifiers are J = analyte potentially present between the PQL and the MDL. B = Analyte detected in associated method blank(s). S1 = MS and/or MSD recovery exceed advisory limits. S2 = Post digestion spike (PDS) recovery exceeds advisory limit. S3 = MS and/or MSD and PDS recoveries exceed advisory limits. P = Precision higher than advisory limit. M = Matrix interference.




3512 Montopolis Drive, Austin, TX 78744 &
2209 N. Padre Island Dr., Corpus Christi, TX 78408
(512) 385-5886 • FAX (512) 385-7411

Client: Environmental Tech Group Attn: Robert Eidson	Project ID: EO 2075 Angell #4 Sample Name: MW-2	Report#/Lab ID#: 147242 Sample Matrix: water
---	--	---

REPORT OF SURROGATE RECOVERY

Surrogate Compound	Method	Recovery	Recovery Limit	Data Qualifiers
1,2-Dichloroethane-d4	8260b	90	80-120	---
Toluene-d8	8260b	94.4	88-110	---

Data Qualifiers: D= Surrogates diluted and X= Surrogates outside advisory recovery limits.



3512 Montopolis Drive, Austin, TX 78744 &
2209 N. Padre Island Dr., Corpus Christi, TX 78408
(512) 385-5886 • FAX (512) 385-7411

Client: Environmental Tech Group

Attn: Robert Eidson

Address: 2540 W. Markland

Hobbs NM 88240

Phone: 505 397-4882 **FAX:** 505 397-4701

Report#/Lab ID#: 147243 **Report Date:** 09/19/03

Project ID: EO 2075 Angell #4

Sample Name: MW-3

Sample Matrix: water

Date Received: 09/15/2003 **Time:** 08:00

Date Sampled: 09/10/2003 **Time:** 11:00

REPORT OF ANALYSIS

Parameter	Result	Units	RQL ⁵	Blank	Date	Method ⁶	Data Qual ⁷	Prec. ²	Recov. ³	CCV ⁴	LCS ⁴
Volatiles organics-8260b/BTEX	---		---		09/17/03	8260b(5030/5035)	---	---	---	---	---
Benzene	16.3	µg/L	1	<1	09/17/03	8260b	---	4.7	91	92.8	88.8
Ethylbenzene	2.17	µg/L	1	<1	09/17/03	8260b	---	6.4	101.8	103.4	99.4
m,p-Xylenes	<1	µg/L	1	<1	09/17/03	8260b	---	6.9	101.8	104.7	99.2
o-Xylene	<1	µg/L	1	<1	09/17/03	8260b	---	7.2	103.5	106.4	101.3
Toluene	<1	µg/L	1	<1	09/17/03	8260b	---	5.8	99.6	101.8	97.8

This analytical report is respectfully submitted by: AnalySys, Inc. The enclosed results have been carefully reviewed and, to the best of my knowledge, the analytical results are consistent with AnalySys, Inc.'s Quality Assurance/Quality Control Program. © Copyright 2000, AnalySys, Inc., Austin, TX. All rights reserved. No part of this publication may be reproduced or transmitted in any form or by any means without the express written consent of AnalySys, Inc.

Respectfully Submitted,


Richard Laster

Richard Laster

QUALITY ASSURANCE DATA¹

Method ⁶	Data Qual ⁷	Prec. ²	Recov. ³	CCV ⁴	LCS ⁴
8260b(5030/5035)	---	---	---	---	---
8260b	---	4.7	91	92.8	88.8
8260b	---	6.4	101.8	103.4	99.4
8260b	---	6.9	101.8	104.7	99.2
8260b	---	7.2	103.5	106.4	101.3
8260b	---	5.8	99.6	101.8	97.8

1. Quality assurance data is for the sample batch which included this sample. 2. Precision (PREC) is the absolute value of the relative percent (%), difference between duplicate measurements. 3. Recovery (Recov.) is the percent (%) of analyte recovered from a spiked sample. 4. Calibration Verification (CCV) and Laboratory Control Sample (LCS) results are expressed as the percent (%) recovery of analyte from a known standard or matrix. 5. Reporting Quantitation Limits (RQL), typically at or above the Practical Quantitation Limit (PQL) of the analytical method. 6. Method numbers typically denote USEPA procedures. Less than "<" values reflect nominal quantitation limits adjusted for any required conditions. 7. Data Qualifiers are J = analyte potentially present between the PQL and the MDL. B = Analyte detected in associated method blank(s). S1 = MS and/or MSD recovery exceed advisory limits. S2 = Post digestion spike (PDS) recovery exceeds advisory limit. S3 = MS and/or MSD recoveries exceed advisory limits. P = Precision higher than advisory limit. M = Matrix interference.



3512 Montopolis Drive, Austin, TX 78744 &
2209 N. Padre Island Dr., Corpus Christi, TX 78408
(512) 385-5886 • FAX (512) 385-7411

Client: Environmental Tech Group
Attn: Robert Eidson

Project ID: EO 2075 Angel #4
Sample Name: MW-3

Report#/Lab ID#: 147243
Sample Matrix: water

REPORT OF SURROGATE RECOVERY

Surrogate Compound	Method	Recovery	Recovery Limit	Data Qualifiers
1,2-Dichloroethane-d4	8260b	94	80-120	---
Toluene-d8	8260b	94	88-110	---

Data Qualifiers: D= Surrogates diluted and X= Surrogates outside advisory recovery limits.



3512 Montopolis Drive, Austin, TX 78744 &
2209 N. Padre Island Dr., Corpus Christi, TX 78408
(512) 385-5886 • FAX (512) 385-7411

Client: Environmental Tech Group

Attn: Robert Eidson

Address: 2540 W. Markland

Hobbs NM 88240

Phone: 505 397-4882 FAX: 505 397-4701

Report#/Lab ID#: 147244 Report Date: 09/19/03

Project ID: EO 2075 Angell #4

Sample Name: MW-4

Sample Matrix: water

Date Received: 09/15/2003 Time: 08:00

Date Sampled: 09/10/2003 Time: 11:30

REPORT OF ANALYSIS

Parameter	Result	Units	RQL ⁵	Blank	Date	Method ⁶	Data Qual ⁷	Prec. ²	Recov. ³	CCV ⁴	LCS ⁴
Volatile organics-8260b/BTEX	---		---		09/17/03	8260b(5030/5035)	---	---	---	---	---
Benzene	<1	µg/L	1	<1	09/17/03	8260b	---	4.7	91	92.8	88.8
Ethylbenzene	<1	µg/L	1	<1	09/17/03	8260b	---	6.4	101.8	103.4	99.4
m,p-Xylenes	<1	µg/L	1	<1	09/17/03	8260b	---	6.9	101.8	104.7	99.2
o-Xylene	<1	µg/L	1	<1	09/17/03	8260b	---	7.2	103.5	106.4	101.3
Toluene	<1	µg/L	1	<1	09/17/03	8260b	---	5.8	99.6	101.8	97.8

QUALITY ASSURANCE DATA¹

This analytical report is respectfully submitted by AnalySys, Inc. The enclosed results have been carefully reviewed and, to the best of my knowledge, the analytical results are consistent with AnalySys, Inc.'s Quality Assurance/Quality Control Program. © Copyright 2000, AnalySys, Inc., Austin, TX. All rights reserved. No part of this publication may be reproduced or transmitted in any form or by any means without the express written consent of AnalySys, Inc.

Respectfully Submitted,

Richard Laster

Richard Laster

1. Quality assurance data is for the sample batch which included this sample. 2. Precision (PREC) is the absolute value of the relative percent (%), difference between duplicate measurements. 3. Recovery (Recov.) is the percent (%) of analyte recovered from a spiked sample. 4. Calibration Verification (CCV) and Laboratory Control Sample (LCS) results are expressed as the percent (%), recovery of analyte from a known standard or matrix. 5. Reporting Quantitation Limits (RQL), typically at or above the Practical Quantitation Limit (PQL) of the analytical method. 6. Method numbers typically denote USEPA procedures. Less than "<" values reflect nominal quantitation limits adjusted for any required dilutions. 7. Data Qualifiers are J = analyte potentially present between the PQL and the MDL, B = Analyte detected in associated method blank(s), S1 = MS and/or MSD recovery exceeds advisory limits, S2 = Post digestion spike (PDS) recovery exceeds advisory limit, S3 = MS and/or MSD and PDS recoveries exceed advisory limits, P = Precision higher than advisory limit, M = Matrix interference.



3512 Montopolis Drive, Austin, TX 78744 &
2209 N. Padre Island Dr., Corpus Christi, TX 78408
(512) 385-5886 • FAX (512) 385-7411

Client: Environmental Tech Group
Attn: Robert Eidson

Project ID: EO 2075 Angell #4
Sample Name: MW-4

Report#/Lab ID#: 147244
Sample Matrix: water

REPORT OF SURROGATE RECOVERY

Surrogate Compound	Method	Recovery	Recovery Limit	Data Qualifiers
1,2-Dichloroethane-d4	8260b	87.6	80-120	---
Toluene-d8	8260b	94.1	88-110	---

Data Qualifiers: D= Surrogates diluted and X= Surrogates outside advisory recovery limits.



3512 Montopolis Drive, Austin, TX 78744 &
2209 N. Padre Island Dr., Corpus Christi, TX 78408
(512) 385-5886 • FAX (512) 385-7411

Client: Environmental Tech Group

Attn: Robert Eidson

Address: 2540 W. Marland

Hobbs

NM 88240

Phone: 505 397-4882

FAX: 505 397-4701

Report#/Lab ID#: 147245 **Report Date:** 09/19/03

Project ID: EO 2075 Angell #4

Sample Name: MW-5

Sample Matrix: water

Date Received: 09/15/2003 **Time:** 08:00

Date Sampled: 09/10/2003 **Time:** 12:00

REPORT OF ANALYSIS

Parameter	Result	Units	RQL ⁵	Blank	Date	Method ⁶	Data Qual ⁷	Prec. ²	Recov. ³	CCV ⁴	LCS ⁴
Volatiles organics-8260b/BTEX	---		---		09/17/03	8260b/5030/5035	---	---	---	---	---
Benzene	<1	µg/L	1	<1	09/17/03	8260b	---	4.7	91	92.8	88.8
Ethylbenzene	<1	µg/L	1	<1	09/17/03	8260b	---	6.4	101.8	103.4	99.4
m,p-Xylenes	<1	µg/L	1	<1	09/17/03	8260b	---	6.9	101.8	104.7	99.2
o-Xylene	<1	µg/L	1	<1	09/17/03	8260b	---	7.2	103.5	106.4	101.3
Toluene	<1	µg/L	1	<1	09/17/03	8260b	---	5.8	99.6	101.8	97.8

QUALITY ASSURANCE DATA¹

This analytical report is respectfully submitted by AnalySys, Inc. The enclosed results have been carefully reviewed and, to the best of my knowledge, the analytical results are consistent with AnalySys, Inc.'s Quality Assurance/Quality Control Program. © Copyright 2000, AnalySys, Inc., Austin, TX. All rights reserved. No part of this publication may be reproduced or transmitted in any form or by any means without the express written consent of AnalySys, Inc.

Respectfully Submitted,

Richard Laster

Richard Laster

1. Quality assurance data is for the sample batch which included this sample. 2. Precision (PREC) is the absolute value of the relative percent (%) difference between duplicate measurements. 3. Recovery (Recov.) is the percent (%) of analyte recovered from a spiked sample. 4. Calibration Verification (CCV) and Laboratory Control Sample (LCS) results are expressed as the percent (%) recovery of analyte from a known standard or matrix. 5. Reporting Quantitation Limits (RQL), typically at or above the Practical Quantitation Limit (PQL) of the analytical method. 6. Method numbers typically denote USEPA procedures. Less than "<" values reflect nominal quantitation limits adjusted for any required dilutions. 7. Data Qualifiers are J = analyte potentially present between the PQL and the MDL. B = Analyte detected in associated method blank(s). S1 = MS and/or MSD recovery exceeds advisory limits. S2 = Post digestion spike (PDS) recovery exceeds advisory limit. S3 = MS and/or MSD and PDS recoveries exceed advisory limits. P = Precision higher than advisory limit. M = Matrix interference.



3512 Montopolis Drive, Austin, TX 78744 &
2209 N. Padre Island Dr., Corpus Christi, TX 78408
(512) 385-5886 • FAX (512) 385-7411

Client: Environmental Tech Group	Project ID: EO 2075 Angell #4	Report#/Lab ID#: 147245
Attn: Robert Eidson	Sample Name: MW-5	Sample Matrix: water

REPORT OF SURROGATE RECOVERY

Surrogate Compound	Method	Recovery	Recovery Limit	Data Qualifiers
1,2-Dichloroethane-d4	8260b	102	80-120	---
Toluene-d8	8260b	92.1	88-110	---

Data Qualifiers: D= Surrogates diluted and X= Surrogates outside advisory recovery limits.



3512 Montopolis Drive, Austin, TX 78744 &
2209 N. Padre Island Dr., Corpus Christi, TX 78408
(512) 385-5886 • FAX (512) 385-7411

Client: Environmental Tech Group
Attn: Robert Eidson
Address: 2540 W. Marland
Hobbs NM 88240
Phone: 505 397-4882 **FAX:** 505 397-4701

Report#/Lab ID#: 147246 **Report Date:** 09/19/03
Project ID: EO 2075 Angel #4
Sample Name: MW-7
Sample Matrix: water
Date Received: 09/15/2003 **Time:** 08:00
Date Sampled: 09/10/2003 **Time:** 12:30

REPORT OF ANALYSIS

Parameter	Result	Units	RQL ⁵	Blank	Date	Method ⁶	Data Qual ⁷	Prec. ²	Recov. ³	CCV ⁴	LCS ⁴
Volatile organics-8260b/BTEX	---		---		09/18/03	8260b(5030/5035)	---	---	---	---	---
Benzene	<1	µg/L	1	<1	09/18/03	8260b	---	7.8	93.9	94.6	88.1
Ethylbenzene	<1	µg/L	1	<1	09/18/03	8260b	---	2.8	99.7	97.1	97
m,p-Xylenes	<1	µg/L	1	<1	09/18/03	8260b	---	1.2	98.6	98.2	96.6
o-Xylene	<1	µg/L	1	<1	09/18/03	8260b	---	2.4	103.9	102.9	100.7
Toluene	<1	µg/L	1	<1	09/18/03	8260b	---	8.1	105.7	105.3	102.5

This analytical report is respectfully submitted by AnalySys, Inc. The enclosed results have been carefully reviewed and, to the best of my knowledge, the analytical results are consistent with AnalySys, Inc.'s Quality Assurance/Quality Control Program. © Copyright 2000, AnalySys, Inc., Austin, TX. All rights reserved. No part of this publication may be reproduced or transmitted in any form or by any means without the express written consent of AnalySys, Inc.

Respectfully Submitted,

Richard Laster

Richard Laster

QUALITY ASSURANCE DATA¹

1. Quality assurance data is for the sample batch which included this sample. 2. Precision (PREC) is the absolute value of the relative percent (%) difference between duplicate measurements. 3. Recovery (Recov.) is the percent (%) of analyte recovered from a spiked sample. 4. Calibration Verification (CV) and Laboratory Control Sample (LCS) results are expressed as the percent (%) recovery of analyte from a known standard or matrix. 5. Reporting Quantitation Limits (RQL), typically at or above the Practical Quantitation Limit (PQL) of the analytical method. 6. Method numbers typically denote USEPA procedures. Less than "<" values reflect nominal quantitation limits adjusted for any required dilutions. 7. Data Qualifiers are J = analyte potentially present between the PQL and the MDL. B = Analyte detected in associated method blank(s). S1 =MS and/or MSD recovery exceeds advisory limits. S2 =Post digestion spike (PDS) recovery exceeds advisory limit. S3 =MS and/or MSD and/or PDS recoveries exceed advisory limits. P =Precision higher than advisory limit. M=Matrix interference.



3512 Montopolis Drive, Austin, TX 78744 &
2209 N. Padre Island Dr., Corpus Christi, TX 78408
(512) 385-5886 • FAX (512) 385-7411

Client: Environmental Tech Group
Attn: Robert Eidson

Project ID: EO 2075 Angell #4
Sample Name: MW-7

Report#/Lab ID#: 147246
Sample Matrix: water

REPORT OF SURROGATE RECOVERY

Surrogate Compound	Method	Recovery	Recovery Limit	Data Qualifiers
1,2-Dichloroethane-d4	8260b	90.4	80-120	---
Toluene-d8	8260b	95	88-110	---

Data Qualifiers: D= Surrogates diluted and X= Surrogates outside advisory recovery limits.



3512 Montopolis Drive, Austin, TX 78744 &
2209 N. Padre Island Dr., Corpus Christi, TX 78408
(512) 385-5886 • FAX (512) 385-7411

Client: Environmental Tech Group

Attn: Robert Eidson

Address: 2540 W. Marland

Hobbs

NM 88240

Phone: 505 397-4882

FAX: 505 397-4701

Report#/Lab ID#: 147247

Report Date: 09/19/03

Project ID: EO 2075 Angell #4

Sample Name: MW-9

Sample Matrix: water

Date Received: 09/15/2003

Time: 08:00

Date Sampled: 09/10/2003

Time: 13:00

REPORT OF ANALYSIS

Parameter	Result	Units	RQL ⁵	Blank	Date	Method ⁶	Data Qual ⁷	Prec. ²	Recov. ³	CCV ⁴	LCS ⁴
Volatiles organics-8260b/BTEX	---		---		09/18/03	8260b/5030/5035	---	---	---	---	---
Benzene	<1	µg/L	1	<1	09/18/03	8260b	---	7.8	93.9	94.6	88.1
Ethylbenzene	<1	µg/L	1	<1	09/18/03	8260b	---	2.8	99.7	97.1	97
m,p-Xylenes	<1	µg/L	1	<1	09/18/03	8260b	---	1.2	98.6	98.2	96.6
o-Xylene	<1	µg/L	1	<1	09/18/03	8260b	---	2.4	103.9	102.9	100.7
Toluene	<1	µg/L	1	<1	09/18/03	8260b	---	8.1	105.7	105.3	102.5

QUALITY ASSURANCE DATA¹

This analytical report is respectfully submitted by Analytix, Inc. The enclosed results have been carefully reviewed and, to the best of my knowledge, the analytical results are consistent with Analytix, Inc.'s Quality Assurance/Quality Control Program. © Copyright 2000. Analytix, Inc., Austin, TX. All rights reserved. No part of this publication may be reproduced or transmitted in any form or by any means without the express written consent of Analytix, Inc.

Respectfully Submitted,

Richard Laster

Richard Laster

1. Quality assurance data is for the sample batch which included this sample. 2. Precision (PREC) is the absolute value of the relative percent (%), difference between duplicate measurements. 3. Recovery (Recov.) is the percent (%) of analyte recovered from a spiked sample. 4. Calibration Verification (CCV) and Laboratory Control Sample (LCS) results are expressed as the percent (%) recovery of analyte from a known standard or matrix. 5. Reporting Quantitation Limits (RQL), typically at or above the Practical Quantitation Limit (PQL) of the analytical method. 6. Method numbers typically denote USEPA procedures. Less than (<) values reflect nominal quantitation limits adjusted for any required dilutions. 7. Data Qualifiers are J = MS and/or MSD recovery exceed advisory limits. S2 = Post digestion spike (PDS) recovery exceeds advisory limit. S3 = MS and/or MSD and PDS recoveries exceed advisory limits. P = Precision higher than advisory limit. M = Matrix interference.



3512 Montopolis Drive, Austin, TX 78744 &
2209 N. Padre Island Dr., Corpus Christi, TX 78408
(512) 385-5886 • FAX (512) 385-7411

Client: Environmental Tech Group Attn: Robert Eidson	Project ID: EO 2075 Angell #4 Sample Name: MW-9	Report#/Lab ID#: 147247 Sample Matrix: water
---	--	---

REPORT OF SURROGATE RECOVERY

Surrogate Compound	Method	Recovery	Recovery Limit	Data Qualifiers
1,2-Dichloroethane-d4	8260b	92.1	80-120	---
Toluene-d8	8260b	92.7	88-110	---

Data Qualifiers: D= Surrogates diluted and X= Surrogates outside advisory recovery limits.



3512 Montopolis Drive, Austin, TX 78744 &
2209 N. Padre Island Dr., Corpus Christi, TX 78408
(512) 385-5886 • FAX (512) 385-7411

Client: Environmental Tech Group
Attn: Robert Eidson
Address: 2540 W. Marland
Hobbs NM 88240

Phone: 505 397-4882 FAX: 505 397-4701

Report# / Lab ID#: 147248 Report Date: 09/19/03
Project ID: EO 2075 Angell #4
Sample Name: MW-10
Sample Matrix: water
Date Received: 09/15/2003 Time: 08:00
Date Sampled: 09/10/2003 Time: 13:30

REPORT OF ANALYSIS

Parameter	Result	Units	RQL ⁵	Blank	Date	Method ⁶	Data Qual ⁷	Prec. ²	Recov. ³	CCV ⁴	LCS ⁴
Volatile organics-8260b/BTEX	---		---		09/18/03	8260b(5030/5035)	---	---	---	---	---
Benzene	7.3	µg/L	1	<1	09/18/03	8260b	---	7.8	93.9	94.6	88.1
Ethylbenzene	3.7	µg/L	1	<1	09/18/03	8260b	---	2.8	99.7	97.1	97
m,p-Xylenes	6.8	µg/L	1	<1	09/18/03	8260b	---	1.2	98.6	98.2	96.6
o-Xylene	<1	µg/L	1	<1	09/18/03	8260b	---	2.4	103.9	102.9	100.7
Toluene	<1	µg/L	1	<1	09/18/03	8260b	---	8.1	105.7	105.3	102.5

This analytical report is respectfully submitted by: Analytix, Inc. The enclosed results have been carefully reviewed and, to the best of my knowledge, the analytical results are consistent with Analytix, Inc.'s Quality Assurance/Quality Control Program. © Copyright 2000, Analytix, Inc., Austin, TX. All rights reserved. No part of this publication may be reproduced or transmitted in any form or by any means without the express written consent of Analytix, Inc.

Respectfully Submitted,

Richard Laster

Richard Laster

1. Quality assurance data is for the sample batch which included this sample. 2. Precision (PREC) is the absolute value of the relative percent (%), difference between duplicate measurements. 3. Recovery (Recov.) is the percent (%) of analyte recovered from a spiked sample. 4. Calibration Verification (CV) and Laboratory Control Sample (LCS) results are expressed as the percent (%) recovery of analyte from a known standard or matrix. 5. Reporting Quantitation Limits (RQL), typically at or above the Practical Quantitation Limit (PQL) of the analytical method. 6. Method numbers typically denote USEPA procedures. Less than (<) values reflect nominal quantitation limits adjusted for any required dilutions. 7. Data Qualifiers are: S1 =MS and/or MSD recovery exceed advisory limits. S2 =Post digestion spike (PDS) associated method blank(s). S3 =MS and/or MSD recoveries exceed advisory limits. P =Precision higher than advisory limit. M =Matrix interference.



3512 Montopolis Drive, Austin, TX 78744 &
2209 N. Padre Island Dr., Corpus Christi, TX 78408
(512) 385-5886 • FAX (512) 385-7411

Client: Environmental Tech Group Attn: Robert Eidson	Project ID: EO 2075 Angell #4 Sample Name: MW-10	Report#/Lab ID#: 147248 Sample Matrix: water
---	---	---

REPORT OF SURROGATE RECOVERY

Surrogate Compound	Method	Recovery	Recovery Limit	Data Qualifiers
1,2-Dichloroethane-d4	8260b	94	80-120	---
Toluene-d8	8260b	92.6	88-110	---

Data Qualifiers: D= Surrogates diluted and X= Surrogates outside advisory recovery limits.



3512 Montopolis Drive, Austin, TX 78744 &
2209 N. Padre Island Dr., Corpus Christi, TX 78408
(512) 385-5886 • FAX (512) 385-7411

Client: Environmental Tech Group
Attn: Robert Eidson
Address: 2540 W. Marland
Hobbs NM 88240
Phone: 505 397-4882 **FAX:** 505 397-4701

Report#/Lab ID#: 147249 **Report Date:** 09/19/03
Project ID: EO 2075 Angell #4
Sample Name: MW-11
Sample Matrix: water
Date Received: 09/15/2003 **Time:** 08:00
Date Sampled: 09/10/2003 **Time:** 14:00

REPORT OF ANALYSIS

QUALITY ASSURANCE DATA¹

Parameter	Result	Units	RQL ⁵	Blank	Date	Method ⁶	Data Qual ⁷	Prec. ²	Recov. ³	CCV ⁴	LCS ⁴
Volatile organics-8260h/BTEX	---		---		09/18/03	8260h(5030/5035)		---	---	---	---
Benzene	<1	µg/L	1	<1	09/18/03	8260h	J	7.8	93.9	94.6	88.1
Ethylbenzene	<1	µg/L	1	<1	09/18/03	8260h	---	2.8	99.7	97.1	97
m,p-Xylenes	<1	µg/L	1	<1	09/18/03	8260h	---	1.2	98.6	98.2	96.6
o-Xylene	<1	µg/L	1	<1	09/18/03	8260h	---	2.4	103.9	102.9	100.7
Toluene	<1	µg/L	1	<1	09/18/03	8260h	---	8.1	105.7	105.3	102.5

This analytical report is respectfully submitted by: AnalySys, Inc. The enclosed results have been carefully reviewed and, to the best of my knowledge, the analytical results are consistent with AnalySys, Inc.'s Quality Assurance/Quality Control Program. © Copyright 2000, AnalySys, Inc., Austin, TX. All rights reserved. No part of this publication may be reproduced or transmitted in any form or by any means without the express written consent of AnalySys, Inc.

Respectfully Submitted,

Richard Laster

Richard Laster

1. Quality assurance data is for the sample batch which included this sample. 2. Precision (PREC) is the absolute value of the relative percent (%) difference between duplicate measurements. 3. Recovery (Recov.) is the percent (%) of analyte recovered from a spiked sample. 4. Calibration Verification (CCV) and Laboratory Control Sample (LCS) results are expressed as the percent (%) recovery of analyte from a known standard or matrix. 5. Reporting Quantitation Limits (RQL), typically at or above the Practical Quantitation Limit (PQL) of the analytical method. 6. Method numbers typically denote USEPA procedures. Less than "<" values reflect nominal quantitation limits adjusted for any required dilutions. 7. Data Qualifiers are J = analyte potentially present between the PQL and the MDL. B = Analyte detected in associated method blank(s). S1 = MS and/or MSD recovery exceed advisory limits. S2 = Post digestion spike (PDS) recovery exceeds advisory limit. S3 = MS and/or MSD and PDS recoveries exceed advisory limits. P = Precision higher than advisory limit. M = Matrix interference.



3512 Montopolis Drive, Austin, TX 78744 &
2209 N. Padre Island Dr., Corpus Christi, TX 78408
(512) 385-5886 • FAX (512) 385-7411

Client: Environmental Tech Group Attn: Robert Eidson	Project ID: EO 2075 Angell #4 Sample Name: MW-11	Report#/Lab ID#: 147249 Sample Matrix: water
---	---	---

REPORT OF SURROGATE RECOVERY

Surrogate Compound	Method	Recovery	Recovery Limit	Data Qualifiers
1,2-Dichloroethane-d4	8260b	96.3	80-120	---
Toluene-d8	8260b	90.3	88-110	---

Data Qualifiers: D= Surrogates diluted and X= Surrogates outside advisory recovery limits.

Exceptions Report:

Report #/Lab ID#: 147249 Matrix: water
Client: Environmental Tech Group Attn: Robert Eidson
Project ID: EO 2075 Angell #4
Sample Name: MW-11

Sample Temperature/Condition $\leq 6^{\circ}\text{C}$

The typical sample temperature criteria (except for metals by ICP, GFAA and AA and a very few other tests) is $\leq 6^{\circ}\text{C}$. Possible exceptions include samples submitted to laboratory within such a short time after sampling that cooling measures used in the field and during transport had insufficient time to achieve desired temperatures in the samples (see sample collection and sample receipt times) and samples where the temperature could not be measured due to sample submission in a manner precluding temperature measurement without impacting sample integrity (ex. in a bottle with no cooler).

Sample Bottles & Preservation

- ☒ Sample received in appropriate container(s) and appear to be appropriately preserved.
- ☐ Sample received in appropriate container(s). State of sample preservation unknown.
- ☐ Sample received in inappropriate container(s) and/or with unknown state of preservation.

J flag Discussion

A J flag data qualifier indicates (as required under TCEQ-TRRP reporting requirements) that the raw calculated analyte concentration in the sample (uncorrected for background levels/blanks and other potential sources of sampling and analytical contamination), though less than the Reported Quantitation Limit (RQL) is greater than the Detection Limit. Because the reported result is below the quantitation limit for this project/sample (or test procedure), GC/MS organics results may or MAY NOT have been verified as to the presence and relative ratio of target ions (eg. the material causing the J flag "hit" in such situations may be nothing more than background ion-fragment noise.)

Comments pertaining to Data Qualifiers and QC data:

Parameter	Qualif	Comment
Benzene	J	See J-flag discussion above.

Notes:



3512 Montopolis Drive, Austin, TX 78744 &
2209 N. Padre Island Dr., Corpus Christi, TX 78408
(512) 385-5886 • FAX (512) 385-7411

Client: Environmental Tech Group
Attn: Robert Eldson
Address: 2540 W. Marland
Hobbs NM 88240

Phone: 505 397-4882 FAX: 505 397-4701

Report#/Lab ID#: 147250 Report Date: 09/19/03
Project ID: EC 2075 Angell #4
Sample Name: MW-12
Sample Matrix: water
Date Received: 09/15/2003 Time: 08:00
Date Sampled: 09/10/2003 Time: 14:30

REPORT OF ANALYSIS

Parameter	Result	Units	RQL ⁵	Blank	Date	Method ⁶	Data Qual ⁷	Prec. ²	Recov. ³	CCV ⁴	LCS ⁴
Volatile organics-8260b/BTEX	---		---		09/18/03	8260b(5030/5035)	---	---	---	---	---
Benzene	<1	µg/L	1	<1	09/18/03	8260b	---	7.8	93.9	94.6	88.1
Ethylbenzene	<1	µg/L	1	<1	09/18/03	8260b	---	2.8	99.7	97.1	97
m,p-Xylenes	<1	µg/L	1	<1	09/18/03	8260b	---	1.2	98.6	98.2	96.6
o-Xylene	<1	µg/L	1	<1	09/18/03	8260b	---	2.4	103.9	102.9	100.7
Toluene	<1	µg/L	1	<1	09/18/03	8260b	---	8.1	105.7	105.3	102.5

QUALITY ASSURANCE DATA¹

This analytical report is respectfully submitted by AnalySys, Inc. The enclosed results have been carefully reviewed and, to the best of my knowledge, the analytical results are consistent with AnalySys, Inc.'s Quality Assurance/Quality Control Program. © Copyright 2000, AnalySys, Inc., Austin, TX. All rights reserved. No part of this publication may be reproduced or transmitted in any form or by any means without the express written consent of AnalySys, Inc.

Respectfully Submitted,

Richard Laster

Richard Laster

1. Quality assurance data is for the sample batch which included this sample. 2. Precision (PREC) is the absolute value of the relative percent (% difference) between duplicate measurements. 3. Recovery (Recov.) is the percent (%) of analyte recovered from a spiked sample. 4. Calibration Verification (CCV) and Laboratory Control Sample (LCS) results are expressed as the percent (%) recovery of analyte from a known standard or matrix. 5. Reporting Quantitation Limits (RQL), typically at or above the Practical Quantitation Limit (PQL) of the analytical method. 6. Method numbers typically denote USEPA procedures. Less than (" $<$ ") values reflect nominal quantitation limits adjusted for any required dilutions. 7. Data Qualifiers are J = analyte potentially present between the PQL and the MDL, B = Analyte detected in associated method blanks, S1 = MS and/or MSD recovery exceed advisory limits, S2 = Post digestion spike (PDS) recovery exceeds advisory limit, S3 = MS and/or MSD and PDS recoveries exceed advisory limits, P = Precision higher than advisory limit, M = Matrix interference.



3512 Montopolis Drive, Austin, TX 78744 &
2209 N. Padre Island Dr., Corpus Christi, TX 78408
(512) 385-5886 • FAX (512) 385-7411

Client: Environmental Tech Group
Attn: Robert Eidson

Project ID: EO 2075 Angell #4
Sample Name: MW-12

Report#/Lab ID#: 147250
Sample Matrix: water

REPORT OF SURROGATE RECOVERY

Surrogate Compound	Method	Recovery	Recovery Limit	Data Qualifiers
1,2-Dichloroethane-d4	8260b	93.7	80-120	---
Toluene-d8	8260b	94.9	88-110	---

Data Qualifiers: D= Surrogates diluted and X= Surrogates outside advisory recovery limits.



3512 Montopolis Drive, Austin, TX 78744 &
2209 N. Padre Island Dr., Corpus Christi, TX 78408
(512) 385-5886 • FAX (512) 385-7411

Client: Environmental Tech Group
Attn: Robert Eidson
Address: 2540 W. Marland
Hobbs

NM 88240

Phone: 505 397-4882 FAX: 505 397-4701

Report#/Lab ID#: 147251 Report Date: 09/19/03

Project ID: EO 2075 Angel #4

Sample Name: MW-13

Sample Matrix: water

Date Received: 09/15/2003 Time: 08:00

Date Sampled: 09/10/2003 Time: 15:00

REPORT OF ANALYSIS

QUALITY ASSURANCE DATA¹

Parameter	Result	Units	RQL ⁵	Blank	Date	Method ⁶	Data Qual ⁷	Prec. ²	Recov. ³	CCV ⁴	LCS ⁴
Volatiles organics-8260b/BTEX	---		---		09/18/03	8260b(5030/5035)	---	---	---	---	---
Benzene	<1	µg/L	1	<1	09/18/03	8260b	J	7.8	93.9	94.6	88.1
Ethylbenzene	<1	µg/L	1	<1	09/18/03	8260b	---	2.8	99.7	97.1	97
m,p-Xylenes	<1	µg/L	1	<1	09/18/03	8260b	---	1.2	98.6	98.2	96.6
o-Xylene	<1	µg/L	1	<1	09/18/03	8260b	---	2.4	103.9	102.9	100.7
Toluene	<1	µg/L	1	<1	09/18/03	8260b	---	8.1	105.7	105.3	102.5


This analytical report is respectfully submitted by AnalySys, Inc. The enclosed results have been carefully reviewed and, to the best of my knowledge, the analytical results are consistent with AnalySys, Inc.'s Quality Assurance/Quality Control Program. © Copyright 2000, AnalySys, Inc., Austin, TX. All rights reserved. No part of this publication may be reproduced or transmitted in any form or by any means without the express written consent of AnalySys, Inc.

Respectfully Submitted,

Richard Laster

Richard Laster

1. Quality assurance data is for the sample batch which included this sample. 2. Precision (PREC) is the absolute value of the relative percent (%), difference between duplicate measurements. 3. Recovery (Recov) is the percent (%) of analyte recovered from a spiked sample. 4. Calibration Verification (CCV) and Laboratory Control Sample (LCS) results are expressed as the percent (%) recovery of analyte from a known standard or matrix. 5. Reporting Quantitation Limits (RQL), typically at or above the Practical Quantitation Limit (PQL) of the analytical method. 6. Method numbers typically denote USEPA procedures. Less than (<), values reflect nominal quantitation limits adjusted for any required dilutions. 7. Data Qualifiers are J = analyte potentially present between the PQL and the MDL. B = Analyte detected in associated method blanks s.t. S1 =MS and/or MSD recovery exceed advisory limits. S2 =Post digestion spike (PDS) recovery exceeds advisory limit. S3 =MS and/or MSD and PDS recoveries exceed advisory limits. P =Precision higher than advisory limit. M =Matrix interference.



3512 Montopolis Drive, Austin, TX 78744 &
2209 N. Padre Island Dr., Corpus Christi, TX 78408
(512) 385-5886 • FAX (512) 385-7411

Client: Environmental Tech Group
Attn: Robert Eidson

Project ID: EO 2075 Angell #4
Sample Name: MW-13

Report#/Lab ID#: 147251
Sample Matrix: water

REPORT OF SURROGATE RECOVERY

Surrogate Compound	Method	Recovery	Recovery Limit	Data Qualifiers
1,2-Dichloroethane-d4	8260b	91	80-120	---
Toluene-d8	8260b	95.9	88-110	---

Data Qualifiers: D= Surrogates diluted and X= Surrogates outside advisory recovery limits.

Exceptions Report:

Report #/Lab ID#: 147251	Matrix: water	Attn: Robert Eidson
Client: Environmental Tech Group		
Project ID: EO 2075 Angell #4		
Sample Name: MW-13		

Sample Temperature/Condition <=6°C

The typical sample temperature criteria (except for metals by ICP, GFAA and AA and a very few other tests) is <= 6°C. Possible exceptions include samples submitted to laboratory within such a short time after sampling that cooling measures used in the field and during transport had insufficient time to achieve desired temperatures in the samples (see sample collection and sample receipt times) and samples where the temperature could not be measured due to sample submission in a manner precluding temperature measurement without impacting sample integrity (ex. in a bottle with no cooler).

Sample Bottles & Preservation

- ☒ Sample received in appropriate container(s) and appear to be appropriately preserved.
- ☐ Sample received in appropriate container(s). State of sample preservation unknown.
- ☐ Sample received in inappropriate container(s) and/or with unknown state of preservation.

J flag Discussion

A J flag data qualifier indicates (as required under TCEQ-TRRP reporting requirements) that the raw calculated analyte concentration in the sample (uncorrected for background levels/blanks and other potential sources of sampling and analytical contamination), though less than the Reported Quantitation Limit (RQL) is greater than the Detection Limit. Because the reported result is below the quantitation limit for this project/sample (or test procedure), GC/MS organics results may or MAY NOT have been verified as to the presence and relative ratio of target ions (eg. the material causing the J flag "hit" in such situations may be nothing more than background ion-fragment noise.)

Comments pertaining to Data Qualifiers and QC data:

Parameter	Qualif	Comment
Benzene	J	See J-flag discussion above.

Notes:



3512 Montopolis Drive, Austin, TX 78744 &
2209 N. Padre Island Dr., Corpus Christi, TX 78408
(512) 385-5886 • FAX (512) 385-7411

Client: Environmental Tech Group
Attn: Robert Eidson
Address: 2540 W. Marland
Hobbs NM 88240
Phone: 505 397-4882 **FAX:** 505 397-4701

Report#/Lab ID#: 147252 **Report Date:** 09/19/03
Project ID: EO 2075 Angell #4
Sample Name: MW-14
Sample Matrix: water
Date Received: 09/15/2003 **Time:** 08:00
Date Sampled: 09/10/2003 **Time:** 15:30

REPORT OF ANALYSIS

QUALITY ASSURANCE DATA¹

Parameter	Result	Units	RQL ⁵	Blank	Date	Method ⁶	Data Qual ⁷	Prec. ²	Recov. ³	CCV ⁴	LCS ⁴
Volatiles organics-8260h/BTEX	---		---		09/18/03	8260h(5030/5035)	---	---	---	---	---
Benzene	199	µg/L	1	<1	09/18/03	8260h	---	7.8	93.9	94.6	88.1
Ethylbenzene	<1	µg/L	1	<1	09/18/03	8260h	J	2.8	99.7	97.1	97
m,p-Xylenes	14.6	µg/L	1	<1	09/18/03	8260h	---	1.2	98.6	98.2	96.6
o-Xylene	<1	µg/L	1	<1	09/18/03	8260h	---	2.4	103.9	102.9	100.7
Toluene	<1	µg/L	1	<1	09/18/03	8260h	---	8.1	105.7	105.3	102.5

This analytical report is respectfully submitted by AnalySys, Inc. The enclosed results have been carefully reviewed and, to the best of my knowledge, the analytical results are consistent with AnalySys, Inc.'s Quality Assurance/Quality Control Program. © Copyright 2000, AnalySys, Inc., Austin, TX. All rights reserved. No part of this publication may be reproduced or transmitted in any form or by any means without the express written consent of AnalySys, Inc.

Respectfully Submitted,

Richard Laster

Richard Laster

1. Quality assurance data is for the sample batch which included this sample. 2. Precision (PREC) is the absolute value of the relative percent (%), difference between duplicate measurements. 3. Recovery (Recov.) is the percent (%) of analyte recovered from a spiked sample. 4. Calibration Verification (CCV) and Laboratory Control Sample (LCS) results are expressed as the percent (%) recovery of analyte from a known standard or matrix. 5. Reporting Quantitation Limits (RQL), typically at or above the Practical Quantitation Limit (PQL) of the analytical method. 6. Method numbers typically denote USEPA procedures. Less than (<) values reflect nominal quantitation limits adjusted for any required dilutions. 7. Data Qualifiers are J = analyte potentially present between the PQL and the MDL. B = Analyte detected in associated method blank(s). S1 = MS and/or MSD recovery exceed advisory limits. S2 = Post digestion spike (PDS) recovery exceeds advisory limit. S3 = MS and/or MSD and PDS recoveries exceed advisory limits. P = Precision higher than advisory limit. M = Matrix interference.



3512 Montopolis Drive, Austin, TX 78744 &
2209 N. Padre Island Dr., Corpus Christi, TX 78408
(512) 385-5886 • FAX (512) 385-7411

Client: Environmental Tech Group	Project ID: EO 2075 Angell #4	Report#/Lab ID#: 147252
Attn: Robert Eidson	Sample Name: MW-14	Sample Matrix: water

REPORT OF SURROGATE RECOVERY

Surrogate Compound	Method	Recovery	Recovery Limit	Data Qualifiers
1,2-Dichloroethane-d4	8260b	100	80-120	---
Toluene-d8	8260b	90.8	88-110	---

Data Qualifiers: D= Surrogates diluted and X= Surrogates outside advisory recovery limits.

Exceptions Report:

Report #/Lab ID#: 147252	Matrix: water	Attn: Robert Eidson
Client: Environmental Tech Group		
Project ID: EO 2075 Angell #4		
Sample Name: MW-14		

Sample Temperature/Condition <=6°C

The typical sample temperature criteria (except for metals by ICP, GFAA and AA and a very few other tests) is <= 6°C. Possible exceptions include samples submitted to laboratory within such a short time after sampling that cooling measures used in the field and during transport had insufficient time to achieve desired temperatures in the samples (see sample collection and sample receipt times) and samples where the temperature could not be measured due to sample submission in a manner precluding temperature measurement without impacting sample integrity (ex. in a bottle with no cooler).

Sample Bottles & Preservation

- ☒ Sample received in appropriate container(s) and appear to be appropriately preserved.
- ☐ Sample received in appropriate container(s). State of sample preservation unknown.
- ☐ Sample received in inappropriate container(s) and/or with unknown state of preservation.

J flag Discussion

A J flag data qualifier indicates (as required under TCEQ-TRRP reporting requirements) that the raw calculated analyte concentration in the sample (uncorrected for background levels/blanks and other potential sources of sampling and analytical contamination), though less than the Reported Quantitation Limit (RQL) is greater than the Detection Limit. Because the reported result is below the quantitation limit for this project/sample (or test procedure), GC/MS organics results may or MAY NOT have been verified as to the presence and relative ratio of target ions (eg. the material causing the J flag "hit" in such situations may be nothing more than background ion-fragment noise.)

Comments pertaining to Data Qualifiers and QC data:

Parameter	Qualif	Comment
Ethylbenzene	J	See J-flag discussion above.

Notes:



3512 Montopolis Drive, Austin, TX 78744 &
2209 N. Padre Island Dr., Corpus Christi, TX 78408
(512) 385-5886 • FAX (512) 385-7411

Client: Environmental Tech Group

Attn: Robert Eidson

Address: 2540 W. Markland

Hobbs

NM 88240

Phone: 505 397-4882 FAX: 505 397-4701

Report#/Lab ID#: 147253 Report Date: 09/19/03

Project ID: EO 2075 Angell #4

Sample Name: RW-5

Sample Matrix: water

Date Received: 09/15/2003 Time: 08:00

Date Sampled: 09/10/2003 Time: 16:00

REPORT OF ANALYSIS

QUALITY ASSURANCE DATA¹

Parameter	Result	Units	RQL ⁵	Blank	Date	Method ⁶	Data Qual ⁷	Prec. ²	Recov. ³	CCV ⁴	LCS ⁴
Volatile organics-8260b/BTEX	---		---		09/18/03	8260b(5030/5035)	---	---	---	---	---
Benzene	16.1	µg/L	1	<1	09/18/03	8260b	---	7.8	93.9	94.6	88.1
Ethylbenzene	4.37	µg/L	1	<1	09/18/03	8260b	---	2.8	99.7	97.1	97
m,p-Xylenes	26.1	µg/L	1	<1	09/18/03	8260b	---	1.2	98.6	98.2	96.6
o-Xylene	13.3	µg/L	1	<1	09/18/03	8260b	---	2.4	103.9	102.9	100.7
Toluene	1.11	µg/L	1	<1	09/18/03	8260b	---	8.1	105.7	105.3	102.5

This analytical report is respectfully submitted by Analy-Sys, Inc. The enclosed results have been carefully reviewed and, to the best of my knowledge, the analytical results are consistent with Analy-Sys, Inc.'s Quality Assurance/Quality Control Program. (b) Copyright 2000, Analy-Sys, Inc., Austin, TX. All rights reserved. No part of this publication may be reproduced or transmitted in any form or by any means without the express written consent of Analy-Sys, Inc.

Respectfully Submitted,

Richard Laster

Richard Laster

1. Quality assurance data is for the sample batch which included this sample. 2. Precision (PREC) is the absolute value of the relative percent (%), difference between duplicate measurements. 3. Recovery (Recov.) is the percent (%) of analyte recovered from a spiked sample. 4. Calibration Verification (CCV) and Laboratory Control Sample (LCS) results are expressed as the percent (%) recovery of analyte from a known standard or matrix. 5. Reporting Quantitation Limits (RQL), typically at or above the Practical Quantitation Limit (PQL) of the analytical method. 6. Method numbers typically denote USEPA procedures. Less than (" $<$ ") values reflect nominal quantitation limits adjusted for any required dilutions. 7. Data Qualifiers are J = analyte potentially present between the PQL and the MDL. B = Analyte detected in associated method blank(s). S1 =MS and/or MSD recovery exceeds advisory limits. S2 =Post digestion spike (PDS) recovery exceeds advisory limit. S3 =MS and/or MSD and PDS recoveries exceed advisory limits. P =Precision higher than advisory limit. M =Matrix interference.



3512 Montopolis Drive, Austin, TX 78744 &
2209 N. Padre Island Dr., Corpus Christi, TX 78408
(512) 385-5886 • FAX (512) 385-7411

Client: Environmental Tech Group Attn: Robert Eidson	Project ID: EO 2075 Angell #4 Sample Name: RW-5	Report#/Lab ID#: 147253 Sample Matrix: water
---	--	---

REPORT OF SURROGATE RECOVERY

Surrogate Compound	Method	Recovery	Recovery Limit	Data Qualifiers
1,2-Dichloroethane-d4	8260b	91.6	80-120	---
Toluene-d8	8260b	92.3	88-110	---

Data Qualifiers: D= Surrogates diluted and X= Surrogates outside advisory recovery limits.

CHAIN-OF-CUSTODY

Send Reports To:

Company Name Environmental Technology Group
 Address 2540 W. Macleod State N.M. Zip 87240
 City Albuquerque
 ATTN: Robert Edson
 Phone (505) 397-4812 Fax (505) 397-4701

WWW.ANALYSYSINC.COM

Bill to (if different):

Company Name Cott
 Address _____
 City _____ State _____ Zip _____
 ATTN: _____
 Phone _____ Fax _____

Rush Status (must be confirmed with lab mgr.):

Project Name/PO#: 102075 0A#4 Sampler: Justin Fink

ANALYSYS INC.

3512 Montopolis Drive, Austin, TX 78741
 Phone: (512) 385-5886 Fax: (512) 385-7411
 2209 N. P.D., Ste K, Corpus Christi, TX 78408
 Phone: (361) 289-6384 Fax: (361) 289-0875

Analyses Requested (1)

Please attach explanatory information as required

Client Sample No. Description/Identification	Date Sampled	Time Sampled	No. of Containers	Soil	Water	Waste	Lab I.D. # (Lab only)	Comments
MW-1	9-10-03	10:00	2		X		147241	X
MW-2	9-10-03	10:30	2		X		147242	X
MW-3	9-10-03	11:00	2		X		147243	X
MW-4	9-10-03	11:30	2		X		147244	X
MW-5	9-10-03	12:00	2		X		147245	X
MW-7	9-10-03	12:30	2		X		147246	X
MW-9	9-10-03	1:00	2		X		147247	X
MW-10	9-10-03	1:30	2		X		147248	X
MW-11	9-10-03	2:00	2		X		147249	X
MW-12	9-10-03	2:30	2		X		147250	X

Unless specifically requested otherwise on this Chain-of-custody and/or attached documentation, all analyses will be conducted using ASI's method of choice and all data will be reported to ASI's normal reporting limits (MDL/PQL). For GC/MS volatiles and extractables, unless specific analytical parameter lists are specified on this chain-of-custody or attached to this chain-of-custody, ASI will default to Priority Pollutants or ASI's HSL list at ASI's option. Specific compound lists must be supplied for all GC procedures.

Sample Relinquished By

Sample Received By

Name	Affiliation	Date	Time	Name	Affiliation	Date	Time
<u>Justin Fink</u>		<u>9-10-03</u>		<u>Melanie Hunschky</u>	<u>ASI</u>	<u>9/15/03</u>	<u>0800</u>

Tendering of above described samples to AnalySys, Inc. for analytical testing constitutes agreement by buyer/sampler to AnalySys, Inc.'s standard terms.

במסגרת

Justin Frisk

Please attach explanatory information as required

9 1208 87316

Sample Relinquished By				Sample Received By			
Name	Affiliation	Date	Time	Name	Affiliation	Date	Time
<i>[Signature]</i>	<i>[Signature]</i>	9-10-03		<i>[Signature]</i>	ASI	9/15/03	0800

Tendering of above described samples to AnalySys, Inc. for analytical testing constitutes agreement by buyer/sample to AnalySys, Inc.'s standard terms.

FILE

QUALITYSYS INC

3512 Montopolis Drive, Austin, TX 78744 &
2209 N. Padre Island Dr., Corpus Christi, TX 78408
(512) 385-5886 • FAX (512) 385-7411

Client: Environmental Tech Group
Attn: Robert Eidson
Address: 2540 W. Marland
Hobbs NM 88240

Phone: 505 397-4882 FAX: 505 397-4701

Report#/Lab ID#: 150797 Report Date: 12/22/03

Project ID: EO2075 D.A.4

Sample Name: MW-1

Sample Matrix: water

Date Received: 12/12/2003 Time: 15:30

Date Sampled: 12/11/2003 Time: 10:00

REPORT OF ANALYSIS

QUALITY ASSURANCE DATA 1

Parameter	Result	Units	RQL ⁵	Blank	Date	Method ⁶	Data Qual ⁷	Prec. ²	Recov. ³	CCV ⁴	LCS ⁴
Volatile organics-8260b/BTEX	---		---		12/18/03	8260b(5030/5035)	---	---	---	---	---
Benzene	<1	µg/L	1	<1	12/18/03	8260b	---	0.1	94.5	90.4	100.1
Ethylbenzene	<1	µg/L	1	<1	12/18/03	8260b	---	3.1	102.2	104.2	106.1
m,p-Xylenes	<2	µg/L	2	<2	12/18/03	8260b	---	3.1	102.9	105.6	107.4
o-Xylene	<1	µg/L	1	<1	12/18/03	8260b	---	3.9	102.8	106.3	109.6
Toluene	<1	µg/L	1	<1	12/18/03	8260b	---	0.2	99.9	98.4	104.9


This analytical report is respectfully submitted by AnalySys, Inc. The enclosed results have been carefully reviewed and, to the best of my knowledge, the analytical results are consistent with AnalySys, Inc.'s Quality Assurance/Quality Control Program. © Copyright 2003, AnalySys, Inc., Austin, TX. All rights reserved. No part of this publication may be reproduced or transmitted in any form or by any means without the express written consent of AnalySys, Inc.

Respectfully Submitted,



Richard Elton

1. Quality assurance data is for the sample batch which included this sample. 2. Precision (PREC) is the absolute value of the relative percent (%) difference between duplicate measurements. 3. Recovery (Recov.) is the percent (%) of analyte recovered from a spiked sample. 4. Calibration Verification (CCV) and Laboratory Control Sample (LCS) results are expressed as the percent (%) recovery of analyte from a known standard or matrix. 5. Reporting Quantitation Limits (RQL), typically at or above the Practical Quantitation Limit (PQL) of the analytical method. 6. Method numbers typically denote USEPA procedures. Less than ("<") values reflect nominal quantitation limits adjusted for any required dilutions. 7. Data Qualifiers are J = analyte potentially present between the PQL and the MDL. B = Analyte detected in associated method blank(s). S1 = MS and/or MSD recovery exceed advisory limits. S2 = Post digestion spike (PDS) recovery exceeds advisory limit. S3 = MS and/or MSD and PDS recoveries exceed advisory limits. P = Precision higher than advisory limit. M = Matrix interference.



3512 Montopolis Drive, Austin, TX 78744 &
2209 N. Padre Island Dr., Corpus Christi, TX 78408
(512) 385-5886 • FAX (512) 385-7411

Client: Environmental Tech Group
Attn: Robert Eidson

Project ID: EO2075 D.A.4
Sample Name: MW-1

Report#/Lab ID#: 150797
Sample Matrix: water

REPORT OF SURROGATE RECOVERY

Surrogate Compound	Method	Recovery	Recovery Limit	Data Qualifiers
1,2-Dichloroethane-d4	8260b	98.7	80-120	---
Toluene-d8	8260b	104	88-110	---

Data Qualifiers: D= Surrogates diluted and X= Surrogates outside advisory recovery limits.



3512 Montopolis Drive, Austin, TX 78744 &
2209 N. Padre Island Dr., Corpus Christi, TX 78408
(512) 385-5886 • FAX (512) 385-7411

Client: Environmental Tech Group
Attn: Robert Eidson
Address: 2540 W. Marland
Hobbs NM 88240
Phone: 505 397-4882 **FAX:** 505 397-4701


Report#/Lab ID#: 150798 **Report Date:** 12/22/03
Project ID: EO2075 D.A.4
Sample Name: MW-2
Sample Matrix: water
Date Received: 12/12/2003 **Time:** 15:30
Date Sampled: 12/11/2003 **Time:** 10:30

REPORT OF ANALYSIS

Parameter	Result	Units	RQL ⁵	Blank	Date	Method ⁶	Data Qual ⁷	Prec. ²	Recov. ³	CCV ⁴	LCS ⁴
Volatile organics-8260b/BTEX	---		---		12/18/03	8260b(5030/5035)	---	---	---	---	---
Benzene	<1	µg/L	1	<1	12/18/03	8260b	---	0.1	94.5	90.4	100.1
Ethylbenzene	<1	µg/L	1	<1	12/18/03	8260b	---	3.1	102.2	104.2	106.1
m,p-Xylenes	<2	µg/L	2	<2	12/18/03	8260b	---	3.1	102.9	105.6	107.4
o-Xylene	<1	µg/L	1	<1	12/18/03	8260b	---	3.9	102.8	106.3	109.6
Toluene	<1	µg/L	1	<1	12/18/03	8260b	---	0.2	99.9	98.4	104.9

This analytical report is respectfully submitted by AnalySys, Inc. The enclosed results have been carefully reviewed and, to the best of my knowledge, the analytical results are consistent with AnalySys, Inc.'s Quality Assurance/Quality Control Program. © Copyright 2003, AnalySys, Inc., Austin, TX. All rights reserved. No part of this publication may be reproduced or transmitted in any form or by any means without the express written consent of AnalySys, Inc.

Respectfully Submitted,


Richard Elton

1. Quality assurance data is for the sample batch which included this sample. 2. Precision (PREC) is the absolute value of the relative percent (%) difference between duplicate measurements. 3. Recovery (Recov.) is the percent (%) of analyte recovered from a spiked sample. 4. Calibration Verification (CCV) and Laboratory Control Sample (LCS) results are expressed as the percent (%) recovery of analyte from a known standard or matrix. 5. Reporting Quantitation Limits (RQL), typically at or above the Practical Quantitation Limit (PQL) of the analytical method. 6. Method numbers typically denote USEPA procedures. Less than ("<") values reflect nominal quantitation limits adjusted for any required dilutions. 7. Data Qualifiers are J = analyte potentially present between the PQL and the MDL. B = Analyte detected in associated method blank(s). S1 = MS and/or MSD recovery exceed advisory limits. S2 = Post digestion spike (PDS) recovery exceeds advisory limit. S3 = MS and/or MSD and PDS recoveries exceed advisory limits. P = Precision higher than advisory limit. M = Matrix interference.



3512 Montopolis Drive, Austin, TX 78744 &
2209 N. Padre Island Dr., Corpus Christi, TX 78408
(512) 385-5886 • FAX (512) 385-7411

Client: Environmental Tech Group
Attn: Robert Eidson

Project ID: EO2075 D.A.4
Sample Name: MW-2

Report#/Lab ID#: 150798
Sample Matrix: water

REPORT OF SURROGATE RECOVERY

Surrogate Compound	Method	Recovery	Recovery Limit	Data Qualifiers
1,2-Dichloroethane-d4	8260b	101	80-120	---
Toluene-d8	8260b	104	88-110	---

Data Qualifiers: D= Surrogates diluted and X= Surrogates outside advisory recovery limits.



3512 Montopolis Drive, Austin, TX 78744 &
2209 N. Padre Island Dr., Corpus Christi, TX 78408
(512) 385-5886 • FAX (512) 385-7411

Client: Environmental Tech Group
Attn: Robert Eidson
Address: 2540 W. Marland
Hobbs NM 88240

Phone: 505 397-4882 FAX: 505 397-4701

REPORT OF ANALYSIS

Parameter	Result	Units
Volatile organics-8260b/BTEX	---	
Benzene	18.8	µg/L
Ethylbenzene	1.88	µg/L
m,p-Xylenes	<2	µg/L
o-Xylene	<1	µg/L
Toluene	<1	µg/L

This analytical report is respectfully submitted by AnalySys, Inc. The enclosed results have been carefully reviewed and, to the best of my knowledge, the analytical results are consistent with AnalySys, Inc.'s Quality Assurance/Quality Control Program. © Copyright 2003, AnalySys, Inc., Austin, TX. All rights reserved. No part of this publication may be reproduced or transmitted in any form or by any means without the express written consent of AnalySys, Inc.

Respectfully Submitted,


Richard Elton

Report#/Lab ID#: 150799 Report Date: 12/22/03
Project ID: EO2075 D.A.4
Sample Name: MW-3
Sample Matrix: water
Date Received: 12/12/2003 Time: 15:30
Date Sampled: 12/11/2003 Time: 11:00

QUALITY ASSURANCE DATA¹

Method ⁶	Date	Blank	RQL ⁵	Data Qual ⁷	Prec. ²	Recov. ³	CCV ⁴	LCS ⁴
8260b(5030/5035)	12/19/03		---	---	---	---	---	---
8260b	12/19/03	<1	1	---	5.4	98.7	100.1	100.8
8260b	12/19/03	<1	1	---	2.2	107.2	113.4	105.4
8260b	12/19/03	<2	2	---	1.8	107.7	114.5	105.7
8260b	12/19/03	<1	1	---	4.1	111.8	115.7	109.9
8260b	12/19/03	<1	1	---	6.6	108.3	108.6	111.5

1. Quality assurance data is for the sample batch which included this sample. 2. Precision (PREC) is the absolute value of the relative percent (%) difference between duplicate measurements. 3. Recovery (Recov.) is the percent (%) of analyte recovered from a spiked sample. 4. Calibration Verification (CCV) and Laboratory Control Sample (LCS) results are expressed as the percent (%) recovery of analyte from a known standard or matrix. 5. Reporting Quantitation Limits (RQL), typically at or above the Practical Quantitation Limit (PQL) of the analytical method. 6. Method numbers typically denote USEPA procedures. Less than (" $<$ ") values reflect nominal quantitation limits adjusted for any required dilutions. 7. Data Qualifiers are J = analyte potentially present between the PQL and the MDL, B = Analyte detected in associated method blank(s), S1 = MS and/or MSD recovery exceed advisory limits, S2 = Post digestion spike (PDS) recovery exceeds advisory limit, S3 = MS and/or MSD and PDS recoveries exceed advisory limits, P = Precision higher than advisory limit, M = Matrix interference.



3512 Montopolis Drive, Austin, TX 78744 &
2209 N. Padre Island Dr., Corpus Christi, TX 78408
(512) 385-5886 • FAX (512) 385-7411

Client: Environmental Tech Group
Attn: Robert Eidson

Project ID: EO2075 D.A.4
Sample Name: MW-3

Report#/Lab ID#: 150799
Sample Matrix: water

REPORT OF SURROGATE RECOVERY

Surrogate Compound	Method	Recovery	Recovery Limit	Data Qualifiers
1,2-Dichloroethane-d4	8260b	103	80-120	---
Toluene-d8	8260b	101	88-110	---

Data Qualifiers: D= Surrogates diluted and X= Surrogates outside advisory recovery limits.



3512 Montopolis Drive, Austin, TX 78744 &
2209 N. Padre Island Dr., Corpus Christi, TX 78408
(512) 385-5886 • FAX (512) 385-7411

Client: Environmental Tech Group
Attn: Robert Eidson
Address: 2540 W. Marland
Hobbs NM 88240
Phone: 505 397-4882 FAX: 505 397-4701

Report#/Lab ID#: 150800 Report Date: 12/22/03
Project ID: EO2075 D.A.4
Sample Name: MW-4
Sample Matrix: water
Date Received: 12/12/2003 Time: 15:30
Date Sampled: 12/11/2003 Time: 11:30

REPORT OF ANALYSIS

Parameter	Result	Units	RQL ⁵	Blank	Date	Method ⁶	Data Qual ⁷	Prec. ²	Recov. ³	CCV ⁴	LCS ⁴
Volatile organics-8260b/BTEX	---		---		12/17/03	8260b(5030/5035)	---	---	---	---	---
Benzene	<1	µg/L	1	<1	12/17/03	8260b	---	1.1	99.3	99.3	101.2
Ethylbenzene	<1	µg/L	1	<1	12/17/03	8260b	---	5.5	122.2	116.4	115
m,p-Xylenes	<2	µg/L	2	<2	12/17/03	8260b	---	5.5	115.7	110.8	108.7
o-Xylene	<1	µg/L	1	<1	12/17/03	8260b	---	5.9	120.8	115.4	113.6
Toluene	<1	µg/L	1	<1	12/17/03	8260b	---	3.4	109.5	101	108.1

QUALITY ASSURANCE DATA¹

This analytical report is respectfully submitted by AnalySys, Inc. The enclosed results have been carefully reviewed and, to the best of my knowledge, the analytical results are consistent with AnalySys, Inc.'s Quality Assurance/Quality Control Program. © Copyright 2003, AnalySys, Inc., Austin, TX. All rights reserved. No part of this publication may be reproduced or transmitted in any form or by any means without the express written consent of AnalySys, Inc.

Respectfully Submitted,

Richard Elton

1. Quality assurance data is for the sample batch which included this sample. 2. Precision (PREC) is the absolute value of the relative percent (%) difference between duplicate measurements. 3. Recovery (Recov.) is the percent (%) of analyte recovered from a spiked sample. 4. Calibration Verification (CCV) and Laboratory Control Sample (LCS) results are expressed as the percent (%) recovery of analyte from a known standard or matrix. 5. Reporting Quantitation Limits (RQL), typically at or above the Practical Quantitation Limit (PQL) of the analytical method. 6. Method numbers typically denote USEPA procedures. Less than ("<") values reflect nominal quantitation limits adjusted for any required dilutions. 7. Data Qualifiers are J = analyte potentially present between the PQL and the MDL, B = Analyte detected in associated method blank(s), S1 = MS and/or MSD recovery exceed advisory limits, S2 = Post digestion spike (PDS) recovery exceeds advisory limit, S3 = MS and/or MSD and PDS recoveries exceed advisory limits, P = Precision higher than advisory limit, M = Matrix interference.



3512 Montopolis Drive, Austin, TX 78744 &
2209 N. Padre Island Dr., Corpus Christi, TX 78408
(512) 385-5886 • FAX (512) 385-7411

Client: Environmental Tech Group
Attn: Robert Eidson

Project ID: EO2075 D.A.4
Sample Name: MW-4

Report#/Lab ID#: 150800
Sample Matrix: water

REPORT OF SURROGATE RECOVERY

Surrogate Compound	Method	Recovery	Recovery Limit	Data Qualifiers
1,2-Dichloroethane-d4	8260b	95.8	80-120	---
Toluene-d8	8260b	110	88-110	---

Data Qualifiers: D= Surrogates diluted and X= Surrogates outside advisory recovery limits.



3512 Montopolis Drive, Austin, TX 78744 &
2209 N. Padre Island Dr., Corpus Christi, TX 78408
(512) 385-5886 • FAX (512) 385-7411

Client: Environmental Tech Group
Attn: Robert Eidson
Address: 2540 W. Marland
Hobbs NM 88240
Phone: 505 397-4882 **FAX:** 505 397-4701

Report#/Lab ID#: 150801 **Report Date:** 12/22/03
Project ID: EO2075 D.A.4
Sample Name: MW-5
Sample Matrix: water
Date Received: 12/12/2003 **Time:** 15:30
Date Sampled: 12/11/2003 **Time:** 12:00

REPORT OF ANALYSIS

Parameter	Result	Units	RQL ⁵	Blank	Date	Method ⁶	Data Qual ⁷	Prec. ²	Recov. ³	CCV ⁴	LCS ⁴
Volatiles organics-8260b/BTEX	---		---		12/17/03	8260b(5030/5035)	---	---	---	---	---
Benzene	<1	µg/L	1	<1	12/17/03	8260b	---	1.1	99.3	99.3	101.2
Ethylbenzene	<1	µg/L	1	<1	12/17/03	8260b	---	5.5	122.2	116.4	115
m,p-Xylenes	<2	µg/L	2	<2	12/17/03	8260b	---	5.5	115.7	110.8	108.7
o-Xylene	<1	µg/L	1	<1	12/17/03	8260b	---	5.9	120.8	115.4	113.6
Toluene	<1	µg/L	1	<1	12/17/03	8260b	---	3.4	109.5	101	108.1


QUALITY ASSURANCE DATA¹

This analytical report is respectfully submitted by AnalySys, Inc. The enclosed results have been carefully reviewed and, to the best of my knowledge, the analytical results are consistent with AnalySys, Inc.'s Quality Assurance/Quality Control Program. © Copyright 2003, AnalySys, Inc., Austin, TX. All rights reserved. No part of this publication may be reproduced or transmitted in any form or by any means without the express written consent of AnalySys, Inc.

Respectfully Submitted,


Richard Elton

1. Quality assurance data is for the sample batch which included this sample. 2. Precision (PREC) is the absolute value of the relative percent (%) difference between duplicate measurements. 3. Recovery (Recov.) is the percent (%) of analyte recovered from a spiked sample. 4. Calibration Verification (CCV) and Laboratory Control Sample (LCS) results are expressed as the percent (%) recovery of analyte from a known standard or matrix. 5. Reporting Quantitation Limits (RQL), typically at or above the Practical Quantitation Limit (PQL) of the analytical method. 6. Method numbers typically denote USEPA procedures. Less than (" $<$ ") values reflect nominal quantitation limits adjusted for any required dilutions. 7. Data Qualifiers are J = analyte potentially present between the PQL and the MDL. B = Analyte detected in associated method blank(s). S1 = MS and/or MSD recovery exceed advisory limits. S2 = Post digestion spike (PDS) recovery exceeds advisory limit. S3 = MS and/or MSD and PDS recoveries exceed advisory limits. P = Precision higher than advisory limit. M = Matrix interference.



3512 Montopolis Drive, Austin, TX 78744 &
2209 N. Padre Island Dr., Corpus Christi, TX 78408
(512) 385-5886 • FAX (512) 385-7411

Client: Environmental Tech Group Attn: Robert Eidson	Project ID: EO2075 D.A.4 Sample Name: MW-5	Report#/Lab ID#: 150801 Sample Matrix: water
---	---	---

REPORT OF SURROGATE RECOVERY

Surrogate Compound	Method	Recovery	Recovery Limit	Data Qualifiers
1,2-Dichloroethane-d4	8260b	91.9	80-120	---
Toluene-d8	8260b	108	88-110	---

Data Qualifiers: D= Surrogates diluted and X= Surrogates outside advisory recovery limits.



3512 Montopolis Drive, Austin, TX 78744 &
2209 N. Padre Island Dr., Corpus Christi, TX 78408
(512) 385-5886 • FAX (512) 385-7411

Client: Environmental Tech Group
Attn: Robert Eidson
Address: 2540 W. Marland
Hobbs NM 88240

Phone: 505 397-4882 **FAX:** 505 397-4701

Report#/Lab ID#: 150802 **Report Date:** 12/22/03
Project ID: EO2075 D.A.4
Sample Name: MW-7
Sample Matrix: water
Date Received: 12/12/2003 **Time:** 15:30
Date Sampled: 12/11/2003 **Time:** 12:30


REPORT OF ANALYSIS

Parameter	Result	Units	RQL ⁵	Blank	Date	Method ⁶	Data Qual ⁷	Prec. ²	Recov. ³	CCV ⁴	LCS ⁴
Volatiles organics-8260b/BTEX	---		---		12/17/03	8260b(5030/5035)	---	---	---	---	---
Benzene	<1	µg/L	1	<1	12/17/03	8260b	---	1.1	99.3	99.3	101.2
Ethylbenzene	<1	µg/L	1	<1	12/17/03	8260b	---	5.5	122.2	116.4	115
m,p-Xylenes	<2	µg/L	2	<2	12/17/03	8260b	---	5.5	115.7	110.8	108.7
o-Xylene	<1	µg/L	1	<1	12/17/03	8260b	---	5.9	120.8	115.4	113.6
Toluene	<1	µg/L	1	<1	12/17/03	8260b	---	3.4	109.5	101	108.1

QUALITY ASSURANCE DATA¹

This analytical report is respectfully submitted by AnalySys, Inc. The enclosed results have been carefully reviewed and, to the best of my knowledge, the analytical results are consistent with AnalySys, Inc.'s Quality Assurance/Quality Control Program. © Copyright 2003, AnalySys, Inc., Austin, TX. All rights reserved. No part of this publication may be reproduced or transmitted in any form or by any means without the express written consent of AnalySys, Inc.

Respectfully Submitted,


Richard Elton

1. Quality assurance data is for the sample batch which included this sample. 2. Precision (PREC) is the absolute value of the relative percent (%) difference between duplicate measurements. 3. Recovery (Recov.) is the percent (%) of analyte recovered from a spiked sample. 4. Calibration Verification (CCV) and Laboratory Control Sample (LCS) results are expressed as the percent (%) recovery of analyte from a known standard or matrix. 5. Reporting Quantitation Limits (RQL), typically at or above the Practical Quantitation Limit (PQL) of the analytical method. 6. Method numbers typically denote USEPA procedures. Less than (" $<$ ") values reflect nominal quantitation limits adjusted for any required dilutions. 7. Data Qualifiers are J = analyte potentially present between the PQL and the MDL. B = Analyte detected in associated method blank(s). S1 = MS and/or MSD recovery exceed advisory limits. S2 = Post digestion spike (PDS) recovery exceeds advisory limit. S3 = MS and/or MSD and PDS recoveries exceed advisory limits. P = Precision higher than advisory limit. M = Matrix interference.



3512 Montopolis Drive, Austin, TX 78744 &
2209 N. Padre Island Dr., Corpus Christi, TX 78408
(512) 385-5886 • FAX (512) 385-7411

Client: Environmental Tech Group
Attn: Robert Eidson

Project ID: EO2075 D.A.4
Sample Name: MW-7

Report#/Lab ID#: 150802
Sample Matrix: water

REPORT OF SURROGATE RECOVERY

Surrogate Compound	Method	Recovery	Recovery Limit	Data Qualifiers
1,2-Dichloroethane-d4	8260b	93.9	80-120	---
Toluene-d8	8260b	110	88-110	---

Data Qualifiers: D = Surrogates diluted and X = Surrogates outside advisory recovery limits.



3512 Montopolis Drive, Austin, TX 78744 &
2209 N. Padre Island Dr., Corpus Christi, TX 78408
(512) 385-5886 • FAX (512) 385-7411

Client: Environmental Tech Group
Attn: Robert Eidson
Address: 2540 W. Marland
Hobbs NM 88240

Phone: 505 397-4882 FAX: 505 397-4701

Report#/Lab ID#: 150803 Report Date: 12/22/03
Project ID: EO2075 D.A.4
Sample Name: MW-9
Sample Matrix: water
Date Received: 12/12/2003 Time: 15:30
Date Sampled: 12/11/2003 Time: 13:00

REPORT OF ANALYSIS

Parameter	Result	Units	RQL ⁵	Blank	Date	Method ⁶	Data Qual ⁷	Prec. ²	Recov. ³	CCV ⁴	LCS ⁴
Volatile organics-8260b/BTEX	---		---		12/17/03	8260b(5030/5035)	---	---	---	---	---
Benzene	<1	µg/L	1	<1	12/17/03	8260b	---	1.1	99.3	99.3	101.2
Ethylbenzene	<1	µg/L	1	<1	12/17/03	8260b	---	5.5	122.2	116.4	115
m,p-Xylenes	<2	µg/L	2	<2	12/17/03	8260b	---	5.5	115.7	110.8	108.7
o-Xylene	<1	µg/L	1	<1	12/17/03	8260b	---	5.9	120.8	115.4	113.6
Toluene	<1	µg/L	1	<1	12/17/03	8260b	---	3.4	109.5	101	108.1

QUALITY ASSURANCE DATA¹

This analytical report is respectfully submitted by AnalySys, Inc. The enclosed results have been carefully reviewed and, to the best of my knowledge, the analytical results are consistent with AnalySys, Inc.'s Quality Assurance/Quality Control Program. © Copyright 2003, AnalySys, Inc., Austin, TX. All rights reserved. No part of this publication may be reproduced or transmitted in any form or by any means without the express written consent of AnalySys, Inc.

Respectfully Submitted,

Richard Elton

1. Quality assurance data is for the sample batch which included this sample. 2. Precision (PREC) is the absolute value of the relative percent (%) difference between duplicate measurements. 3. Recovery (Recov.) is the percent (%) of analyte recovered from a spiked sample. 4. Calibration Verification (CCV) and Laboratory Control Sample (LCS) results are expressed as the percent (%) recovery of analyte from a known standard or matrix. 5. Reporting Quantitation Limits (RQL), typically at or above the Practical Quantitation Limit (PQL) of the analytical method. 6. Method numbers typically denote USEPA procedures. Less than ("<") values reflect nominal quantitation limits adjusted for any required dilutions. 7. Data Qualifiers are J = analyte potentially present between the PQL and the MDL. B = Analyte detected in associated method blank(s). S1 = MS and/or MSD recovery exceed advisory limits. S2 = Post digestion spike (PDS) recovery exceeds advisory limit. S3 = MS and/or MSD and PDS recoveries exceed advisory limits. P = Precision higher than advisory limit. M = Matrix interference.



3512 Montopolis Drive, Austin, TX 78744 &
2209 N. Padre Island Dr., Corpus Christi, TX 78408
(512) 385-5886 • FAX (512) 385-7411

Client: Environmental Tech Group
Attn: Robert Eidson


Project ID: EO2075 D.A.4
Sample Name: MW-9

Report#/Lab ID#: 150803
Sample Matrix: water

REPORT OF SURROGATE RECOVERY

Surrogate Compound	Method	Recovery	Recovery Limit	Data Qualifiers
1,2-Dichloroethane-d4	8260b	90.9	80-120	---
Toluene-d8	8260b	107	88-110	---

Data Qualifiers: D= Surrogates diluted and X= Surrogates outside advisory recovery limits.



3512 Montopolis Drive, Austin, TX 78744 &
2209 N. Padre Island Dr., Corpus Christi, TX 78408
(512) 385-5886 • FAX (512) 385-7411

Client: Environmental Tech Group
Attn: Robert Eidson
Address: 2540 W. Marland
Hobbs NM 88240
Phone: 505 397-4882 **FAX:** 505 397-4701

Report#/Lab ID#: 150804 **Report Date:** 12/22/03
Project ID: E02075 D.A.4
Sample Name: MW-10
Sample Matrix: water
Date Received: 12/12/2003 **Time:** 15:30
Date Sampled: 12/11/2003 **Time:** 13:30

REPORT OF ANALYSIS


Parameter	Result	Units
Volatiles organics-8260b/BTEX	---	
Benzene	47.9	µg/L
Ethylbenzene	3.85	µg/L
m,p-Xylenes	<2	µg/L
o-Xylene	<1	µg/L
Toluene	<1	µg/L

QUALITY ASSURANCE DATA¹

Method ⁶	Date	Blank	RQL ⁵	Data Qual ⁷	Prec. ²	Recov. ³	CCV ⁴	LCS ⁴
8260b(5030/5035)	12/19/03		---	---	---	---	---	---
8260b	12/19/03	<1	1	---	5.4	98.7	100.1	100.8
8260b	12/19/03	<1	1	---	2.2	107.2	113.4	105.4
8260b	12/19/03	<2	2	---	1.8	107.7	114.5	105.7
8260b	12/19/03	<1	1	---	4.1	111.8	115.7	109.9
8260b	12/19/03	<1	1	---	6.6	108.3	108.6	111.5

This analytical report is respectfully submitted by AnalySys, Inc. The enclosed results have been carefully reviewed and, to the best of my knowledge, the analytical results are consistent with AnalySys, Inc.'s Quality Assurance/Quality Control Program. © Copyright 2003, AnalySys, Inc., Austin, TX. All rights reserved. No part of this publication may be reproduced or transmitted in any form or by any means without the express written consent of AnalySys, Inc.

Respectfully Submitted,


Richard Elton

1. Quality assurance data is for the sample batch which included this sample. 2. Precision (PREC) is the absolute value of the relative percent (%) difference between duplicate measurements. 3. Recovery (Recov.) is the percent (%) of analyte recovered from a spiked sample. 4. Calibration Verification (CCV) and Laboratory Control Sample (LCS) results are expressed as the percent (%) recovery of analyte from a known standard or matrix. 5. Reporting Quantitation Limits (RQL), typically at or above the Practical Quantitation Limit (PQL) of the analytical method. 6. Method numbers typically denote USEPA procedures. Less than (<) values reflect nominal quantitation limits adjusted for any required dilutions. 7. Data Qualifiers are J = MS and/or MSD recovery exceed advisory limits. S2 = Post digestion spike (PDS) recovery exceeds advisory limit. S3 = MS and/or MSD and PDS recoveries exceed advisory limits. P = Precision higher than advisory limit. M = Matrix interference.



3512 Montopolis Drive, Austin, TX 78744 &
2209 N. Padre Island Dr., Corpus Christi, TX 78408
(512) 385-5886 • FAX (512) 385-7411

Client: Environmental Tech Group	Project ID: EO2075 D.A.4	Report#/Lab ID#: 150804
Attn: Robert Eidson	Sample Name: MW-10	Sample Matrix: water

REPORT OF SURROGATE RECOVERY

Surrogate Compound	Method	Recovery	Recovery Limit	Data Qualifiers
1,2-Dichloroethane-d4	8260b	104	80-120	---
Toluene-d8	8260b	98.3	88-110	---

Data Qualifiers: D= Surrogates diluted and X= Surrogates outside advisory recovery limits.



3512 Montopolis Drive, Austin, TX 78744 &
2209 N. Padre Island Dr., Corpus Christi, TX 78408
(512) 385-5886 • FAX (512) 385-7411

Client: Environmental Tech Group

Attn: Robert Eidson

Address: 2540 W. Marland

Hobbs

NM 88240

Phone: 505 397-4882

FAX: 505 397-4701

Report#/Lab ID#: 150805

Report Date: 12/22/03

Project ID: EO2075 D.A.4

Sample Name: MW-11

Sample Matrix: water

Date Received: 12/12/2003

Time: 15:30

Date Sampled: 12/11/2003

Time: 14:00


REPORT OF ANALYSIS

Parameter	Result	Units	RQL ⁵	Blank	Date	Method ⁶	Data Qual ⁷	Prec. ²	Recov. ³	CCV ⁴	LCS ⁴
Volatile organics-8260b/BTEX											
Benzene	<1	µg/L	1	<1	12/17/03	8260b	---	1.1	99.3	99.3	101.2
Ethylbenzene	<1	µg/L	1	<1	12/17/03	8260b	---	5.5	122.2	116.4	115
m,p-Xylenes	<2	µg/L	2	<2	12/17/03	8260b	---	5.5	115.7	110.8	108.7
o-Xylene	<1	µg/L	1	<1	12/17/03	8260b	---	5.9	120.8	115.4	113.6
Toluene	<1	µg/L	1	<1	12/17/03	8260b	---	3.4	109.5	101	108.1

QUALITY ASSURANCE DATA¹

This analytical report is respectfully submitted by AnalySys, Inc. The enclosed results have been carefully reviewed and, to the best of my knowledge, the analytical results are consistent with AnalySys, Inc.'s Quality Assurance/Quality Control Program. © Copyright 2003, AnalySys, Inc., Austin, TX. All rights reserved. No part of this publication may be reproduced or transmitted in any form or by any means without the express written consent of AnalySys, Inc.

Respectfully Submitted,


Richard Elton

1. Quality assurance data is for the sample batch which included this sample. 2. Precision (PREC) is the absolute value of the relative percent (%) difference between duplicate measurements. 3. Recovery (Recov.) is the percent (%) of analyte recovered from a spiked sample. 4. Calibration Verification (CCV) and Laboratory Control Sample (LCS) results are expressed as the percent (%) recovery of analyte from a known standard or matrix. 5. Reporting Quantitation Limits (RQL), typically at or above the Practical Quantitation Limit (PQL) of the analytical method. 6. Method numbers typically denote USEPA procedures. Less than ("<") values reflect nominal quantitation limits adjusted for any required dilutions. 7. Data Qualifiers are J = analyte potentially present between the PQL and the MDL, B = Analyte detected in associated method blank(s). S1 = MS and/or MSD recovery exceed advisory limits. S2 = Post digestion spike (PDS) recovery exceeds advisory limit. S3 = MS and/or MSD and PDS recoveries exceed advisory limits. P = Precision higher than advisory limit. M = Matrix interference.



3512 Montopolis Drive, Austin, TX 78744 &
2209 N. Padre Island Dr., Corpus Christi, TX 78408
(512) 385-5886 • FAX (512) 385-7411

Client: Environmental Tech Group
Attn: Robert Eidson

Project ID: EO2075 D.A.4
Sample Name: MW-11

Report#/Lab ID#: 150805
Sample Matrix: water

REPORT OF SURROGATE RECOVERY

Surrogate Compound	Method	Recovery	Recovery Limit	Data Qualifiers
1,2-Dichloroethane-d4	8260b	92.1	80-120	---
Toluene-d8	8260b	110	88-110	---

Data Qualifiers: D= Surrogates diluted and X= Surrogates outside advisory recovery limits.



3512 Montopolis Drive, Austin, TX 78744 &
2209 N. Padre Island Dr., Corpus Christi, TX 78408
(512) 385-5886 • FAX (512) 385-7411

Client: Environmental Tech Group
Attn: Robert Eidson
Address: 2540 W. Marland
Hobbs NM 88240
Phone: 505 397-4882 **FAX:** 505 397-4701

Report#/Lab ID#: 150806 **Report Date:** 12/22/03
Project ID: EO2075 D.A.4
Sample Name: MW-12
Sample Matrix: water
Date Received: 12/12/2003 **Time:** 15:30
Date Sampled: 12/11/2003 **Time:** 14:30


REPORT OF ANALYSIS

Parameter	Result	Units	RQL ⁵	Blank	Date	Method ⁶	Data Qual ⁷	Prec. ²	Recov. ³	CCV ⁴	LCS ⁴
Volatile organics-8260b/BTEX	---		---		12/18/03	8260b(5030/5035)	---	---	---	---	---
Benzene	<1	µg/L	1	<1	12/18/03	8260b	---	1.1	99.3	99.3	101.2
Ethylbenzene	<1	µg/L	1	<1	12/18/03	8260b	---	5.5	122.2	116.4	115
m,p-Xylenes	<2	µg/L	2	<2	12/18/03	8260b	---	5.5	115.7	110.8	108.7
o-Xylene	<1	µg/L	1	<1	12/18/03	8260b	---	5.9	120.8	115.4	113.6
Toluene	<1	µg/L	1	<1	12/18/03	8260b	---	3.4	109.5	101	108.1


QUALITY ASSURANCE DATA¹

This analytical report is respectfully submitted by AnalySys, Inc. The enclosed results have been carefully reviewed and, to the best of my knowledge, the analytical results are consistent with AnalySys, Inc.'s Quality Assurance/Quality Control Program. © Copyright 2003, AnalySys, Inc., Austin, TX. All rights reserved. No part of this publication may be reproduced or transmitted in any form or by any means without the express written consent of AnalySys, Inc.

Respectfully Submitted,


Richard Elton

1. Quality assurance data is for the sample batch which included this sample. 2. Precision (PREC) is the absolute value of the relative percent (%) difference between duplicate measurements. 3. Recovery (Recov.) is the percent (%) of analyte recovered from a spiked sample. 4. Calibration Verification (CCV) and Laboratory Control Sample (LCS) results are expressed as the percent (%) recovery of analyte from a known standard or matrix. 5. Reporting Quantitation Limits (RQL), typically at or above the Practical Quantitation Limit (PQL) of the analytical method. 6. Method numbers typically denote USEPA procedures. Less than ("<") values reflect nominal quantitation limits adjusted for any required dilutions. 7. Data Qualifiers are J = analyte potentially present between the PQL and the MDL. B = Analyte detected in associated method blank(s). S1 = MS and/or MSD recovery exceed advisory limits. S2 = Post digestion spike (PDS) recovery exceeds advisory limit. S3 = MS and/or MSD and PDS recoveries exceed advisory limits. P = Precision higher than advisory limit. M = Matrix interference.



3512 Montopolis Drive, Austin, TX 78744 &
2209 N. Padre Island Dr., Corpus Christi, TX 78408
(512) 385-5886 • FAX (512) 385-7411

Client: Environmental Tech Group
Attn: Robert Eidson

Project ID: EO2075 D.A.4
Sample Name: MW-12

Report#/Lab ID#: 150806
Sample Matrix: water

REPORT OF SURROGATE RECOVERY

Surrogate Compound	Method	Recovery	Recovery Limit	Data Qualifiers
1,2-Dichloroethane-d4	8260b	90	80-120	---
Toluene-d8	8260b	107	88-110	---

Data Qualifiers: D= Surrogates diluted and X= Surrogates outside advisory recovery limits.

3512 Montopolis Drive, Austin, TX 78744 &
2209 N. Padre Island Dr., Corpus Christi, TX 78408
(512) 385-5886 • FAX (512) 385-7411

Client: Environmental Tech Group
Attn: Robert Eidson
Address: 2540 W. Marland
Hobbs NM 88240
Phone: 505 397-4882 **FAX:** 505 397-4701

Report#/Lab ID#: 150807 **Report Date:** 12/22/03
Project ID: EO2075 D.A.4
Sample Name: MW-13
Sample Matrix: water
Date Received: 12/12/2003 **Time:** 15:30
Date Sampled: 12/11/2003 **Time:** 15:00


REPORT OF ANALYSIS

Parameter	Result	Units	RQL ⁵	Blank	Date	Method ⁶	Data Qual ⁷	Prec. ²	Recov. ³	CCV ⁴	LCS ⁴
Volatile organics-8260b/BTEX	---		---		12/18/03	8260b(5030/5035)	---	---	---	---	---
Benzene	<1	µg/L	1	<1	12/18/03	8260b	---	1.1	99.3	99.3	101.2
Ethylbenzene	<1	µg/L	1	<1	12/18/03	8260b	---	5.5	122.2	116.4	115
m,p-Xylenes	<2	µg/L	2	<2	12/18/03	8260b	---	5.5	115.7	110.8	108.7
o-Xylene	<1	µg/L	1	<1	12/18/03	8260b	---	5.9	120.8	115.4	113.6
Toluene	<1	µg/L	1	<1	12/18/03	8260b	---	3.4	109.5	101	108.1

QUALITY ASSURANCE DATA¹

This analytical report is respectfully submitted by AnalySys, Inc. The enclosed results have been carefully reviewed and, to the best of my knowledge, the analytical results are consistent with AnalySys, Inc.'s Quality Assurance/Quality Control Program. © Copyright 2003, AnalySys, Inc., Austin, TX. All rights reserved. No part of this publication may be reproduced or transmitted in any form or by any means without the express written consent of AnalySys, Inc.

Respectfully Submitted,


Richard Elton

1. Quality assurance data is for the sample batch which included this sample. 2. Precision (PREC) is the absolute value of the relative percent (%) difference between duplicate measurements. 3. Recovery (Recov.) is the percent (%) of analyte recovered from a spiked sample. 4. Calibration Verification (CCV) and Laboratory Control Sample (LCS) results are expressed as the percent (%) recovery of analyte from a known standard or matrix. 5. Reporting Quantitation Limits (RQL), typically at or above the Practical Quantitation Limit (PQL) of the analytical method. 6. Method numbers typically denote USEPA procedures. Less than ("<") values reflect nominal quantitation limits adjusted for any required dilutions. 7. Data Qualifiers are J = analyte potentially present between the PQL and the MDL. B = Analyte detected in associated method blank(s). S1 =MS and/or MSD recovery exceeds advisory limits. S2 =Post digestion spike (PDS) recovery exceeds advisory limit. S3 =MS and/or MSD and PDS recoveries exceed advisory limits. P =Precision higher than advisory limit. M =Matrix interference.



3512 Montopolis Drive, Austin, TX 78744 &
2209 N. Padre Island Dr., Corpus Christi, TX 78408
(512) 385-5886 • FAX (512) 385-7411

Client: Environmental Tech Group
Attn: Robert Eidson

Project ID: EO2075 D.A.4
Sample Name: MW-13

Report#/Lab ID#: 150807
Sample Matrix: water

REPORT OF SURROGATE RECOVERY

Surrogate Compound	Method	Recovery	Recovery Limit	Data Qualifiers
1,2-Dichloroethane-d4	8260b	89.8	80-120	---
Toluene-d8	8260b	110	88-110	---

Data Qualifiers: D= Surrogates diluted and X= Surrogates outside advisory recovery limits.



3512 Montopolis Drive, Austin, TX 78744 &
2209 N. Padre Island Dr., Corpus Christi, TX 78408
(512) 385-5886 • FAX (512) 385-7411

Client: Environmental Tech Group
Attn: Robert Eidson
Address: 2540 W. Marland
Hobbs

NM 88240

Phone: 505 397-4882 FAX: 505 397-4701

Report#/Lab ID#: 150808 Report Date: 12/22/03
Project ID: EO2075 D.A.4
Sample Name: MW-14
Sample Matrix: water
Date Received: 12/12/2003 Time: 15:30
Date Sampled: 12/11/2003 Time: 15:30


REPORT OF ANALYSIS

Parameter	Result	Units	RQL ⁵	Blank	Date	Method ⁶	Data Qual ⁷	Prec. ²	Recov. ³	CCV ⁴	LCS ⁴
Volatiles organics-8260b/BTEX			---		12/18/03	8260b(5030/5035)	---	---	---	---	---
Benzene	3.99	µg/L	10	<10	12/18/03	8260b	---	1.1	99.3	99.3	101.2
Ethylbenzene	<1	µg/L	1	<1	12/18/03	8260b	J	5.5	122.2	116.4	115
m,p-Xylenes	3.5	µg/L	2	<2	12/18/03	8260b	---	5.5	115.7	110.8	108.7
o-Xylene	<1	µg/L	1	<1	12/18/03	8260b	---	5.9	120.8	115.4	113.6
Toluene	<1	µg/L	1	<1	12/18/03	8260b	---	3.4	109.5	101	108.1

QUALITY ASSURANCE DATA¹

This analytical report is respectfully submitted by AnalySys, Inc. The enclosed results have been carefully reviewed and, to the best of my knowledge, the analytical results are consistent with AnalySys, Inc.'s Quality Assurance/Quality Control Program. © Copyright 2003, AnalySys, Inc., Austin, TX. All rights reserved. No part of this publication may be reproduced or transmitted in any form or by any means without the express written consent of AnalySys, Inc.

Respectfully Submitted,


Richard Elton

1. Quality assurance data is for the sample batch which included this sample. 2. Precision (PREC) is the absolute value of the relative percent (%) difference between duplicate measurements. 3. Recovery (Recov.) is the percent (%) of analyte recovered from a spiked sample. 4. Calibration Verification (CCV) and Laboratory Control Sample (LCS) results are expressed as the percent (%) recovery of analyte from a known standard or matrix. 5. Reporting Quantitation Limits (RQL), typically at or above the Practical Quantitation Limit (PQL) of the analytical method. 6. Method numbers typically denote USEPA procedures. Less than (" $<$ ") values reflect nominal quantitation limits adjusted for any required dilutions. 7. Data Qualifiers are J = analyte potentially present between the PQL and the MDL. B = Analyte detected in associated method blank(s). S1 =MS and/or MSD recovery exceed advisory limits. S2 =Post digestion spike (PDS) recovery exceeds advisory limit. S3 =MS and/or MSD and PDS recoveries exceed advisory limits. P =Precision higher than advisory limit. M =Matrix interference.



3512 Montopolis Drive, Austin, TX 78744 &
2209 N. Padre Island Dr., Corpus Christi, TX 78408
(512) 385-5886 • FAX (512) 385-7411

Client: Environmental Tech Group Attn: Robert Eidson	Project ID: EO2075 D.A.4 Sample Name: MW-14	Report#/Lab ID#: 150808 Sample Matrix: water
---	--	---

REPORT OF SURROGATE RECOVERY

Surrogate Compound	Method	Recovery	Recovery Limit	Data Qualifiers
1,2-Dichloroethane-d4	8260b	92.4	80-120	---
Toluene-d8	8260b	107	88-110	---

Data Qualifiers: D= Surrogates diluted and X= Surrogates outside advisory recovery limits.

Exceptions Report:

Report #/Lab ID#: 150808	Matrix: water	Attn: Robert Eidson
Client: Environmental Tech Group		
Project ID: EO2075 D.A.4		
Sample Name: MW-14		

Sample Temperature/Condition <=6°C

The typical sample temperature criteria (except for metals by ICP, GFAA and AA and a very few other tests) is <= 6°C. Possible exceptions include samples submitted to laboratory within such a short time after sampling that cooling measures used in the field and during transport had insufficient time to achieve desired temperatures in the samples (see sample collection and sample receipt times) and samples where the temperature could not be measured due to sample submission in a manner precluding temperature measurement without impacting sample integrity (ex. in a bottle with no cooler).

Sample Bottles & Preservation

- ☒ Sample received in appropriate container(s) and appear to be appropriately preserved.
- ☐ Sample received in appropriate container(s). State of sample preservation unknown.
- ☐ Sample received in inappropriate container(s) and/or with unknown state of preservation.

J flag Discussion

A J flag data qualifier indicates (as required under TCEQ-TRRP reporting requirements) that the raw calculated analyte concentration in the sample (uncorrected for background levels/blanks and other potential sources of sampling and analytical contamination), though less than the Reported Quantitation Limit (ROL) is greater than the Detection Limit. Because the reported result is below the quantitation limit for this project/sample (or test procedure), GC/MS organics results may or MAY NOT have been verified as to the presence and relative ratio of target ions (eg. the material causing the J flag "hit" in such situations may be nothing more than background ion-fragment noise.)

Comments pertaining to Data Qualifiers and QC data:

Parameter	Qualif	Comment
Ethylbenzene	J	See J-flag discussion above.

Notes:



3512 Montopolis Drive, Austin, TX 78744 &
2209 N. Padre Island Dr., Corpus Christi, TX 78408
(512) 385-5886 • FAX (512) 385-7411

Client: Environmental Tech Group
Attn: Robert Eidson
Address: 2540 W. Marland
Hobbs NM 88240
Phone: 505 397-4882 FAX: 505 397-4701

Report#/Lab ID#: 150809 Report Date: 12/22/03
Project ID: EO2075 D.A.4
Sample Name: RW-5
Sample Matrix: water
Date Received: 12/12/2003 Time: 15:30
Date Sampled: 12/11/2003 Time: 16:30

REPORT OF ANALYSIS

Parameter	Result	Units	RQL ⁵	Blank	Date	Method ⁶	Data Qual ⁷	Prec. ²	Recov. ³	CCV ⁴	LCS ⁴
Volatiles organics-8260b/BTEX	---		---		12/18/03	8260b(5030/5035)	---	---	---	---	---
Benzene	10.9	µg/L	1	<1	12/18/03	8260b	---	1.1	99.3	99.3	101.2
Ethylbenzene	2.19	µg/L	1	<1	12/18/03	8260b	---	5.5	122.2	116.4	115
m,p-Xylenes	4.92	µg/L	2	<2	12/18/03	8260b	---	5.5	115.7	110.8	108.7
o-Xylene	5.18	µg/L	1	<1	12/18/03	8260b	---	5.9	120.8	115.4	113.6
Toluene	<1	µg/L	1	<1	12/18/03	8260b	---	3.4	109.5	101	108.1

QUALITY ASSURANCE DATA¹

This analytical report is respectfully submitted by AnalySys, Inc. The enclosed results have been carefully reviewed and, to the best of my knowledge, the analytical results are consistent with AnalySys, Inc.'s Quality Assurance/Quality Control Program. © Copyright 2003, AnalySys, Inc., Austin, TX. All rights reserved. No part of this publication may be reproduced or transmitted in any form or by any means without the express written consent of AnalySys, Inc.

Respectfully Submitted,


Richard Elton

1. Quality assurance data is for the sample batch which included this sample. 2. Precision (PREC) is the absolute value of the relative percent (%) difference between duplicate measurements. 3. Recovery (Recov.) is the percent (%) of analyte recovered from a spiked sample. 4. Calibration Verification (CCV) and Laboratory Control Sample (LCS) results are expressed as the percent (%) recovery of analyte from a known standard or matrix. 5. Reporting Quantitation Limits (RQL), typically at or above the Practical Quantitation Limit (PQL) of the analytical method. 6. Method numbers typically denote USEPA procedures. Less than ("<") values reflect nominal quantitation limits adjusted for any required dilutions. 7. Data Qualifiers are J = analyte potentially present between the PQL and the MDL, B = Analyte detected in associated method blank(s), S1 = MS and/or MSD recovery exceed advisory limits, S2 = Post digestion spike (PDS) recovery exceeds advisory limit, S3 = MS and/or MSD and PDS recoveries exceed advisory limits, P = Precision higher than advisory limit, M = Matrix interference.



3512 Montopolis Drive, Austin, TX 78744 &
2209 N. Padre Island Dr., Corpus Christi, TX 78408
(512) 385-5886 • FAX (512) 385-7411

Client: Environmental Tech Group
Attn: Robert Eidson

Project ID: EO2075 D.A.4
Sample Name: RW-5

Report#/Lab ID#: 150809
Sample Matrix: water

REPORT OF SURROGATE RECOVERY

Surrogate Compound	Method	Recovery	Recovery Limit	Data Qualifiers
1,2-Dichloroethane-d4	8260b	90.4	80-120	---
Toluene-d8	8260b	100	88-110	---

Data Qualifiers: D= Surrogates diluted and X= Surrogates outside advisory recovery limits.

Send Reports To:

BIT To (if different):

Company Name Environmental Technology Group, Inc.
Address 2540 W. Norland
City Holbrook State N.M. Zip 88240
ATTN: Robert Eidson
Phone (505) 397-4982 Fax (505) 397-4701
Project Name/ID# CO 2075 O.A. 4 Sampler Justin Frisk

Company Name **Link Energy** Address _____
 City _____ State _____ Zip _____
 ATTN: _____
 Phone _____ Fax _____

3512 Montecito Drive, Austin, TX
87411b (512) 485-5886 Fax: (512) 485-
5111

2200 St. Pabe Island Pk., Ste K, Corpus
Christi, TX 78408 Ph: (361) 290-6384
Fax: (361) 290-0375

Samples/projects intended for TCEQ-TRRP completion require special handling, QC requirements and pricing. To Be successfully completed such projects should be identified and discussed prior to receipt and **MUST BE IDENTIFIED** on this "Chain-of-Custody under "special instructions".

Client Sample No. Description/Identification	Date Sampled	Time Sampled	No. of Containers Shipped	Grab	Composite	Lab I.D. # (Lab Only)	
mw-1	12-11-03	10:00	2			150797	
mw-2		10:30	2			150798	
mw-3		11:00	2			150799	
mw-4		11:30	2			150800	
mw-5		12:00	2			150801	
mw-7		12:30	2			150802	
mw-9		1:00	2			150803	
mw-10		1:30	2			150804	
mw-11		2:00	2			150805	
mw-12		2:30	2			150806	

Special instructions (such as special QC, requirements, lists, methods, etc...)

[illegible]

1590-1611
 1612-1613
 1614-1615
 1616-1617
 1618-1619
 1620-1621
 1622-1623
 1624-1625
 1626-1627
 1628-1629
 1630-1631
 1632-1633
 1634-1635
 1636-1637
 1638-1639
 1640-1641
 1642-1643
 1644-1645
 1646-1647
 1648-1649
 1650-1651
 1652-1653
 1654-1655
 1656-1657
 1658-1659
 1660-1661
 1662-1663
 1664-1665
 1666-1667
 1668-1669
 1670-1671
 1672-1673
 1674-1675
 1676-1677
 1678-1679
 1680-1681
 1682-1683
 1684-1685
 1686-1687
 1688-1689
 1690-1691
 1692-1693
 1694-1695
 1696-1697
 1698-1699
 1700-1701
 1702-1703
 1704-1705
 1706-1707
 1708-1709
 1710-1711
 1712-1713
 1714-1715
 1716-1717
 1718-1719
 1720-1721
 1722-1723
 1724-1725
 1726-1727
 1728-1729
 1730-1731
 1732-1733
 1734-1735
 1736-1737
 1738-1739
 1740-1741
 1742-1743
 1744-1745
 1746-1747
 1748-1749
 1750-1751
 1752-1753
 1754-1755
 1756-1757
 1758-1759
 1760-1761
 1762-1763
 1764-1765
 1766-1767
 1768-1769
 1770-1771
 1772-1773
 1774-1775
 1776-1777
 1778-1779
 1780-1781
 1782-1783
 1784-1785
 1786-1787
 1788-1789
 1790-1791
 1792-1793
 1794-1795
 1796-1797
 1798-1799
 1800-1801
 1802-1803
 1804-1805
 1806-1807
 1808-1809
 1810-1811
 1812-1813
 1814-1815
 1816-1817
 1818-1819
 1820-1821
 1822-1823
 1824-1825
 1826-1827
 1828-1829
 1830-1831
 1832-1833
 1834-1835
 1836-1837
 1838-1839
 1840-1841
 1842-1843
 1844-1845
 1846-1847
 1848-1849
 1850-1851
 1852-1853
 1854-1855
 1856-1857
 1858-1859
 1860-1861
 1862-1863
 1864-1865
 1866-1867
 1868-1869
 1870-1871
 1872-1873
 1874-1875
 1876-1877
 1878-1879
 1880-1881
 1882-1883
 1884-1885
 1886-1887
 1888-1889
 1890-1891
 1892-1893
 1894-1895
 1896-1897
 1898-1899
 1900-1901
 1902-1903
 1904-1905
 1906-1907
 1908-1909
 1910-1911
 1912-1913
 1914-1915
 1916-1917
 1918-1919
 1920-1921
 1922-1923
 1924-1925
 1926-1927
 1928-1929
 1930-1931
 1932-1933
 1934-1935
 1936-1937
 1938-1939
 1940-1941
 1942-1943
 1944-1945
 1946-1947
 1948-1949
 1950-1951
 1952-1953
 1954-1955
 1956-1957
 1958-1959
 1960-1961
 1962-1963
 1964-1965
 1966-1967
 1968-1969
 1970-1971
 1972-1973
 1974-1975
 1976-1977
 1978-1979
 1980-1981
 1982-1983
 1984-1985
 1986-1987
 1988-1989
 1990-1991
 1992-1993
 1994-1995
 1996-1997
 1998-1999
 2000-2001
 2002-2003
 2004-2005
 2006-2007
 2008-2009
 2010-2011
 2012-2013
 2014-2015
 2016-2017
 2018-2019
 2020-2021
 2022-2023
 2024-2025
 2026-2027
 2028-2029
 2030-2031
 2032-2033
 2034-2035
 2036-2037
 2038-2039
 2040-2041
 2042-2043
 2044-2045
 2046-2047
 2048-2049
 2050-2051
 2052-2053
 2054-2055
 2056-2057
 2058-2059
 2060-2061
 2062-2063
 2064-2065
 2066-2067
 2068-2069
 2070-2071
 2072-2073
 2074-2075
 2076-2077
 2078-2079
 2080-2081
 2082-2083
 2084-2085
 2086-2087
 2088-2089
 2090-2091
 2092-2093
 2094-2095
 2096-2097
 2098-2099
 2100-2101
 2102-2103
 2104-2105
 2106-2107
 2108-2109
 2110-2111
 2112-2113
 2114-2115
 2116-2117
 2118-2119
 2120-2121
 2122-2123
 2124-2125
 2126-2127
 2128-2129
 2130-2131
 2132-2133
 2134-2135
 2136-2137
 2138-2139
 2140-2141
 2142-2143
 2144-2145
 2146-2147
 2148-2149
 2150-2151
 2152-2153
 2154-2155
 2156-2157
 2158-2159
 2160-2161
 2162-2163
 2164-2165
 2166-2167
 2168-2169
 2170-2171
 2172-2173
 2174-2175
 2176-2177
 2178-2179
 2180-2181
 2182-2183
 2184-2185
 2186-2187
 2188-2189
 2190-2191
 2192-2193
 2194-2


DOI's unless specifically represented otherwise on this Chain-of-custody and/or attached documentation, all analyses will be conducted using ASI's method of choice and all data will be reported to the analyst's journal reporting limits (ADB/ADP). For GC/MS volatile and extractables, unless specific analytical parameter lists are specified on this chain-of-custody or attached to this chain-of-custody, ASI will default to Priority Polymers or ASI's usual list of Priority Polymers or ASI's usual list of Priority Polymers or ASI's usual list of Priority Polymers or ASI's usual list of Priority Polymers.

Sample Relinquished By			Sample Received By		
Name	Affiliation	Date	Name	Affiliation	Date
<i>[Signature]</i>	STAI	12-11-03	<i>[Signature]</i>	AS1	12/14/03 15:30

Forwarding of above described samples to AnalySys, Inc. for analytical testing constitutes agreement by buyer/supplier to AnalySys, Inc.'s standard terms.

CHAIN - CUSTODY

www.analysysinc.com



Send Reports To:

Company Name Environmental Technology Group Inc.
 Address 2540 W. Norland
 City Hobbs State N.M. Zip 88240
 ATTN: Robert Edison
 Phone (505) 397-4882 Fax (505) 397-4701
 Project Name/VOI#: EO 2025 D.A.4 Sampler Justin Erik

Bill To (if different):

Company Name Link Energy
 Address _____
 City _____ State _____ Zip _____
 ATTN: _____
 Phone _____ Fax _____

3512 Montopolis Drive, Austin, TX
 78741 Ph: (512) 585-5880 Fax: (512) 585-7111

2200 S. Padre Island Dr., Ste K, Corpus
 Christi, TX 78408 Ph: (361) 299-6884
 Fax: (361) 299-6875

Samples/projects intended for TCEQ-TRRP completion require special handling. QC requirements and pricing. To be successfully completed such projects should be identified and discussed prior to receipt and **MUST BE IDENTIFIED** on this Chain-of-Custody under "special instructions".

Client Sample No. Description/Identification	Date Sampled	Time Sampled	No. of Containers Shipped	Grab	Composite	Lab I.D. # (Lab Only)	Ice	HNO ₃	HCL	ZnAc/NaOH	H ₂ SO ₄ Glass	None	Other (Specify)	Water	Wastewater	Waste	Soil	Other (Specify)	Other (Specify)
mw-13	12-11-03	3:00	2			150807	X	X	X					X					Other (Specify)
mw-14		3:30	2			150808	X	X	X					X					Other (Specify)
mw-1		4:00	2			150809	X	X	X					X					Other (Specify)
RW-5		4:30	2																Other (Specify)

Special Instructions (such as special QC requirements, lists, methods, etc...)

(If/Unless specifically requested otherwise on this Chain-of-custody and/or attached documentation, all analyses will be conducted using ASI's method of choice and all data will be reported to ASI's normal reporting limits (MML/MDL). For GC/MS volatiles and extractables, unless specific analytical parameters lists are specified on this chain of custody or attached to this chain of custody, ASI will default to Priority Pollutants or ASI's HSL list at ASI's option. Specific compound lists must be supplied for all GC procedures.

Sample Relinquished By

Sample Received By

Name	Affiliation	Date	Time	Name	Affiliation	Date	Time
<u>Robert Edison</u>	<u>ETGE</u>	<u>12-11-03</u>		<u>Justin Erik</u>	<u>ASI</u>	<u>12/12/03</u>	<u>15:30</u>

Handing of above described samples to AnalySys, Inc. for analytical testing constitutes agreement by buyer/sampler to AnalySys, Inc.'s standard terms.

Temperature upon receipt to consistent with 80°F +/- 5°F

YES NO