

AP - 47

STAGE 1 & 2 REPORTS

DATE:

JAN. 21, 2003

1R-426-33

14

DISCLOSURE REPORT

**RICE OPERATING COMPANY
JUNCTION BOX DISCLOSURE FORM**

BOX LOCATION

SWD SYSTEM	JUNCTION	UNIT	SECTION	TOWNSHIP	RANGE	COUNTY	BOX DIMENSIONS - FEET		
BD	F-17	F	17	21S	37E	Lea	Length	Width	Depth
							Box Has Not Been Built Yet		

LAND TYPE: BLM _____ STATE _____ FEE LANDOWNER Millard Deck Estate OTHER _____

Depth to Groundwater 75 feet NMOCD SITE ASSESSMENT RANKING SCORE: 10

Date Started 9/17/2002 Date Completed not complete OCD Witness No

Soil Excavated 0 cubic yards Excavation Length 0 Width 0 Depth 0 feet

Soil Disposed 0 cubic yards Offsite Facility n/a Location n/a

FINAL ANALYTICAL RESULTS: Sample Date n/a Sample Depth n/a

Procure 5-point composite sample of bottom and 4-point composite sample of sidewalls. TPH, BTEX and Chloride laboratory test results completed by using an approved lab and testing procedures pursuant to NMOCD guidelines.

Sample Location	Benzene mg/kg	Toluene mg/kg	Ethyl Benzene mg/kg	Total Xylenes mg/kg	GRO mg/kg	DRO mg/kg	Chlorides mg/kg
Vadose Zone Samples Will Be Included With Final Closure Report							

General Description of Remedial Action: Site was delineated vertically and laterally with a backhoe. Chloride impact was consistent vertically, while TPH was visible to 11' bgs.

The site was bored on 11/18/02 and chloride was found to impact groundwater with no indications of TPH. A cased monitor well was installed and the groundwater has been sampled and analyzed quarterly (see annual groundwater report for results). ROC has contracted a hydrologic consultant to assist ROC in developing a remediation plan for the vadose zone at groundwater-impacted sites with the ultimate objective being final closure.

CHLORIDE FIELD TESTS

LOCATION	DEPTH (ft)	ppm
Vertical	3	6001
	5	1591
	11	1749
	13	3273
10' S*	7	2401
	11	4278
Soil Bore	20	5197
	50	2133
	70	1209
	75	425

* During excavation of this trench, an older box site was found; The bore was conducted close to this

I HEREBY CERTIFY THAT THE INFORMATION ABOVE IS TRUE AND COMPLETE TO THE BEST OF MY KNOWLEDGE AND BELIEF.

DATE 1/21/2003 PRINTED NAME Kristin Farris

SIGNATURE Kristin Farris TITLE Project Scientist

BD jct. F-17
F. 17, 21S, 37E

Rice Operating Co. Monitor Well Data Sheet


(ft)

(gal)

All parameter concentrations are in mg/L.

MMW #	WATER LEVEL	TOTAL DEPTH	WELL VOLUME	VOLUME BAILED	SAMPLE DATE	TIME	CL.	TDS	BENZENE	TOLUENE	ETHYL BENZENE	TOTAL XYLENES
1	75.73	87.12	1.822	5.5	120202	1045	354	1020	<0.001	<0.001	<0.001	<0.002
1												
1												

sandy



DRILLING LOG	Site Name/Location	BORING/WELL INFORMATION			Logged by: Eades
RICE Operating Company 122 West Taylor Hobbs, New Mexico 88240 (505) 393-9174	Jct. F-17 17-T21S-R37E BD SWD System Lea County, NM	Well No. MW 1	Date Drilled: 11-18-02	Driller: Eades	Completion: Packed with bentonite; grouted at surface.
		Well Depth: 85'	Boring Depth: 85'	Well Material: PVC	
		Casing Length: 88'	Boring Diameter: 2"	Casing Size: 2"	
		Screen Length: 20'	Drilling Method: Air Rotary	Slot Size: N/A	

Test Results (ppm)						
DEPTH	SUBSURFACE LITHOLOGY	SAMPLE TYPE	CI	TPH	REMARKS	Boring
0	Ground surface		Titrate	EPA 418.1		
	Top Soil					
5	Caliche	Grab	2,212		grout	
10	Tan caliche and loam chunks	Grab	492			
15	Sand	Grab	2,412			
20	Red sand	Grab	5,197			
21	Sand and Sandstone Stringers					
25	Red Sand	Grab	3,152			
30	Tan caliche powder	Grab	4,628			
34	Sand					
35	Tan sand	Grab	2,508			
36	Sand and Sandstone Stringers				bentonite	
40	Tan Sand	Grab	352			
45	Tan Sand	Grab	2,420			
50	Reddish-brown sand	Grab	2,133			
55	Sandy Gravel	Grab	2,665			
60	Reddish-brown sand	Grab	1,905			
64	Sand and Sandstone Stringer					
65	Tan sand and Caliche	Grab	1,800			
70	Tan sand and caliche moist	Grab	1,209		screen	
75	Tan sand with rocks, moist	Grab	425			
80					water	
85	Sand and Sandstone Stringers					

ANALYTICAL REPORT

Prepared for:

Kristin Farris
Rice Operating
122 W. Taylor
Hobbs, NM 88240

Project: F-17 Jct.
PO#: 505
Order#: G0205154
Report Date: 12/11/2002

Certificates

US EPA Laboratory Code TX00158

ENVIRONMENTAL LAB OF TEXAS

SAMPLE WORK LIST

Rice Operating
122 W. Taylor
Hobbs, NM 88240
505-397-1471

Order#: G0205154
Project: None Given
Project Name: F-17 Jct.
Location: BD

The samples listed below were submitted to Environmental Lab of Texas and were received under chain of custody. Environmental Lab of Texas makes no representation or certification as to the method of sample collection, sample identification, or transportation/handling procedures used prior to the receipt of samples by Environmental Lab of Texas, unless otherwise noted.

<u>Lab ID:</u>	<u>Sample :</u>	<u>Matrix:</u>	<u>Date / Time</u> <u>Collected</u>	<u>Date / Time</u> <u>Received</u>	<u>Container</u>	<u>Preservative</u>
0205154-01	MW 1	WATER	12/2/02 10:45	12/2/02 20:40	See COC	See COC
	<u>Lab Testing:</u>		Rejected: No	Temp: 3.5 C		
	Cations					
	Alkalinity, Bicarbonate					
	Alkalinity, Carbonate					
	Alkalinity, Hydroxide					
	Chloride					
	SULFATE, 375.4					
	Total Dissolved Solids (TDS)					
0205154-02	MW 1	WATER	12/2/02 10:45	12/2/02 20:40	See COC	See COC
	<u>Lab Testing:</u>		Rejected: No	Temp: 3.5 C		
	8021B/5030 BTEX					

ENVIRONMENTAL LAB OF TEXAS

ANALYTICAL REPORT

Kristin Farris
Rice Operating
122 W. Taylor
Hobbs, NM 88240

Order#: G0205154
Project: None Given
Project Name: F-17 Jct.
Location: BD

Lab ID: 0205154-02
Sample ID: MW 1

8021B/5030 BTEX

Method	Date	Date	Sample	Dilution	Analyst	Method
<u>Blank</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Amount</u>	<u>Factor</u>		
0004008-02		12/9/02 14:39	1	1	CK	8021B

Parameter	Result mg/L	RL
Benzene	<0.001	0.001
Ethylbenzene	<0.001	0.001
Toluene	<0.001	0.001
p/m-Xylene	<0.001	0.001
o-Xylene	<0.001	0.001

Surrogates	% Recovered	QC Limits (%)	
aaa-Toluene	96%	80	120
Bromofluorobenzene	94%	80	120

Approval:

Raland K. Tuttle, Lab Director, QA Officer
Celey D. Keene, Org. Tech. Director
Jeanne McMurrey, Inorg. Tech. Director
Sandra Biezugbe, Lab Tech.
Sara Molina, Lab Tech.

Date

ENVIRONMENTAL LAB OF TEXAS

ANALYTICAL REPORT

Kristin Farris
Rice Operating
122 W. Taylor
Hobbs, NM 88240

Order#: G0205154
Project: None Given
Project Name: F-17 Jct.
Location: BD

Lab ID: 0205154-01

Sample ID: MW 1

Cations

<u>Parameter</u>	<u>Result</u>	<u>Units</u>	<u>Dilution Factor</u>	<u>RL</u>	<u>Method</u>	<u>Date Prepared</u>	<u>Date Analyzed</u>	<u>Analyst</u>
Calcium	76.7	mg/L	10	0.10	6010B	12/10/2002	12/10/02	SM
Magnesium	32.9	mg/L	10	0.010	6010B	12/10/2002	12/10/02	SM
Potassium	7.08	mg/L	10	0.50	6010B	12/10/2002	12/10/02	SM
Sodium	158	mg/L	100	1.0	6010B	12/10/2002	12/10/02	SM

Approval:

Raland K. Tuttle 12-11-02
Raland K. Tuttle, Lab Director, QA Officer
Celey D. Keene, Org. Tech. Director
Jeanne McMurrey, Inorg. Tech. Director
Sandra Biezugbe, Lab Tech.
Sara Molina, Lab Tech.

N/A = Not Applicable RL = Reporting Limit

Page 1 of 1

ENVIRONMENTAL LAB OF TEXAS

ANALYTICAL REPORT

Kristin Farris
Rice Operating
122 W. Taylor
Hobbs, NM 88240

Order#: G0205154
Project: None Given
Project Name: F-17 Jct.
Location: BD

Lab ID: 0205154-01

Sample ID: MW 1

Test Parameters

Parameter	Result	Units	Dilution Factor	RL	Method	Date Analyzed	Analyst
Alkalinity, Bicarbonate	144	mg/L as CaCO	1	2.00	310.1	12/10/02	SB
Alkalinity, Carbonate	<0.100	mg/L as CaCO	1	0.100	310.1	12/10/02	SB
Alkalinity, Hydroxide	<0.10	mg/L as CaCO	1	0.10	310.1	12/10/02	SB
Chloride	354	mg/L	1	5.00	9253	12/4/02	SB
SULFATE, 375.4	114	mg/L	10	5.0	375.4	12/10/02	SB
Total Dissolved Solids (TDS)	1020	mg/L	1	5.0	160.1	12/3/02	TAL

Approval:

Raland K. Tuttle 12-11-02

Raland K. Tuttle, Lab Director, QA Officer

Date

Celey D. Keene, Org. Tech. Director

Jeanne McMurrey, Inorg. Tech. Director

Sandra Biezugbe, Lab Tech.

Sara Molina, Lab Tech.

ENVIRONMENTAL LAB OF TEXAS

QUALITY CONTROL REPORT

8021B/5030 BTEX

Order#: G0205154

BLANK						
	WATER	LAB-ID #	Sample Concentr.	Spike Concentr.	QC Test Result	Pct (%) Recovery
Benzene-mg/L		0004008-02			<0.001	
Ethylbenzene-mg/L		0004008-02			<0.001	
Toluene-mg/L		0004008-02			<0.001	
p/m-Xylene-mg/L		0004008-02			<0.001	
o-Xylene-mg/L		0004008-02			<0.001	
MS						
	WATER	LAB-ID #	Sample Concentr.	Spike Concentr.	QC Test Result	Pct (%) Recovery
Benzene-mg/L		0205197-10	0	0.1	0.100	100.0%
Ethylbenzene-mg/L		0205197-10	0	0.1	0.102	102.0%
Toluene-mg/L		0205197-10	0	0.1	0.102	102.0%
p/m-Xylene-mg/L		0205197-10	0	0.2	0.215	107.5%
o-Xylene-mg/L		0205197-10	0	0.1	0.103	103.0%
MSD						
	WATER	LAB-ID #	Sample Concentr.	Spike Concentr.	QC Test Result	Pct (%) Recovery
Benzene-mg/L		0205197-10	0	0.1	0.100	100.0%
Ethylbenzene-mg/L		0205197-10	0	0.1	0.100	100.0%
Toluene-mg/L		0205197-10	0	0.1	0.101	101.0%
p/m-Xylene-mg/L		0205197-10	0	0.2	0.207	103.5%
o-Xylene-mg/L		0205197-10	0	0.1	0.101	101.0%
SRM						
	WATER	LAB-ID #	Sample Concentr.	Spike Concentr.	QC Test Result	Pct (%) Recovery
Benzene-mg/L		0004008-05		0.1	0.097	97.0%
Ethylbenzene-mg/L		0004008-05		0.1	0.100	100.0%
Toluene-mg/L		0004008-05		0.1	0.100	100.0%
p/m-Xylene-mg/L		0004008-05		0.2	0.214	107.0%
o-Xylene-mg/L		0004008-05		0.1	0.104	104.0%

ENVIRONMENTAL LAB OF TEXAS

QUALITY CONTROL REPORT

Cations

Order#: G0205154

BLANK							
	WATER	LAB-ID #	Sample Concentr.	Spike Concentr.	QC Test Result	Pct (%) Recovery	RPD
Calcium-mg/L		0004013-02			<0.010		
Magnesium-mg/L		0004013-02			<0.001		
Potassium-mg/L		0004013-02			<0.050		
Sodium-mg/L		0004013-02			<0.010		
DUPLICATE							
	WATER	LAB-ID #	Sample Concentr.	Spike Concentr.	QC Test Result	Pct (%) Recovery	RPD
Calcium-mg/L		0205154-01	76.7		77.7		1.3%
Magnesium-mg/L		0205154-01	32.9		32.8		0.3%
Potassium-mg/L		0205154-01	7.08		7.16		1.1%
Sodium-mg/L		0205154-01	158		158		0.0%
SRM							
	WATER	LAB-ID #	Sample Concentr.	Spike Concentr.	QC Test Result	Pct (%) Recovery	RPD
Calcium-mg/L		0004013-05		2	2.07	103.5%	
Magnesium-mg/L		0004013-05		2	2.22	111.1%	
Potassium-mg/L		0004013-05		2	1.79	89.5%	
Sodium-mg/L		0004013-05		2	1.80	90.0%	

ENVIRONMENTAL LAB OF TEXAS

QUALITY CONTROL REPORT

Test Parameters

Order#: G0205154

BLANK						
WATER	LAB-ID #	Sample Concentr.	Spike Concentr.	QC Test Result	Pct (%) Recovery	RPD
Alkalinity, Bicarbonate-mg/L as CaCO	0004025-01			<2.00		
Alkalinity, Carbonate-mg/L as CaCO	0004026-01			<0.100		
Alkalinity, Hydroxide-mg/L as CaCO	0004027-01			<0.10		
Chloride-mg/L	0003965-01			<5.00		
SULFATE, 375.4-mg/L	0004028-01			<0.5		
Total Dissolved Solids (TDS)-mg/L	0003957-01			<5.0		
DUPLICATE						
WATER	LAB-ID #	Sample Concentr.	Spike Concentr.	QC Test Result	Pct (%) Recovery	RPD
Alkalinity, Bicarbonate-mg/L as CaCO	0205153-01	360		359		0.3%
Alkalinity, Carbonate-mg/L as CaCO	0205153-01	0		<0.100		0.1%
Alkalinity, Hydroxide-mg/L as CaCO	0205153-01	0		<0.10		0.1%
SULFATE, 375.4-mg/L	0205153-01	244		250		2.4%
Total Dissolved Solids (TDS)-mg/L	0205153-01	1200		1170		2.5%
MS						
WATER	LAB-ID #	Sample Concentr.	Spike Concentr.	QC Test Result	Pct (%) Recovery	RPD
Chloride-mg/L	0205115-01	461	500	948	97.4%	
MSD						
WATER	LAB-ID #	Sample Concentr.	Spike Concentr.	QC Test Result	Pct (%) Recovery	RPD
Chloride-mg/L	0205115-01	461	500	957	99.2%	0.9%
SRM						
WATER	LAB-ID #	Sample Concentr.	Spike Concentr.	QC Test Result	Pct (%) Recovery	RPD
Alkalinity, Bicarbonate-mg/L as CaCO	0004025-04		0.05	0.0496	99.2%	
Alkalinity, Carbonate-mg/L as CaCO	0004026-04		0.05	0.0496	99.2%	
Alkalinity, Hydroxide-mg/L as CaCO	0004027-04		0.05	0.0496	99.2%	
Chloride-mg/L	0003965-04		5000	4960	99.2%	
SULFATE, 375.4-mg/L	0004028-04		50	51.6	103.2%	

12600 West I-20 East
Odessa, Texas 79763

CHAIN OF CUSTODY RECORD AND ANALYSIS REQUEST

Project Name:

F-17 jet.

Project #:

Project Loc:

PO #: 505

[illegible]