District I 1625 N. French Dr., Hobbs, NM 88240 District II 811 S. First St., Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural **Resources Department**

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

)

Page 1 of 3

Incident ID	NRM2017849298
District RP	
Facility ID	
Application ID	

Release Notification

Responsible Party

Responsible Party	OGRID
Contact Name	Contact Telephone
Contact email	Incident # (assigned by OCD)
Contact mailing address	

Location of Release Source

Longitude

Latitude	Longitude
	(NAD 83 in decimal degrees to 5 decimal places)

Site Name	Site Type
Date Release Discovered	API# (if applicable)

Unit Letter	Section	Township	Range	County

Surface Owner: State Federal Tribal Private (Name: _

Nature and Volume of Release

Material(s) Released (Select all that apply and attach calculations or specific justification for the volumes provided below)

Crude Oil	Volume Released (bbls)	Volume Recovered (bbls)
Produced Water	Volume Released (bbls)	Volume Recovered (bbls)
	Is the concentration of dissolved chloride in the produced water >10,000 mg/l?	Yes No
Condensate	Volume Released (bbls)	Volume Recovered (bbls)
Natural Gas	Volume Released (Mcf)	Volume Recovered (Mcf)
Other (describe)	Volume/Weight Released (provide units)	Volume/Weight Recovered (provide units)
Cause of Release		

	Page 2 of
Incident ID	NRM2017849298
District RP	
Facility ID	
Application ID	

Was this a major release as defined by 19.15.29.7(A) NMAC?	If YES, for what reason(s) does the responsible party consider this a major release?
Yes No	
If YES, was immediate no	otice given to the OCD? By whom? To whom? When and by what means (phone, email, etc)?

Initial Response

The responsible party must undertake the following actions immediately unless they could create a safety hazard that would result in injury

The impacted area has been secured to protect human health and the environment.

Released materials have been contained via the use of berms or dikes, absorbent pads, or other containment devices.

All free liquids and recoverable materials have been removed and managed appropriately.

If all the actions described above have not been undertaken, explain why:

The source of the release has been stopped.

Per 19.15.29.8 B. (4) NMAC the responsible party may commence remediation immediately after discovery of a release. If remediation has begun, please attach a narrative of actions to date. If remedial efforts have been successfully completed or if the release occurred within a lined containment area (see 19.15.29.11(A)(5)(a) NMAC), please attach all information needed for closure evaluation.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

Printed Name	Title:
Signature:	Date:
email:	Telephone:
OCD Only	
Received by:Ramona Marcus	Date:6/26/2020

.

					DOFILLO		IME CALCULATIO	N3					
Location	n of spill:	: <u> </u>	Gold Coast 26	Federal	SWD 1	-	Date of Spill:	1	2-Jun-2	020	_		
		K	f the leak/spi	ll is ass	ociated with	production	n equipment , i.e wellhead	l, stuffing bo	ς,				
		flov	wline, tank bat	ttery, pro	oduction vessel	, transfer p	oump, or storage tank place	an "X" her	: X				
						Input	Data:	OIL:		WATE	R٠		
If spill volur	mes from	measure	ement, i.e. me	tering, ta	ank volumes, e	tc. are kno	own enter the volumes here:		0 BBL		BBL		
lf "known" s	pill volur	mes are ç	given, input o	data for	the following	"Area Ca	culations" is optional. Th	e above wi	overri	de the calcu	lated vo	olumes.	
	Total A	rea Cal	culations					Standing	Liqu	id Calcula	tions		
Total Surface Area	width		length		wet soil depth	oil (%)	Standing Liquid Area	width		lengt	h	liquid depth	oil (
Rectangle Area #1	0 ft		Ō ft	Х	0.00 in	0%	Rectangle Area #1	12	0ft)	K 65	5ft X	0.6 in	
Rectangle Area #2	0 ft	Х	0 ft	Х	0.00 in	0%	Rectangle Area #2		0ft)		ft X	0 in	
Rectangle Area #3 Rectangle Area #4	0 ft 0 ft	X X	0 ft 0 ft	X X	0 in 0 in	0% 0%	Rectangle Area #3 Rectangle Area #4		0ft) 0ft)		ft X	0 in 0 in	
Rectangle Area #5	0 ft	x	0 ft	x	0 in	0%	Rectangle Area #5		0 ft)		ft X	0 in	
Rectangle Area #6	0 ft	X	0 ft	x	0 in	0%	Rectangle Area #6		Oft 2		ft X	0 in	
Rectangle Area #7	0 ft	Х	0 ft	Х	0 in	0%	Rectangle Area #7		0 ft)	< (ft X	0 in	
Rectangle Area #8	0 ft	Х	0 ft	Х	0 in	0%	Rectangle Area #8		0 ft)	<u> </u>	ft X	0 in	
							n Total Area, Review Data						
Average Daily Production:	Oil 0	BBL		BBL		(MCFD)	DUCTION DATA REQUIRE	U				1	
/ totage baily r roudenorm		DDL		001	0000	(1101 2)	Total Hydrocarbon C	Content in ga	s: 0%	percenta	ge)		
d leak occur before the separa	ator2.	YE		N/A	(place an "X'	")	H2S Content in P	Produced Ga	s: 0	PPM	0 /		
				1.1/7	(place all st	/	H2S Content in			PPM			
Amount of Free Liquid				okay			Percentage of Oil	in Free Liqu	d				
Recovered:	0 BB	L					i crocinago or on	III FIEE LIQU		Increaste			
				,			i crochlage of Oil	Recovere		(percenta	ge)		
Liquid holding factor *:	0.00 gal	per gal		ne followir	ng when the spill w		s of the soil.	Recovere	d: U%	the liquid comp	letely fills	the pore space of the	
Liquid holding factor *:	0.00 gal	per gal	* San	<u>he followir</u> d = 0.08 g	gallon (gal.) liquid	per gal. volu	<u>s of the soil.</u> me of soil.	Recovere Use the follow Occurs when	d: U% Ing when he spill s	the liquid comp oaked soil is co	letely fills ntained by	v barriers, natural (or n	
Liquid holding factor *:	0.00 gal	per gal	* San * Grav	ne followir d = 0.08 (velly (calic	gallon (gal.) liquid :he) loam = 0.14 g	per gal. volu al. liquid per	<u>s of the soil.</u> me of soil. gal. volume of soil.	Recovere Use the follow Occurs when * Clay loam =	1: 0% Ing when he spill s 0.20 gal.	the liquid comp oaked soil is co liquid per gal. v	letely fills ntained by olume of s	v barriers, natural (or n soil.	
Liquid holding factor *:	0.00 gal	∣per gal	* San * Grav * San	ne followir d = 0.08 g velly (calic dy clay loa	gallon (gal.) liquid	per gal. volu al. liquid per liquid per ga	<mark>s of the soil.</mark> me of soil. gal. volume of soil. . volume of soil.	Recovere Use the follow Occurs when * Clay loam = * Gravelly (ca	d: ing when he spill s 0.20 gal. che) loa	the liquid comp oaked soil is co liquid per gal. v	letely fills ntained by olume of s uid per ga	v barriers, natural (or n soil. I. volume of soil.	
Liquid holding factor *:			* San * Grav * San	the following d = 0.08 g velly (calic dy clay loa v loam = 0	gallon (gal.) liquid :he) loam = 0.14 g am soil = 0.14 gal	per gal. volu al. liquid per liquid per ga gal. volume (<mark>s of the soil.</mark> me of soil. gal. volume of soil. . volume of soil.	Recovere Use the follow Occurs when * Clay loam = * Gravelly (ca * Sandy loam	1: <u>ing when</u> he spill s 0.20 gal. che) loar = 0.5 gal	the liquid comp oaked soil is co liquid per gal. v m = 0.25 gal. liq liquid per gal. v	letely fills ntained by olume of s uid per ga	v barriers, natural (or n soil. I. volume of soil.	iot).
Total Solid/Liquid Volume:	sq.	l per gal . ft.	* San * Grav * San * Clay	the following d = 0.08 g velly (calic dy clay loa v loam = 0	gallon (gal.) liquid the) loam = 0.14 g am soil = 0.14 gal .16 gal. liquid per g	per gal. volu al. liquid per liquid per ga gal. volume (s of the soil. me of soil. gal. volume of soil. . volume of soil. of soil. Total Free Liquid Volume:	Recovere Use the follow Occurs when * Clay loam = * Gravelly (ca * Sandy loam 7,80	1: 0% ng when he spill s 0.20 gal. che) loar = 0.5 gal 0 sq. fr	the liquid comp oaked soil is co liquid per gal. v m = 0.25 gal. liq liquid per gal. v	letely fills ntained by olume of s uid per gai volume of s	/ barriers, natural (or n :oil. I. volume of soil. soil.	iot).
Total Solid/Liquid Volume:	sq.		* San * Grav * San * Clay cu. f	the following d = 0.08 g velly (calic dy clay loa v loam = 0	gallon (gal.) liquid the) loam = 0.14 g am soil = 0.14 gal .16 gal. liquid per cu. 1	per gal. volu al. liquid per liquid per ga gal. volume (s of the soil. me of soil. gal. volume of soil. . volume of soil. of soil. Total Free Liquid Volume: <u>Estimated Productio</u>	Recovere Use the follow Occurs when * Clay loam = * Gravelly (ca * Sandy loam 7,80 n Volumes	1: 0% 1:	the liquid comp oaked soil is co liquid per gal. v m = 0.25 gal. liq liquid per gal. v t. 390	letely fills ntained by olume of s uid per ga volume of s olume of s	r barriers, natural (or n :oil. I. volume of soil. soil. Cu. OIL	ot).
Total Solid/Liquid Volume: Estimated Volumes Sp Liquid in	sq. pilled n Soil:		* San * Grav * San * Clay cu. f <u>H20</u> 0.0 BBL	the following d = 0.08 g velly (calic dy clay loa v loam = 0	gallon (gal.) liquid she) loam = 0.14 g am soil = 0.14 gal .16 gal. liquid per cu. 1 OIL 0.0 BBL	per gal. volu al. liquid per liquid per ga gal. volume (s of the soil. me of soil. gal. volume of soil. . volume of soil. of soil. Total Free Liquid Volume:	Recovere Use the follow Occurs when * Clay loam = * Gravelly (ca * Sandy loam 7,80 n Volumes	1: 0% 1:	the liquid comp oaked soil is co liquid per gal. v m = 0.25 gal. liq liquid per gal. v t. 390	letely fills ntained by olume of s uid per gai volume of s o cu. ft.	r barriers, natural (or n coil. I. volume of soil. soil. CU.	ot).
Total Solid/Liquid Volume: Estimated Volumes Sp Liquid in Free Li	sq. pilled n Soil:		* San * Grav * San * Clay cu. f	he followin d = 0.08 g velly (calic dy clay loar loam = 0 t.	gallon (gal.) liquid the) loam = 0.14 g am soil = 0.14 gal .16 gal. liquid per cu. 1	per gal. volu al. liquid per liquid per ga gal. volume (s of the soil. me of soil. gal. volume of soil. . volume of soil. of soil. Total Free Liquid Volume: <u>Estimated Productio</u> Estimated Prod <u>Estimated Surfa</u>	Recovere Use the follow Occurs when * Clay loam = * Gravelly (ca * Sandy loam 7,80 n Volumes uction Spille ce Damage	1: 0% 1:	the liquid comp oaked soil is co liquid per gal. v m = 0.25 gal. liq liquid per gal. v t. 390 t. 390	letely fills ntained by olume of s uid per ga volume of s olume of s	r barriers, natural (or n :oil. I. volume of soil. soil. Cu. OIL	ot).
Total Solid/Liquid Volume: Estimated Volumes Sp Liquid in Free Li	sq. pilled n Soil: .iquid: otals:		* San • Grav • San • Clay cu. f <u>H20</u> 0.0 BBL <u>69.5 BBL</u>	ne followir d = 0.08 g velly (calic dy clay loa v loam = 0 t.	gallon (gal.) liquid the) loam = 0.14 g am soil = 0.14 gal .16 gal. liquid per s cu. 1 <u>OIL</u> 0.0 BBL 0.0 BBL	per gal. volu al. liquid per liquid per ga gal. volume (s of the soil. me of soil. gal. volume of soil. . volume of soil. of soil. Total Free Liquid Volume: <u>Estimated Productio</u> Estimated Prod	Recovere Use the follow Occurs when * Clay loam = * Gravelly (ca * Sandy loam 7,80 n Volumes uction Spille <u>ce Damage</u> 7,80	1: 0% 1:	the liquid comp oaked soil is co liquid per gal. v m = 0.25 gal. liq liquid per gal. v t. 390 t. 390	letely fills ntained by olume of s uid per ga volume of s olume of s	r barriers, natural (or n :oil. I. volume of soil. soil. Cu. OIL	ot).
Total Solid/Liquid Volume: <u>Estimated Volumes Sp</u> Liquid in Free Li To	sq. pilled n Soil: .iquid: otals: .iquid:		* San • Gra • San • Clay cu. f 0.0 BBL 69.5 BBL 69.5 BBL	ne followir d = 0.08 g velly (calic dy clay loa v loam = 0 t.	gallon (gal.) liquid the) loam = 0.14 g am soil = 0.14 ga 16 gal. liquid per cu. 1 0.0 BBL 0.0 BBL 0.0 BBL	per gal. volu al. liquid per liquid per ga gal. volume (s of the soil. me of soil. gal. volume of soil. . volume of soil. of soil. Total Free Liquid Volume: <u>Estimated Productio</u> Estimated Prod <u>Estimated Surface Area:</u>	Recovere Use the follow Occurs when * Clay loam = * Gravelly (ca * Sandy loam 7,80 n Volumes uction Spille ce Damage 7,80 .175	t: 0% ng when he spill s 0.20 gal. che) loar = 0.5 gal 0 sq. ft .ost t: 0 sq. ft 1 acre	the liquid comp oaked soil is co liquid per gal. v m = 0.25 gal. liq liquid per gal. v t. 390 t. 390	letely fills ntained by olume of s uid per ga volume of s olume of s	r barriers, natural (or n :oil. I. volume of soil. soil. Cu. OIL	ot).
Total Solid/Liquid Volume: <u>Estimated Volumes Sp</u> Liquid in Free Li Total Liquid Spill Li <u>Recovered Volume</u>	sq. pilled n Soil: .iquid: otals: .iquid: .iquid:	. ft.	* San * Gra * San * Clay cu. f 69.5 BBL 69.5 BBL 69.5 BBL	t.	gallon (gal.) liquid the) loam = 0.14 g am soil = 0.14 ga 116 gal. liquid per cu. 1 0.0 BBL 0.0 BBL 0.0 BBL 0.00 BBL	per gal. volu al. liquid per liquid per ga gal. volume (s of the soil. me of soil. gal. volume of soil. . volume of soil. of soil. Total Free Liquid Volume: <u>Estimated Productio</u> Estimated Prod <u>Estimated Surface Area:</u> Surface Area: Surface Area:	Recovere Use the follow Occurs when * Clay loam = * Gravelly (ca * Sandy loam 7,80 n Volumes uction Spille <u>ce Damage</u> 7,88 .175 .and Volum	t: 0% ing when he spill s 0.20 gal. che) loan = 0.5 gal 0 sq. ft 0 sq. ft 1 acre es	the liquid comp oaked soil is co liquid per gal. v m = 0.25 gal. liq liquid per gal. v t. 390 t. 390	letely fills ntained by olume of s uid per ga volume of :) cu. ft. 20) BBL	r barriers, natural (or n ioil. I. volume of soil. soil. cu. <u>OIL</u> 0.0 BBi	ft.
Total Solid/Liquid Volume: <u>Estimated Volumes Sp</u> Liquid in Free Li To Total Liquid Spill Li <u>Recovered Volume</u> Estimated oil recovered:	sq. pilled n Soil: .iquid: otals: .iquid: .iquid: .iguid: BBB	. ft.	* San * Gra * San * Cray CL. f CL. f 0.0 BBL 69.5 BBL 69.5 BBL 69.5 BBL	t.	gallon (gal.) liquid the) loam = 0.14 g am soil = 0.14 ga 116 gal. liquid per cu. 1 0.0 BBL 0.0 BBL 0.0 BBL 0.00 BBL	per gal. volu al. liquid per liquid per ga gal. volume (s of the soil. me of soil. gal. volume of soil. . volume of soil. of soil. Total Free Liquid Volume: <u>Estimated Productio</u> Estimated Prod <u>Estimated Surfa</u> Surface Area: Surface Area: <u>Estimated Weights</u> Saturated Soil =	Recovere Use the follow Occurs when * Clay loam = * Gravelly (ca * Sandy loam 7,8(n Volumes uction Spille ce Damage 7,8(.175 . and Volum	t: 07/ ng when he spill s 0.20 gal. che) loar = 0.5 gal 0 sq. ft -ost 1: 0 sq. ft 1 acre es lbs	the liquid comp oaked soll is co liquid per gal. v m = 0.25 gal. liq liquid per gal. v t. 390 t. 390 <u>H2</u> 0.0	letely fills. Intained by olume of s volume of s b BBL	r barriers, natural (or n isoil. I. volume of soil. soil. Cu. OIL 0.0 BBi	ot).
Total Solid/Liquid Volume: <u>Estimated Volumes Sp</u> Liquid in Free Li Total Liquid Spill Li <u>Recovered Volume</u>	sq. pilled n Soil: .iquid: otals: .iquid: .iquid:	. ft.	* San * Gra * San * Cray CL. f CL. f 0.0 BBL 69.5 BBL 69.5 BBL 69.5 BBL	t.	gallon (gal.) liquid the) loam = 0.14 g am soil = 0.14 ga 116 gal. liquid per cu. 1 0.0 BBL 0.0 BBL 0.0 BBL 0.00 BBL	per gal. volu al. liquid per liquid per ga gal. volume (s of the soil. me of soil. gal. volume of soil. . volume of soil. of soil. Total Free Liquid Volume: <u>Estimated Productio</u> Estimated Prod <u>Estimated Surface Area:</u> Surface Area: Surface Area:	Recovere Use the follow Occurs when * Clay loam = * Gravelly (ca * Sandy loam 7,8(n Volumes uction Spille ce Damage 7,8(.175 . and Volum	t: 0% ing when he spill s 0.20 gal. che) loan = 0.5 gal 0 sq. ft 0 sq. ft 1 acre es	the liquid comp oaked soll is co liquid per gal. v m = 0.25 gal. liq liquid per gal. v t. 390 t. 390 <u>H2</u> 0.0	letely fills ntained by olume of s uid per ga volume of :) cu. ft. 20) BBL	r barriers, natural (or n ioil. I. volume of soil. soil. cu. <u>OIL</u> 0.0 BBi	ft.
Total Solid/Liquid Volume: <u>Estimated Volumes Sp</u> Liquid in Free Li Total Liquid Spill Li <u>Recovered Volume</u> Estimated oil recovered: Estimated water recovered:	sq. pilled n Soil: .iquid: otals: .iquid: es BB BB	. ft. . ft.	* San * Gra * San * Cray CL. f CL. f 0.0 BBL 69.5 BBL 69.5 BBL 69.5 BBL	t.	gallon (gal.) liquid the) loam = 0.14 g am soil = 0.14 ga 116 gal. liquid per cu. 1 0.0 BBL 0.0 BBL 0.0 BBL 0.00 BBL	per gal. volu al. liquid per liquid per ga gal. volume (s of the soil. me of soil. gal. volume of soil. . volume of soil. of soil. Total Free Liquid Volume: Estimated Productio Estimated Productio Estimated Productio Surface Area: Surface Area: Surface Area: Surface Area: Total Liquid =	Recovere Use the follow Occurs when * Clay loam = * Gravelly (ca * Sandy loam 7,80 n Volumes uction Spille Ce Damage 7,80 .179 .179 	: 07/4 i: 07/4 ing when he spil s 0.20 gal. 0.20 gal. 0 sq. ft 1 acre es lbs 9 BBL	the liquid comp oaked soll is co liquid per gal. v m = 0.25 gal. liq liquid per gal. v t. 390 t. 390 <u>H2</u> 0.0	letely fills. Intained by olume of s volume of s b BBL	r barriers, natural (or n isoil. I. volume of soil. soil. Cu. OIL 0.0 BBi	ft.
Total Solid/Liquid Volume: <u>Estimated Volumes Sp</u> Liquid in Free Li Total Liquid Spill Li <u>Recovered Volume</u> Estimated oil recovered: Estimated water recovered: <u>Air Emission from flowlin</u>	sq. pilled n Soil: iquid: iotals: iquid: es BB BB ne leaks:	. ft.	* San * Gra * San * Cray CL. f CL. f 0.0 BBL 69.5 BBL 69.5 BBL 69.5 BBL	t.	gallon (gal.) liquid the) loam = 0.14 g am soil = 0.14 ga 116 gal. liquid per cu. 1 0.0 BBL 0.0 BBL 0.0 BBL 0.00 BBL	per gal. volu al. liquid per liquid per ga gal. volume (s of the soil. me of soil. gal. volume of soil. . volume of soil. of soil. Total Free Liquid Volume: <u>Estimated Productio</u> Estimated Prod <u>Estimated Surfa</u> Surface Area: Surface Area: <u>Estimated Weights</u> Saturated Soil =	Recovere Use the follow Occurs when * Clay loam = * Gravelly (ca * Sandy loam 7,80 n Volumes uction Spille <u>ce Damage</u> 7,80 .179 .and Volum	: 07/4 ng when he spill si 0.20 gal. che) loa e 0.5 gal 0 sq. ft i: 0 sq. ft 1 acre es lbs 9 BBL ments:	the liquid comp oaked soll is co liquid per gal. v m = 0.25 gal. liq liquid per gal. v t. 390 t. 390 <u>H2</u> 0.0	letely fills. Intained by olume of s volume of s volume of s olume	r barriers, natural (or n isoil. I. volume of soil. soil. Cu. OIL 0.0 BBi	ft.
Total Solid/Liquid Volume: <u>Estimated Volumes Sp</u> Liquid in Free Li Total Liquid Spill Li <u>Recovered Volume</u> Estimated oil recovered: Estimated water recovered: <u>Air Emission from flowlin</u> Volume of oil spill:	sq. pilled n Soil: .iquid: otals: .iquid: es BB BB BB BB BB BB BB BB BB BB BB BB BB	3L 3L	* San * Gra * San * Cray CL. f CL. f 0.0 BBL 69.5 BBL 69.5 BBL 69.5 BBL	t.	gallon (gal.) liquid the) loam = 0.14 g am soil = 0.14 ga 116 gal. liquid per cu. 1 0.0 BBL 0.0 BBL 0.0 BBL 0.00 BBL	per gal. volu al. liquid per ga gal. volume of ft.	s of the soil. gal. volume of soil. . volume of soil. of soil. Total Free Liquid Volume: Estimated Productio Estimated Productio Estimated Productio Estimated Productio Estimated Productio Estimated Productio Estimated Productio Estimated Productio Surface Area: Surface Area: Surface Area: Surface Area: Surface Area: Surface Area: Surface Area: Surface Area: Surface Area:	Recovere Use the follow Occurs when * Clay loam = * Gravelly (ca * Sandy loam 7,8(n Volumes uction Spille ce Damage 7,8(.175 , and Volum 6 ing Require New Mexic	: 07/4 ng when he spill si 0.20 gal. che) loa e 0.5 gal 0 sq. ft i: 0 sq. ft 1 acre es lbs 9 BBL ments:	the liquid comp oaked soll is co liquid per gal. v m = 0.25 gal. liq liquid per gal. v t. 390 t. 390 <u>H2</u> 0.0	letely fills. Intained by olume of s volume of s volum	r barriers, natural (or n isoil. I. volume of soil. soil. Cu. OIL 0.0 BBi	ft.
Total Solid/Liquid Volume: <u>Estimated Volumes Sp</u> Liquid in Free Li Total Liquid Spill Li <u>Recovered Volume</u> Estimated oil recovered: Estimated water recovered: <u>Air Emission from flowlin</u> Volume of oil spill: Separator gas calculated:	sq. pilled n Soil: iquid: iquid: iquid: es BB BB BB BB BB BB BB BB BB BB BB BB BB	. ft. .ft. BL BL CF	* San * Gra * San * Cray CL. f CL. f 0.0 BBL 69.5 BBL 69.5 BBL 69.5 BBL	t.	gallon (gal.) liquid the) loam = 0.14 g am soil = 0.14 ga 116 gal. liquid per cu. 1 0.0 BBL 0.0 BBL 0.0 BBL 0.00 BBL	per gal. volu al. liquid per ga gal. volume of ft.	s of the soil. me of soil. gal. volume of soil. . volume of soil. of soil. Total Free Liquid Volume: <u>Estimated Productio</u> Estimated Productio Estimated Productio <u>Estimated Surfa</u> Surface Area: Surface Area: Surface Area: Surface Area: Surface Area: Surface Area: Surface Area: Mathematical Surface Area: Surface Area: Surf	Recovere Use the follow Occurs when * Clay loam = * Gravelly (ca * Sandy loam 7,80 n Volumes uction Spille <u>ce Damage</u> 7,80 .175 <u>, and Volum</u> 6 ing Require <u>New Mexic</u> NO	: 07/4 ng when he spill si 0.20 gal. che) loa e 0.5 gal 0 sq. ft i: 0 sq. ft 1 acre es lbs 9 BBL ments:	the liquid comp oaked soll is co liquid per gal. v m = 0.25 gal. liq liquid per gal. v t. 390 t. 390 <u>H2</u> 0.0	letely fills. Intained by olume of s uid per ga volume of r olume	r barriers, natural (or n isoil. I. volume of soil. soil. Cu. OIL 0.0 BBi	ft.
Total Solid/Liquid Volume: <u>Estimated Volumes Sp</u> Liquid in Free Li Total Liquid Spill Li <u>Recovered Volume</u> Estimated oil recovered: Estimated water recovered: <u>Air Emission from flowlin</u> Volume of oil spill: Separator gas released:	sq. pilled n Soil: iquid: iquid: iquid: es BB BB BB BB BB BB BB BB BB BB BB BB BB	. ft. .ft. BL BL CF	* San * Gra * San * Cray CL. f CL. f 0.0 BBL 69.5 BBL 69.5 BBL 69.5 BBL	t.	gallon (gal.) liquid the) loam = 0.14 g am soil = 0.14 ga 116 gal. liquid per cu. 1 0.0 BBL 0.0 BBL 0.0 BBL 0.00 BBL	per gal. volu al. liquid per ga gal. volume of ft.	s of the soil. gal. volume of soil. . volume of soil. of soil. Total Free Liquid Volume: Estimated Productio Estimated Productio Estimated Productio Estimated Productio Estimated Productio Estimated Productio Estimated Productio Estimated Productio Surface Area: Surface Area: Surface Area: Surface Area: Surface Area: Surface Area: Surface Area: Surface Area: Surface Area:	Recovere Use the follow Occurs when * Clay loam = * Gravelly (ca * Sandy loam 7,80 n Volumes uction Spille <u>ce Damage</u> 7,80 .175 <u>, and Volum</u> 6 ing Require <u>New Mexic</u> NO	: 07/4 ng when he spill si 0.20 gal. che) loa e 0.5 gal 0 sq. ft i: 0 sq. ft 1 acre es lbs 9 BBL ments:	the liquid comp oaked soll is co liquid per gal. v m = 0.25 gal. liq liquid per gal. v t. 390 t. 390 <u>H2</u> 0.0	letely fills. Intained by olume of s volume of s volum	r barriers, natural (or n isoil. I. volume of soil. soil. Cu. OIL 0.0 BBi	ft.
Total Solid/Liquid Volume: <u>Estimated Volumes Sp</u> Liquid in Free Li Total Liquid Spill Li <u>Recovered Volume</u> Estimated oil recovered: Estimated water recovered: <u>Air Emission from flowlin</u> Volume of oil spill: Separator gas released: Separator gas released: Separator gas released from oil:	sq. pilled n Soil: iquid: otals: iquid: es BB BB BB BB BB BB BB BB BB BB BB BB BB	. ft. .ft. BL BL CF	* San * Gra * San * Cray CL. f CL. f 0.0 BBL 69.5 BBL 69.5 BBL 69.5 BBL	t.	gallon (gal.) liquid the) loam = 0.14 g am soil = 0.14 ga 116 gal. liquid per cu. 1 0.0 BBL 0.0 BBL 0.0 BBL 0.00 BBL	per gal. volu al. liquid per ga gal. volume of ft.	s of the soil. me of soil. gal. volume of soil. . volume of soil. of soil. Total Free Liquid Volume: <u>Estimated Productio</u> Estimated Productio Estimated Productio <u>Estimated Surfa</u> Surface Area: Surface Area: Surface Area: Surface Area: Surface Area: Surface Area: Surface Area: Mathematical Surface Area: Surface Area: Surf	Recovere Use the follow Occurs when * Clay loam = * Gravelly (ca * Sandy loam 7,80 n Volumes uction Spille <u>ce Damage</u> 7,80 .175 <u>, and Volum</u> 6 ing Require <u>New Mexic</u> NO	: 07/4 ng when he spill si 0.20 gal. che) loa e 0.5 gal 0 sq. ft i: 0 sq. ft 1 acre es lbs 9 BBL ments:	the liquid comp oaked soll is co liquid per gal. v m = 0.25 gal. liq liquid per gal. v t. 390 t. 390 <u>H2</u> 0.0	letely fills. Intained by olume of s uid per ga volume of r olume	r barriers, natural (or n isoil. I. volume of soil. soil. Cu. OIL 0.0 BBi	ft.
Total Solid/Liquid Volume: <u>Estimated Volumes Sp</u> Liquid in Free Li Total Liquid Spill Li <u>Recovered Volume</u> Estimated oil recovered: Estimated water recovered: <u>Air Emission from flowlin</u> Volume of oil spill: Separator gas released:	sq. pilled n Soil: iquid: iquid: iquid: es BB BB BB BB BB BB BB BB BB BB BB BB BB	. ft. .ft. BL BL CF	* San * Gra * San * Cray CL. f CL. f 0.0 BBL 69.5 BBL 69.5 BBL 69.5 BBL	t.	gallon (gal.) liquid the) loam = 0.14 g am soil = 0.14 ga 116 gal. liquid per cu. 1 0.0 BBL 0.0 BBL 0.0 BBL 0.00 BBL	per gal. volu al. liquid per ga gal. volume of ft.	s of the soil. me of soil. gal. volume of soil. . volume of soil. of soil. Total Free Liquid Volume: <u>Estimated Productio</u> Estimated Productio Estimated Productio <u>Estimated Surfa</u> Surface Area: Surface Area: Surface Area: Surface Area: Surface Area: Surface Area: Surface Area: Mathematical Surface Area: Surface Area: Surf	Recovere Use the follow Occurs when * Clay loam = * Gravelly (ca * Sandy loam 7,80 n Volumes uction Spille <u>ce Damage</u> 7,80 .175 <u>, and Volum</u> 6 ing Require <u>New Mexic</u> NO	: 07/4 ng when he spill si 0.20 gal. che) loa e 0.5 gal 0 sq. ft i: 0 sq. ft 1 acre es lbs 9 BBL ments:	the liquid comp oaked soll is co liquid per gal. v m = 0.25 gal. liq liquid per gal. v t. 390 t. 390 <u>H2</u> 0.0	letely fills. Intained by olume of s uid per ga volume of r olume	r barriers, natural (or n isoil. I. volume of soil. soil. Cu. OIL 0.0 BBi	ft.

.