



Saturation Index Calculations

Champion Technologies, Inc.
(Based on the Tomson-Oddo Model)

Site Information

Company	Sonat Raton LLC
Field	VPR A
Point	16
Date	9/24/1999

Water Analysis (mg/L)

Calcium	56
Magnesium	53
Barium	0
Strontium	0
Sodium*	1543
Bicarbonate Alkalinity	1,268
Sulfate	23
Chloride	1,879

* - Calculated Value

Appended Data

CO2	2 mg/L
H2S	0 mg/L
Iron	7 mg/L

TD5-4,829

Physical Properties

Ionic Strength*	0.08
pH†	7.80
Temperature	90°F
Pressure	50 psia

* - Calculated Value † - Known/Specified Value

Calcite Calculation Information

Calculation Method	Value
pH	7.80
Bicarbonate Alkalinity Correction(s)	Value
None Used	---

SI & PTB Results

Scale Type	SI	PTB
Calcite (Calcium Carbonate)	0.79	40.2
Gypsum (Calcium Sulfate)	-3.23	N/A
Hemihydrate (Calcium Sulfate)	-3.02	N/A
Anhydrite (Calcium Sulfate)	-3.48	N/A
Barite (Barium Sulfate)	N/A	N/A
Celestite (Strontium Sulfate)	N/A	N/A