

Submit 3 Copies To Appropriate District
Office

District I

1625 N. French Dr., Hobbs, NM 87240

District II

811 South First, Artesia, NM 87210

District III

1000 Rio Brazos Rd., Aztec, NM 87410

District IV

2040 South Pacheco, Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

OIL CONSERVATION DIVISION
2040 South Pacheco
Santa Fe, NM 87505

Form C-103

Revised March 25, 1999

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. 30-007-20298
1. Type of Well: Oil Well ☐ Gas Well ☒ Other COALBED METHANE		5. Indicate Type of Lease STATE ☐ FEE ☒
2. Name of Operator EL PASO ENERGY RATON, L.L.C.		6. State Oil & Gas Lease No.
3. Address of Operator P.O. BOX 190 RATON, NM 87740		7. Lease Name or Unit Agreement Name: VPR D
4. Well Location Unit Letter <u>A</u> : <u>1001.0</u> feet from the <u>North</u> line and <u>1160.6</u> feet from the <u>East</u> line Section <u>10</u> Township <u>30N</u> Range <u>18E</u> NMPM COLFAX County		8. Well No. 85
10. Elevation (Show whether DR, RKB, RT, GR, etc.) 8056' (GR)		9. Pool name or Wildcat

11. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐

TEMPORARILY ABANDON ☐ CHANGE PLANS ☐

PULL OR ALTER CASING ☐ MULTIPLE COMPLETION ☐

OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐

COMMENCE DRILLING OPNS. ☐ PLUG AND ABANDONMENT ☐

CASING TEST AND CEMENT JOB ☐

OTHER: ☐ COMPLETION ☒

12. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompilation.

02/16/02 Halliburton ran Cement Bond Log. TOC at surface.

04/17/02 Halliburton perf'd 1st stage: 1240'- 1242', 1259'- 1262', 1298'- 1300', 1316'- 1319', 1323'- 1328' 3 SPF 45 Holes
Halliburton frac'd 1st stage: Pumped 11.9 bbls HCL acid with 132,010 lbs of 16/30 Mesh Sand at 16 bpm, ATP at 2105 psi.

Halliburton perf'd 2nd stage: 1104'- 1111', 1139'- 1141' 3 SPF 29 Holes

Halliburton frac'd 2nd stage: Pumped 11.9 bbls HCL acid with 80,240 lbs of 16/30 Mesh Sand at 16 bpm, ATP at 1050 psi.

04/18/02 Halliburton perf'd 3rd stage: 936'- 938', 944'- 952' 3 SPF 28 Holes

Halliburton frac'd 3rd stage: Pumped 9.5 bbls HCL acid with 41,110 lbs of 16/30 Mesh Sand at 16 bpm, ATP at 1660 psi.

05/03/02 Installed rods, tubing, and pump. Well is ready to be put on production.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Shirley A. Mitchell TITLE Field Adm Specialist DATE 06/06/02

Type or print name: Shirley A. Mitchell Telephone No.: (505) 445-6785

(This space for State use)

APPROVED BY [Signature] TITLE DISTRICT SUPERVISOR DATE 6/7/02

Conditions of approval, if any:

State of New Mexico
Energy, Minerals and Natural ResourcesOIL CONSERVATION DIVISION
2040 South Pacheco
Santa Fe, NM 87505

Form C-103

Revised March 25, 1999

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. 30-007-20298
1. Type of Well: Oil Well ☐ Gas Well ☒ Other COALBED METHANE		5. Indicate Type of Lease STATE ☐ FEE ☒
2. Name of Operator EL PASO ENERGY RATON, L.L.C.		6. State Oil & Gas Lease No.
3. Address of Operator P.O. BOX 190 RATON, NM 87740		7. Lease Name or Unit Agreement Name: VPR D
4. Well Location Unit Letter <u>A</u> : <u>1001.0</u> feet from the <u>North</u> line and <u>1160.6</u> feet from the <u>East</u> line Section <u>10</u> Township <u>30N</u> Range <u>18E</u> NMPM COLFAX County		8. Well No. 85
10. Elevation (Show whether DR, RKB, RT, GR, etc.) 8056' (GR)		9. Pool name or Wildcat

11. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐TEMPORARILY ABANDON ☐ CHANGE PLANS ☐PULL OR ALTER CASING ☐ MULTIPLE COMPLETION ☐OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐COMMENCE DRILLING OPNS. ☐ PLUG AND ABANDONMENT ☐CASING TEST AND CEMENT JOB ☐OTHER: ☐ COMPLETION ☒

12. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompilation.

02/16/02 Halliburton ran Cement Bond Log. TOC at surface.

04/17/02 Halliburton perf'd 1st stage: 1240'-1242', 1259'-1262', 1298'-1300', 1316'-1319', 1323'-1328' 3 SPF 45 Holes
Halliburton frac'd 1st stage: Pumped 11.9 bbls HCL acid with 132,010 lbs of 16/30 Mesh Sand at 16 bpm, ATP at 2105 psi.Halliburton perf'd 2nd stage: 1104'-1111', 1139'-1141' 3 SPF 29 HolesHalliburton frac'd 2nd stage: Pumped 11.9 bbls HCL acid with 80,240 lbs of 16/30 Mesh Sand at 16 bpm, ATP at 1050 psi.04/18/02 Halliburton perf'd 3rd stage: 936'-938', 944'-952' 3 SPF 28 HolesHalliburton frac'd 3rd stage: Pumped 9.5 bbls HCL acid with 41,110 lbs of 16/30 Mesh Sand at 16 bpm, ATP at 1660 psi.

05/03/02 Installed rods, tubing, and pump. Well is ready to be put on production.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Shirley A. Mitchell TITLE Field Adm Specialist DATE 06/06/02Type or print name: Shirley A. Mitchell Telephone No.: (505) 445-6785

(This space for State use)

APPROVED BY Ry E. Johnson TITLE **DISTRICT SUPERVISOR** DATE 6/7/02

Conditions of approval, if any:

Submit 3 Copies To Appropriate District
Office
District I
1625 N. French Dr., Hobbs, NM 87240
District II
811 South First, Artesia, NM 87210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
2040 South Pacheco, Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
Revised March 25, 1999

OIL CONSERVATION DIVISION
2040 South Pacheco
Santa Fe, NM 87505

WELL API NO. 30-007-20298
5. Indicate Type of Lease STATE ☐ FEE ☒
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name: VPR D
8. Well No. 85
9. Pool name or Wildcat

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well:
Oil Well ☐ Gas Well ☒ Other COALBED METHANE

2. Name of Operator
EL PASO ENERGY RATON, L.L.C.

3. Address of Operator
P.O. BOX 190 RATON, NM 87740

4. Well Location
Unit Letter **A** : **1001.0** feet from the **North** line and **1160.6** feet from the **East** line
Section **10** Township **30N** Range **18E** NMPM COLFAX County
10. Elevation (Show whether DR, RKB, RT, GR, etc.)
8056' (GR)

11. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:	SUBSEQUENT REPORT OF:
PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐	REMEDIAL WORK ☐ ALTERING CASING ☐
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐	COMMENCE DRILLING OPNS. ☐ PLUG AND ABANDONMENT ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPLETION ☐	CASING TEST AND CEMENT JOB ☐
OTHER: ☐	OTHER: ☒ COMPLETION

12. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompilation.

02/16/02 Halliburton ran Cement Bond Log. TOC at surface.
04/17/02 Halliburton perf'd 1st stage: 1240'- 1242', 1259'- 1262', 1298'- 1300', 1316'- 1319', 1323'- 1328' 3 SPF 45 Holes
Halliburton frac'd 1st stage: Pumped 11.9 bbls HCL acid with 132,010 lbs of 16/30 Mesh Sand at 16 bpm, ATP at 2105 psi.
Halliburton perf'd 2nd stage: 1104'- 1111', 1139'- 1141' 3 SPF 29 Holes
Halliburton frac'd 2nd stage: Pumped 11.9 bbls HCL acid with 80,240 lbs of 16/30 Mesh Sand at 16 bpm, ATP at 1050 psi.
04/18/02 Halliburton perf'd 3rd stage: 936'- 938', 944'- 952' 3 SPF 28 Holes
Halliburton frac'd 3rd stage: Pumped 9.5 bbls HCL acid with 41,110 lbs of 16/30 Mesh Sand at 16 bpm, ATP at 1660 psi.
05/03/02 Installed rods, tubing, and pump. Well is ready to be put on production.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Shirley A. Mitchell TITLE Field Adm Specialist DATE 06/06/02
Type or print name: Shirley A. Mitchell Telephone No.: (505) 445-6785
(This space for State use)

APPROVED BY [Signature] TITLE DISTRICT SUPERVISOR DATE 6/7/02
Conditions of approval, if any:

Office

District I

1625 N. French Dr., Hobbs, NM 87240

District II

811 South First, Artesia, NM 87210

District III

1000 Rio Brazos Rd., Aztec, NM 87410

District IV

2040 South Pacheco, Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

OIL CONSERVATION DIVISION

2040 South Pacheco

Santa Fe, NM 87505

Form C-103

Revised March 25, 1999

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. 30-007-20298
1. Type of Well: Oil Well ☐ Gas Well ☒ Other COALBED METHANE		5. Indicate Type of Lease STATE ☐ FEE ☒
2. Name of Operator EL PASO ENERGY RATON, L.L.C.		6. State Oil & Gas Lease No.
3. Address of Operator P.O. BOX 190 RATON, NM 87740		7. Lease Name or Unit Agreement Name: VPR D
4. Well Location Unit Letter <u>A</u> : <u>1001.0</u> feet from the <u>North</u> line and <u>1160.6</u> feet from the <u>East</u> line Section <u>10</u> Township <u>30N</u> Range <u>18E</u> NMPM COLFAX County		8. Well No. 85
10. Elevation (Show whether DR, RKB, RT, GR, etc.) 8056' (GR)		9. Pool name or Wildcat

11. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐TEMPORARILY ABANDON ☐ CHANGE PLANS ☐PULL OR ALTER CASING ☐ MULTIPLE COMPLETION ☐OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐COMMENCE DRILLING OPNS. ☐ PLUG AND ABANDONMENT ☐CASING TEST AND CEMENT JOB ☐OTHER: ☐ COMPLETION ☒

12. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompilation.

02/16/02 Halliburton ran Cement Bond Log. TOC at surface.

04/17/02 Halliburton perf'd 1st stage: 1240'-1242', 1259'-1262', 1298'-1300', 1316'-1319', 1323'-1328' 3 SPF 45 Holes
Halliburton frac'd 1st stage: Pumped 11.9 bbls HCL acid with 132,010 lbs of 16/30 Mesh Sand at 16 bpm, ATP at 2105 psi.Halliburton perf'd 2nd stage: 1104'-1111', 1139'-1141' 3 SPF 29 HolesHalliburton frac'd 2nd stage: Pumped 11.9 bbls HCL acid with 80,240 lbs of 16/30 Mesh Sand at 16 bpm, ATP at 1050 psi.04/18/02 Halliburton perf'd 3rd stage: 936'-938', 944'-952' 3 SPF 28 HolesHalliburton frac'd 3rd stage: Pumped 9.5 bbls HCL acid with 41,110 lbs of 16/30 Mesh Sand at 16 bpm, ATP at 1660 psi.

05/03/02 Installed rods, tubing, and pump. Well is ready to be put on production.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Shirley A. Mitchell TITLE Field Adm Specialist DATE 06/06/02
Type or print name: Shirley A. Mitchell Telephone No.: (505) 445-6785

(This space for State use)

APPROVED BY _____ TITLE _____ DATE _____
Conditions of approval, if any: _____