STATE OF NEW MEXICO
ENERGY AND MINERALS DEPARTMENT

Form C-105
Revised 10-1-78

NO. OF COPIES RECEIVED		
DISTRIBUTION		
SANTA FE		
FILE		✓
U.S.G.S.		
LAND OFFICE		
OPERATOR		

OIL CONSERVATION DIVISION

P. O. BOX 2088
SANTA FE, NEW MEXICO 87501

WELL COMPLETION OR RECOMPLETION REPORT AND LOG

5a. Indicate Type of Lease: State [X] Fee [ ]
5. State Oil & Gas Lease No.: L 6331

1a. TYPE OF WELL
OIL WELL [X] GAS WELL [ ] DRY [ ] OTHER

b. TYPE OF COMPLETION
NEW WELL [X] WORK OVER [ ] DEEPEN [ ] PLUG BACK [ ] DIFF. RESVR. [ ] OTHER

7. Unit Agreement Name:
8. Farm or Lease Name: State
2. Name of Operator: Corona Oil Co.
9. Well No.: 2
3. Address of Operator: 4835 LBJ Freeway, Suite 635, Dallas, Texas 75234
10. Field and Pool, or Wildcat: Wildcat
4. Location of Well

UNIT LETTER B LOCATED 500 FEET FROM THE North LINE AND 1650 FEET FROM

East LINE OF SEC. 15 TWP. 11N RGE. 25E NMPM

12. County: Guadalupe

15. Date Spudded	16. Date T.D. Reached	17. Date Compl. (Ready to Prod.)	18. Elevations (DF, RKB, RT, GR, etc.)	19. Elev. Casinghead
3/1/80	3/6/30	*	4550.7' GR	4550.7'

20. Total Depth	21. Plug Back T.D.	22. If Multiple Compl., How Many	23. Intervals Drilled By	Rotary Tools	Cable Tools
473'			→	0' - 473'	

24. Producing Interval(s), of this completion - Top, Bottom, Name
386' - 430'

25. Was Directional Survey Made: No

26. Type Electric and Other Logs Run
Gamma ray - Compensating neutron

27. Was Well Cored: Yes

CASING RECORD (Report all strings set in well)

CASING SIZE	WEIGHT LB./FT.	DEPTH SET	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
8 5/8"	32	30'	11"	12 sacks	0
4 1/2"	10.5	473'	6 3/4"	90 sacks	0

29. LINER RECORD

SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN

30. TUBING RECORD

SIZE	DEPTH SET	PACKER SET

31. Perforation Record (Interval, size and number)

* Holding for enhanced recovery (Steam flood)

32. ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC.

DEPTH INTERVAL	AMOUNT AND KIND MATERIAL USED

33. PRODUCTION

Date First Production	Production Method (Flowing, gas lift, pumping - Size and type pump)	Well Status (Prod. or Shut-in)
*		*

Date of Test	Hours Tested	Choke Size	Prod'n. For Test Period →	Oil - Bbl.	Gas - MCF	Water - Bbl.	Gas - Oil Ratio

Flow Tubing Press.	Casing Pressure	Calculated 24-Hour Rate →	Oil - Bbl.	Gas - MCF	Water - Bbl.	Oil Gravity - API (Corr.)

34. Disposition of Gas (Sold, used for fuel, vented, etc.)
Test Witnessed By

35. List of Attachments

36. I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief.

SIGNED [signature] TITLE Agent DATE 11/14/81

INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well. It shall be accompanied by one copy of all electrical and radioactivity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, Items 30 through 34 shall be reported for each zone. The form is to be filed in quintuplicate except on state land, where six copies are required. See Rule 1105.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southeastern New Mexico				Northwestern New Mexico			
T. Anhy		T. Canyon		T. Ojo Alamo		T. Penn. "B"	
T. Salt		T. Strawn		T. Kirtland-Fruitland		T. Penn. "C"	
B. Salt		T. Atoka		T. Pictured Cliffs		T. Penn. "D"	
T. Yates		T. Miss		T. Cliff House		T. Leadville	
T. 7 Rivers		T. Devonian		T. Menefee		T. Madison	
T. Queen		T. Silurian		T. Point Lookout		T. Elbert	
T. Grayburg		T. Montoya		T. Mancos		T. McCracken	
T. San Andres		T. Simpson		T. Gallup		T. Ignacio Qtzte	
T. Glorieta		T. McKee		Base Greenhorn		T. Granite	
T. Paddock		T. Ellenburger		T. Dakota		T.	
T. Blinebry		T. Gr. Wash		T. Morrison		T.	
T. Tubb		T. Granite		T. Todilto		T.	
T. Drinkard		T. Delaware Sand		T. Entrada		T.	
T. Abo		T. Bone Springs		T. Wingate		T.	
T. Wolfcamp		T.		T. Chinle		T.	
T. Penn.		T.		T. Permian		T.	
T. Cisco (Bough. C)		T.		T. Penn. "A"		T.	

OIL OR GAS SANDS OR ZONES

No. 1, from 386' to 430' No. , from to

No. 2, from to No. , from to

No. 3, from to No. , from to

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from 127 to 154 feet. Est. 5 to 10 GPM

No. 2, from to feet.

No. 3, from to feet.

No. 4, from to feet.

FORMATION RECORD (Attach additional sheets if necessary)

From	To	Thickness in Feet	Formation	From	To	Thickness in Feet	Formation
0'	30'	30	Surface soil & gravel				
30'	386'	356	Shale & Sandstone				
386'	430'	44	Sandstone, gray				
430'	432'	2	Conglomerate, grn-gray				
432'	473'	41	Shale				