

OIL CONSERVATION DIVISION
P. O. BOX 2088
SANTA FE, NEW MEXICO 87501

Form C-103
Revised 10-1-79

NO. OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	
FILE	
U.S.G.S.	
LAND OFFICE	
OPERATOR	

5a. Indicate Type of Lease
State: ☐ For: ☒
5. State Oil & Gas Lease No.

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR.
USE "APPLICATION FOR PERMIT - I" (FORM C-101) FOR SUCH PROPOSALS.)

1. OIL WELL ☒ GAS WELL ☐ OTHER ☐	7. Unit Agreement Name
2. Name of Operator Corona Oil Co.	8. Farm or Lease Name Jeanne
3. Address of Operator 4835 LBJ Freeway, Suite 635, Dallas, Texas 75234	9. Well No. 5
4. Location of Well UNIT LETTER C 800 FEET FROM THE North LINE AND 2145 FEET FROM THE West LINE, SECTION 17 TOWNSHIP 11N RANGE 26E NMPM.	10. Field and Pool, or Wildcat Wildcat
15. Elevation (Show whether DF, RT, GR, etc.) 4759.0 GR	12. County Guadalupe

Check Appropriate Box To Indicate Nature of Notice, Report or Other Data
NOTICE OF INTENTION TO:

SUBSEQUENT REPORT OF:

PERFORM REMEDIAL WORK ☐	PLUG AND ABANDON ☐	REMEDIAL WORK ☐	ALTERING CASING ☐
TEMPORARILY ABANDON ☐	CHANGE PLANS ☐	COMMENCE DRILLING OPNS. ☒	PLUG AND ABANDONMENT ☐
PULL OR ALTER CASING ☐	OTHER ☐	CASING TEST AND CEMENT JOB ☒	
		OTHER Operator has changed their name ☒	

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

Spudded 12 1/4" hole at 1:30 PM 10-21-81 (TD 30'). Ran 30' of 10 3/4" 51# J-55 casing and cemented with 8 sacks of neat cement from TD to surface. Drilled well to 834' TD with an 8 5/8" bit. Ran 829' of 5 1/2" 17# K-55 casing and cemented as follows: Pumped 20 bbls. of gelled 5% KCl water. Pumped 126 sacks of Class "H" cement containing 35% silica flour and 0 5% Halad-9. Followed with 126 sacks of Class "H" cement containing 35% silica flour and 2% calcium chloride. Cement did not circulate. Pumped plug down at 6:30 AM 10-8-81. Tested plug at 2000 psig and plug held. Top of cement around outside of casing will be brought back to surface before well is perforated.

Cored well as follows: 696' - 722', 722' - 752', 752' - 778', 778' - 806' and 806' - 822'.

8. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED <u>Charles E. [Signature]</u>	TITLE <u>Agent</u>	DATE <u>11-12-81</u>
APPROVED BY <u>Carl Ulvog</u>	TITLE <u>SENIOR PETROLEUM GEOLOGIST</u>	DATE <u>11-25-81</u>
CONDITIONS OF APPROVAL, IF ANY:		

OIL CONSERVATION DIVISION

P. O. BOX 1038

SANTA FE, NEW MEXICO 87501

Form C-103
Revised 10-1-73

NO. OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	
FILE	
U.S.O.S.	
LAND OFFICE	
OPERATOR	

NOV 20 1981
SANTA FE

39. Indicate Type of Lease
State ☐ For ☒
5. State Oil & Gas Lease No.

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR.
USE "APPLICATION FOR PERMIT - 1" (FORM C-101) FOR SUCH PROPOSALS.)

1. OIL WELL ☒ GAS WELL ☐ OTHER-	7. Unit Agreement Name
2. Name of Operator Corona Oil Co.	8. Farm or Lease Name Jeanne
3. Address of Operator 4835 LBJ Freeway, Suite 635, Dallas, Texas 75274	9. Well No. 5
4. Location of Well UNIT LETTER C . 800 FEET FROM THE North LINE AND 2145 FEET FROM THE West LINE, SECTION 17 TOWNSHIP 11N RANGE 26E NMPM.	10. Field and Pool, or Wildcat Wildcat
11. Elevation (Show whether DF, RT, GR, etc.) 4759.0 GR	12. County Guadalupe

Check Appropriate Box To Indicate Nature of Notice, Report or Other Data
NOTICE OF INTENTION TO:

SUBSEQUENT REPORT OF:

PERFORM REMEDIAL WORK ☐	PLUG AND ABANDON ☐	REMEDIAL WORK ☐	ALTERING CASING ☐
TEMPORARILY ABANDON ☐	CHANGE PLANS ☐	COMMENCE DRILLING OPNS. ☒	PLUG AND ABANDONMENT ☐
PULL OR ALTER CASING ☐	OTHER ☐	CASING TEST AND CEMENT JOBS ☒	
		OTHER Operator has changed their name ☒	

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

Spudded 12 1/4" hole at 1:30 PM 10-21-81 (TD 30'). Ran 30' of 10 3/4" 51# J-55 casing and cemented with 8 sacks of neat cement from TD to surface. Drilled well to 834' TD with an 8 5/8" bit. Ran 829' of 5 1/2" 17# K-55 casing and cemented as follows: Pumped 20 bbls. of gelled 5% KCl water. Pumped 126 sacks of Class "H" cement containing 35% silica flour and 0 5% Halad-9. Followed with 126 sacks of Class "H" cement containing 35% silica flour and 2% calcium chloride. Cement did not circulate. Pumped plug down at 6:30 AM 10-8-81. Tested plug at 2000 psig and plug held. Top of cement around outside of casing will be brought back to surface before well is perforated.

Cored well as follows: 696' - 723', 723' - 752', 752' - 778', 778' - 806' and 806' - 822'.

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED <u>Charles E. Joyce</u>	TITLE <u>Agent</u>	DATE <u>11-12-81</u>
APPROVED BY <u>Carl Vlosky</u>	TITLE <u>SENIOR PETROLEUM GEOLOGIST</u>	DATE <u>11-25-81</u>
CONDITIONS OF APPROVAL, IF ANY:		

OIL CONSERVATION DIVISION

P. O. BOX 2000

SANTA FE, NEW MEXICO 87501 NOV 30 1981

Form C-103
Revised 10-1-78

NO. OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	
FILE	
U.S.G.S.	
LAND OFFICE	
OPERATOR	

5a. Indicate Type of Lease
 1. State ☐ For ☒
 2. State Oil & Gas Lease No.

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT - II" (FORM C-103) FOR SUCH PROPOSALS.)

1. OIL WELL ☒ GAS WELL ☐ OTHER-	7. Unit Agreement Name
2. Name of Operator Corona Oil Co.	8. Farm or Lease Name Jeanne
3. Address of Operator 4835 LBJ Freeway, Suite 635, Dallas, Texas 75274	9. Well No. 5
4. Location of Well UNIT LETTER C 800 FEET FROM THE North LINE AND 2145 FEET FROM THE West LINE, SECTION 17 TOWNSHIP 11N RANGE 26E N.M.P.M.	10. Field and Pool, or Wildcat Wildcat
11. Elevation (Show whether DE, RT, GR, etc.) 4759.0 GR	12. County Guadalupe

Check Appropriate Box To Indicate Nature of Notice, Report or Other Data
 NOTICE OF INTENTION TO:

SUBSEQUENT REPORT OF:

PERFORM REMEDIAL WORK ☐	PLUS AND ABANDON ☐	REMEDIAL WORK ☐	ALTERING CASING ☐
TEMPORARILY ABANDON ☐	CHANGE PLANS ☐	COMMENCE DRILLING OPNS. ☒	PLUG AND ABANDONMENT ☐
PULL OR ALTER CASING ☐	OTHER ☐	CASING TEST AND CEMENT JOBS ☒	
		OTHER Operator has changed their name ☒	

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

Spudded 12 1/4" hole at 1:30 PM 10-21-81 (TD 30'). Ran 30' of 10 3/4" 51# J-55 casing and cemented with 8 sacks of neat cement from TD to surface. Drilled well to 834' TD with an 8 5/8" bit. Ran 829' of 5 1/2" 17# K-55 casing and cemented as follows: Pumped 20 bbls. of gelled 5% KCl water. Pumped 126 sacks of Class "H" cement containing 35% silica flour and 0.5% Halad-9. Followed with 126 sacks of Class "H" cement containing 35% silica flour and 2% calcium chloride. Cement did not circulate. Pumped plug down at 6:30 AM 10-8-81. Tested plug at 2000 psig and plug held. Top of cement around outside of casing will be brought back to surface before well is perforated.

Cored well as follows: 696' - 723', 723' - 752', 752' - 778', 778' - 806' and 806' - 822'.

8. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED <u>Charles C. Joy</u>	TITLE <u>Agent</u>	DATE <u>11-12-81</u>
APPROVED BY <u>Carl Ulvog</u>	TITLE <u>SENIOR PETROLEUM GEOLOGIST</u>	DATE <u>11-25-81</u>
CONDITIONS OF APPROVAL, IF ANY:		