

COUNTY <u>GUADALUPE</u>		FIELD <u>Wildcat</u>		STATE <u>NM</u>	
OPR <u>HANKINS, KENNETH M.</u>				MAP	
<u>1 Branch, Virginia</u>					
Sec. <u>9, T-10-N, R-25-E</u>				CO-ORD	
<u>330' FNL, 330' FWL of Sec.</u>					
Spd <u>12-27-66</u>					
Cmp <u>7-29-68</u>		CLASS		EL	
		FORMATION	DATUM	FORMATION	DATUM
CSG & SX - TUBING					
7"	70'	15			
4½"	1240'	140			
LOGS EL GR RA IND HC A					
		TD 1295'			

TEMPORARILY ABANDONED

Distribution limited and publication prohibited by subscribers' agreement.  
 Reproduction rights reserved by Williams & Lee Scouting Service, Inc.

CONT. DATE PROP DEPTH 1400' TYPE RT

F.R. 1-5-67  
 PD 1400' - SA  
 1-9-67 Drlg. 47'.  
 1-16-67 Drlg. 980'.  
 1-23-67 Drlg. 1100'.  
 1-24-67 TD 1295', running logs.  
 Cored 1094-1212' (5 cores of less than 8' rec)  
 sd., w/sli show.  
 1-30-67 TD 1295', cond. hole to run casing  
 2-2-67 TD 1295', reaming.  
 2-13-67 No Report  
 2-20-67 TD 1295', PBD 1240', RU Pump  
 Perf @ 1096', 1101', 1150', 1154', 1168'  
 W/2 SPI  
 Frac (1096-1168') 6000 gals.  
 Screened out after 4000# sd.

GUADALUPE Wildcat NM Sec. 9-10N-25E  
HANKINS, KENNETH M #1 Branch Virginia Page #2

COUNTY GUADALUPE FIELD Wildcat STATE NM

OPR HANKINS, KENNETH M. MAP

1 Branch, Virginia

Sec. 9, T-10-N, R-25-E CO-ORD

330' FNL, 330' FWL of Sec.

Spd 12-27-66

Cmp 7-29-68

CSG & SX - TUBING	CLASS		EL	
	FORMATION	DATUM	FORMATION	DATUM
7" 70' 15				
4 1/2" 1240' 140				
LOGS EL GR RA IND HC A				
	TD 1295'			

TEMPORARILY ABANDONED

Distribution limited and publication prohibited by subscribers' agreement.  
 Reproduction rights reserved by Williams & Lee Scouting Service, Inc.

CONT. PROP DEPTH 1400' TYPE RT  
 DATE

- F.R. 1-5-67
- PD 1400' - SA
- 1-9-67 Drlg. 47'.
- 1-16-67 Drlg. 980'.
- 1-23-67 Drlg. 1100'.
- 1-24-67 TD 1295', running logs.  
 Cored 1094-1212' (5 cores of less than 8' rec)  
 sd., w/sli show.
- 1-30-67 TD 1295', cond. hole to run casing
- 2-2-67 TD 1295', reaming.
- 2-13-67 No Report
- 2-20-67 TD 1295', PBD 1240', RU Pump  
 Perf @ 1096', 1101', 1150', 1154', 1168'  
 W/2 SPI  
 Frac (1096-1168') 6000 gals.  
 Screened out after 4000# sd.

2-27-67 TD 1295', PBD 1240', TOP  
Pmpd 10 BLW w/sli show oil in 24 hrs.

3-2-67 TD 1295', PBD 1240', TOP  
Pmpd 1 BOPD (1096-1168')

3-13-67 TD 1295', PBD 1240', prep treat for  
emulsion block.

3-20-67 TD 1295', PBD 1240', TOP  
Treated (1096-1168') W/150 Bbls Wtr +  
2 bbls Chemicals  
Pmpd load w/sli show oil.

3-27-67 TD 1295', PBD 1240', TOP  
Pmpd 2 BOPD.

4-3-67 TD 1295', PBD 1240', TOP  
Pmpd 7-8 BF in 30 mins & pmpd off.

4-10-67 TD 1295', PBD 1240', TOP  
Pmpd 1 BOPD.

---

4-17-67 TD 1295', PBD 1240', TOP

4-24-67 TD 1295', PBD 1240', TOP  
Pmpd 1-1½ BOPD, no wtr.

5-1-67 TD 1295', PBD 1240', TOP  
Pmpd 15 gals oil per day

5-8-67 TD 1295', PBD 1240', SI.

5-15-67 TD 1295', PBD 1240', SI.

5-22-67 TD 1295', PBD 1240', SI.

5-29-67 TD 1295', PBD 1240', SI.

6-5-67 TD 1295', PBD 1240', SI.

6-12-67 TD 1295', PBD 1240', TOP  
Pmpd 3-4 gals oil + 10 gals wtr in 24 hrs.  
(1096-1168')

6-19-67 TD 1295', PBD 1240', TOP

6-26-67 TD 1295', PBD 1240', TOP  
Pmpd 15 gals fluid (35% oil, 65% wtr)

GUADALUPE  
HANKINS, KENNETH M., #1

Wildcat

NM

Sec. 9-10N-25E

Page #3

7-3-67 TD 1295', PBD 1240', TOP  
7-10-67 TD 1295', PBD 1240', TOP  
7-17-67 TD 1295', PBD 1240', TOP  
7-31-67 TD 1295', PBD 1240', TOP  
Pmpd 1 BOPD + 10 gals wtr PD (1096-1168')  
8-7-67 TD 1295', PBD 1240', TOP  
8-14-67 TD 1295', PBD 1240', SI.  
8-21-67 TD 1295', PBD 1240', SI.  
8-28-67 TD 1295', PBD 1240', SI.  
9-5-67 TD 1295', PBD 1240', SI.  
9-11-67 TD 1295', PBD 1240', SI.  
9-18-67 TD 1295', PBD 1240', SI.  
(Final posting)  
7-29-68 TD 1295', PBD 1240', TEMPORARILY ABANDONED.  
SAMPLE TOP: Permian 980'