

OIL CONSERVATION COMMISSION

P. O. BOX 871
SANTA FE, NEW MEXICO

September 17, 1952

C
O
P
Y
Mr. O. L. Ledgerwood
P. O. Box 308
Tucumcari, New Mexico

Re: Ledgerwood No. 1 Kimes
SESESE Sec. 11-12N-32E
Quay County, New Mexico

Dear Sir:

The New Mexico Oil Conservation Commission, in its Case No. 280, Order R-81, has declared you in default of your obligations to plug the above captioned well. This well-bore was declared abandoned and ordered to be plugged in accordance with the Rules and Regulations of the Commission. A stipulation stated that O. L. Ledgerwood, E. L. Kimes, and/or any person claiming any right, title or interest in or to said well-bore might have thirty (30) days within which to retrieve recoverable material from said well-bore, and to properly plug said well-bore in accordance with the rules of the Commission and clean up the premises; failure thereunder within the time specified therein would require the calling upon the surety company, Accident and Casualty Company of New York, N. Y., c/o Nathan R. Bell, resident agent to, at its own expense, immediately plug the said well-bore in compliance with the Rules and Regulations of the Commission.

The above mentioned surety company is plugging this well on September 16, 1952, to conform with all Rules and Regulations of the Oil Conservation Commission. A representative of the Commission shall witness the actual work done in plugging the well and cleaning up of the premises.

Very truly yours,


EUGENE A. CHAVEZ,
Geologist - District 4

ir

cc: Mr. H. K. Huie
c/o Lyle Adjustment Co. P. O. Box 1755 Santa Fe, New Mexico

J. R. WATSON

510 EAST EVANS

TUCUMCARI, NEW MEXICO


ESTIMATE:

I hereby agree to plug the O. L. Ledgerwood oil well known as Kines #1 and situated SE/4 SE/4 of Section 11, Township 12 N. Range 32E, NMPM, Quay County, New Mexico as per the plugging program directions of the New Mexico Oil Conservation Commission; said well having a total depth of 1680 feet and requirements being as follows:

- (1) 1680-1650' cement slurry or heavy mud.
- (2) 1650-1620' - 15 sack cement plug.
- (3) 1620-to 30' heavy mud.
- (4) 30' cement plug to surface of casing with 4"x4" steel marker set solidly in cement.
- (5) Level pits which are now open - clear junk, and leave location level and clean.
- (6) Operator or contractor file G-103 with this Commission stating exactly how this well was plugged and the condition of the surface.

I will furnish all equipment, material and labor and guarantee job as above specified for the sum of \$2,000.00. This sum to be paid in full upon completion and filing of form G-103.

In performing this job I will use my Jumbo "C" Ft. Worth Spudder and can start the job in approximately 30 days. It will take approximately 10 days time to do this work.



J. R. Watson
Contractor

July 25, 1952

MEMORANDUM
TO THE DIRECTOR
FROM THE ASSISTANT ATTORNEY GENERAL

The following information was obtained from a review of the records of the Department of Justice, Office of the Inspector General, regarding the activities of the [redacted] and the [redacted] during the period from [redacted] to [redacted].

The [redacted] was established on [redacted] and [redacted]

The [redacted] was [redacted] and [redacted]

The [redacted] was [redacted] and [redacted]


The [redacted] was [redacted] and [redacted] during the period from [redacted] to [redacted].

The [redacted] was [redacted] and [redacted] during the period from [redacted] to [redacted].

The [redacted] was [redacted] and [redacted] during the period from [redacted] to [redacted].

The [redacted] was [redacted] and [redacted] during the period from [redacted] to [redacted].

The [redacted] was [redacted] and [redacted] during the period from [redacted] to [redacted].


[redacted]
[redacted]