

NO. OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	
FILE	
U.S.G.S.	
LAND OFFICE	
OPERATOR	

OIL CONSERVATION DIVISION

P. O. BOX 2088

SANTA FE, NEW MEXICO 87501

Form C-103
Revised 10-1-78

5a. Indicate Type of Lease	
State ☒	Fee ☐
5. State Oil & Gas Lease No. L. G. -2450	

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR.
USE "APPLICATION FOR PERMIT -" (FORM C-101) FOR SUCH PROPOSALS.)

1. Well ☒ WELL ☐ CAS WELL ☐ OTHER-	7. Unit Agreement Name
2. Name of Operator PELTO OIL COMPANY	8. Farm or Lease Name STATE
3. Address of Operator Greenspoint Plaza, Suite 400, 16825 Northchase, Houston, Texas 77060	9. Well No. 1
4. Location of Well 1980 FEET FROM THE North LINE AND 2970 FEET FROM East LINE, SECTION 36 TOWNSHIP 14N RANGE 8E	10. Field and Pool, or Wildcat Wildcat

11. Elevation (Show whether DF, RT, CR, etc.)	12. County Santa Fe
---	------------------------

Check Appropriate Box To Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

1. REMEDIAL WORK ☐	2. PLUG AND ABANDON ☐
3. PARTIALLY ABANDON ☐	4. CHANGE PLANS ☐
5. ALTER CASING ☐	6. ☐

SUBSEQUENT REPORT OF:

7. REMEDIAL WORK ☐	8. ALTERING CASING ☐
9. COMMENCE DRILLING OPERATIONS ☐	10. PLUG AND ABANDONMENT ☒
11. CASING TEST AND CEMENT JOBS ☐	12. OTHER ☐

Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

Air drilled 6 3.4" hole to 5405' and hole became wet.
Mudded up with 9.2#/gal. mud and drilled to 5515'. Dresser Atlas ran induction log, sonic log and dipmeter. Received verbal approval from C. G. Ulvog to plug and abandon on 11/2/81.

Western plugged as follows:

Plug #1 5450-5300', 150' Plug, 48 sacks Class "H" with 2%cc.
Plug #2 4310-4210' 100' plug 50' above and 50' below 7 5/8" casing set at 4267', 33 sacks Class "H" 2%cc.
Plug #3 50-0' 50' plug at surface, 24 sacks Class "H" with 2%cc.
Installed Dry Hole Marker..Will clean up location as soon as Reserve Pit dries out.

Certify that the information above is true and complete to the best of my knowledge and belief.

TITLE Petroleum Consultant

DATE 11/3/81

TITLE

DATE

ENERGY AND MINERALS DEPARTMENT

NO. OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	
FILE	☒
U.S.G.S.	
LAND OFFICE	
OPERATOR	

OIL CONSERVATION DIVISION

P. O. BOX 2088

SANTA FE, NEW MEXICO 87501

RECEIVED
OCT 28 1981
Form C-103
Revised 10-1-78
5a. Indicate Type of Lease
State ☒ Fee ☐
5. State Oil & Gas Lease No.
L. G. - 2450

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR.
USE "APPLICATION FOR PERMIT - 1" (FORM C-101) FOR SUCH PROPOSALS.)

1. ☒ OIL WELL ☐ GAS WELL ☐ OTHER-	7. Unit Agreement Name
2. Name of Operator PELTO OIL COMPANY	8. Farm or Lease Name STATE
3. Address of Operator 2 Greenspoint Plaza, Suite 400, 16825 Northchase, Houston Texas 77060	9. Well No. 1
4. Location of Well UNIT LETTER _____ 1980 FEET FROM THE North LINE AND 2970 FEET FROM THE East LINE, SECTION 36 TOWNSHIP 14N RANGE 8E NMPM.	10. Field and Pool, or Wildcat Wildcat
15. Elevation (Show whether DF, RT, GR, etc.)	12. County Santa Fe

16. Check Appropriate Box To Indicate Nature of Notice, Report or Other Data
NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐TEMPORARILY ABANDON ☐PULL OR ALTER CASING ☐PLUS AND ABANDON ☐CHANGE PLANS ☐OTHER _____ ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐COMMENCE DRILLING OPNS. ☐CASING TEST AND CEMENT JOB ☒OTHER _____ ☐ALTERING CASING ☐PLUS AND ABANDONMENT ☐

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

Drilled 9 7/8" Hole to 4270' with 9.1 PPG mud. Dresser ran dual induction BHC Acoustilog and Dipmeter. Ran 7 5/8" 26.40#K-55 and N-80 LT&C casing set at 4267'. Western cemented with 1575 sacks 65/35 poz mix cement with 6% gel and 5# Gilsonite, followed with 200 sacks Class"H" with 1/4# Celloseal. Plug down at 2:45 A.M. 10/25/81 with 2400# pressure. Circulated 130 sacks cement to surface. N. U. BOP's and Rotary Head and test casing and BOP's to 1500# for 1/2 hr. Now drilling 6 3/4" air drilled hole.

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.


SIGNED

TITLE Petroleum ConsultantDATE 10/26/81

APPROVED BY

TITLE SENIOR PETROLEUM GEOLOGISTDATE 10/29/81

CONDITIONS OF APPROVAL, IF ANY:

OIL CONSERVATION DIVISION
P. O. BOX 2088
SANTA FE, NEW MEXICO 87501Form C-103
Revised 10-1-78

NO. OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	☒
FILE	☒
U.S.G.S.	
LAND OFFICE	
OPERATOR	

30. Indicate Type of Lease	Fee ☐
State ☒ SANTA FE	
5. State Oil & Gas Lease No.	
L. G. - 2450-	

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR.
USE "APPLICATION FOR PERMIT -" (FORM C-101) FOR SUCH PROPOSALS.)

1. OIL WELL ☒ GAS WELL ☐ OTHER-	7. Unit Agreement Name
2. Name of Operator PELTO OIL COMPANY	8. Farm or Lease Name State
3. Address of Operator 2 Greenspoint Plaza, Suite 400, 16825 Northchase, Houston, Texas 77060	9. Well No. 1
4. Location of Well UNIT LETTER <u>F</u> 1980 FEET FROM THE <u>North</u> LINE AND <u>2970</u> FEET FROM THE <u>East</u> LINE, SECTION <u>36</u> TOWNSHIP <u>14N</u> RANGE <u>8E</u> NMPM.	10. Field and Pool, or Wildcat Wildcat
15. Elevation (Show whether DF, RT, GR, etc.) 5824 Ungaraded	12. County Santa Fe

16. Check Appropriate Box To Indicate Nature of Notice, Report or Other Data
NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF:

PERFORM REMEDIAL WORK ☐	PLUG AND ABANDON ☐	REMEDIAL WORK ☐	ALTERING CASING ☐
TEMPORARILY ABANDON ☐	CHANGE PLANS ☐	COMMENCE DRILLING OPNS. ☐	PLUG AND ABANDONMENT ☐
PULL OR ALTER CASING ☐	OTHER ☐	CASING TEST AND CEMENT JOB ☒	OTHER ☐

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

Moved in and rigged up Y.W. Drilling Company Rig #4. Spudded 14 3/4" surface hole at 4:30 P.M. 10/9/81. Drilled 14 3/4" hole to 376'. Ran 10 3/4" 40.5# K55 ST&C casing to 374'. Western cemented 10 3/4" casing with 450 sacks Class "H" cement with 2% CaCl and 1/4# Celloflake, Plug down at 7:30 P.M. 10/10/81 with 1000#, circulate 135 sacks cement to surface. Wait on cement and installed 10" 3000# x 9 5/8" SOW casing head and 10" 3000# double ram BOP, Tested casing and BOP's to 500# for 1/2 hr. at 1:30 P.M. 10/11/81. Now drilling 9 7/8" hole.

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED Carl Ulzog TITLE _____ DATE _____APPROVED BY _____ TITLE _____ DATE 10-19-81

CONDITIONS OF APPROVAL, IF ANY: