

COUNTY		Santa Fe		FIELD		Wildcat		STATE		N.M.		NO.		OWWO	
WC	OPR.	Black Drilling Company										MAP			
NO.		1 LSE Federal													
SEC.		23		T.		14N		BLK. R		11E		SUR.		CO-ORD.	
LOC. 330' fr S & E Lines of Sec.															
Re-		MI.		FROM		P&A		CLASS.		EL.					
SPUD.		10-20-63		COMP.		12-17-63		FORMATION		DATUM		FORMATION		DATUM	
IRT.															
CSG. & SX.															
4 1/2"		2849'													
TBG.		DEPTH		SIZE											
LOGS		EL		GR		RA		IND		HC		A			
		TD 2849'													
		PB													
PROD INT.		(DAILY RATE)		BS&W		GH		GOR		GTY		C. P.		T. P.	
		HRS. TEST													
PLUGGED & ABANDONED															
Distribution limited and publication prohibited by subscribers' agreement. Reproduction rights reserved by Williams & Lee Scouting Service, Inc.															
CONT.		PROP DEPTH 2849' TYPE													
DATE															

10-28-63 F.R. 10-31-63; OWWO, Orig. P&A
 TD 2849' (Corr.), WOC.
 SP DST 1867-1904', open 2 hrs,
 Rec 186' Drlg. Mud,
 5 min ISIP 693#, FP 10-83#,
 30 min FSIP 512#.

11-4-63 TD 2849', prep to perf.

11-11-63 TD 2849', prep to perf.

11-18-63 TD 2849', PB 2823', prep to test.
 Perf 1877-81', 2024-26', 2030-2032',
 2090-96', 2102-04', 2114-20', 2213-15',
 2225-30', 2359-63', 2450-54', 2537-41',
 2581-85', 2590-92', 2754-58', 2768-71',
 2778-88' W/2 SPF

11-26-63 TD 2849', PB 2823', swbg.
 Ac. 400 gals (Perfs 2754-88'),
 swbd acid wtr.

11-26-63 -cont.-

Ac. 400 gals (Perfs 2581-92'),
Swbd Acid Wtr, with SSG.
Ac. 250 gals (Perfs 2537-41'),
Swbd acid wtr, with rainbow show.
Ac. 250 gals (Perfs 2450-54'),
swbd dry.
Ac. 250 gals (Perfs 2359-63'),
did not rec load.
Ac. 250 gals (Perfs 2213-30'),
Swbd wtr 200'/1 hr.
Ac. 250 gals (Perfs 2090-2120'),
Swbd acid wtr.
Ac. 250 gals (Perfs 2024-32'),
swbd wtr, with rainbow show.

12-2-63 TD 2849', PB 2823', swbg.
Frac 2000 gals wtr + 4000# sd. (Perfs 1877-81')
Swbd load, with rainbow show & unestimated gas.
(Gas will not burn)
12-9-63 TD 2849', PB 2823', swbg.
Swbd mud with scum oil to pits & slight show gas.
12-16-63 TD 2849', PB 2823', PLUGGED & ABANDONED.

COUNTY <u>Santa Fe</u>		FIELD <u>Wildcat</u>		STATE <u>N.M.</u>		NO.	
WC	OPR. <u>Black Drilling Company</u>			MAP			
NO. <u>1</u>		LSE <u>Federal</u>					
SEC. <u>23</u>	T. <u>14N</u>	BLK. <u>R</u>	<u>11E</u>	SUR.		CO-ORD.	
LOC. <u>330' fr S & E Lines of Sec.</u>							
MI.		FROM <u>P&A</u>		CLASS.		EL.	
SPUD. <u>7-13-63</u>		COMP. <u>10-16-63</u>		FORMATION		DATUM	
IRT.		Sample:					
		Penn 1005					
CSG. & SX.		LOG:					
<u>8 5/8"</u> <u>222'</u> <u>170</u>		Glor 13					
<u>7"</u> <u>1103'</u> <u>400</u>		Yeso 182					
		Sangre De					
TBG. DEPTH		SIZE		Cristo 507			
LOGS EL GR RA IND HC A		Madera 1006					
		TD 2842'		PB			
PROD INT.		(DAILY RATE)		BS&W GH GOR GTY C. P. T. P.		HRS. TEST	
PLUGGED & ABANDONED							
Distribution limited and publication prohibited by subscribers' agreement. Reproduction rights reserved by Williams & Lee Scouting Service, Inc.							
CONT. DATE		PROP DEPTH		2600'		TYPE	

F.R. 7-5-63; Oper's Elev. 7097' KB
 PD 2600' - Granite
 7-20-63 Drlg. 970', drilling with air.
 7-29-63 TD 1460', fishing.
 Fresh water @ 700' & 960'.
 8-5-63 TD 1460', WO Larger Rig.
 8-12-63 TD 1460', WO Larger Rig.
 8-19-63 TD 1460', WO Larger Rig.
 10-14-63 Drlg. 2430'.
 10-21-63 TD 2842', granite wash, PLUGGED & ABANDONED.
 No tests @ TD.
 LOG TOPS: Sandia 2019', Granite Wash 2749'.