

MUDDING AND CEMENTING RECORD

Size casing	Where set	Number sacks of cement	Method used	Mud gravity	Amount of mud used
13'	214	None	Set	10.1	200 sacks
10-3/4	614	20	Pump		

FOLD MARK

PLUGS AND ADAPTERS

Heaving plug—Material Cement Length 30', 80', 80' Depth set 30', 1050', 2700'
 Adapters—Material _____ Size _____

SHOOTING RECORD

Size	Shell used	Explosive used	Quantity	Date	Depth shot	Depth cleaned out

TOOLS USED

Rotary tools were used from 854 feet to 2703 feet, and from _____ feet to _____ feet
 Cable tools were used from Surfacs feet to 345 feet, and from _____ feet to _____ feet

DATES

_____, 19____ Put to producing _____, 19____
 The production for the first 24 hours was _____ barrels of fluid of which _____% was oil; _____% emulsion; _____% water; and _____% sediment. Gravity, °Bé. _____
 If gas well, cu. ft. per 24 hours _____ Gallons gasoline per 1,000 cu. ft. of gas _____
 Rock pressure, lbs. per sq. in. _____

EMPLOYEES

_____, Driller _____, Driller
 _____, Driller _____, Driller

FORMATION RECORD

FROM-	TO-	TOTAL FEET	FORMATION
Surface	2500	2500	Sand, gravel, shale - valley fill.
2500	2703	203	Lime, shale, valley fill.

RECEIVED
 NOV 27 1961
 U. S. GEOLOGICAL SURVEY
 ROSWELL, NEW MEXICO