



WELL LOGGING SERVICE

FILING NO.

COMPANY CUMARON ENERGY CORP.

WELL #38HAW

FIELD WINDCAT

LOCATION: 660 FSL 330 FWL

OTHER SERVICES:
Caliper, G/R,
SP., Res.

SEC. 18 T. 4n R. 8e.

ELEV. K.B. N/A
D.F. N/A
GL APP 6550'

PERMANENT DATUM: GROUND LEVEL

LOG MEASURED FROM TOP OF CSG 2 FT. ABOVE PERM. DATUM

DRILLING MEASURED FROM GROUND LEVEL

DATE 8-29-84

RUN NO. ONE

TYPE LOG DIFF. TEMP

DEPTH - LOGGER 590

BOTTOM LOGGED INTERVAL 590 - 560

TOP LOGGED INTERVAL

TYPE FLUID IN HOLE nat, mud

SALINITY, PPM CL

DENSITY

LEVEL 105

MAX. REC. TEMP. DEG. F. 62.3

OPERATING RIG TIME 7 hrs

RECORDED BY RICE/MELO

WITNESSED BY Mr. PEMBROKE

RUN

NO

BORE-HOLE RECORDS

CASING RECORD

BIT

FROM

TO

SIZE

WGT.

FROM

TO

1

7 3/4

220'

TD

8 5/8

36

G.L.

230'

EQUIPMENT DATA

N. NO.

RUN NO.



OL MODEL NO.


LOG TYPE

DIAMETER


TOOL MODEL NO.



COMMENTS: Cable-tool rig. Had trouble reaching driller's T.D. due to mud in hole.







001








300





400

