

**From:** Patterson, Heather, EMNRD  
**To:** ["David Adkins"; Bratcher, Mike, EMNRD](#)  
**Cc:** [Christopher\\_Jones@oxy.com](mailto:Christopher_Jones@oxy.com); [Bratcher, Mike, EMNRD](#); [Hughes, Solomon](#)  
**Subject:** RE: proposed work plan, OXY Yeso Viking CTB  
**Date:** Thursday, August 07, 2014 7:32:00 AM

---

Mr. Adkins,

This work plan is approved as written. Just to let you know, it appears the OCD never received the initial C-141 for this incident. I will use the one included in your proposal to enter it into our system.

OCD approval does not relieve the operator of liability should their operations fail to adequately investigate and remediate contamination that may pose a threat to ground water, surface water, human health or the environment. In addition, OCD approval does not relieve the operator of responsibility for compliance with any other federal, state, local laws and/or regulations.

If you have any questions or concerns, and for notification, please contact me.

Heather Patterson  
Environmental Specialist  
NMOCD District II  
(575)748-1283 ext.101

---

**From:** David Adkins [mailto:[dadkins@talonlpe.com](mailto:dadkins@talonlpe.com)]  
**Sent:** Wednesday, August 06, 2014 2:50 PM  
**To:** Bratcher, Mike, EMNRD; Hughes, Solomon; Patterson, Heather, EMNRD  
**Cc:** [Christopher\\_Jones@oxy.com](mailto:Christopher_Jones@oxy.com)  
**Subject:** proposed work plan, OXY Yeso Viking CTB

Mr. Bratcher,

Attached please find our proposed scope of work for the above referenced OXY facility. Please review and comment at your earliest opportunity. Thank you.

Respectfully submitted,

**David J. Adkins**  
District Manager  
Talon/LPE  
408 West Texas Avenue  
Artesia, New Mexico 88210  
(575) 746.8768 phone  
(575) 746.8905 fax  
(575) 441.4835 cell  
Email: [dadkins@talonlpe.com](mailto:dadkins@talonlpe.com)  
Web: [www.talonlpe.com](http://www.talonlpe.com)

