

September 28, 2013

JUSTIN ROBERTS

DIAMONDBACK DISPOSAL SERVICE INC.

P. O. BOX 2491

HOBBS, NM 88241

RE: HOND 4 FED #1 BATTERY

Enclosed are the results of analyses for samples received by the laboratory on 09/24/13 16:20.

Cardinal Laboratories is accredited through Texas NELAP under certificate number T104704398-11-3. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (\*). For a complete list of accredited analytes and matrices visit the TCEQ website at [www.tceq.texas.gov/field/qa/lab\\_accred\\_certif.html](http://www.tceq.texas.gov/field/qa/lab_accred_certif.html).


Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Celey D. Keene

Lab Director/Quality Manager

**Analytical Results For:**

DIAMONDBACK DISPOSAL SERVICE INC.  
JUSTIN ROBERTS  
P. O. BOX 2491  
HOBBS NM, 88241  
Fax To: (575) 392-9376

Received:	09/24/2013	Sampling Date:	09/24/2013
Reported:	09/28/2013	Sampling Type:	Soil
Project Name:	HOND 4 FED #1 BATTERY	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Jodi Henson
Project Location:	LOCO HILLS, NM		

**Sample ID: SS-1 (H302321-01)**

BTX 8021B		mg/kg		Analyzed By: MS				S-04	
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
<b>Benzene*</b>	<b>13.3</b>	2.00	09/26/2013	ND	1.89	94.7	2.00	2.02	
<b>Toluene*</b>	<b>113</b>	2.00	09/26/2013	ND	1.94	96.9	2.00	2.11	
<b>Ethylbenzene*</b>	<b>130</b>	2.00	09/26/2013	ND	2.02	101	2.00	2.34	
<b>Total Xylenes*</b>	<b>162</b>	6.00	09/26/2013	ND	5.96	99.3	6.00	2.22	
<b>Total BTX</b>	<b>419</b>	12.0	09/26/2013	ND					

rogate: 4-Bromofluorobenzene (PIE) 133 % 89.4-126

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AP					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	09/26/2013	ND	432	108	400	3.77	

TPH 8015M		mg/kg		Analyzed By: MS				S-06	
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
<b>GRO C6-C10</b>	<b>2300</b>	50.0	09/26/2013	ND	172	85.9	200	0.524	
<b>DRO &gt;C10-C28</b>	<b>8280</b>	50.0	09/26/2013	ND	157	78.7	200	0.805	


Surrogate: 1-Chlorooctane 169 % 65.2-140

Surrogate: 1-Chlorooctadecane 234 % 63.6-154

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

**Analytical Results For:**

 DIAMONDBACK DISPOSAL SERVICE INC.  
 JUSTIN ROBERTS  
 P. O. BOX 2491  
 HOBBS NM, 88241  
 Fax To: (575) 392-9376

 Received: 09/24/2013  
 Reported: 09/28/2013  
 Project Name: HOND 4 FED #1 BATTERY  
 Project Number: NONE GIVEN  
 Project Location: LOCO HILLS, NM

 Sampling Date: 09/24/2013  
 Sampling Type: Soil  
 Sampling Condition: Cool & Intact  
 Sample Received By: Jodi Henson

**Sample ID: SS-2 (H302321-02)**

BTEX 8021B		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	09/26/2013	ND	1.89	94.7	2.00	2.02	
Toluene*	<0.050	0.050	09/26/2013	ND	1.94	96.9	2.00	2.11	
Ethylbenzene*	<0.050	0.050	09/26/2013	ND	2.02	101	2.00	2.34	
Total Xylenes*	<0.150	0.150	09/26/2013	ND	5.96	99.3	6.00	2.22	
Total BTEX	<0.300	0.300	09/26/2013	ND					

rogate: 4-Bromofluorobenzene (PIL) 106 % 89.4-126

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AP					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	09/26/2013	ND	432	108	400	3.77	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10	<10.0	10.0	09/26/2013	ND	172	85.9	200	0.524	
DRO >C10-C28	<10.0	10.0	09/26/2013	ND	157	78.7	200	0.805	


Surrogate: 1-Chlorooctane 97.8 % 65.2-140

Surrogate: 1-Chlorooctadecane 104 % 63.6-154

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

**Analytical Results For:**

 DIAMONDBACK DISPOSAL SERVICE INC.  
 JUSTIN ROBERTS  
 P. O. BOX 2491  
 HOBBS NM, 88241  
 Fax To: (575) 392-9376

Received:	09/24/2013	Sampling Date:	09/24/2013
Reported:	09/28/2013	Sampling Type:	Soil
Project Name:	HOND 4 FED #1 BATTERY	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Jodi Henson
Project Location:	LOCO HILLS, NM		

**Sample ID: SS-3 (H302321-03)**

BTEX 8021B		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	09/26/2013	ND	1.89	94.7	2.00	2.02	
Toluene*	<0.050	0.050	09/26/2013	ND	1.94	96.9	2.00	2.11	
Ethylbenzene*	<0.050	0.050	09/26/2013	ND	2.02	101	2.00	2.34	
Total Xylenes*	<0.150	0.150	09/26/2013	ND	5.96	99.3	6.00	2.22	
Total BTEX	<0.300	0.300	09/26/2013	ND					

rogate: 4-Bromofluorobenzene (PIE) 104 % 89.4-126

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AP					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	09/26/2013	ND	432	108	400	3.77	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10	<10.0	10.0	09/26/2013	ND	172	85.9	200	0.524	
DRO >C10-C28	<10.0	10.0	09/26/2013	ND	157	78.7	200	0.805	


Surrogate: 1-Chlorooctane 94.4 % 65.2-140

Surrogate: 1-Chlorooctadecane 101 % 63.6-154

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

**Analytical Results For:**

DIAMONDBACK DISPOSAL SERVICE INC.  
JUSTIN ROBERTS  
P. O. BOX 2491  
HOBBS NM, 88241  
Fax To: (575) 392-9376

Received: 09/24/2013  
Reported: 09/28/2013  
Project Name: HOND 4 FED #1 BATTERY  
Project Number: NONE GIVEN  
Project Location: LOCO HILLS, NM

Sampling Date: 09/24/2013  
Sampling Type: Soil  
Sampling Condition: Cool & Intact  
Sample Received By: Jodi Henson

**Sample ID: SS-4 (H302321-04)**

BTX 8021B		mg/kg	Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	09/26/2013	ND	1.89	94.7	2.00	2.02	
Toluene*	<0.050	0.050	09/26/2013	ND	1.94	96.9	2.00	2.11	
Ethylbenzene*	<0.050	0.050	09/26/2013	ND	2.02	101	2.00	2.34	
Total Xylenes*	<0.150	0.150	09/26/2013	ND	5.96	99.3	6.00	2.22	
Total BTX	<0.300	0.300	09/26/2013	ND					

rogate: 4-Bromofluorobenzene (PIC) 105 % 89.4-126

Chloride, SM4500Cl-B		mg/kg	Analyzed By: AP						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	32.0	16.0	09/26/2013	ND	432	108	400	3.77	

TPH 8015M		mg/kg	Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10	<10.0	10.0	09/26/2013	ND	172	85.9	200	0.524	
DRO >C10-C28	<10.0	10.0	09/26/2013	ND	157	78.7	200	0.805	


Surrogate: 1-Chlorooctane 108 % 65.2-140

Surrogate: 1-Chlorooctadecane 115 % 63.6-154

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

**Analytical Results For:**

DIAMONDBACK DISPOSAL SERVICE INC.  
JUSTIN ROBERTS  
P. O. BOX 2491  
HOBBS NM, 88241  
Fax To: (575) 392-9376

Received: 09/24/2013  
Reported: 09/28/2013  
Project Name: HOND 4 FED #1 BATTERY  
Project Number: NONE GIVEN  
Project Location: LOCO HILLS, NM

Sampling Date: 09/24/2013  
Sampling Type: Soil  
Sampling Condition: Cool & Intact  
Sample Received By: Jodi Henson

**Sample ID: SS-5 (H302321-05)**

BTX 8021B			mg/kg		Analyzed By: MS				
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
<b>Benzene*</b>	<b>131</b>	10.0	09/27/2013	ND	2.08	104	2.00	5.12	
<b>Toluene*</b>	<b>466</b>	10.0	09/27/2013	ND	2.14	107	2.00	5.10	
<b>Ethylbenzene*</b>	<b>259</b>	10.0	09/27/2013	ND	2.26	113	2.00	6.48	
<b>Total Xylenes*</b>	<b>320</b>	30.0	09/27/2013	ND	7.00	117	6.00	8.06	
<b>Total BTX</b>	<b>1180</b>	60.0	09/27/2013	ND					

Surrogate: 4-Bromofluorobenzene (PIL) 111 % 89.4-126

Chloride, SM4500Cl-B			mg/kg		Analyzed By: AP				
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	09/26/2013	ND	432	108	400	3.77	

TPH 8015M			mg/kg		Analyzed By: MS					S-06
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
<b>GRO C6-C10</b>	<b>10100</b>	100	09/26/2013	ND	172	85.9	200	0.524		
<b>DRO &gt;C10-C28</b>	<b>14300</b>	100	09/26/2013	ND	157	78.7	200	0.805		


Surrogate: 1-Chlorooctane 207 % 65.2-140

Surrogate: 1-Chlorooctadecane 343 % 63.6-154

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Coley D. Keene, Lab Director/Quality Manager

**Analytical Results For:**

 DIAMONDBACK DISPOSAL SERVICE INC.  
 JUSTIN ROBERTS  
 P. O. BOX 2491  
 HOBBS NM, 88241  
 Fax To: (575) 392-9376

 Received: 09/24/2013  
 Reported: 09/28/2013  
 Project Name: HOND 4 FED #1 BATTERY  
 Project Number: NONE GIVEN  
 Project Location: LOCO HILLS, NM

 Sampling Date: 09/24/2013  
 Sampling Type: Soil  
 Sampling Condition: Cool & Intact  
 Sample Received By: Jodi Henson

**Sample ID: SS-6 (H302321-06)**

BTEx 8021B		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
<b>Benzene*</b>	<b>62.9</b>	5.00	09/27/2013	ND	2.08	104	2.00	5.12	
<b>Toluene*</b>	<b>276</b>	5.00	09/27/2013	ND	2.14	107	2.00	5.10	
<b>Ethylbenzene*</b>	<b>167</b>	5.00	09/27/2013	ND	2.26	113	2.00	6.48	
<b>Total Xylenes*</b>	<b>200</b>	15.0	09/27/2013	ND	7.00	117	6.00	8.06	
<b>Total BTEX</b>	<b>705</b>	30.0	09/27/2013	ND					

rogate: 4-Bromofluorobenzene (PIE) 113 % 89.4-126

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AP					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	09/26/2013	ND	432	108	400	3.77	

TPH 8015M		mg/kg		Analyzed By: MS						S-06
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
<b>GRO C6-C10</b>	<b>5290</b>	100	09/26/2013	ND	172	85.9	200	0.524		
<b>DRO &gt;C10-C28</b>	<b>8650</b>	100	09/26/2013	ND	157	78.7	200	0.805		


Surrogate: 1-Chlorooctane 179 % 65.2-140

Surrogate: 1-Chlorooctadecane 225 % 63.6-154

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

**Analytical Results For:**

 DIAMONDBACK DISPOSAL SERVICE INC.  
 JUSTIN ROBERTS  
 P. O. BOX 2491  
 HOBBS NM, 88241  
 Fax To: (575) 392-9376

 Received: 09/24/2013  
 Reported: 09/28/2013  
 Project Name: HOND 4 FED #1 BATTERY  
 Project Number: NONE GIVEN  
 Project Location: LOCO HILLS, NM

 Sampling Date: 09/24/2013  
 Sampling Type: Soil  
 Sampling Condition: Cool & Intact  
 Sample Received By: Jodi Henson

**Sample ID: SS-7 (H302321-07)**

BTX 8021B		mg/kg		Analyzed By: MS				S-04	
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	09/27/2013	ND	2.08	104	2.00	5.12	
Toluene*	0.466	0.050	09/27/2013	ND	2.14	107	2.00	5.10	
Ethylbenzene*	0.626	0.050	09/27/2013	ND	2.26	113	2.00	6.48	
Total Xylenes*	3.09	0.150	09/27/2013	ND	7.00	117	6.00	8.06	
Total BTX	4.19	0.300	09/27/2013	ND					

surrogate: 4-Bromofluorobenzene (PIE) 152 % 89.4-126

Chloride, SM4500Cl-B			mg/kg				Analyzed By: AP		
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	320	16.0	09/26/2013	ND	432	108	400	3.77	

TPH 8015M			mg/kg				Analyzed By: MS		
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10	73.0	50.0	09/26/2013	ND	172	85.9	200	0.524	
DRO >C10-C28	821	50.0	09/26/2013	ND	157	78.7	200	0.805	

Surrogate: 1-Chlorooctane 115 % 65.2-140

Surrogate: 1-Chlorooctadecane 131 % 63.6-154

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager



### Notes and Definitions


- S-06            The recovery of this surrogate is outside control limits due to sample dilution required from high analyte concentration and/or matrix interference's.
- S-04            The surrogate recovery for this sample is outside of established control limits due to a sample matrix effect.
- ND             Analyte NOT DETECTED at or above the reporting limit
- RPD            Relative Percent Difference
- \*\*              Samples not received at proper temperature of 6°C or below.
- \*\*\*             Insufficient time to reach temperature.
- Chloride by SM4500Cl-B does not require samples be received at or below 6°C
- Samples reported on an as received basis (wet) unless otherwise noted on report

---

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



---

Celey D. Keene, Lab Director/Quality Manager



## Page 10 of 10

**(575) 393-2326 FAX (575) 393-2476**

Company Name: <b>HEG P-Heyco Dismantling Disposal</b>		P.O. #:	
Project Manager: <b>Brendon Peice</b>		Company:	
Address: <b>P.O. Box 2491</b>		City:	
City: <b>Hobbs</b>		State: <b>NM</b>	
Phone #: <b>505-392-9996</b>		Zip: <b>88241</b>	
Fax #: <b>505-392-9374</b>		Address:	
Project #: _____		City:	
Project Owner: <b>NGP - Heyco</b>		State:	
Project Name: <b>Hond 4 Fed # 1 Battery</b>		Zip:	
Project Location: <b>Love Hills</b>		Phone #:	
Sampler Name: <b>Brendon Peice</b>		Fax #:	

FOR LAB USE ONLY		MATRIX		PRESERV		SAMPLING	
Lab I.D.	Sample I.D.	(G)RAB OR (C)OMP.		GROUNDWATER		DATE	
		# CONTAINERS	WASTEWATER	WASTEWATER	TIME		
			SOIL				
			OIL				
			SLUDGE				
			OTHER :				
			ACID/BASE:				
			ICE / COOL				
			OTHER :				

Lab I.D.	Sample I.D.	(G)RAB OR (C)OMP.	# CONTAINERS	GROUNDWATER	WASTEWATER	SOIL	OIL	SLUDGE	OTHER :	ACID/BASE:	ICE / COOL	OTHER :	DATE	TIME	TPH	BTEX	CI
1	SS-1	X	1			X							9-24-13	1050	X	X	X
2	SS-2	X	1			X							1055	X	X	X	
3	SS-3	X	1			X							1059	X	X	X	
4	SS-4	X	1			X							1103	X	X	X	
5	SS-5	X	1			X							1109	X	X	X	
6	SS-6	X	1			X							1115	X	X	X	
7	SS-7	X	1			X							1123	X	X	X	

PLEASE NOTE: Liability and Damages, Cardinal's liability and damage exclusive remedy for any claim arising whether based in contract or tort shall be limited to the amount paid by the client for the analysis. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services rendered by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.	
Relinquished By: <b>[Signature]</b> Date: <b>9-24-13</b> Time: <b>4:20</b>	Received By: <b>[Signature]</b> Date: <b>9-24-13</b> Time: <b>4:20</b>
Delivered By: (Circle One) Sample - UPS    Bus    Other:	Sample Condition Cool <input checked="" type="checkbox"/> Intact <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/>
Relinquished By: <b>[Signature]</b> Date: <b>9-24-13</b> Time: <b>4:20</b>	Received By: <b>[Signature]</b> Date: <b>9-24-13</b> Time: <b>4:20</b>
Delivered By: (Circle One) Sample - UPS    Bus    Other:	Sample Condition Cool <input checked="" type="checkbox"/> Intact <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/>

Phone Result: <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Add'l Phone #: _____ Fax Result: <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Add'l Fax #: _____ REMARKS:
--