From: <u>Tucker, Shelly</u>
To: <u>Michael Burton</u>

Cc: Bratcher, Mike, EMNRD; Patterson, Heather, EMNRD; Christine Alderman; Michael Patterson

Subject: Re: Cimarex Gadwall Spill #2 work plan

Date: Wednesday, July 29, 2015 3:54:50 PM

Mike,

The BLM approves your work plan as proposed with the following stipulation:

1. During your excavation activities, SP5 and SP9 need to be delineated with confirmation samples collected.

If you have any questions or concerns, please contact me.

Sincerely,

Shelly J. Tucker

Environmental Protection Specialist Bureau of Land Management

620 E. Greene St Carlsbad, NM 88220

575.234.5905 - Direct 575.361.0084 - Cellular

stucker@blm.gov



NOTE: BLM approval does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that may pose a threat to groundwater, surface water, human health or the environment or if the location fails to reclaim properly. In such an event that the location does not revegetate, or future issues with contaminants are encountered, the operator will be asked to address the issues until the contaminant issues are fully mitigated and the location is successfully reclaimed. In addition, BLM approval does not relieve the operator of responsibility for compliance with any other federal, state or local laws/regulations.

On Wed, Jul 29, 2015 at 10:28 AM, Michael Burton < mburton@diversifiedfsi.com > wrote:

All.

Attached is the work plan for the Cimarex Gadwall second release. Please review. If you have any questions feel free to contact myself. Thank you.

Mike Burton

DFSI

Environmental Operations Director

Customer Relations

575-390-5454 cell

The information contained in this e-mail message is intended only for the personal and confidential use of the recipient(s) named above. If the reader of this message is not the intended recipient or an agent responsible for delivering it to the intended recipient, you are hereby notified that you have received this document in error and that any review, dissemination, distribution, or copying of this message is strictly prohibited. If you have received this communication in error, please notify us immediately by e-mail, and delete the original message.