


# Initial Sampling Data

|      | Point 1 |      |     |     |
|------|---------|------|-----|-----|
|      | CI-     | PID  | GRO | DRO |
| SS   | 6080    | 10.6 | <10 | <10 |
| 6"   | 2243    | 21.3 |     |     |
| 1'   | 1481    | 17.2 |     |     |
| 1.5' | 1069    | 7.3  |     |     |
| 2'   | 1093    | 5.5  |     |     |
| 2.5' | 1406    | 4.1  |     |     |
| 3'   | 1435    | 4.3  |     |     |
| 3.5' | 1619    | 2.9  |     |     |
| 4'   | 1402    | 2.7  |     |     |
| 4.5' | 144     | 1.8  | <10 | <10 |

|      | Point 3 |      |      |      |
|------|---------|------|------|------|
|      | CI-     | PID  | GRO  | DRO  |
| SS   | 1760    | 44.2 | <100 | 8940 |
| 6"   | 1540    | 13.1 | <10  | 288  |
| 1'   | 1548    | 4.2  |      |      |
| 1.5' | 839     | 1.2  |      |      |
| 2'   | 192     | 1.3  | <10  | <10  |
| 2.5' | 176     | 1.1  | <10  | <10  |

|      | Point 2 |      |     |      |
|------|---------|------|-----|------|
|      | CI-     | PID  | GRO | DRO  |
| SS   | 3520    | 74.6 | <50 | 557  |
| 6"   | 8080    | 63.1 | 174 | 4410 |
| 1'   | 2690    | 17.3 |     |      |
| 1.5' | 750     | 1.7  |     |      |
| 2'   | 320     | 3.7  | <10 | 46.7 |



## Legend

- ▲ SAMPLE POINTS
- SURFACE LINE
- FRAC TANK
- STAIN (1,667 SQ FT)

CI- FIELD DATA

CI- LAB DATA


Landowner: State  
DGW: 180 ft

Source: Esri, DigitalGlobe, GeoEye, i-cubed, Earthstar Geographics, CNES/Airbus DS, USDA, USGS, AEX, Getmapping, Aerogrid, IGN, IGP, swisstopo, and the GIS User Community



## CONOCOPHILLIPS JAMES A WATER STATION

UL O & P SECTION 2  
T-22-S R-30-E  
EDDY COUNTY, NM



GPS date: 8/13/14 KS  
Drawing date: 8/26/14  
Drafted by: L. Weinheimer



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

---

August 22, 2014

LAURA FLORES

RICE ENVIRONMENTAL CONSULTING & SAFETY LLC

419 W. CAIN

HOBBS, NM 88240

RE: JAMES A WATER STATION

Enclosed are the results of analyses for samples received by the laboratory on 08/19/14 16:10.

Cardinal Laboratories is accredited through Texas NELAP under certificate number T104704398-13-5. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (\*). For a complete list of accredited analytes and matrices visit the TCEQ website at [www.tceq.texas.gov/field/qa/lab\\_accred\\_certif.html](http://www.tceq.texas.gov/field/qa/lab_accred_certif.html).

Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

|                  |                              |
|------------------|------------------------------|
| Method EPA 552.2 | Haloacetic Acids (HAA-5)     |
| Method EPA 524.2 | Total Trihalomethanes (TTHM) |
| Method EPA 524.4 | Regulated VOCs (V1, V2, V3)  |

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in black ink that reads "Celey D. Keene". The signature is written in a cursive, flowing style.

Celey D. Keene

Lab Director/Quality Manager

**Analytical Results For:**

RICE ENVIRONMENTAL CONSULTING & SAFETY  
LAURA FLORES  
419 W. CAIN  
HOBBS NM, 88240  
Fax To: (575) 397-1471

|                   |                       |                     |               |
|-------------------|-----------------------|---------------------|---------------|
| Received:         | 08/19/2014            | Sampling Date:      | 08/19/2014    |
| Reported:         | 08/22/2014            | Sampling Type:      | Soil          |
| Project Name:     | JAMES A WATER STATION | Sampling Condition: | Cool & Intact |
| Project Number:   | NONE GIVEN            | Sample Received By: | Jodi Henson   |
| Project Location: | NOT GIVEN             |                     |               |

**Sample ID: PT. 1 @ SURFACE (H402542-01)**

| Chloride, SM4500Cl-B          |        | mg/kg           |            | Analyzed By: AP |     |            |               |      |           |
|-------------------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|
| Analyte                       | Result | Reporting Limit | Analyzed   | Method Blank    | BS  | % Recovery | True Value QC | RPD  | Qualifier |
| Chloride                      | 6080   | 16.0            | 08/20/2014 | ND              | 416 | 104        | 400           | 3.92 |           |
| TPH 8015M                     |        | mg/kg           |            | Analyzed By: CK |     |            |               |      |           |
| Analyte                       | Result | Reporting Limit | Analyzed   | Method Blank    | BS  | % Recovery | True Value QC | RPD  | Qualifier |
| GRO C6-C10                    | <10.0  | 10.0            | 08/20/2014 | ND              | 187 | 93.3       | 200           | 1.35 |           |
| DRO >C10-C28                  | <10.0  | 10.0            | 08/20/2014 | ND              | 194 | 96.9       | 200           | 2.36 |           |
| Surrogate: 1-Chlorooctane     |        |                 |            |                 |     |            |               |      |           |
|                               | 90.1 % | 65.2-140        |            |                 |     |            |               |      |           |
| Surrogate: 1-Chlorooctadecane |        |                 |            |                 |     |            |               |      |           |
|                               | 102 %  | 63.6-154        |            |                 |     |            |               |      |           |

**Sample ID: PT. 1 @ 4.5' (H402542-02)**

| Chloride, SM4500Cl-B          |        | mg/kg           |            | Analyzed By: AP |     |            |               |      |           |
|-------------------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|
| Analyte                       | Result | Reporting Limit | Analyzed   | Method Blank    | BS  | % Recovery | True Value QC | RPD  | Qualifier |
| Chloride                      | 144    | 16.0            | 08/20/2014 | ND              | 416 | 104        | 400           | 3.92 |           |
| TPH 8015M                     |        | mg/kg           |            | Analyzed By: CK |     |            |               |      |           |
| Analyte                       | Result | Reporting Limit | Analyzed   | Method Blank    | BS  | % Recovery | True Value QC | RPD  | Qualifier |
| GRO C6-C10                    | <10.0  | 10.0            | 08/20/2014 | ND              | 187 | 93.3       | 200           | 1.35 |           |
| DRO >C10-C28                  | <10.0  | 10.0            | 08/20/2014 | ND              | 194 | 96.9       | 200           | 2.36 |           |
|                               |        |                 |            |                 |     |            |               |      |           |
| Surrogate: 1-Chlorooctane     | 98.4 % | 65.2-140        |            |                 |     |            |               |      |           |
| Surrogate: 1-Chlorooctadecane | 107 %  | 63.6-154        |            |                 |     |            |               |      |           |

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

**Analytical Results For:**

RICE ENVIRONMENTAL CONSULTING & SAFETY  
LAURA FLORES  
419 W. CAIN  
HOBBS NM, 88240  
Fax To: (575) 397-1471

|                   |                       |                     |               |
|-------------------|-----------------------|---------------------|---------------|
| Received:         | 08/19/2014            | Sampling Date:      | 08/19/2014    |
| Reported:         | 08/22/2014            | Sampling Type:      | Soil          |
| Project Name:     | JAMES A WATER STATION | Sampling Condition: | Cool & Intact |
| Project Number:   | NONE GIVEN            | Sample Received By: | Jodi Henson   |
| Project Location: | NOT GIVEN             |                     |               |

**Sample ID: PT. 3 @ SURFACE (H402542-03)**

| Chloride, SM4500Cl-B |        | mg/kg           |            | Analyzed By: AP |     |            |               |      |           |      |
|----------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|------|
| Analyte              | Result | Reporting Limit | Analyzed   | Method Blank    | BS  | % Recovery | True Value QC | RPD  | Qualifier |      |
| Chloride             | 1760   | 16.0            | 08/20/2014 | ND              | 416 | 104        | 400           | 3.92 |           |      |
| TPH 8015M            |        | mg/kg           |            | Analyzed By: CK |     |            |               |      |           | S-06 |
| Analyte              | Result | Reporting Limit | Analyzed   | Method Blank    | BS  | % Recovery | True Value QC | RPD  | Qualifier |      |
| GRO C6-C10           | <100   | 100             | 08/20/2014 | ND              | 187 | 93.3       | 200           | 1.35 |           |      |
| DRO >C10-C28         | 8940   | 100             | 08/20/2014 | ND              | 194 | 96.9       | 200           | 2.36 |           |      |

Surrogate: 1-Chlorooctane 92.6 % 65.2-140

Surrogate: 1-Chlorooctadecane 286 % 63.6-154

**Sample ID: PT. 3 @ 2.5' (H402542-04)**

| Chloride, SM4500Cl-B |        | mg/kg           |            | Analyzed By: AP |     |            |               |      |           |  |
|----------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|--|
| Analyte              | Result | Reporting Limit | Analyzed   | Method Blank    | BS  | % Recovery | True Value QC | RPD  | Qualifier |  |
| Chloride             | 176    | 16.0            | 08/20/2014 | ND              | 416 | 104        | 400           | 3.92 |           |  |
| TPH 8015M            |        | mg/kg           |            | Analyzed By: CK |     |            |               |      |           |  |
| Analyte              | Result | Reporting Limit | Analyzed   | Method Blank    | BS  | % Recovery | True Value QC | RPD  | Qualifier |  |
| GRO C6-C10           | <10.0  | 10.0            | 08/20/2014 | ND              | 187 | 93.3       | 200           | 1.35 |           |  |
| DRO >C10-C28         | <10.0  | 10.0            | 08/20/2014 | ND              | 194 | 96.9       | 200           | 2.36 |           |  |

Surrogate: 1-Chlorooctane 95.1 % 65.2-140

Surrogate: 1-Chlorooctadecane 105 % 63.6-154

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

**Analytical Results For:**

RICE ENVIRONMENTAL CONSULTING & SAFETY  
LAURA FLORES  
419 W. CAIN  
HOBBS NM, 88240  
Fax To: (575) 397-1471

|                   |                       |                     |               |
|-------------------|-----------------------|---------------------|---------------|
| Received:         | 08/19/2014            | Sampling Date:      | 08/19/2014    |
| Reported:         | 08/22/2014            | Sampling Type:      | Soil          |
| Project Name:     | JAMES A WATER STATION | Sampling Condition: | Cool & Intact |
| Project Number:   | NONE GIVEN            | Sample Received By: | Jodi Henson   |
| Project Location: | NOT GIVEN             |                     |               |

**Sample ID: PT. 3 @ 2' (H402542-05)**

| Chloride, SM4500Cl-B          |        | mg/kg           |            | Analyzed By: AP |     |            |               |      |           |
|-------------------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|
| Analyte                       | Result | Reporting Limit | Analyzed   | Method Blank    | BS  | % Recovery | True Value QC | RPD  | Qualifier |
| Chloride                      | 192    | 16.0            | 08/20/2014 | ND              | 416 | 104        | 400           | 3.92 |           |
| TPH 8015M                     |        | mg/kg           |            | Analyzed By: CK |     |            |               |      |           |
| Analyte                       | Result | Reporting Limit | Analyzed   | Method Blank    | BS  | % Recovery | True Value QC | RPD  | Qualifier |
| GRO C6-C10                    | <10.0  | 10.0            | 08/20/2014 | ND              | 187 | 93.3       | 200           | 1.35 |           |
| DRO >C10-C28                  | <10.0  | 10.0            | 08/20/2014 | ND              | 194 | 96.9       | 200           | 2.36 |           |
|                               |        |                 |            |                 |     |            |               |      |           |
| Surrogate: 1-Chlorooctane     | 92.1 % | 65.2-140        |            |                 |     |            |               |      |           |
| Surrogate: 1-Chlorooctadecane | 97.2 % | 63.6-154        |            |                 |     |            |               |      |           |

**Sample ID: PT. 2 @ 6" (H402542-06)**

| Chloride, SM4500Cl-B          |        | mg/kg           |            | Analyzed By: AP |     |            |               |      |           |      |
|-------------------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|------|
| Analyte                       | Result | Reporting Limit | Analyzed   | Method Blank    | BS  | % Recovery | True Value QC | RPD  | Qualifier |      |
| Chloride                      | 8080   | 16.0            | 08/20/2014 | ND              | 416 | 104        | 400           | 3.92 |           |      |
| TPH 8015M                     |        | mg/kg           |            | Analyzed By: CK |     |            |               |      |           | S-06 |
| Analyte                       | Result | Reporting Limit | Analyzed   | Method Blank    | BS  | % Recovery | True Value QC | RPD  | Qualifier |      |
| GRO C6-C10                    | 174    | 100             | 08/20/2014 | ND              | 187 | 93.3       | 200           | 1.35 |           |      |
| DRO >C10-C28                  | 4410   | 100             | 08/20/2014 | ND              | 194 | 96.9       | 200           | 2.36 |           |      |
| Surrogate: 1-Chlorooctane     |        |                 |            |                 |     |            |               |      |           |      |
|                               | 99.8 % | 65.2-140        |            |                 |     |            |               |      |           |      |
| Surrogate: 1-Chlorooctadecane |        |                 |            |                 |     |            |               |      |           |      |
|                               | 176 %  | 63.6-154        |            |                 |     |            |               |      |           |      |

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

**Analytical Results For:**

RICE ENVIRONMENTAL CONSULTING & SAFETY  
LAURA FLORES  
419 W. CAIN  
HOBBS NM, 88240  
Fax To: (575) 397-1471

|                   |                       |                     |               |
|-------------------|-----------------------|---------------------|---------------|
| Received:         | 08/19/2014            | Sampling Date:      | 08/19/2014    |
| Reported:         | 08/22/2014            | Sampling Type:      | Soil          |
| Project Name:     | JAMES A WATER STATION | Sampling Condition: | Cool & Intact |
| Project Number:   | NONE GIVEN            | Sample Received By: | Jodi Henson   |
| Project Location: | NOT GIVEN             |                     |               |

**Sample ID: PT. 3 @ 6" (H402542-07)**

| Chloride, SM4500Cl-B |        | mg/kg           |            | Analyzed By: AP |     |            |               |      |           |
|----------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|
| Analyte              | Result | Reporting Limit | Analyzed   | Method Blank    | BS  | % Recovery | True Value QC | RPD  | Qualifier |
| Chloride             | 1540   | 16.0            | 08/20/2014 | ND              | 416 | 104        | 400           | 3.92 |           |
| TPH 8015M            |        | mg/kg           |            | Analyzed By: CK |     |            |               |      |           |
| Analyte              | Result | Reporting Limit | Analyzed   | Method Blank    | BS  | % Recovery | True Value QC | RPD  | Qualifier |
| GRO C6-C10           | <10.0  | 10.0            | 08/20/2014 | ND              | 187 | 93.3       | 200           | 1.35 |           |
| DRO >C10-C28         | 288    | 10.0            | 08/20/2014 | ND              | 194 | 96.9       | 200           | 2.36 |           |

Surrogate: 1-Chlorooctane 93.4 % 65.2-140

Surrogate: 1-Chlorooctadecane 116 % 63.6-154

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager



### Notes and Definitions

|      |  |
|------|--|
| S-06 | The recovery of this surrogate is outside control limits due to sample dilution required from high analyte concentration and/or matrix interference's.         |
| ND   | Analyte NOT DETECTED at or above the reporting limit   |
| RPD  | Relative Percent Difference  |
| **   | Samples not received at proper temperature of 6°C or below.  |
| ***  | Insufficient time to reach temperature.  |
| -    | Chloride by SM4500Cl-B does not require samples be received at or below 6°C<br>Samples reported on an as received basis (wet) unless otherwise noted on report |

---

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



---

Celey D. Keene, Lab Director/Quality Manager

## • CARDINAL LABORATORIES

101 East Marland, Hobbs, NM 88240 2111 Beechwood, Abilene, TX 79603  
(505) 393-2326 FAX (505) 393-2476 (325) 673-7001 FAX (325) 673-7020

## CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

[illegible]





PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

---

August 22, 2014

LAURA FLORES

RICE ENVIRONMENTAL CONSULTING & SAFETY LLC

419 W. CAIN

HOBBS, NM 88240

RE: JAMES A WATER STATION

Enclosed are the results of analyses for samples received by the laboratory on 08/19/14 9:10.

Cardinal Laboratories is accredited through Texas NELAP under certificate number T104704398-13-5. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (\*). For a complete list of accredited analytes and matrices visit the TCEQ website at [www.tceq.texas.gov/field/qa/lab\\_accred\\_certif.html](http://www.tceq.texas.gov/field/qa/lab_accred_certif.html).

Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

|                  |                              |
|------------------|------------------------------|
| Method EPA 552.2 | Haloacetic Acids (HAA-5)     |
| Method EPA 524.2 | Total Trihalomethanes (TTHM) |
| Method EPA 524.4 | Regulated VOCs (V1, V2, V3)  |

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in black ink that reads "Celey D. Keene". The signature is written in a cursive, flowing style.

Celey D. Keene

Lab Director/Quality Manager

**Analytical Results For:**

RICE ENVIRONMENTAL CONSULTING & SAFETY  
LAURA FLORES  
419 W. CAIN  
HOBBS NM, 88240  
Fax To: (575) 397-1471

Received: 08/19/2014  
Reported: 08/22/2014  
Project Name: JAMES A WATER STATION  
Project Number: NONE GIVEN  
Project Location: NOT GIVEN

Sampling Date: 08/13/2014  
Sampling Type: Soil  
Sampling Condition: Cool & Intact  
Sample Received By: Jodi Henson

**Sample ID: PT. 2 @ SURFACE (H402529-01)**

| Chloride, SM4500Cl-B   |             | mg/kg           |            | Analyzed By: AP |     |            |               |       |           |
|------------------------|-------------|-----------------|------------|-----------------|-----|------------|---------------|-------|-----------|
| Analyte                | Result      | Reporting Limit | Analyzed   | Method Blank    | BS  | % Recovery | True Value QC | RPD   | Qualifier |
| <b>Chloride</b>        | <b>3520</b> | 16.0            | 08/19/2014 | ND              | 400 | 100        | 400           | 0.00  |           |
| TPH 8015M              |             | mg/kg           |            | Analyzed By: CK |     |            |               |       |           |
| Analyte                | Result      | Reporting Limit | Analyzed   | Method Blank    | BS  | % Recovery | True Value QC | RPD   | Qualifier |
| GRO C6-C10             | <50.0       | 50.0            | 08/19/2014 | ND              | 191 | 95.7       | 200           | 0.146 |           |
| <b>DRO &gt;C10-C28</b> | <b>557</b>  | 50.0            | 08/19/2014 | ND              | 207 | 103        | 200           | 0.978 |           |

Surrogate: 1-Chlorooctane 103 % 65.2-140

Surrogate: 1-Chlorooctadecane 126 % 63.6-154

**Sample ID: PT. 2 @ 2' (H402529-02)**

| Chloride, SM4500Cl-B   |             | mg/kg           |            | Analyzed By: AP |     |            |               |       |           |
|------------------------|-------------|-----------------|------------|-----------------|-----|------------|---------------|-------|-----------|
| Analyte                | Result      | Reporting Limit | Analyzed   | Method Blank    | BS  | % Recovery | True Value QC | RPD   | Qualifier |
| <b>Chloride</b>        | <b>320</b>  | 16.0            | 08/19/2014 | ND              | 400 | 100        | 400           | 0.00  |           |
| TPH 8015M              |             | mg/kg           |            | Analyzed By: CK |     |            |               |       |           |
| Analyte                | Result      | Reporting Limit | Analyzed   | Method Blank    | BS  | % Recovery | True Value QC | RPD   | Qualifier |
| GRO C6-C10             | <10.0       | 10.0            | 08/19/2014 | ND              | 191 | 95.7       | 200           | 0.146 |           |
| <b>DRO &gt;C10-C28</b> | <b>46.7</b> | 10.0            | 08/19/2014 | ND              | 207 | 103        | 200           | 0.978 |           |

Surrogate: 1-Chlorooctane 97.5 % 65.2-140

Surrogate: 1-Chlorooctadecane 109 % 63.6-154

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

**Notes and Definitions**

|     |  |
|-----|--|
| ND  | Analyte NOT DETECTED at or above the reporting limit   |
| RPD | Relative Percent Difference  |
| **  | Samples not received at proper temperature of 6°C or below.  |
| *** | Insufficient time to reach temperature.  |
| -   | Chloride by SM4500Cl-B does not require samples be received at or below 6°C<br>Samples reported on an as received basis (wet) unless otherwise noted on report |

---

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



---

Celey D. Keene, Lab Director/Quality Manager



# CARDINAL LABORATORIES

101 East Marland, Hobbs, NM 88240  
(505) 393-2326 FAX (505) 393-2476 (325) 673-7001 FAX (325) 673-7020

## CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

BILL TO

ANALYSIS REQUEST

Company Name: RECS 2111 Beechwood, Abilene, TX 79603  
Project Manager: Laura Flores, Kyle Norman  
Address: Kyle Schwaidt  
City: Hobbs State: NM Zip: 88240  
Phone #: \_\_\_\_\_ Fax #: \_\_\_\_\_  
Project #: \_\_\_\_\_ Project Owner: \_\_\_\_\_  
Project Location: James A. Water Station  
Sample Name: Kyle Schwaidt  
FOR LAB USE ONLY  
P.O. #: \_\_\_\_\_ Company: \_\_\_\_\_  
Attn: \_\_\_\_\_ Address: \_\_\_\_\_  
City: \_\_\_\_\_ State: \_\_\_\_\_ Zip: \_\_\_\_\_  
Phone #: \_\_\_\_\_ Fax #: \_\_\_\_\_

Lab I.D. H402529

Sample I.D. Point 2 @ 2'

(G)RAB OR (C)OMP. # CONTAINERS  
MATRIX  
GROUNDWATER  
WASTEWATER  
SOIL ☒  
OIL ☒  
SLUDGE ☒  
OTHER: ☒  
ACID/BASE: ☒  
ICE / COOL ☒  
OTHER: ☒

DATE 8-13-14 TIME 2:00  
8-13-14 2:05

|                         |                                     |                                     |
|-------------------------|-------------------------------------|-------------------------------------|
| Chlorides               | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> |
| TPH 8015 M              | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> |
| BTEX                    | <input type="checkbox"/>            | <input type="checkbox"/>            |
| Texas TPH               | <input type="checkbox"/>            | <input type="checkbox"/>            |
| Complete Cations/Anions | <input type="checkbox"/>            | <input type="checkbox"/>            |
| TDS                     | <input type="checkbox"/>            | <input type="checkbox"/>            |

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analyses. All claims including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.

Relinquished By: \_\_\_\_\_

Relinquished By: Kyle Schwaidt

Delivered By: Kyle Schwaidt

Sampler - UPS - Bus - Other: \_\_\_\_\_

Date: 8-14-14 Time: 5:00  
Date: 8-14-14 Time: 9:10

Received By: Heidi Henderson

Sample Condition  
Cool ☒ Intact ☒  
Yes ☒ No ☐  
Yes ☒ No ☐

CHECKED BY: Heidi Henderson

Phone Result: ☐ Yes ☒ No Add'l Phone #: \_\_\_\_\_  
Fax Result: ☐ Yes ☒ No Add'l Fax #: \_\_\_\_\_

REMARKS:

email: hcondor@rice-ecs.com; lflares@rice-ecs.com;  
lweinheimer@rice-ecs.com; knorman@rice-ecs.com;  
jkamplain@rice-ecs.com; sedwards@rice-ecs.com;  
cursanic@rice-ecs.com  
Environmental Tech: \_\_\_\_\_

@rice-ecs.com

#54